

REVOLVERS

by Robert Thomas with help from Ryan Pendergast and Jeff Pawlowski

American Arms, USA													
cost	name	sk	ia	s	rof	rhg	h	wgt	action	caliber	capacity	sight	note
1295	Mateba 4"	S	14	0	4	50	1	1.0	DA	.357 Mag	6 cylinder	+7	
1335	Mateba 6"	S	16	0	4	60	1	1.12	DA	.357 mag	6 cylinder	+8	
1380	Mateba 8"	S	16	0	4	75	1	1.23	DA	.357 Mag	6 cylinder	+8	M-

Charter Arms, USA [also Charco]													
cost	name	sk	ia	s	rof	rhg	h	wgt	action	caliber	capacity	sight	note
278	Bulldog	S	12	0	3	50	1	0.72	DA	.44 Spl	5 cylinder	+6	
209	Off Duty	S	11	0	3	40	1	0.56	DA	.38 Spl	5 cylinder	+6	
250	Police Undercover	S	12	0	3	40	1	0.54	DA	.38 Spl	6 cylinder	+6	

Colt Manufacturing, USA													
cost	name	sk	ia	s	rof	rhg	h	wgt	action	caliber	capacity	sight	note
629	Anaconda 4"	S	14	1	3	60	1	1.3	DA	.44 Mag	6 cylinder	+7	
629	Anaconda 6"	S	16	1	3	75	1	1.4	DA	.44 Mag	6 cylinder	+7	
629	Anaconda 8"	S	16	2	3	75	1	1.5	DA	.44 Mag	6 cylinder	+8	M-
599	Cowboy	S	15		2	50	1	1.24	SA	.45 Colt	6 cylinder	+7	
408	Detective Special (SF-2)	S	12	0	3	40	1	0.6	DA	.38 Spl	6 cylinder	+6	M+
468	King Cobra 2-1/2"	S	13	0	3	50	1	1.0	DA	.357 Mag	6 cylinder	+7	M+
468	King Cobra 4"	S	14	0	3	60	1	1.2	DA	.357 Mag	6 cylinder	+7	
468	King Cobra 6"	S	16	1	3	60	1	1.3	DA	.357 Mag	6 cylinder	+8	M+
435	Magnum Carry	S	12	0	3	50	1	0.7	DA	.357 Mag	6 cylinder	+6	M+
400	Police Positive	S	14	0	3	50	1	0.8	DA	.38 Spl	6 cylinder	+7	M+
929	Python 2-1/2	S	13	0	3	50	1	0.9	DA	.357 Mag	6 cylinder	+7	M+
929	Python 4"	S	15	0	3	60	1	1.1	DA	.357 Mag	6 cylinder	+7	
929	Python 6"	S	16	1	3	75	1	1.3	DA	.357 Mag	6 cylinder	+8	
929	Python 8"	S	17	2	3	75	1	1.5	DA	.357 Mag	6 cylinder	+8	M-
408	SF-V1	S	11	0	3	40	1	0.6	DA	.38 Spl	6 cylinder	+6	M+
1590	Single Action Army	S	15	1	2	60	1	1.1	SA	.45 Colt	6 cylinder	+7	

European American Armory, USA													
cost	name	sk	ia	s	rof	rhg	h	wgt	action	caliber	capacity	sight	note
198	Windicator 2"	S	12	0	3	40	1	0.91	DA	.357 Mag	6 cylinder	+6	M+
239	Windicator 4"	S	14	0	3	50	1	1.02	DA	.357 Mag	6 cylinder	+7	

Freedom Arms, USA													
cost	name	sk	ia	s	rof	rhg	h	wgt	action	caliber	capacity	sight	note
1442	M83 Premier	S	17	2	2	75	1	1.57	SA	.454 Casull	5 cylinder	+9	M-
1576	1997 Premier	S	14	0	2	60	1	1.17	SA	.45 Colt	5 cylinder	+7	M-
Harrington & Richardson, USA													
cost	name	sk	ia	s	rof	rhg	h	wgt	action	caliber	capacity	sight	note
173	929	S	13	0	3	50	1	0.94	DA	.22 LR	9 cylinder	+7	I
190	949 Western	S	15	0	3	50	1	1.0	DA	.22 LR	9 cylinder	+8	I, M-
285	999 Sportsman	S	14	0	3	50	1	0.89	DA	.22 LR	9 cylinder	+7	
Knight's Armament Company, USA													
cost	name	sk	ia	s	rof	rhg	h	wgt	action	caliber	capacity	sight	note
?	Revolver Pistol	S	17	2	3	50	1	2.0	DA	5.56S	6 cylinder	A-4	M-, S, Z
Llama, Spain													
cost	name	sk	ia	s	rof	rhg	h	wgt	action	caliber	capacity	sight	note
275	Comanche 4"	S	13	0	3	50	1	1.12	DA	.357 mag	6 cylinder	+7	I
275	Comanche 6"	S	15	0	3	60	1	1.2	DA	.357 Mag	6 cylinder	+8	I
367	Super Comanche 6"	S	15	1	3	60	1	1.56	DA	.44 mag	6 cylinder	+8	I
367	Super Comanche 8.5"	S	17	2	3	75	1	1.71	DA	.44 mag	6 cylinder	+9	I
Magnum Research, USA													
cost	name	sk	ia	s	rof	rhg	h	wgt	action	caliber	capacity	sight	note
899	Maxine (B.F.R.)	S	17	3	1	75	1	1.62	SA	.45-70	5 cylinder	+8	M-
Mantra Manurhin Defense, France													
cost	name	sk	ia	s	rof	rhg	h	wgt	action	caliber	capacity	sight	note
	MR73 Compact	S	12	0	3	50	1	0.97	DA	.357 mag	6 cylinder	+6	
	MR73 Gendarmerie	S	14	0	3	60	1	1.05	DA	.357 Mag	6 cylinder	+7	
North American Arms, USA													
cost	name	sk	ia	s	rof	rhg	h	wgt	action	caliber	capacity	sight	note
162	22LR	S	10	0	2	20	1	0.1	SA	.22 LR	5 cylinder	+5	M+
184	22M	S	10	0	2	20	1	0.2	SA	.22 Mag	5 cylinder	+5	M+
Phillips & Rogers, Inc., USA													
cost	name	sk	ia	s	rof	rhg	h	wgt	action	caliber	capacity	sight	note
899	Medusa M47	S	16	1	3	60	1	1.2	DA	V	6 cylinder		

Rossi, Italy													
cost	name	sk	ia	s	rof	rhg	h	wgt	action	caliber	capacity	sight	note
275	515	S	14	0	3	40	1	0.8	DA	.22 Mag	6 cylinder	+7	M+
205	68 2"	S	11	0	3	40	1	0.6	DA	.38 Spl	5 cylinder	+6	
205	68 3"	S	13	0	3	40	1	0.7	DA	.38 Spl	5 cylinder	+7	
335	720	S	13	0	3	50	1	0.8	DA	.44 Spl	5 cylinder	+7	
290	877	S	12	0	3	50	1	0.7	DA	.357 mag	6 cylinder	+6	C
260	971 4"	S	14	0	3	60	1	0.9	DA	.357 Mag	6 cylinder	+7	
340	971 VRC 6"	S	16	0	3	60	1	1.1	DA	.357 Mag	8 cylinder	+8	
429	Cyclops	S	17	2	3	60	1	1.3	DA	.357 mag	6 cylinder	+8	C, M-

Royal Small Arms Factory, United Kingdom													
cost	name	sk	ia	s	rof	rhg	h	wgt	action	caliber	capacity	sight	note
	.30 No.2 Mark 1*	S	15	0	3	50	1	0.84	DA	.38 S&W	6 cylinder	+8	

RSAF (various manufacturers including Izhevsk, KBP, Izhmash, TsKIB), Russia													
cost	name	sk	ia	s	rof	rhg	h	wgt	action	caliber	capacity	sight	note
	DOG-1	S	14	0	3	30	1	1.16	DA	12.5x35mm	5 cylinder	+7	L
	OTs-01 Kobolt	S	13	0	3	40	1	0.93	DA	.9x18mm	6 cylinder	+7	
	OTs-20 Grom	S	14	0	3	30	1	1.24	DA	12.5x40mm	5 cylinder	+7	
	R-92	S	12	0	3	40	1	0.64	DA	9x18mm	5 cylinder	+6	L
	UDAR-S	S	13	0	3	30	1	1.03	DA	12.3mm	5 cylinder	+7	R

Sturm, Ruger & Co., USA													
cost	name	sk	ia	s	rof	rhg	h	wgt	action	caliber	capacity	sight	note
415	Blackhawk 4.625"	S	14	0	2	50	1	1.23	SA	.357 Mag	6 cylinder	+7	M-
415	Blackhawk 4.625"	S	14	0	2	50	1	1.2	SA	.41 Mag	6 cylinder	+7	
415	Blackhawk 4.625"	S	14	0	2	50	1	1.25	SA	.45 Colt	6 cylinder	+7	
415	Blackhawk 6.5"	S	16	1	2	60	1	1.29	SA	.357 Mag	6 cylinder	+8	
415	Blackhawk 6.5"	S	16	1	2	60	1	1.26	SA	.41 Mag	6 cylinder	+8	M-
415	Blackhawk 6.5"	S	16	1	2	60	1	1.31	SA	.45 Colt	6 cylinder	+8	M-
415	Blackhawk 7.5"	S	16	1	2	75	1	1.24	SA	.30 Carbine	6 cylinder	+8	M-
499	GP-100 3"	S	13	0	3	50	1	1.09	DA	.357 Mag	6 cylinder	+7	M-
515	GP-100 4"	S	14	1	3	50	1	1.26	DA	.357 Mag	6 cylinder	+7	
515	GP-100 6"	S	16	1	3	60	1	1.32	DA	.357 Mag	6 cylinder	+8	
615	Redhawk 5.5"	S	16	1	3	60	1	1.54	DA	.44 Mag	6 cylinder	+8	
615	Redhawk 5.5"	S	16	1	3	60	1	1.54	DA	.45 Colt	6 cylinder	+8	M-
615	Redhawk 7.5"	S	16	2	3	75	1	1.68	DA	.44 Mag	6 cylinder	+8	
615	Redhawk 7.5"	S	16	2	3	75	1	1.68	DA	.45 Colt	6 cylinder	+8	
375	Security-Six	S	14	0	3	60	1	1.0	DA	.357 Mag	6 cylinder	+7	
369	Single Six 4.625"	S	14	0	2	50	1	0.93	SA	.22 LR	6 cylinder	+7	

Sturm, Ruger & Co. (continued)													
cost	name	sk	ia	s	rof	rhg	h	wgt	action	caliber	capacity	sight	note
549	Single Six 4.625"	S	14	0	2	50	1	1.06	SA	.32 H&R	6 cylinder	+7	
369	Single Six 5.5"	S	16	0	2	50	1	0.96	SA	.22 LR	6 cylinder	+8	
369	Single Six 6.5"	S	16	0	2	50	1	1.02	SA	.22 LR	6 cylinder	+8	M-
458	SP-101 2.25"	S	12	0	3	40	1	0.81	DA	.38 Spl	6 cylinder	+6	M+
458	SP-101 2.25"	S	12	0	3	40	1	0.81	DA	.357 Mag	6 cylinder	+6	M+
458	SP-101 3.06"	S	13	0	3	40	1	0.93	DA	.32 H&R	6 cylinder	+7	
458	SP-101 3.06"	S	13	0	3	50	1	0.86	DA	.38 Spl	6 cylinder	+7	
458	SP-101 3.06"	S	13	0	3	50	1	0.86	DA	.357 Mag	6 cylinder	+7	
458	SP-101 4"	S	14	0	3	40	1	0.99	DA	.22 LR	6 cylinder	+7	
458	SP-101 4"	S	14	0	3	40	1	1.01	DA	.32 H&R	6 cylinder	+7	
340	Speed-Six	S	13	0	3	50	1	1.0	DA	.38 Spl	6 cylinder	+7	
519	Super Blackhawk 10.5"	S	18	2	2	100	1	1.59	SA	.44 Mag	6 cylinder	+9	M-
510	Super Blackhawk 4.625"	S	14	1	2	50	1	1.42	SA	.44 Mag	6 cylinder	+7	
510	Super Blackhawk 5.5"	S	16	1	2	50	1	1.45	SA	.44 Mag	6 cylinder	+8	
510	Super Blackhawk 7.5"	S	16	2	2	75	1	1.51	SA	.44 Mag	6 cylinder	+8	M-
650	Super Radhawk 7.5"	S	16	1	3	75	1	1.65	DA	.44 Mag	6 cylinder	+8	M-
650	Super Redhawk 9.5"	S	18	3	3	75	1	1.79	DA	.44 Mag	6 cylinder	+9	M-
745	Super Redhawk 7.5"	S	16	1	2	75	1	1.66	DA	.454 Casull	6 cylinder	+8	M-
745	Super Redhawk 9.5"	S	18	3	2	75	1	1.80	DA	.454 Casull	6 cylinder	+9	M-
745	Super Redhawk 7.5"	S	16	1	2	75	1	1.67	DA	.480 Ruger	6 cylinder	+8	M-
745	Super Redhawk 9.5"	S	18	3	2	75	1	1.81	DA	.480 Ruger	6 cylinder	+9	M-
510	Vaquaro 4.625"	S	14	0	2	50	1	1.2	SA	.357 Mag	6 cylinder	+7	
510	Vaquaro 4.625"	S	14	0	2	50	1	1.25	SA	.44-40	6 cylinder	+7	
510	Vaquaro 4.625"	S	14	0	2	50	1	1.25	SA	.44 Mag	6 cylinder	+7	
510	Vaquaro 4.625"	S	14	0	2	50	1	1.25	SA	.45 Colt	6 cylinder	+7	
510	Vaquaro 5.5"	S	15	1	2	50	1	1.23	SA	.357 Mag	6 cylinder	+7	
510	Vaquaro 5.5"	S	15	1	2	50	1	1.28	SA	.44-40	6 cylinder	+7	
510	Vaquaro 5.5"	S	15	1	2	50	1	1.28	SA	.44 mag	6 cylinder	+7	
510	Vaquaro 5.5"	S	15	1	2	50	1	1.28	SA	.45 Colt	6 cylinder	+7	
510	Vaquaro 7.5"	S	16	2	2	60	1	1.31	SA	.44 Mag	6 cylinder	+8	M-
510	Vaquaro 7.5"	S	16	2	2	60	1	1.31	SA	.45 Colt	6 cylinder	+8	M-

Smith & Wesson, USA													
cost	name	sk	ia	s	rof	rhg	h	wgt	action	caliber	capacity	sight	note
370	10 M&P 2"	S	11	0	3	40	1	0.8	DA	.38 Spl	6 cylinder	+6	M+
458	10 M&P 4"	S	14	0	3	50	1	1.11	DA	.38 Spl	6 cylinder	+7	
445	14 6"	S	16	2	3	60	1	1.4	DA	.38 Spl	6 cylinder	+8	
395	15 4"	S	14	0	3	50	1	1.0	DA	.38 Spl	6 cylinder	+7	
380	17 4"	S	14	0	3	50	1	1.2	DA	.22 LR	6 cylinder	+7	

Smith & Wesson (continued)													
cost	name	sk	ia	s	rof	rhg	h	wgt	action	caliber	capacity	sight	note
430	25 4"	S	14	0	3	60	1	1.2	DA	.45 Colt	6 cylinder	+7	
890	27 PC 4"	S	15	1	3	60	1	1.34	DA	.357 Mag	6 cylinder	+7	X
890	27 PC 6"	S	16	1	3	75	1	1.4	DA	.357 Mag	6 cylinder	+7	X
	242	S	13	0	3	50	1	0.57	DA	.38 Spl	7 cylinder	+7	M+
	296	S	13	0	3	50	1	0.65	DA	.44 Spl	5 cylinder	+7	M+
478	36	S	11	0	3	50	1	0.64	DA	.38 Spl	5 cylinder	+6	
508	317	S	11	0	3	30	1	0.33	DA	.22 LR	8 cylinder	+6	M+
682	331 / 332	S	11	0	3	40	1	0.39	DA	.32 H&R	6 cylinder	+6	M+
682	337	S	11	0	3	40	1	0.41	DA	.38 Spl	5 cylinder	+6	M+
704	337 PD	S	11	0	3	50	1	0.38	DA	.38 Spl	5 cylinder	+6	M+
699	342	S	11	0	3	40	1	0.4	DA	.38 Spl	5 cylinder	+6	M+
722	342 PD	S	11	0	3	50	1	0.38	DA	.38 Spl	5 cylinder	+6	M+
718	396	S	13	0	3	50	1	0.62	DA	.44 Spl	5 cylinder	+7	M+
390	49 Bodyguard	S	11	0	3	40	1	0.6	DA	.38spl	5 cylinder	+6	M+
501	442	S	11	0	3	50	1	0.5	DA	.38 Spl	5 cylinder	+6	M+
335	581 4"	S	14	0	3	60	1	1.1	DA	.357 Mag	6 cylinder	+7	
1230	586 L-Comp	S	14	0	3	60	1	1.18	DA	.357 Mag	7 cylinder	+7	C, L, X
505	60 2"	S	11	0	3	40	1	0.73	DA	.357 Mag	5 cylinder	+6	M+
536	60 3"	S	13	0	3	50	1	0.76	DA	.357 Mag	5 cylinder	+7	
487	64 2"	S	11	0	3	40	1	0.96	DA	.38 Spl	6 cylinder	+6	M+
496	64 3"	S	13	0	3	50	1	1.03	DA	.38 Spl	6 cylinder	+7	
496	64 4"	S	14	0	3	50	1	1.08	DA	.38 Spl	6 cylinder	+7	
501	65 3" (13)	S	13	0	3	50	1	1.05	DA	.357 Mag	6 cylinder	+7	
501	65 4" (13)	S	14	0	3	60	1	1.09	DA	.357 Mag	6 cylinder	+7	
545	66 2.5" (19)	S	13	0	3	50	1	1.0	DA	.357 Mag	6 cylinder	+7	M+
551	66 6" (19)	S	16	0	3	75	1	1.2	DA	.357 Mag	6 cylinder	+8	
546	67	S	14	0	3	50	1	1.11	DA	.38 Spl	6 cylinder	+7	
746	610	S	16	1	3	60	1	1.6	DA	10mm	6 cylinder	+8	L, M-
572	617 4"	S	14	0	3	50	1	1.2	DA	.22 LR	10 cylinder	+7	
602	617 6"	S	16	0	3	50	1	1.28	DA	.22 LR	10 cylinder	+8	
695	625	S	15	1	3	50	1	1.42	DA	.45 acp	6 cylinder	+8	L
1150	625 Light Hunter	S	16	1	3	60	1	1.36	DA	.45 Colt	6 cylinder	+7	X
1400	625 V-Comp	S	15	1	3	60	1	1.35	DA	.45 acp	6 cylinder	+7	C, L, X
1150	627 PC	S	15	1	3	60	1	1.3	DA	.357 Mag	8 cylinder	+8	L, X
1025	627 PC compact	S	14	0	3	50	1	1.19	DA	.357 Mag	8 cylinder	+7	L, X
683	629 4"	S	14	1	3	60	1	1.32	DA	.44 Mag	6 cylinder	+7	
683	629 6"	S	16	1	3	75	1	1.42	DA	.44 Mag	6 cylinder	+8	
705	629 8.375"	S	17	0	3	90	1	1.55	DA	.44 Mag	6 cylinder	+8	M-
620	629 Classic Carry 3"	S	13	0	3	60	1	1.28	DA	.44 Mag	6 cylinder	+7	X

Smith & Wesson (continued)													
cost	name	sk	ia	s	rof	rhg	h	wgt	action	caliber	capacity	sight	note
731	629 Classic 5"	S	15	1	3	75	1	1.44	DA	.44 Mag	6 cylinder	+8	
731	629 Classic 6"	S	16	1	3	75	1	1.55	DA	.44 Mag	6 cylinder	+8	
755	629 Classic 8.375"	S	17	2	3	90	1	1.66	DA	.44 Mag	6 cylinder	+8	M-
1001	629 PC Compact	S	14	1	3	50	1	1.27	DA	.44 Mag	6 cylinder	+7	L, X
731	629 PP	S	16	0	3	75	1	1.69	DA	.44 Mag	6 cylinder	+8	C, M-
1400	629 V-Comp	S	15	1	3	75	1	1.36	DA	.44 Mag	6 cylinder	+7	C, X
501	637	S	11	0	3	40	1	0.5	DA	.38 Spl	5 cylinder	+6	M+
537	638	S	11	0	3	40	1	0.5	DA	.38 Spl	5 cylinder	+6	M+
548	640 / 649	S	11	0	3	40	1	0.73	DA	.357 Mag	5 cylinder	+6	
517	642	S	11	0	3	40	1	0.5	DA	.38 Spl	5 cylinder	+6	M+
1210	646 PC	S	15	0	3	50	1	1.12	DA	.40 S&W	6 cylinder	+7	L, X
616	657	S	16	1	3	60	1	1.43	DA	.41 Mag	6 cylinder	+8	
1025	657 PC Compact	S	14	1	3	50	1	1.26	DA	.41 Mag	6 cylinder	+7	X
561	686 2.5"	S	13	0	3	40	1	1.09	DA	.357 Mag	6 cylinder	+6	
561	686 4"	S	14	0	3	60	1	1.23	DA	.357 Mag	6 cylinder	+7	
616	686 6"	S	16	1	3	75	1	1.35	DA	.357 mag	6 cylinder	+7	
616	686 8.375"	S	17	1	3	75	1	1.54	DA	.357 Mag	6 cylinder	+8	M-
562	686 Mountain	S	14	0	3	60	1	1.1	DA	.357 Mag	6 cylinder	+7	
636	686 PP	S	15	1	3	75	1	1.35	DA	.357 Mag	6 cylinder	+7	C
582	686P 2.5"	S	13	0	3	50	1	1.09	DA	.357 Mag	7 cylinder	+7	
601	686P 4"	S	14	0	3	60	1	1.2	DA	.357 Mag	7 cylinder	+7	
601	686P 6"	S	16	1	3	75	1	1.33	DA	.357 Mag	7 cylinder	+8	
573	696	S	13	0	3	50	1	1.13	DA	.44 Spl	5 cylinder	+7	
450	940	S	11	0	3	40	1	0.7	DA	9mm	5 cylinder	+6	L, M-

Taurus, Brazil													
cost	name	sk	ia	s	rof	rhg	h	wgt	action	caliber	capacity	sight	note
447	44 4"	S	14	0	3	50	1		DA	.44 Mag	6 cylinder	+7	
466	44 6"	S	16	1	3	60	1	1.66	DA	.44 Mag	6 cylinder	+8	
466	44 8.375"	S	17	2	3	75	1		DA	.44 Mag	6 cylinder	+8	M-
452	415	S	12	0	3	40	1	0.96	DA	.41 Mag	5 cylinder	+7	C, M+
599	415T	S	12	0	3	40	1	0.7	DA	.41 Mag	5 cylinder	+6	C, M+
689	425 Tracker Ti	S	14	0	3	50	1	0.8	DA	.41 Mag	5 cylinder	+7	C, M+
286	431	S	13	0	3	50	1	0.9	DA	.44 Spl	5 cylinder	+7	M+
323	445	S	11	0	3	40	1	0.91	DA	.44 Spl	5 cylinder	+6	M+
599	445T	S	11	0	3	40	1	0.67	DA	.44 Spl	5 cylinder	+6	C, M+
452	450	S	11	0	3	40	1	0.91	DA	.45 Colt	5 cylinder	+6	C, M+
599	450T	S	11	0	3	40	1	0.66	DA	.45 Colt	5 cylinder	+6	C, M+
750	454 Raging Bull-6.5	S	16	1	2	60	1	1.63	DA	.454 Casull	5 cylinder	+8	C, M-

Taurus (continued)													
cost	name	sk	ia	s	rof	rhg	h	wgt	action	caliber	capacity	sight	note
750	454 Raging Bull-8.375	S	17	2	2	75	1		DA	.454 Casull	5 cylinder	+8	C, M-
313	65	S	14	0	3	50	1	1.12	DA	.357 Mag	6 cylinder	+7	
359	66 4"	S	14	0	3	50	1	1.09	DA	.357 Mag	7 cylinder	+7	
359	66 6"	S	15	0	3	60	1		DA	.357 Mag	7 cylinder	+8	
303	605	S	12	0	3	40	1	0.77	DA	.357 Mag	5 cylinder	+6	M+
	606	S	11	0	3	50	1	0.92	DA	.357 mag	6 cylinder	+6	
447	608 4"	S	14	0	3	50	1		DA	.357 MaG	8 cylinder	+7	
466	608 6" (607)	S	16	0	3	60	1	1.59	DA	.357 Mag	8 cylinder	+8	
466	608 8.375" (607)	S	17	0	3	75	1		DA	.357 Mag	8 cylinder	+8	M-
355	617	S	11	0	3	40	1	0.93	DA	.357 Mag	7 cylinder	+6	M+
599	617T	S	11	0	3	40	1	0.68	DA	.357 Mag	7 cylinder	+6	C, M+
681	627 Tracker Ti	S	14	0	3	50	1	0.79	DA	.357 Mag	7 cylinder	+7	C, M+
325	731	S	11	0	3	50	1	0.71	DA	.32 H&R	6 cylinder	+6	M+
297	82	S	14	0	3	50	1	1.05	DA	.38 Spl	6 cylinder	+7	
323	85 GRC	S	11	0	3	40	1	0.67	DA	.38 Spl	5 cylinder	+6	M+
	85 Police	S	11	0	3	40	1	0.46	DA	.38 Spl	5 cylinder	+6	C, M+
311	85 Ultra-Lite	S	11	0	3	50	1	0.56	DA	.38 Spl	5 cylinder	+6	M+
529	85T	S	11	0	3	40	1	0.51	DA	.38 Spl	5 cylinder	+6	M+
515	85T Ultra-Lite	S	11	0	3	50	1	0.46	DA	.38 Spl	5 cylinder	+6	M+
350	817	S	11	0	3	40	1	0.7	DA	.38 Spl	7 cylinder	+6	M+
317	827	S	14	0	3	50	1	1.13	DA	.357 Mag	7 cylinder	+7	
308	94 2"	S	11	0	3	30	1		DA	.22 LR	9 cylinder	+6	M+
308	94 4"	S	14	0	3	50	1	0.75	DA	.22 LR	9 cylinder	+7	
331	941 2"	S	11	0	3	50	1		DA	.22 Mag	8 cylinder	+6	M+
331	941 4"	S	14	0	3	50	1	0.8	DA	.22 Mag	8 cylinder	+7	

SSTC ARA, Ukraine													
cost	name	sk	ia	s	rof	rhg	h	wgt	action	caliber	capacity	sight	note
	YeSul	S	14	0	3	50	1	1.08	DA	5.45x39mm	5 cylinder	+8	I, M-

Wilson Combat, USA													
cost	name	sk	ia	s	rof	rhg	h	wgt	action	caliber	capacity	sight	note
1099	Custom Carry Rev	S	15	0	3	50	1	0.87	DA	.357 Mag	6 cylinder	+7	M+

Revolver Notes

H: The Medusa can fire any .38/9mm cartridge

calibers	.357 Mag weapons can fire .38 Spl ammunition, .44 Mag can fire .44 Spl, and 10mm can fire .40 S&W
A	The American Arms Mateba is a semi-auto revolver, utilizing features of both weapon types.
C	Fitted with a muzzle compensator
I	poor quality causing a reduction in IA I : -1 IA do to quality I2 : -2 IA do to quality I3 : -3 IA do to quality
L	Ammo is held in clips, usually 3-round, but sometime full 5- or -6round (full moon clips). Reloading is reduced to two rounds using clips and one round using full moon clip. Clips should be considered fragile.
M	Pistols are fairly concealable by nature, but some are better or worse then others. M+ : Superior concealability do to small size. M- : Poor concealability do to large size.
R	Removable cylinder, allowing for one turn reloading.
S	Fitted with noise suppressor
V	Can chamber, fire and extract almost any cartridge using 9mm, .357 or .38 caliber.
X	Prototype, experimental and/or extremely limited production
Z	Restricted availability, Class-3 license required in the USA