

# License Agreement for 101 Starships

GURPS Traveller is a trademark of Steve Jackson Games Incorporated, used by permission. All rights reserved.

The GURPS Traveller game is copyright © 1998 by Steve Jackson Games Incorporated. This product includes copyrighted material from the GURPS Traveller game, which is used by permission of Steve Jackson Games Incorporated. All rights reserved by Steve Jackson Games Incorporated.

BITS, CORE and their respective logos are trademarks of BITS UK Limited.

You are hereby granted permission to print a copy of this document for personal use in your Traveller game.

If you would like to distribute all or part of this document you must first obtain permission from either the author or the publisher. Examples of distribution include handouts for conventions or posting individual ships to the Internet or other computer networks. We are quite reasonable about granting permission, but ask that you respect the rights of the authors and publisher and ask first, even for non-commercial use.

# 101 STARSHIPS

For GURPS® Traveller  
Version 6

*Robert Prior*

MADE ON A  
Mac







# 101 STARSHIPS

**By Robert Prior**

*Based on the award-winning  
Traveller science fiction universe*

*by Marc Miller*

*Cover Art by Jesse deGraffe*

*Additional material by Tom Bont,  
Dom Mooney,  
and Christopher Thrash*

*Illustrated by Tom Bont, Paul Lesack,  
and Robert Prior*

*GURPS* System Design

■ STEVE JACKSON

*GURPS* Line Editor

■ SEAN PUNCH

*GURPS Traveller* Line Editor

■ LOREN K. WISEMAN

BITS Production Coordinator

■ DOM MOONEY

Electronic Production

■ PAUL LESACK

Art Direction

■ PAUL LESACK

*Playtesters: Tom Bont, Brandon  
Cope, Tom Karpf, Dom Mooney*

If you would like to distribute all or part of this document you must first obtain permission from either the author or the publisher. Examples of distribution include handouts for conventions or posting individual ships to the Internet or other computer networks. We are quite reasonable about granting permission, but ask that you respect the rights of the authors and publisher and ask first, even for non-commercial use

BITS, CORE and their respective logos are trademarks of BITS UK Limited.

You are hereby granted permission to print a copy of this document for personal use in your Traveller game.

## GURPS® Traveller



*GURPS Traveller is a trademark of Steve Jackson Games Incorporated, used by permission. All rights reserved. The GURPS Traveller game is copyright © 1998 by Steve Jackson Games Incorporated. This product includes copyrighted material from the GURPS Traveller game, which is used by permission of Steve Jackson Games Incorporated. All rights reserved by Steve Jackson Games Incorporated.*

---

---

# Table of Contents

---

<b>Table of Contents</b> .....	<b>i</b>	<i>Olythnos</i> -class Trader (GTL10).....	17
<b>List of Deckplans</b> .....	<b>vii</b>	<i>Oytrist</i> -class Merchant (GTL10) .....	17
<b>Design Notes</b> .....	<b>viii</b>	<i>Quotal</i> -class Tramp Trader (GTL10) .....	18
Measurements .....	viii	<i>Porion</i> -class Passenger Liner (GTL10).....	18
Tech Level .....	viii	<i>Rikiamid</i> -class Bulk Freighter (GTL10).....	18
Changes in This Release .....	viii	<i>Tedoaraq</i> -class Liner (GTL10).....	19
<b>Introduction to <i>GURPS Traveller</i></b> .....	<b>ix</b>	<i>Tolley</i> -class Subsidized Merchant (GTL10).....	19
<i>Pyramid</i> Online Magazine .....	ix	<i>Triku</i> -class Subsidized Aquatic Liner (GTL10) .....	19
<i>Journal of the Travellers Aid Society</i> Online Magazine.....	ix	<i>Tslechdael</i> -class Freighter (GTL10).....	20
<i>GURPS Traveller</i> Sourcebooks .....	x	<i>Umburko</i> -class Subsidized Liner (GTL10) .....	20
Contacting Steve Jackson Games .....	xviii	<i>Vloshr</i> -class Frontier Trader (GTL10).....	20
<b>Introduction to <i>BITS</i></b> .....	<b>xix</b>	<i>Wain</i> -class Freighter (GTL10).....	21
<i>BITS</i> Traveller Sourcebooks .....	xix	<i>Wolfram</i> -class Freighter (GTL10) .....	21
<i>BITS</i> Traveller Software.....	xxiv	<i>Xeek'krir</i> -class Freighter (GTL10).....	21
Contacting <i>BITS</i> .....	xxv	<i>Yarmouth</i> -class Frontier Trader (GTL10) .....	22
<b>Merchants &amp; Traders</b> .....	<b>1</b>	<i>Aakroyss</i> -class Merchant (GTL11).....	22
<i>Einkhuissen</i> -class Express Liner (GTL9) .....	1	<i>Arisha</i> -class Subsidized Merchant (GTL11) .....	22
<i>Ekorn</i> -class Liner (GTL9) .....	1	<i>Baarnekki</i> -class Fast Trader (GTL11) .....	23
<i>Kjerre</i> -class Freighter (GTL9).....	1	<i>Dragger</i> -class Bulk Freighter (GTL11).....	23
<i>Traske</i> -class Freighter (GTL9) .....	2	<i>Enzhyiench</i> -class Freighter (GTL11).....	23
<i>Aablan</i> -class Freighter (GTL10).....	2	<i>Gelliam</i> -class Express Freighter (GTL11).....	24
<i>Aardvark</i> -class Trader (GTL10).....	3	<i>Klastao</i> -class Far Trader (GTL11) .....	24
<i>Anhk</i> -class Merchant (GTL10) .....	4	<i>Klepsidar</i> -class Freighter (GTL11) .....	24
<i>Ankrak</i> -class Freighter (GTL10).....	4	<i>Kriaplezh</i> -class Liner (GTL11) .....	25
<i>Antillé</i> -class Trader (GTL10) .....	4	<i>Leviathan</i> -class Megafreighter (GTL11).....	25
<i>Aramine</i> -class Liner (GTL10) .....	5	<i>Meredith</i> -class Trader (GTL11) .....	25
<i>Augustus Deo</i> -class Fast Liner (GTL10) .....	6	<i>Pelagros</i> -class Luxury Liner (GTL11) .....	26
<i>Bargam</i> -class Tramp Trader (GTL10).....	7	<i>Selonian</i> -class Passenger Liner (GTL11) .....	26
<i>Barton</i> -class Freighter (GTL10).....	7	<i>Therania</i> -class Luxury Liner (GTL11).....	27
<i>Bercovia</i> -class Express Liner (GTL10).....	7	<i>Trabatch</i> -class Express Liner (GTL11).....	27
<i>Bergen</i> -class Freighter (GTL10).....	8	<i>Tsenjia</i> -class Freighter (GTL11) .....	28
<i>Bharapar</i> -class Subsidized Merchant (GTL10) .....	8	<i>Wilberton</i> -class Subsidized Merchant (GTL11) .....	28
<i>Borodin</i> -class Trader (GTL10) .....	9	<i>Zhdiechranj</i> -class Liner (GTL11).....	28
<i>Braydikor</i> -class Trader (GTL10).....	9	<i>Ampi</i> -class Express Freighter (GTL12).....	29
<i>Cairngorm</i> -class Cluster Liner (GTL10).....	9	<i>Ariasa</i> -class Subsidized Packet (GTL12).....	29
<i>Fedmist</i> -class Droyne Trader (GTL10) .....	10	<i>Astron</i> -class Express Trader (GTL12).....	30
<i>Fornast</i> -class Subsidized Liner (GTL10).....	10	<i>Belasmon</i> -class Liner (GTL12) .....	30
<i>Galak</i> -class Megafreighter (GTL10) .....	10	<i>Empress Nicole</i> -class Cruise Liner (GTL12) .....	31
<i>Gnortz</i> -class Freighter (GTL10).....	11	<i>Furgal</i> -class Blockade Runner (GTL12).....	31
<i>Gurrak</i> -class Megafreighter (GTL10) .....	11	<i>Komar</i> -class Free Trader (GTL12).....	31
<i>Hfiatlais</i> -class Freighter (GTL10) .....	12	<i>Luusitar</i> -class Subsidized Liner (GTL12) .....	32
<i>Iridescent Poodle</i> -class Combat Liner (GTL10) .....	12	<i>Luustani</i> -class Liner (GTL12) .....	32
<i>Jelnai</i> -class Armed Freighter (GTL10) .....	12	<i>Mauripo</i> -class Subsidized Merchant (GTL12).....	33
<i>Kjerre II</i> -class Freighter (GTL10) .....	13	<i>Permain</i> -class Freighter (GTL12) .....	33
<i>Knorr</i> -class Freighter (GTL10) .....	13	<i>Selanai</i> -class Armed Liner (GTL12) .....	33
<i>Knossos</i> -class Liner (GTL10).....	14	<i>Toves</i> -class Bulk Freighter (GTL12) .....	34
<i>Madiis</i> -class Trader (GTL10).....	14	<i>Vanderpelt</i> -class Luxury Liner (GTL12).....	34
<i>Monnin</i> -class Freighter (GTL10).....	14	<b>Scouts, Couriers, &amp; Lab Ships</b> .....	<b>35</b>
<i>Morag</i> -class Ore Transport (GTL10) .....	15	<i>Flinton</i> -class Scout (GTL9).....	35
<i>Muirhead</i> -class Economy Liner (GTL10) .....	15	<i>Maynard</i> -class Interstellar Scout (GTL9).....	35
<i>Mullet</i> -class Merchant Liner (GTL10) .....	15	<i>Kagarin</i> -class Exploratory Trader (GTL10).....	36
<i>Murpak</i> -class Freighter (GTL10) .....	16	<i>Malthus</i> -class Lab Ship (GTL10).....	36
<i>Murphy</i> -class Freighter (GTL10) .....	16	<i>Nostrii</i> -class Science Scout (GTL10) .....	36
<i>Nahiin</i> -class Trader (GTL10) .....	16	<i>Oskrip</i> -class Droyne Scout (GTL10).....	37
<i>Newcombe</i> -class Trader (GTL10).....	17	<i>Otter</i> -class Survey Scout (GTL10).....	37

<i>Polo</i> -class Merchant Scout (GTL10).....	38	<i>Maniakes</i> -class Close Escort (GTL10).....	60
<i>Tête Jaune</i> -class Survey Ship (GTL10).....	39	<i>Melbourne</i> -class Close Escort (GTL10).....	60
<i>Xeer'rr</i> -class Courier (GTL10).....	39	<i>Orman</i> -class Fleet Destroyer (GTL10).....	60
<i>Wirilas</i> -class Exploratory Trader (GTL10).....	39	<i>Sveinhelm</i> -class Assault Carrier (GTL10).....	61
<i>Dezdinsh</i> -class Courier (GTL11).....	40	<i>Ubervisch</i> -class Commerce Raider (GTL10).....	61
<i>Jheron</i> -class Scoutship (GTL11).....	40	<i>Uxkoong</i> -class Frigate (GTL10).....	61
<i>Chiral</i> -class Lab Ship (GTL12).....	40	<i>Velroi</i> -class Escort Destroyer (GTL10).....	62
<i>Morath</i> -class Fast Courier (GTL12).....	40	<i>Xianghou</i> -class Destroyer (GTL10).....	62
<i>Pekherni</i> Observatory (GTL12).....	41	<i>Bliaprlinzh</i> -class Strike Destroyer (GTL11).....	63
<i>S'donath</i> -class Fast Courier (GTL12).....	41	<i>Brildan</i> -class Heavy Destroyer (GTL11).....	63
<i>Voidtrekker</i> -class Rift Scout (GTL12).....	41	<i>Cadiz</i> -class Fast Destroyer (GTL11).....	64
<i>Zeramine</i> -class Trade Pioneer (GTL12).....	42	<i>Curzon</i> -class Destroyer (GTL11).....	64
<b>Miscellaneous Starships</b> .....	<b>43</b>	<i>Drianjdaqr</i> -class Destroyer (GTL11).....	65
<i>Brass Goat</i> Filibuster (GTL10).....	43	<i>Ewos</i> -class Q-Ship (GTL11).....	65
<i>Étienne</i> -class Missionary Ship (GTL10).....	43	<i>Fenross</i> -class Destroyer (GTL11).....	65
<i>Faunel</i> -class Yacht (GTL10).....	44	<i>Gherain</i> -class Corvette (GTL11).....	66
<i>Ingham</i> -class Missionary Ship (GTL10).....	44	<i>Jupiter</i> -class Frigate (GTL11).....	66
<i>Murbles</i> -class Luxury Yacht (GTL10).....	44	<i>Khorfooz</i> -class Raider (GTL11).....	66
<i>Quorum</i> Assembly Hall (GTL10).....	45	<i>Shtiabrisht</i> -class Destroyer (GTL11).....	67
<i>Rori</i> -class Asteroid Miner (GTL10).....	45	<i>von Braun</i> -class Missile Boat (GTL11).....	67
<i>Tch'atl</i> -class Yacht (GTL10).....	45	<i>Bilanos</i> -class Patrol Frigate (GTL12).....	67
<i>Titanic</i> -class Resettlement Vessel (GTL10).....	46	<i>Cytos</i> -class Corvette (GTL12).....	68
<i>Zandrak</i> -class Safari Ship (GTL10).....	46	<i>Fury</i> -class Fleet Escort (GTL12).....	68
<i>Drachplitl</i> -class Diplomatic Yacht (GTL11).....	46	<i>Garyan</i> -class Corvette (GTL12).....	68
<i>Gothick</i> -class Yacht (GTL11).....	47	<i>Hawk</i> -class Destroyer Escort (GTL12).....	69
<i>Larilla</i> -class Yacht (GTL11).....	47	<i>Irushma</i> -class Patrol Frigate (GTL12).....	70
<i>Bralonné</i> Mobile University (GTL12).....	48	<i>Kuru</i> -class Patrol Frigate (GTL12).....	71
<i>Cardos</i> -class Fast Yacht (GTL12).....	48	<i>Osiron</i> -class Destroyer (GTL12).....	71
<i>Mallory</i> -class Racing Yacht (GTL12).....	48	<i>Stromali</i> -class Escort Destroyer (GTL12).....	71
<i>Moonii</i> -class Luxury Yacht (GTL12).....	49	<i>Temaughi</i> -class Corvette (GTL12).....	72
<i>Wirimethar</i> -class Treatment Vessel (GTL12).....	49	<i>Thespia</i> -class Destroyer (GTL12).....	72
<b>Military Scouts &amp; Couriers</b> .....	<b>50</b>	<i>Tlach'dev</i> -class Destroyer (GTL12).....	72
<i>Marathon</i> -class Courier (GTL9).....	50	<i>Uramikaa</i> -class Corvette (GTL12).....	73
<i>Iechtekl</i> -class Intelligence Frigate (GTL11).....	50	<i>Viodak</i> -class Light Carrier (GTL12).....	73
<i>Shtiabr</i> -class Intelligence Frigate (GTL11).....	51	<i>Warhoud</i> -class Assault Carrier (GTL12).....	73
<i>Geist</i> -class Deep Scout (GTL12).....	51	<i>Yelsyn</i> -class Frigate (GTL12).....	74
<i>Lorden</i> -class Armed Courier (GTL12).....	51	<b>Capital Ships</b> .....	<b>75</b>
<i>Pheidippides</i> -class Imperial Courier (GTL12).....	52	<i>Beowulf</i> -class Greater Dreadnought (GTL9).....	75
<i>Pugilist</i> -class Combat Scout (GTL12).....	52	<i>Grendel</i> -class Lesser Dreadnought (GTL9).....	75
<i>S-XL</i> -class Long Range Scout (GTL12).....	52	<i>Guanxou</i> -class Light Cruiser (GTL9).....	76
<i>Ssaybom</i> Exploration Cruiser (GTL12).....	53	<i>Slakter</i> -class Assault Cruiser (GTL9).....	76
<i>Vuki</i> -class Intruder Scout (GTL12).....	53	<i>Zhounang</i> -class Cruiser (GTL9).....	77
<b>Escorts</b> .....	<b>54</b>	<i>Arduin</i> -class Light Cruiser (GTL10).....	78
<i>Arasfor</i> -class Destroyer (GTL9).....	54	<i>Armageddon</i> -class Bombardment Cruiser (GTL10).....	79
<i>Bopamo</i> -class Light Carrier (GTL9).....	54	<i>Gvergh</i> -class Assault Cruiser (GTL10).....	79
<i>Frederik Magnus</i> -class Corvette (GTL9).....	55	<i>Gzong!xk</i> -class Dreadnought (GTL10).....	80
<i>Maikuku</i> -class Missile Boat (GTL9).....	55	<i>Hvort</i> -class Pocket Dreadnought (GTL10).....	80
<i>Puyan</i> -class Frigate (GTL9).....	55	<i>Intrepid</i> -class Cruiser (GTL10).....	81
<i>Auldwich</i> -class Light Destroyer (GTL10).....	56	<i>K!kreer</i> -class Light Cruiser (GTL10).....	81
<i>Berghoff</i> -class Missile Boat (GTL10).....	56	<i>Miotos</i> -class Battleship (GTL10).....	82
<i>Cholath</i> -class Destroyer (GTL10).....	56	<i>Monarch</i> -class Light Battleship (GTL10).....	82
<i>Congreve</i> -class Missile Boat (GTL10).....	57	<i>Pugnacious</i> -class Battle Cruiser (GTL10).....	83
<i>Dartmouth</i> -class Patrol Frigate (GTL10).....	57	<i>Shibaash</i> -class Light Cruiser (GTL10).....	83
<i>Drangki</i> -class Destroyer (GTL10).....	57	<i>Xing!kir</i> -class Light Cruiser (GTL10).....	83
<i>Fermouche</i> -class Escort Frigate (GTL10).....	58	<i>Alderbaran</i> -class Heavy Cruiser (GTL11).....	84
<i>Holgrim</i> -class Fleet Destroyer (GTL10).....	58	<i>Basilos</i> -class Pocket Cruiser (GTL11).....	84
<i>Hoplite</i> -class Close Escort (GTL10).....	58	<i>Valeria</i> -class Light Cruiser (GTL11).....	85
<i>Korkii</i> -class Destroyer (GTL10).....	59	<i>Warhound</i> -class Light Cruiser (GTL11).....	85
<i>Kosigar</i> -class Pocket Carrier (GTL10).....	59	<i>Brighton</i> -class Battleship (GTL12).....	86
<i>Kroydon</i> -class Droyne Cruiser (GTL10).....	59	<i>Defiance</i> -class Light Cruiser (GTL12).....	86

<i>Flamboyant Monkey</i> -class Frontier Cruiser (GTL12) .....	87	<i>Fortress</i> -class Assault Fighter (GTL12).....	108
<i>Haritti</i> -class Battlecruiser (GTL12) .....	87	<i>Gheifla</i> -class Aerospace Fighter (GTL12) .....	108
<i>Solon</i> -class Battlecruiser (GTL12) .....	88	<i>Uruq</i> -class Medium Fighter (GTL12) .....	109
<b>Naval Auxiliaries</b> .....	<b>89</b>	<i>Wylbur</i> -class Ultra-Heavy Fighter (GTL12) .....	109
<i>Birkenhead</i> -class Troopship (GTL10).....	89	<b>Small Craft</b> .....	<b>110</b>
<i>Corannis</i> -class Dropship (GTL10) .....	89	<i>Chiang</i> -class Launch (GTL9) .....	110
<i>Firal</i> -class Tanker (GTL10) .....	90	<i>Christoff</i> -class Shuttle (GTL9) .....	110
<i>M'gee</i> -class Maintenance Tender (GTL10).....	90	<i>Comrade Hudson</i> -class Friendship Lander (GTL9).....	110
<i>Polesta</i> -class Troopship (GTL10) .....	90	<i>Hudson</i> -class Lander (GTL9).....	111
<i>Drauna</i> -class Relief Vessel (GTL12).....	91	<i>Hudson's Revenge</i> -class Dropship (GTL9) .....	111
<i>Ftenrik</i> -class Fleet Transport (GTL12) .....	91	<i>Shinzang</i> -class Shuttle (GTL9).....	111
<i>Monfraki</i> -class Dropship (GTL12) .....	91	<i>Aekguthang</i> -class Assault Cutter (GTL10).....	111
<i>Traskon</i> -class Assault Carrier (GTL12) .....	92	<i>Astra</i> -class Launch (GTL10) .....	112
<b>Monitors &amp; System Defense Boats</b> .....	<b>93</b>	<i>Barlax</i> -class Assault Lander (GTL10).....	112
<i>Dervish</i> -class System Defense Boat (GTL9).....	93	<i>Batoche</i> -class Regimental Lander (GTL10).....	112
<i>Mayskyu</i> -class System Defense Boat (GTL9).....	93	<i>Bunter</i> -class Gig (GTL10).....	113
<i>Verdamt</i> -class System Defense Boat (GTL9).....	94	<i>Chiitaa</i> -class Fast Launch (GTL10) .....	113
<i>Avoram</i> -class System Defense Boat (GTL11).....	94	<i>Clorthal</i> -class Customs Cutter (GTL10) .....	113
<i>Bølgebryter</i> -class System Defense Monitor (GTL10).....	94	<i>Dieppe</i> -class Assault Lander (GTL10) .....	113
<i>Irumskla</i> -class Defense Platform (GTL10).....	95	<i>Falkon</i> -class Cargo Lighter (GTL10).....	114
<i>Joritz</i> -class System Defense Boat (GTL10) .....	95	<i>Fromin</i> -class Launch (GTL10).....	114
<i>Megalith</i> -class Battle Station (GTL10).....	95	<i>Ibex</i> -class Fast Shuttle (GTL10).....	114
<i>Miiriimak</i> -class Monitor (GTL10).....	96	<i>Kyzan</i> -class Armed Shuttle (GTL10) .....	114
<i>Nova's Roar</i> -class System Defense Boat (GTL10) .....	96	<i>MacDonnell</i> -class Assault Lander (GTL10) .....	115
<i>Stunnenge</i> -class Stealth Monitor (GTL10).....	97	<i>Prenei</i> -class Scoopship (GTL10) .....	115
<i>Victrix</i> -class Monitor (GTL11).....	98	<i>Rorke</i> -class Cargo Lighter (GTL10).....	115
<i>Gefros</i> -class System Defense Boat (GTL12) .....	98	<i>Sarta</i> -class Armoured Launch (GTL10).....	115
<i>Irbak</i> -class System Defense Boat (GTL12).....	98	<i>Skyskipper</i> -class Launch (GTL10).....	116
<i>Rochelle</i> -class Monitor (GTL12).....	99	<i>Xenos</i> -class Fast Launch (GTL10) .....	116
<b>Fighters</b> .....	<b>100</b>	<i>Zentak</i> -class Runabout (GTL10) .....	116
<i>Elding</i> -class Light Fighter (GTL9).....	100	<i>Barlax II</i> -class Assault Lander (GTL11) .....	116
<i>Fellbane</i> -class Orbital Defense Fighter (GTL9).....	100	<i>Echpozh</i> -class Armed Gig (GTL11).....	117
<i>Fury</i> -class Fighter (GTL9) .....	100	<i>Estevan</i> -class Cutter (GTL11) .....	117
<i>Hecate</i> -class Light Fighter (GTL9) .....	101	<i>Marstrom</i> -class Launch (GTL11).....	117
<i>Helm</i> -class Fighter (GTL9).....	101	<i>Quero</i> -class Assault Lander (GTL11) .....	117
<i>Huata</i> -class Fighter (GTL9) .....	101	<i>Shebzhinj</i> -class Launch (GTL11) .....	118
<i>Mjolnir</i> -class Heavy Fighter (GTL9).....	102	<i>Vixen</i> -class Armed Gig (GTL11).....	118
<i>Angbar</i> -class Heavy Fighter (GTL10).....	102	<i>Baboon</i> -class Scoopship (GTL12).....	118
<i>Bayonet</i> -class Assault Fighter (GTL10).....	102	<i>Barlax III</i> -class Assault Lander (GTL12).....	118
<i>Burtoine</i> -class Escort Fighter (GTL10).....	102	<i>Berry</i> -class Extraction Cutter (GTL12).....	119
<i>Firefly</i> -class Light Fighter (GTL10).....	103	<i>Dsarpa</i> -class Fast Shuttle (GTL12).....	119
<i>Gnat</i> -class Light Fighter (GTL10).....	103	<i>Dumont</i> -class Assault Lander (GTL12).....	119
<i>Hobbes</i> -class Heavy Fighter (GTL10).....	103	<i>Kraki</i> -class Assault Cutter (GTL12).....	120
<i>Hyena</i> -class Medium Fighter (GTL10) .....	103	<i>Murka</i> -class Combat Shuttle (GTL12) .....	120
<i>Imp</i> -class Patrol Fighter (GTL10) .....	104	<i>Oskra</i> -class Shuttle (GTL12).....	120
<i>Jumo</i> -class Heavy Fighter (GTL10) .....	104	<i>Tralsa</i> -class Gig (GTL12) .....	120
<i>Langsdale</i> -class Attack Fighter (GTL10).....	104	<i>Yarrow</i> -class Scoopship (GTL12) .....	121
<i>Midge</i> -class Light Fighter (GTL10) .....	104	<b>Appendix A: Encounter Tables</b> .....	<b>122</b>
<i>Olmeka</i> -class Heavy Fighter (GTL10) .....	105	<b>Appendix B: New Modules</b> .....	<b>123</b>
<i>Steadfast</i> -class Medium Fighter (GTL10) .....	105	Hulls and Armour .....	123
<i>Trikon</i> -class Aerospace Fighter (GTL10).....	105	Engineering Modules .....	123
<i>Vampire</i> -class Strike Fighter (GTL10).....	105	Drive Modules .....	123
<i>Hun</i> -class Light Fighter (GTL11).....	106	Orion Drive Modules .....	124
<i>Joqlsha'</i> -class Fighter (GTL11) .....	106	<b>Appendix C: Design Details</b> .....	<b>125</b>
<i>Luzon</i> -class Aerospace Fighter (GTL11).....	106	<i>Aablan</i> -class Freighter (GTL10) .....	125
<i>Tartar</i> -class Heavy Fighter (GTL11) .....	106	<i>Aakroyss</i> -class Merchant (GTL11).....	125
<i>Tezhmacht</i> -class Fighter (GTL11).....	107	<i>Aardvark</i> -class Trader (GTL10).....	125
<i>Vengeance</i> -class Heavy Fighter (GTL11) .....	107	<i>Aekguthang</i> -class Assault Cutter (GTL10).....	125
<i>Banshee</i> -class Light Fighter (GTL12) .....	107	<i>Alderbaran</i> -class Heavy Cruiser (GTL11) .....	126
<i>Citadel</i> -class Heavy Fighter (GTL12) .....	108	<i>Ampi</i> -class Express Freighter (GTL12).....	126

<i>Angbar</i> -class Heavy Fighter (GTL10).....	126	<i>Cytos</i> -class Corvette (GTL12).....	144
<i>Anhk</i> -class Merchant (GTL10).....	127	<i>Dartmouth</i> -class Patrol Frigate (GTL10).....	144
<i>Ankrak</i> -class Freighter (GTL10).....	127	<i>Defiance</i> -class Light Cruiser (GTL12).....	144
<i>Antillé</i> -class Trader (GTL10).....	127	<i>Dervish</i> -class System Defense Boat (GTL9).....	145
<i>Aramine</i> -class Liner (GTL10).....	127	<i>Dezdinsh</i> -class Courier (GTL11).....	145
<i>Arasfor</i> -class Destroyer (GTL9).....	128	<i>Dieppe</i> -class Assault Lander (GTL10).....	145
<i>Arduin</i> -class Light Cruiser (GTL10).....	128	<i>Drachpltitl</i> -class Diplomatic Yacht (GTL11).....	145
<i>Ariasa</i> -class Subsidized Packet (GTL12).....	129	<i>Dragger</i> -class Bulk Freighter (GTL11).....	146
<i>Arisha</i> -class Subsidized Merchant (GTL11).....	129	<i>Drangki</i> -class Destroyer (GTL10).....	146
<i>Armageddon</i> -class Bombardment Cruiser (GTL10).....	129	<i>Drauna</i> -class Relief Vessel (GTL12).....	146
<i>Astra</i> -class Launch (GTL10).....	129	<i>Drianjdaqr</i> -class Destroyer (GTL11).....	146
<i>Astron</i> -class Express Trader (GTL12).....	130	<i>Dsarpa</i> -class Fast Shuttle (GTL12).....	147
<i>Augustus Deo</i> -class Fast Liner (GTL10).....	130	<i>Dumont</i> -class Assault Lander (GTL12).....	147
<i>Auldwich</i> -class Light Destroyer (GTL10).....	130	<i>Echpozh</i> -class Armed Gig (GTL11).....	147
<i>Avoram</i> -class System Defense Boat (GTL11).....	131	<i>Einkhuissen</i> -class Express Liner (GTL9).....	147
<i>Baarnekki</i> -class Fast Trader (GTL11).....	131	<i>Ekorn</i> -class Liner (GTL9).....	147
<i>Baboon</i> -class Scoopship (GTL12).....	131	<i>Elding</i> -class Light Fighter (GTL9).....	147
<i>Banshee</i> -class Light Fighter (GTL12).....	131	<i>Empress Nicole</i> -class Cruise Liner (GTL12).....	148
<i>Bargam</i> -class Tramp Trader (GTL10).....	131	<i>Enzhyiench</i> -class Freighter (GTL11).....	148
<i>Barlax</i> -class Assault Lander (GTL10).....	132	<i>Estevan</i> -class Cutter (GTL11).....	148
<i>Barlax II</i> -class Assault Lander (GTL11).....	132	<i>Étienne</i> -class Missionary Ship (GTL10).....	148
<i>Barlax III</i> -class Assault Lander (GTL12).....	132	<i>Ewos</i> -class Q-Ship (GTL11).....	149
<i>Barton</i> -class Freighter (GTL10).....	132	<i>Falkon</i> -class Cargo Lighter (GTL10).....	149
<i>Basilos</i> -class Pocket Cruiser (GTL11).....	133	<i>Faunel</i> -class Yacht (GTL10).....	149
<i>Batoche</i> -class Regimental Lander (GTL10).....	133	<i>Fedmist</i> -class Droyne Trader (GTL10).....	149
<i>Bayonet</i> -class Assault Fighter (GTL10).....	133	<i>Fellbane</i> -class Orbital Defense Fighter (GTL9).....	150
<i>Belasmon</i> -class Liner (GTL12).....	133	<i>Fenross</i> -class Destroyer (GTL11).....	150
<i>Beowulf</i> -class Greater Dreadnought (GTL9).....	134	<i>Fermouche</i> -class Escort Frigate (GTL10).....	151
<i>Bercovia</i> -class Express Liner (GTL10).....	134	<i>Firal</i> -class Tanker (GTL10).....	151
<i>Bergen</i> -class Freighter (GTL10).....	134	<i>Firefly</i> -class Light Fighter (GTL10).....	151
<i>Berghoff</i> -class Missile Boat (GTL10).....	134	<i>Flamboyant Monkey</i> -class Frontier Cruiser (GTL12).....	152
<i>Berry</i> -class Extraction Cutter (GTL12).....	135	<i>Flinton</i> -class Scout (GTL9).....	152
<i>Bharapar</i> -class Subsidized Merchant (GTL10).....	135	<i>Fornast</i> -class Subsidized Liner (GTL10).....	152
<i>Bilanos</i> -class Patrol Frigate (GTL12).....	135	<i>Fortress</i> -class Assault Fighter (GTL12).....	153
<i>Birkenhead</i> -class Troopship (GTL10).....	136	<i>Frederik Magnus</i> -class Corvette (GTL9).....	153
<i>Bliaprlinzh</i> -class Strike Destroyer (GTL11).....	136	<i>Fromin</i> -class Launch (GTL10).....	153
<i>Borodin</i> -class Trader (GTL10).....	137	<i>Ftenrik</i> -class Fleet Transport (GTL12).....	153
<i>Bopamo</i> -class Light Carrier (GTL9).....	137	<i>Furgal</i> -class Blockade Runner (GTL12).....	154
<i>Bralonné</i> Mobile University (GTL12).....	137	<i>Fury</i> -class Fighter (GTL9).....	154
<i>Brass Goat</i> Filibuster (GTL10).....	138	<i>Fury</i> -class Fleet Escort (GTL12).....	154
<i>Braydikor</i> -class Trader (GTL10).....	138	<i>Galak</i> -class Megafreighter (GTL10).....	154
<i>Brighton</i> -class Battleship (GTL12).....	138	<i>Garyan</i> -class Corvette (GTL12).....	155
<i>Brildan</i> -class Heavy Destroyer (GTL11).....	139	<i>Gefros</i> -class System Defense Boat (GTL12).....	155
<i>Bunter</i> -class Gig (GTL10).....	139	<i>Geist</i> -class Deep Scout (GTL12).....	155
<i>Burtoine</i> -class Escort Fighter (GTL10).....	139	<i>Gelliam</i> -class Express Freighter (GTL11).....	155
<i>Bølgebryter</i> -class System Defense Monitor (GTL10).....	139	<i>Gheilfa</i> -class Aerospace Fighter (GTL12).....	156
<i>Cadiz</i> -class Fast Destroyer (GTL11).....	140	<i>Gherain</i> -class Corvette (GTL11).....	156
<i>Cairngorm</i> -class Cluster Liner (GTL10).....	140	<i>Gnat</i> -class Light Fighter (GTL10).....	156
<i>Cardos</i> -class Fast Yacht (GTL12).....	140	<i>Gnortz</i> -class Freighter (GTL10).....	156
<i>Chiang</i> -class Launch (GTL9).....	141	<i>Gothick</i> -class Yacht (GTL11).....	157
<i>Chiitaa</i> -class Fast Launch (GTL10).....	141	<i>Grendel</i> -class Lesser Dreadnought (GTL9).....	157
<i>Chiral</i> -class Lab Ship (GTL12).....	141	<i>Guanxou</i> -class Light Cruiser (GTL9).....	157
<i>Cholath</i> -class Destroyer (GTL10).....	141	<i>Gurrak</i> -class Megafreighter (GTL10).....	158
<i>Christoff</i> -class Shuttle (GTL9).....	141	<i>Gvergh</i> -class Assault Cruiser (GTL10).....	158
<i>Citadel</i> -class Heavy Fighter (GTL12).....	142	<i>Gzong!xk</i> -class Dreadnought (GTL10).....	159
<i>Clorthal</i> -class Customs Cutter (GTL10).....	142	<i>Haritti</i> -class Battlecruiser (GTL12).....	159
<i>Comrade Hudson</i> -class Friendship Lander (GTL9).....	142	<i>Hawk</i> -class Destroyer Escort (GTL12).....	159
<i>Congreve</i> -class Missile Boat (GTL10).....	142	<i>Hecate</i> -class Light Fighter (GTL9).....	160
<i>Corannis</i> -class Dropship (GTL10).....	143	<i>Helm</i> -class Fighter (GTL9).....	160
<i>Curzon</i> -class Destroyer (GTL11).....	143	<i>Hfiatlais</i> -class Freighter (GTL10).....	160

<i>Hobbes</i> -class Heavy Fighter (GTL10).....	160	<i>Megalith</i> -class Battle Station (GTL10) .....	176
<i>Holgrim</i> -class Fleet Destroyer (GTL10) .....	161	<i>Melbourne</i> -class Close Escort (GTL10).....	177
<i>Hoplite</i> -class Close Escort (GTL10) .....	161	<i>Meredith</i> -class Trader (GTL11) .....	177
<i>Huata</i> -class Fighter (GTL9) .....	161	<i>Midge</i> -class Light Fighter (GTL10) .....	177
<i>Hudson</i> -class Lander (GTL9).....	161	<i>Miirimak</i> -class Monitor (GTL10).....	177
<i>Hudson's Revenge</i> -class Dropship (GTL9) .....	161	<i>Miotos</i> -class Battleship (GTL10) .....	178
<i>Hun</i> -class Light Fighter (GTL11).....	162	<i>Mjolnir</i> -class Heavy Fighter (GTL9).....	178
<i>Hvort</i> -class Pocket Dreadnought (GTL10).....	162	<i>Monarch</i> -class Light Battleship (GTL10) .....	179
<i>Hyena</i> -class Medium Fighter (GTL10) .....	162	<i>Monfraki</i> -class Dropship (GTL12).....	179
<i>Ibex</i> -class Fast Shuttle (GTL10).....	162	<i>Monnin</i> -class Freighter (GTL10).....	180
<i>Iechtekl</i> -class Intelligence Frigate (GTL11).....	163	<i>Moonii</i> -class Luxury Yacht (GTL12).....	180
<i>Imp</i> -class Patrol Fighter (GTL10) .....	163	<i>Morag</i> -class Ore Transport (GTL10) .....	180
<i>Ingham</i> -class Missionary Ship (GTL10) .....	163	<i>Morath</i> -class Fast Courier (GTL12).....	180
<i>Intrepid</i> -class Cruiser (GTL10).....	164	<i>Muirhead</i> -class Economy Liner (GTL10).....	181
<i>Irbak</i> -class System Defense Boat (GTL12).....	164	<i>Mullet</i> -class Merchant Liner (GTL10) .....	181
<i>Iridescent Poodle</i> -class Combat Liner (GTL10).....	164	<i>Murbles</i> -class Luxury Yacht (GTL10) .....	181
<i>Irumskla</i> -class Defense Platform (GTL10) .....	165	<i>Murka</i> -class Combat Shuttle (GTL12).....	181
<i>Irushma</i> -class Patrol Frigate (GTL12).....	165	<i>Murpak</i> -class Freighter (GTL10) .....	182
<i>Jelnai</i> -class Armed Freighter (GTL10) .....	165	<i>Murphy</i> -class Freighter (GTL10) .....	182
<i>Jheron</i> -class Scoutship (GTL11).....	166	<i>Nahiin</i> -class Trader (GTL10) .....	182
<i>Joqlsha'</i> -class Fighter (GTL11) .....	166	<i>Newcombe</i> -class Trader (GTL10) .....	182
<i>Joritz</i> -class System Defense Boat (GTL10) .....	166	<i>Nostrii</i> -class Science Scout (GTL10).....	183
<i>Jumo</i> -class Heavy Fighter (GTL10) .....	166	<i>Nova's Roar</i> -class System Defense Boat (GTL10).....	183
<i>Jupiter</i> -class Frigate (GTL11).....	167	<i>Olmeka</i> -class Heavy Fighter (GTL10) .....	183
<i>K!kreer</i> -class Light Cruiser (GTL10).....	167	<i>Olythnos</i> -class Trader (GTL10).....	183
<i>Kagarin</i> -class Exploratory Trader (GTL10).....	167	<i>Orman</i> -class Fleet Destroyer (GTL10).....	184
<i>Khorfooz</i> -class Raider (GTL11) .....	168	<i>Osiron</i> -class Destroyer (GTL12).....	184
<i>Kjerre</i> -class Freighter (GTL9).....	168	<i>Oskra</i> -class Shuttle (GTL12).....	184
<i>Kjerre II</i> -class Freighter (GTL10) .....	168	<i>Oskrip</i> -class Droyne Scout (GTL10).....	185
<i>Klastao</i> -class Far Trader (GTL11) .....	168	<i>Otter</i> -class Survey Scout (GTL10).....	185
<i>Klepsidar</i> -class Freighter (GTL11) .....	169	<i>Oytrist</i> -class Merchant (GTL10) .....	185
<i>Knorr</i> -class Freighter (GTL10) .....	169	<i>Pekherni</i> Observatory (GTL12).....	185
<i>Knossos</i> -class Liner (GTL10).....	169	<i>Pelagros</i> -class Luxury Liner (GTL11).....	186
<i>Komar</i> -class Free Trader (GTL12).....	169	<i>Permain</i> -class Freighter (GTL12) .....	186
<i>Korkii</i> -class Destroyer (GTL10).....	170	<i>Pheidippides</i> -class Imperial Courier (GTL12).....	186
<i>Kosigar</i> -class Pocket Carrier (GTL10).....	170	<i>Polesta</i> -class Troopship (GTL10) .....	187
<i>Kraki</i> -class Assault Cutter (GTL12).....	170	<i>Polo</i> -class Merchant Scout (GTL10).....	187
<i>Kriaplezh</i> -class Liner (GTL11) .....	171	<i>Porion</i> -class Passenger Liner (GTL10).....	188
<i>Kroydon</i> -class Droyne Cruiser (GTL10).....	171	<i>Prenei</i> -class Scoopship (GTL10) .....	188
<i>Kuru</i> -class Patrol Frigate (GTL12).....	171	<i>Pugilist</i> -class Combat Scout (GTL12).....	188
<i>Kyzan</i> -class Armed Shuttle (GTL10) .....	171	<i>Pugnacious</i> -class Battle Cruiser (GTL10) .....	188
<i>Langsdale</i> -class Attack Fighter (GTL10).....	172	<i>Puyan</i> -class Frigate (GTL9) .....	189
<i>Larilla</i> -class Yacht (GTL11) .....	172	<i>Quero</i> -class Assault Lander (GTL11) .....	189
<i>Leviathan</i> -class Megafreighter (GTL11).....	172	<i>Quorum</i> Assembly Hall (GTL10).....	189
<i>Lorden</i> -class Armed Courier (GTL12).....	172	<i>Quotal</i> -class Tramp Trader (GTL10) .....	190
<i>Luusitar</i> -class Subsidized Liner (GTL12) .....	173	<i>Rikiamid</i> -class Bulk Freighter (GTL10).....	190
<i>Luustani</i> -class Liner (GTL12) .....	173	<i>Rochelle</i> -class Monitor (GTL12).....	190
<i>Luzon</i> -class Aerospace Fighter (GTL11) .....	173	<i>Rori</i> -class Asteroid Miner (GTL10).....	190
<i>M'gee</i> -class Maintenance Tender (GTL10).....	173	<i>Rorke</i> -class Cargo Lighter (GTL10).....	191
<i>MacDonnell</i> -class Assault Lander (GTL10) .....	173	<i>S-XL</i> -class Long Range Scout (GTL12).....	191
<i>Madiis</i> -class Trader (GTL10).....	174	<i>S'donath</i> -class Fast Courier (GTL12) .....	191
<i>Maikuku</i> -class Missile Boat (GTL9) .....	174	<i>Sarta</i> -class Armoured Launch (GTL10).....	191
<i>Mallory</i> -class Racing Yacht (GTL12).....	174	<i>Selanai</i> -class Armed Liner (GTL12).....	192
<i>Malthus</i> -class Lab Ship (GTL10).....	174	<i>Selonian</i> -class Passenger Liner (GTL11).....	192
<i>Maniakes</i> -class Close Escort (GTL10).....	175	<i>Shebzhinj</i> -class Launch (GTL11) .....	192
<i>Marathon</i> -class Courier (GTL9) .....	175	<i>Shibaash</i> -class Light Cruiser (GTL10).....	193
<i>Marstrom</i> -class Launch (GTL11).....	175	<i>Shinzang</i> -class Shuttle (GTL9).....	193
<i>Mauripo</i> -class Subsidized Merchant (GTL12).....	175	<i>Shtiabr</i> -class Intelligence Frigate (GTL11).....	193
<i>Maynard</i> -class Interstellar Scout (GTL9).....	176	<i>Shtiabrisht</i> -class Destroyer (GTL11) .....	194
<i>Mayskyu</i> -class System Defense Boat (GTL9).....	176	<i>Skyskipper</i> -class Launch (GTL10) .....	194



<i>Slakter</i> -class Assault Cruiser (GTL9).....	194	<i>Vanderpelt</i> -class Luxury Liner (GTL12) .....	204
<i>Solon</i> -class Battlecruiser (GTL12) .....	195	<i>Velroi</i> -class Escort Destroyer (GTL10).....	204
<i>Ssaybom</i> Exploration Cruiser (GTL12).....	195	<i>Vengeance</i> -class Heavy Fighter (GTL11) .....	204
<i>Steadfast</i> -class Medium Fighter (GTL10).....	195	<i>Verdamt</i> -class System Defense Boat (GTL9) .....	205
<i>Stromali</i> -class Escort Destroyer (GTL12).....	196	<i>Victrix</i> -class Monitor (GTL11).....	205
<i>Stunnenge</i> -class Stealth Monitor (GTL10).....	196	<i>Viodak</i> -class Light Carrier (GTL12) .....	206
<i>Sveinhelm</i> -class Assault Carrier (GTL10).....	197	<i>Vixen</i> -class Armed Gig (GTL11) .....	206
<i>Tartar</i> -class Heavy Fighter (GTL11) .....	197	<i>Vloshr</i> -class Frontier Trader (GTL10) .....	206
<i>Tch'atl</i> -class Yacht (GTL10).....	197	<i>Voidtrekker</i> -class Rift Scout (GTL12) .....	206
<i>Tedoaraq</i> -class Liner (GTL10) .....	197	<i>von Braun</i> -class Missile Boat (GTL11).....	207
<i>Temaughi</i> -class Corvette (GTL12).....	198	<i>Vuki</i> -class Intruder Scout (GTL12) .....	207
<i>Tête Jaune</i> -class Survey Ship (GTL10).....	198	<i>Wain</i> -class Freighter (GTL10).....	207
<i>Tezhmacht</i> -class Fighter (GTL11).....	198	<i>Warhound</i> -class Assault Carrier (GTL12) .....	208
<i>Therania</i> -class Luxury Liner (GTL11).....	198	<i>Warhound</i> -class Light Cruiser (GTL11) .....	208
<i>Thespia</i> -class Destroyer (GTL12) .....	199	<i>Wilberton</i> -class Subsidized Merchant (GTL11).....	208
<i>Titanic</i> -class Resettlement Vessel (GTL10).....	199	<i>Wirimethar</i> -class Treatment Vessel (GTL12) .....	208
<i>Tlach'dev</i> -class Destroyer (GTL12).....	199	<i>Wirilas</i> -class Exploratory Trader (GTL10) .....	209
<i>Tolley</i> -class Subsidized Merchant (GTL10).....	199	<i>Wolfram</i> -class Freighter (GTL10) .....	209
<i>Toves</i> -class Bulk Freighter (GTL12).....	200	<i>Wylbur</i> -class Ultra-Heavy Fighter (GTL12) .....	209
<i>Trabatch</i> -class Express Liner (GTL11).....	200	<i>Xeek'krir</i> -class Freighter (GTL10).....	210
<i>Tralsa</i> -class Gig (GTL12) .....	200	<i>Xeer'rr</i> -class Courier (GTL10) .....	210
<i>Traske</i> -class Freighter (GTL9) .....	200	<i>Xenos</i> -class Fast Launch (GTL10) .....	210
<i>Traskon</i> -class Assault Carrier (GTL12) .....	201	<i>Xianghou</i> -class Destroyer (GTL10) .....	210
<i>Trikon</i> -class Aerospace Fighter (GTL10).....	201	<i>Xing!kir</i> -class Light Cruiser (GTL10).....	211
<i>Triku</i> -class Subsidized Aquatic Liner (GTL10).....	201	<i>Yarmouth</i> -class Frontier Trader (GTL10) .....	211
<i>Tsenjia</i> -class Freighter (GTL11) .....	201	<i>Yarrow</i> -class Scoopship (GTL12).....	211
<i>Tslechdael</i> -class Freighter (GTL10).....	202	<i>Yelsyn</i> -class Frigate (GTL12).....	211
<i>Ubervisch</i> -class Commerce Raider (GTL10) .....	202	<i>Zandrak</i> -class Safari Ship (GTL10) .....	212
<i>Umburko</i> -class Subsidized Liner (GTL10) .....	202	<i>Zentak</i> -class Runabout (GTL10) .....	212
<i>Uramikaa</i> -class Corvette (GTL12).....	202	<i>Zeramine</i> -class Trade Pioneer (GTL12).....	212
<i>Uruq</i> -class Medium Fighter (GTL12) .....	203	<i>Zhdiechranj</i> -class Liner (GTL11) .....	213
<i>Uxkoong</i> -class Frigate (GTL10).....	203	<i>Zhounang</i> -class Cruiser (GTL9).....	213
<i>Valeria</i> -class Light Cruiser (GTL11) .....	203	<b>Index .....</b>	<b>214</b>
<i>Vampire</i> -class Strike Fighter (GTL10).....	203		

---

---

# List of Deckplans

---

Deckplan 1: <i>Aardvark</i> -class Trader .....	3
Deckplan 2: <i>Aramine</i> -class Liner.....	5
Deckplan 3: <i>Augustus Deo</i> -class Fast Liner .....	6
Deckplan 4: <i>Bergen</i> -class Freighter.....	8
Deckplan 5: <i>Gnortz</i> -class Freighter .....	11
Deckplan 6: <i>Polo</i> -class Merchant Scout.....	38
Deckplan 7: <i>Hawk</i> -class Destroyer Escort.....	69
Deckplan 8: <i>Irushma</i> -class Patrol Frigate.....	70

---

---

# Design Notes

---

Thank you for looking at *101 Starships*. We at BITS hope that you find it useful.

The starships in this supplement fall into two distinct categories.

First are the common starships, ubiquitous enough that players will soon grow accustomed to them. These are intended to provide alternatives to the starships given in the **GURPS Traveller** rulebook. Some are merchants, others are warships, but all can be found plying the spacelanes of the Third Imperium and its neighbours.

Second are the “funnies”—unusual designs included to provide a hint of adventure.

The starships are sorted into chapters by type, then within each chapter by tech level and name. The index has yet more levels of classification: type, builder, function, and famous ships, to name just a few.

Observant readers will notice that there are many more than 101 starships. The general consensus of the Traveller online community was that *101 Starships* should be expanded as a single document, rather than a series of

books. *101 Starships* has more than doubled in size since first printed, with no end in sight.

---

## Measurements

Unless otherwise specified, all of these designs are rated in metric units. Conversions to American units can be done with the formulæ on page 13 of the **GURPS Traveller** rulebook.

---

## Tech Level

Although the **GURPS Traveller** universe runs the gamut from GTL0 to GTL12, the only modules officially published are for GTL10 and GTL12. The ships here use a variety of modules at other tech levels. Although we've tried to predict what Steve Jackson Games will publish in the future, there is no guarantee that a GTL11 ship from this supplement will match a GTL11 ship using the official rules, when they are finally published.

---

## Changes in This Release

The following ships are new:

*Aakross*-class Merchants (GTL11)  
*Arduin*-class Light Cruiser (GTL10)  
*Astra*-class Launch (GTL10)  
*Avoram*-class System Defense Boat (GTL11)  
*Barton*-class Freighter (GTL10)  
*Basilos*-class Pocket Cruiser (GTL11)  
*Bercovia*-class Express Liner (GTL10)  
*Bopamo*-class Light Carrier (GTL9)  
*Borodin*-class Trader (GTL10)  
*Bunter*-class Gig (GTL10)  
*Chiang*-class Launch (GTL9)  
*Dervish*-class System Defense Boat (GTL9)  
*Fenross*-class Destroyer (GTL11)  
*Firefly*-class Light Fighter (GTL10)  
*Flinton*-class Scout (GTL9)  
*Fornast*-class Subsidized Liner (GTL10)  
*Frederik Magnus*-class Corvette (GTL9)  
*Fromin*-class Launch (GTL10)  
*Fury*-class Fighter (GTL9)  
*Gothick*-class Yacht (GTL11)  
*Guanxou*-class Light Cruiser (GTL9)  
*Hecate*-class Light Fighter (GTL9)

*Hobbes*-class Heavy Fighter (GTL10)  
*Hyena*-class Medium Fighter (GTL10)  
*Kagarin*-class Exploratory Trader (GTL10)  
*Khorfooz*-class Raider (GTL11)  
*Knossos*-class Liner (GTL10)  
*Korkii*-class Destroyer (GTL10)  
*Larilla*-class Yacht (GTL11)  
*Leviathan*-class Megafreighter (GTL11)  
*Madiis*-class Trader (GTL10)  
*Marathon*-class Courier (GTL9)  
*Marstrom*-class Launch (GTL11)  
*Maynard*-class Interstellar Scout (GTL9)  
*Monarch*-class Battleship (GTL10)  
*Mullet*-class Merchant Liner (GTL10)  
*Murphy*-class Freighter (GTL10)  
*Newcombe*-class Trader (GTL10)  
*Orman*-class Fleet Destroyer (GTL10)  
*Otter*-class Survey Scout (GTL10)  
*Porion*-class Passenger Liner (GTL10)  
*Puyan*-class Frigate (GTL9)  
*Quorum* Assembly Hall (GTL10)  
*Selonian*-class Passenger Liner (GTL11)  
*Shinzang*-class Shuttle (GTL9)

*Shtiabrisht*-class Destroyer (GTL11)  
*Skyskipper*-class Launch (GTL10)  
*Tartar*-class Heavy Fighter (GTL11)  
*Tezhmacht*-class Fighter (GTL11)  
*Therania*-class Luxury Liner (GTL11)  
*Trabatch*-class Express Liner (GTL11)  
*Tslechdael*-class Freighter (GTL10)  
*Uramikaa*-class Corvette (GTL12)  
*Vampire*-class Strike Fighter (GTL10)  
*Vengeance*-class Heavy Fighter (GTL11)  
*Victrix*-class Monitor (GTL11)  
*Wilberton*-class Subsidized Merchant (GTL11)  
*Wolfram*-class Freighter (GTL10)  
*Xeek'krir*-class Freighter (GTL10)  
*Xenos*-class Fast Launch (GTL10)  
*Xianghou*-class Destroyer (GTL10)  
*Zhounang*-class Cruiser (GTL9)

The following ships have new artwork:

*Aardvark*-class Trader  
*Bergen*-class Freighter  
*Gnortz*-class Freighter  
*Polo*-class Merchant Scout

---

---

# Introduction to *GURPS Traveller*

---

The universe of *Traveller* is one of the most fully realized game worlds ever created. Adventures take place against the background of a vast, star-spanning empire, with a history dating back over a thousand years. Locales can range from a crowded spaceport to a lonely frontier outpost. Characters can be merchant princes, diplomats, soldiers, politicians, criminals...or all of them at once. Political intrigues, trading schemes, mind-wrenching alien enigmas, mercenary raids, wars...almost anything is possible.

First published by Game Designers' Workshop in the summer of 1977, *Traveller* was one of the first science fiction roleplaying games (indeed, it was one of the first RPGs of any sort). *Traveller* rapidly became the standard against which other SF roleplaying games were judged, and influenced many other designs in many other genres. The game went through several editions over the years, and quite a few changes were incorporated along the way. One of these was the Rebellion, something GDW did to bring conflict and excitement to campaigns that had become dull and mundane.

In the 1116<sup>th</sup> year of the Imperium, Emperor Strephon was assassinated by a rival, and the Third Imperium split

into several factions. This change brought excitement to many campaigns, but other players and referees felt that the universe was exciting enough without an empire-wide civil war. It is for these people that an alternate history has been created, where Strephon, the 43<sup>rd</sup> Emperor of the Third Imperium, lives and the Rebellion never happened.

This is not to say, however, that all is well with the universe. A story without conflict is about as interesting as a telephone directory. So, expect things to happen in this universe... changes will occur. The undercurrents and discontents that led to the Rebellion are still unresolved. The vast scope of the Traveller background will become available to *GURPS* players and GMs, without the destruction and dislocation caused by the Rebellion.

There is, however, a second reason for *GURPS Traveller*. Many of the original books that detailed the history and background of the Third Imperium are long out of print. Now new players and referees can have access to the same information as twenty-year-long grognard/collectors, and their enjoyment of Traveller can only benefit.

Steve Jackson Games plans to support *GURPS Traveller* fully, with approximately one release every two months.

---

## Pyramid Online Magazine



*Pyramid* is an online magazine including new rules and articles for *GURPS*. It also covers all the hobby's top games—*AD&D*, *Traveller*, *World of Darkness*, *Call of Cthulhu*, *Shadowrun* and many more—and other SJ Games releases like *In Nomine*, *INWO*, *Car Wars*, *Toon*, *Ogre Miniatures* and more. And *Pyramid* subscribers also have access to playtest files online, to see (and comment on) new books before they're released.

Check out the sample issue at [www.sjgames.com/pyramid](http://www.sjgames.com/pyramid).

---

## Journal of the Travellers Aid Society Online Magazine



The *Journal of the Travellers' Aid Society* was first published in 1979 by GDW, Inc. to provide additional material (rules, variants, adventures, equipment and background development) for *Traveller* and related products, and to keep *Traveller* fans informed on what was happening with the game.

The hardcopy version of *JTAS* ceased publication in 1985, merged into GDW's magazine *Challenge*.

Now *JTAS* continues that same tradition onto the web, providing support for *Traveller* in all its forms and incarnations. We cover *Classic Traveller*, *MegaTraveller*, *Traveller: the New Era*, *Traveller 4th edition*, and *GURPS Traveller*. We'll keep you informed on what's happening, what's come out, and what's coming up for the premiere science fiction RPG. The online format also allows *JTAS* to offer an interactive forum for Traveller fans to discuss the game and keep it alive and growing.

*JTAS* is edited by Loren Wiseman for Steve Jackson Games Incorporated. The *Journal of the Travellers' Aid Society* is a registered trademark of Far Future Enterprises, and is used under license

Check out the sample issue at [jtas.sjgames.com](http://jtas.sjgames.com).

# GURPS Traveller Sourcebooks




Written by Loren Wiseman  
Edited by Jack Elmy Cover by Jack Elmy Illustrated by Yesse America, Kurt Brugel, Rob Caswell, Langdon Foss, Glenn Grant, Marcus Kim, Daniel Lunsford, Alan Nunis, Tom Peters and Lance S. Winkel

*GURPS Traveller* is the official alternate universe for *Traveller*, the premier SF roleplaying game, produced under license. The vast scope of the Third Imperium will be open for adventuring: merchants, mercenaries, spies, mega-corporate troubleshooters, pirates and pirate-chasers! Find out for yourself why this game is a classic.

**176 pages. Suggested retail price \$22.95**

**Stock number 6600 ISBN 1-55634-361-2**



Written by M.J. Dougherty and Neil Frier  
Edited by Loren Wiseman

*Behind The Claw*: Slang phrase referring to those regions of the Third Imperium lying beyond the Great Rift. Almost a year from the Capital by Xboat, the Spinward Marches is a frontier region, scene of five Frontier Wars and innumerable skirmishes. The Marches are one of the most troubled regions of the entire Imperium.

*Behind The Claw* details the Spinward Marches, a complete sector of space. Over four hundred star systems are described in detail, along with essays on the Imperial Nobility and system of government, a detailed history of the region, referee's information, current events and a wealth of adventure material. The setting is rich and diverse, with unlimited scope for adventuring.

The Spinward Marches was first sector to be covered in the original *Traveller* background, and it is where the vast majority of campaigns are set. In many ways, it is *Traveller's* "home."

**144 pages. Suggested retail price \$20.95**

**Stock number 6601 ISBN 1-55634-349-3**



Written by Jon F. Zeigler  
Edited by Gene Seabolt

The Solomani Rim sector lies at the rimward edge of the Third Imperium. It is an ancient, densely populated region. For 6,000 years, the Solomani Rim has been a place of epic revolutions and wars. Today it remains a flashpoint for galactic conflict... The Third Imperium occupies hundreds of worlds, including Terra, the human homeworld. But much of the sector is under the control of the despotic Solomani Confederation.


*Rim of Fire* covers the Solomani Rim sector in detail. Writeups for over 400 worlds are included. Some are described in great detail, providing instant adventure settings, while others are merely sketched in to allow the individual GM to customize his campaign. There is also an extensive history of the sector, including detailed descriptions of the Interstellar Wars and the rise of the Solomani Movement. And, of course, there are campaign and adventure seeds, and a trove of referee's information.

The Solomani Rim has always been a place where the actions of individual heroes could change the course of history. Today there are still many challenges for the *GURPS Traveller* player...on the Rim of Fire!

**144 pages. Suggested retail price \$20.95**

**Stock number 6615 ISBN 1-55634-436-8**





**Written by David L. Pulver**  
**Edited by Loren Wiseman**


The human-descended Zhodani have long embraced psi powers in their society, in contrast to the persecution that psis suffer within the Imperium. The Vargr are a race of aliens descended from transplanted Terran canines. Both are formidable rivals to Imperial power in the Spinward Marches sector.

*Alien Races I* for *GURPS Traveller* has everything you need to set a campaign in the Zhodani Consulate or Vargr Extents. It includes starship deck plans and vehicle designs; typical weaponry; rules and templates for creating player characters; up-to-date history and cultural information, and much more.

Also, seen here for the first time are three significant “minor races” from Zhodani and Vargr territory: the tyrannosaurian Drakarans, the arachnoid Clotho and the enigmatic Sheol. Almost unknown in Imperial territory, these races are growing powers in the Zhodani Consulate and the Vargr Extents .

**144 pages. Suggested retail price \$20.95**

**Stock number 6603 ISBN 1-55634-361-2**



**Written by Andy Slack and David Thomas, with David Pulver;**  
**Edited by John Goff**

The second book in the Alien Races series addresses the biology, home worlds, culture, and society of the Aslan, K’kree, and two minor species. It details their historical involvement with the Imperium, and presents racial templates, rules for playing alien characters, and examples of unique technologies and ship designs.


The Aslan warrior race has a mindset focused on honor and glory; their traders and mercenaries are found throughout the Spinward Marches and the Solomani Sphere. Their wanderlust and combative nature make them well-suited to adventuring as player-characters. Their habit of grabbing land when no one is looking also makes them good recurring adversaries in a campaign.

The militantly vegetarian K’kree are driven by their faith to rule the Galaxy, and eliminate all meat-eaters. Players may join this crusade, fight against it, or simply try to make a living while it goes on around them. The K’kree are constantly embroiled in skirmishes with the Vargr, and keep an uneasy peace with the Hivers and humanity.

Also featured are two new minor races: The Inyx are a race of aquatic parasites who absorb electrical energy from their whale-sized hosts. The Devi Intelligence, a K’kree subject race, consist of the sedentary Intellects, who resemble colonies of giant fungi, and their mobile spores, the Shiverbats.

**144 pages. Suggested retail price \$20.95**

**Stock number 6607 ISBN 1-55634-392-2**



**Written by Andy Slack, Dave Thomas, David Pulver and Dave Nilsen**

The third book in the Alien Races series describes two of the *most* alien races in the Traveller universe - the Droyne and the Hivers. The Droyne, which Imperial archaeologists are beginning to suspect are identical to the ancient race that scattered Humaniti and created the Vargr, are among the most pacific of all the inhabitants of the Imperium. But if they were once so powerful, why have they given up on the jump-drive and the other trappings of interstellar power? What did they learn that Humaniti will not?


And what about the Hivers, the strange six-limbed creatures who dominate dozens of other races within their Hive Federation? Why do they treat their offspring so strangely? Does their incredible intelligence translate to wisdom? Or does their lust to manipulate others represent a threat to the Imperium?

Also described are three minor races: the Hiver’s laughing mercenaries, the Ithklur; the tiny nocturnal Lithkind; and the fluorine-breathing Inheritors, who inhabit a Dyson sphere created by the Ancients.

Special bonus! This book includes “gold” cardboard punch-out versions of the 36 Droyne coyns, and complete instructions for Droyne divination.

**144 pages. Suggested retail price \$22.95**

Stock number 6608 ISBN 1-55634-431-7



**Compiled by Loren Wiseman**


**Cover by David Day**

Enough aliens to fill a cantina! *GURPS Traveller Alien Races 4* brings 16 strange species to life, including the winged Ael Yael, the bureaucratic Bwaps, the nonviolent Virushi, and the newest species to be recognized as sentient, the aquatic Shalli. Compiled and edited by Loren Wiseman and Steve Jackson, this book features the creations of several favorite *Traveller* authors, including Phil Masters, David Pulver, and David Thomas.

**144 pages. Suggested retail price \$21.95**

**Stock number 6609 ISBN 1-55634-433-3**

## Alien Races 5: Humanity




**Compiled by Loren Wiseman**

This book series will address the biology, home worlds, culture, and society of 17 Human minor races for *GURPS Traveller*. These writeups will follow the format set out for minor races in *Alien Races 1-4*. Contributions of one or more race writeups will be open to inquiry by all interested parties, as was done for *Alien Races 4*.

Each submission will address one race. It will give concise accounts of their historical involvement with the Imperium, and will include racial templates. The author should be familiar not only with *GURPS Traveller*, but also the original *Classic Traveller* source material.

Entries will include: Acheron (new), Answerin, Azhanti (new), Darrian, Dynchia, Geonee, Iltharan, Irhadre, Kargol (new), Luriani (new), Nexxies, Otrai, Suerrat, and Yilean.

**144 pages. Suggested retail price \$24.95**




**Edited by Loren Wiseman**

Everything you need for a military-oriented campaign in the universe of *Traveller*! This book covers combat (and a soldier's life) in the 57<sup>th</sup> century; how to recruit, organize, and equip a mercenary unit; and the Imperial rules of war. There are descriptions of how armies are organized and equipped for Tech Levels from 5 to 12, discussions of strategy and tactics, and a comprehensive rundown on weapons and the other tools of the soldier's trade. In addition, deck plans for the 800-ton *Broadsword* class mercenary cruiser are included.

*Star Mercs* also includes templates for military and mercenary soldier characters, sample missions, and a variety of units and NPC personalities your mercenary group might encounter, including the famed and feared Imperial Marines.

**Suggested retail price \$19.95**  
**Stock number 6604 ISBN 1-55634-364-7**






**Written by Doug Berry**  
**Edited by Gene Seabolt**  
**Cover by Jesse DeGraff**

When human worlds are threatened, people depend on the Imperial Marines and the Unified Armies—the Ground Forces. They are the only soldiers most citizens ever see. People may follow orbiting battleships as bright “stars” in the sky, but for the average man it is the Marine in battledress and the imposing bulk of an Army grav tank that embody the Imperium.

*GURPS Traveller: Ground Forces* covers the “ground pounders” of the Third Imperium and their comrades in arms, the sailors of the “wet” navy and the pilots of the Close Orbit and Aerospace Command.

**144 pages. Suggested retail price \$20.95**

**Stock number 6614 ISBN 1-55634-444-9**




**Written by Christopher Thrash, Steve Daniels, and Jim MacLean. Edited by Loren Wiseman**

Next to the mercenary game, the “independent trader” campaign is the most popular among *Traveller* players. This new book is the complete support volume for the Trader campaign. You can:

- Develop sector-wide trade routes, following the demands of commerce on an interplanetary scale.
- Start your own character-run business, raise capital, and finance your money-making ventures.
- Make contacts, find niche markets, and exploit opportunities the big corporations miss.
- Learn what it takes to run a successful commercial starship.
- Expand your world with 15 new character templates.
- Run entire mercantile campaigns, including free traders, smugglers, and pirates.

*Far Trader* complements the *GURPS Traveller* volumes on Starports and Starbases, and on *GURPS Traveller: Starships*, (coming later in 1999). It is also fully compatible with *GURPS Space*, and a useful supplement for any science fiction campaign.

**Suggested retail price \$20.95**  
**Stock number 6606 ISBN 1-55634-364-7**




**Written by Jon F. Zeigler**

Beyond the borders of the Third Imperium, the Interstellar Scout Service seeks out strange new worlds! A Scout has to be ready for anything...or die. This book describes the Scouts’ organization, equipment, starships (with deck plans including the Express Boat, *Donosev*-class Survey Scout, *Khadumir*-class Fast Courier, and *Purcell*-class Express Boat Tender) and typical missions. To make running a Scouts campaign easy, it also details the whole process of exploration, from the initial sighting of a new star system to the integration of a world into the Imperium.

*First In* includes a world-building sequence based on the most recent scientific discoveries. Game Masters can now design realistic star systems, worlds and civilizations. The system can be used for *GURPS Traveller*, or easily adapted to any other science-fiction RPG.

**128 pages. Suggested retail price \$20.95**

**Stock number 6605 ISBN 1-55634-368-X**




**Written by John M. Ford  
and James Malizewski**

Patrol, trade and x-boat routes are the lifelines of the Imperium, and starports are the anchors to which they are tethered. Serving as trade centers, customs offices and outposts of civilization in far-flung systems, they play a central role in the lives of starfarers, and are a crucial source of goods, wealth and information for even the most planetbound of souls. At the same time, they are havens for smugglers, fugitives and black marketeers.

*Starports* classifies standard starports and describes their facilities, organization and functions. It includes examples and plans, and guidelines for starport adventures and encounters. It is designed to complement *Far Trader* and the upcoming *Starships* supplement.

**128 pages. Suggested retail price \$19.95**

**Stock number 6610 ISBN 1-55634-401-5**



**Written by Robert Prior,  
Christopher Thrash, and  
Tom Bont.**


From launches to liners, from patrol boats to pirates, a starfaring campaign requires ships. *GURPS Traveller: Starships* details the “View from the Deck,” the experience of being aboard a starship. Passengers and pursers, bridge crews and black gang, owners and deckhands...they’re all here. Charters and salvage operations are included, spiced up with encounters, adventure seeds and a cast of NPC owners, masters and crew.

Much of the book is devoted to ship designs and design philosophy, with a selection of starships and smaller vessels—the traders, lab ships, yachts and prospectors likely to be crewed by PCs. Each ship has its own detailed writeup and deck plans. Another section expands on the starship design rules in *GURPS Traveller* (including components for TL 7-9, TL 11, and TL 13 designs). It collects all previously published components in one volume and offers new accessories and design options, as well as descriptions of the technology.

Ships detailed in *GURPS Traveller: Starships* include: *Suleiman II*-class Seeker, *Lady of Shallot*-class Yacht, Safari Ship (*Animal* class), *Birdsong*-class Trader, *Kugashin*-class Lab Ship, *Dragon*-class SDB and Jump Shuttle.

**144 pages. Suggested retail price \$21.95**

**Stock number 6613 ISBN 1-55634-475-9**




**Written by Loren Wiseman  
and Andy Akins Edited by  
Andrew Hackard and Gene  
Seabolt Cover by Rick  
Achberger, Jesse DeGraff,  
and Alex Fernandez**

Often dubbed “the workhorse of the Imperium,” the modular cutter is the primary ship design for intrasystem transport. Its flexibility made it popular; its durability made it essential.

In *Modular Cutter*, you’ll find dozens of designs for ship modules that can be swapped out at a moment’s notice. You’ll also find new ideas for using the modules, from space stations to interstellar cargo ships. *Traveller* fans have been asking for this book for years!

**128 pages. Suggested retail price \$20.95**






**Written by Loren Wiseman and Steve Jackson**


The first of a new series of 32-page *GURPS Traveller* books, each one a detailed look at a single planet. Written by Loren Wiseman and Steve Jackson, this book describes a planetary theme park—a whole world dedicated to entertainment—but with a hidden dark side. From family fun to lavish decadence, from hundred-mile kiddie rides to recreations of the court of Caligula, Kamsii has it all. The Kamsii Company says everybody will have a good time, and nobody crosses the Company. Not twice.

**32 pages. Suggested retail price \$6.95**  
**Stock number 6801 ISBN 1-55634-495-3**



The second of this new *GURPS Traveller* series, each of which has complete stats and adventure information for a new planet. *Planetary Survey 2* presents the homeworld of a recently discovered intelligent race...the Shriekers. Unfortunately, all that most of Humanity cares about the Shriekers is that their eggs are precious jewels. Will you help the Shriekers, or help wipe them out for profit?

**32 pages. Suggested retail price \$6.95**  
**Stock number 6802 ISBN 1-55634-496-1**




**Written by Salvatore T. Falco**

Granicus, in the Glimmerdrift Reaches sector, is home to over 25 million people. Its corrupt, faction-ridden government and out-of-the-way location make it the perfect base of operations for pirate cartels, whose criminal enterprises reach into Imperial space. The cartels are the secret masters of the planet. But in every corner lurk Imperial spies, looking for ways to combat the pirate threat.

**32 pages. Suggested retail price \$6.95**  
**Stock number 6803 ISBN 1-55634-510-0**



## Planetary Survey 4: Glisten



**Written by James  
Maliszewski**

**Edited by Andrew Hackard**


The “Jewel of Deep Space,” the Glisten system has no habitable world, yet it is the capital of the Glisten subsector, site of a Scout base and a major shipbuilding yard, and home of the Mining School of Glisten. Its rich asteroid belts combine an advanced technology with an almost inexhaustible supply of raw materials. Glisten is a major industrial and economic powerhouse in the Spinward Marches.

This book concentrates on the five asteroids which make up “Glisten City,” the government and business center of the system. Trade, business, scientific investigations, and high-level politics rub shoulders with gritty asteroid miners, huge factory complexes, shipyards, and interstellar intrigue.

**32 pages. Suggested retail  
price \$8.95**

**Stock number 6804 ISBN 1-  
55634-511-9**

## Planetary Survey 5: Tobibak



Our new *GURPS Traveller* series continues with an in-depth (so to speak) look at Tobibak, a world covered by ocean. Humans cooperate with aquatic races to develop a planet with many resources...but where dry land is the rarest commodity of all! Written by long-time Pyramid editor Scott Haring.

**32 pages.**

**Stock #6804, ISBN 1-55634-  
511-9. \$8.95.**



**Edited by Loren Wiseman  
Figures Drawn by Tom  
Biondolillo Figures Colored  
by Alex Fernandez  
Deckplan by Kieren Yanner**

Put the Third Imperium at your fingertips with this fact-packed GM's screen. Two screens contain all the charts, tables, and other essentials for the *GURPS Traveller* Game Master. And, since every GM needs a tavern to start the adventure off right, here's a poster-sized floor plan for Brubek's, the starport bar...and a sheet of new Cardboard Heroes miniatures showing typical patrons.

2 two-sided screens with 1 floor plan and 1 sheet of *Traveller*-specific *Cardboard Heroes*.

**Suggested retail price \$10.95  
Stock number 6619 ISBN 1-  
55634-457-0**



**Edited by Loren Wiseman**  
**Deckplans by Kieren Yanner**  
**Figures Drawn by Tom Biondolillo**  
**Figures Colored by Alex Fernandez**

The Free Trader *Beowulf* is under attack! Help retake the ship with our first set of *Traveller* Deck Plans. Thirteen double-sided maps join to form the full *Beowulf*—with hexes on one side and squares on the other, every *Traveller* fan will be able to use them! And there's a sheet of Cardboard Heroes miniatures with crew and pirates—start adventuring immediately!

Hang in there, *Traveller* fans...help is on the way...

13 two-sided maps with a 4-color cover insert, with 1 sheet of *Traveller*-specific *Cardboard Heroes* in ziplock bag.

**Suggested retail price \$19.95**  
**Stock number 6617 ISBN 1-55634-460-0**



The Modular Cutter is truly the workhorse of the Imperium...and the subject of a new *GURPS Traveller* book, eloquently titled "Modular Cutter." This set includes 8 two-sided maps...the 50-ton modular cutter itself and seven different modules: Class I starport, expandable base, laboratory, medical, prison transport, safari, and survey.

Also included is a sheet of all-new *Traveller* Cardboard Heroes miniatures, created specifically for this set. Explorers, scientists, doctors, civilians...including a Virushi surgeon and a Bwap clerk!

8 two-sided maps in a 4-color wrap, with 1 sheet of *Traveller*-specific *Cardboard Heroes* in ziplock bag.

**Suggested retail price \$16.95**  
**Stock number 6620 ISBN 1-55634-480-5**



The Empress Marava-class Far Trader is a tough, long-range cargo ship. It's a favorite of many adventurous traders... which probably includes the PCs in your campaign.

This big package shows every detail of a *Marava* on 16 two-sided maps... hexes on one side and squares on the other, to fit any campaign! Also included is a sheet of Cardboard Heroes miniatures to crew your *Marava*, and a large cargo-hauling air/raft.

**Suggested retail price \$22.95**  
**Stock number 6621 ISBN 1-55634-508-9**



The Assault Cutter is an armored, reinforced version of the Modular Cutter, popular in military applications. This package includes 8 two-sided maps...hexes on one side and squares on the other, to fit any campaign! Included are the cutter itself and seven modules: boarding, ECM, fighter, Marine command, Marine firebase, medevac, and sensor. Also included is a sheet of full-color *Cardboard Heroes* miniatures to crew the cutter, including a *Rampart* fighter for the fighter module.


**Suggested retail price \$19.95**  
**Stock number 6622 ISBN 1-55634-509-7**



The 100-ton *Sulieman* is one of the most commonly encountered vessels in Imperial space and on its borders. The Scout Service uses thousands of *Suliemans* for reconnaissance, survey, courier/VIP transport, and liaison duties; the *Suliemans* are sometimes granted the long-term use of a *Suliemans* for private prospecting or trade.

Because this vessel is so easily available to PCs, this deck plan will be of interest to players as well as GMs. It comprises 8 double-sided sheets (hexes on one side, squares on the other), and includes a set of *Cardboard Heroes* miniatures to crew the ship and provide encounters.

**Stock #7505,**  
**ISBN 1-55634-515-1. \$16.95.**



**Edited by Loren Wiseman**  
**Cover art by Jesse DeGraf**  
**Cover design by Alex Fernandez**

Make your roleplaying more true-to-life with these Imperial documents for *GURPS Traveller*. The set includes the two-sided Ship's Registry Form, starship construction worksheets, and many more, plus a sheet of *Cardboard Heroes* miniatures of a starship and spaceport crew, including Humans, Vargr, Aslan, and Bwaps.

32 two-sided forms with a 4-color cover insert, with 1 sheet of *Traveller*-specific *Cardboard Heroes* in ziplock bag.

**Suggested retail price \$14.95**  
**Stock number 6421**  
**ISBN 1-55634-539-9**

---

## Contacting Steve Jackson Games

*Electronic Mail*  
sjgames@io.com

*Regular Mail*  
SJ Games  
Box 18957  
Austin, TX 78760  
USA

*World Wide Web Site*  
www.sjgames.com

---

---

# Introduction to BITS

---

BITS (short for “British Isles Traveller Support”) is a UK based organisation dedicated to providing a forum for Marc Miller’s Traveller Roleplaying Game. It was founded in 1995 by Andy Lilly (who still co-ordinates the organisation). Within this remit, BITS supports all versions of Traveller (Classic, MegaTraveller, The New Era, GURPS Traveller and Marc Miller’s Traveller) by:

- organising tournaments and demonstrations in the UK (and beyond).
- publishing quality adventures and supplements for Traveller.
- aiding and encouraging members' submissions to magazines.
- helping to find/swap and sell out of print material.
- collecting and publishing software role-play aids.
- bringing together players through a contact list.

Although BITS was founded in the UK, it has a small number of European and North American members. BITS is (at the time of writing) one of the two groups licensed by FarFuture Enterprises to produce Traveller material, the other being Steve Jackson Games for their GURPS Traveller line.

BITS publishes a variety of products, including the “Little White Books” which include the 101 Series.

---

## BITS Traveller Sourcebooks

### *A deal's a deal, right?*



If you view interstellar trade as simple rolling a few random items from the trade tables, think again! This BITS *Traveller* supplement will breathe life into your cargos and remind the players that not everything can be boxed up, left in the hold and forgotten about until they reach their next port of call...

- Instant Adventure Links containing novel rules for generating ‘generic’ plots for almost any piece of cargo, to give many thousands of possible adventures!
- Shipping Codes for cargo containers—from size and mass to those lethal hazards and pain-in-the-butt handling requirements that every merchant needs to know.
- 101 Pregenerated Cargos for your campaign: Natural Resources (from rocks to wallabies), Processed Resources (the raw components of industry), Manufactured Goods (the fruits of industry), Information (knowledge is a valuable thing) and Novelties (variety is the spice of life)!
- Library data for the companies and items mentioned elsewhere in the book.
- Detailed random generation of cargos of many different types for speculative trading.

**Order Code 101C: 101 Cargos (2nd Edition): A5, 40 pages, colour cover.**





### ***Just looking for something to do?***

This BITS *Traveller* supplement help referees survive those gaming sessions where things just aren't going the way they thought they would...

- Patrons. A common source of adventure, patrons always need someone to do their dirty work for them and they're usually willing to pay.
- Introductions. Those little tie-ins which bring your players into contact with useful organisations and people.
- Job Advertisements. The notices in the starport bar - whether it's just a few days' cash or a dodgy job needs doing.
- Red Herrings. More notices, but perhaps not so profitable!
- Information. Sometimes notices aren't for jobs but can still be a mine of information.
- Personals. With plenty of potential to confuse, distract, and perhaps amuse.
- Gimmicks. Devices, gadgets, whizz-bangs, what-nots, or whose-a-ma-jiggers that appeal to players for their novelty, potential worth, or just usefulness.

**Order Code 101P: 101 Plots A5, 40 pages, colour cover.**



### ***They hand over the ticket...***

...they step aboard, their luggage is stored in the hold, and a week goes by as the merchant ship carries them through jumpspace to the next planet. But...

Who are these interstellar travellers? Hijackers or Smugglers? Should the crew be watching their every move? Or is one of the passengers a customs inspector—watching the crew? This BITS *Traveller* supplement provides 101 pregenerated characters (or groups of NPCs) - passengers who may book passage on the players' ship or be encountered on other ships.

- Each traveller is described using the standard *Traveller* statistics (Strength, Dexterity, etc.) and career, rank, race, sex, age and a list of their skills, cash and special equipment/luggage.
- A brief description of their initial appearance is given, followed by a detailed background including their reason for travelling between the stars—from touring pop stars to secret agents.
- Each traveller has suggestions for how they may be used as patrons, links to adventures, as a source of useful information or skills, or perhaps just as an amusement/annoyance!

**Order Code 101T: 101 Travellers, A5, 44 pages, colour cover.**





### ***We'll meet at, er, well, a bar? Which bar? Er...***

Your players encounter new worlds, alien peoples, high tech wonders, but usually the starport bar has about as much background as a cardboard cut-out, and the characters within it are just as wooden. This *Traveller* supplement from BITS provides 101 stimulating locations, from the Yellow Crucible Night Club to the Rewint Animalzone, offering services from taxis (Itzjuscumin) to security (ViProtect).

- Every rendezvous is given a likely location within a town or starport, with a description of the building, outside and in
- Specific details of the facilities and operation are given, including the costs for entrance, accommodation, dining, etc.
- Each location has a description of the most notable character(s) associated with it, including whatever dark secrets they may be hiding behind their doors.
- Each entry also play options which you may wish to exploit (including how to play the NPCs and suggested adventure plot ideas).

**Order Code 101R: 101 Rendezvous, A5, 44 pages, colour cover.**



### ***Aaarrgh! It's a hideous alien monster!***

Or is it just the quite harmless, but rather unpleasant looking Bolungian Jubwibble? The only way to find out is to get this *Traveller* supplement from BITS!

- Detailed descriptions of 101 different alien creatures, plants and other 'lifeforms', divided according to their habitat types.
- Each entry describes the lifeform using the standard Traveller statistics, in addition to notes on how commonly the lifeform is encountered and in what numbers it is found.
- Each lifeform description begins with its physical appearance, and continues with the creature's special attack and/or defence forms, its preferred food, its habitat and lifestyle.
- A number of the entries are illustrated to show these alien flora and fauna 'in the flesh'.
- Sets of tables are provided summarising each lifeform and its environment, to aid you in creating encounter tables.
- Includes B&W illustrations of some creatures.

**Order Code 101L: 101 Lifeforms, A5, 44 pages, colour cover.**



### ***Governments from A to Z...***

...from worlds without governments (mindless anarchies or liberated Gardens of Eden?) to worlds with too much government (oppressive regimes focused solely upon maintaining the rulership of paranoid dictators), every **Traveller** should be aware of the implications on the local culture, laws and trade.

- This Traveller supplement from BITS provides 101 pregenerated governments with which to flesh out Traveller worlds, grouped by the Scout Corps' government coding system.
- Each government has a basic description including the information that would commonly be available to Travellers through a ship's library or other database.
- Referee's notes detail those areas of each government which might not be apparent to normal Travellers.
- Each entry also has a plot idea for use as a hook into an adventure for your players.
- Contains a small number of B&W illustrations.

**Order Code 101G: 101 Governments, A5, 56 pages, colour cover.**



### ***What is the meaning of life?***

From our primitive ancestors to the time of the Third Imperium, society has created a wonderfully diverse range of religions and beliefs.

- This Traveller supplement from BITS provides 101 religions, beliefs and cults with which to populate Traveller worlds, grouped by the Imperial Interstellar Scout Services' religion coding system.
- Each religion has a basic description including the information that would be commonly available to Travellers.
- Referee's notes detail the more secretive aspects of each religion.
- Each entry also has one or more plot ideas for quick generation of adventures for your players.

**Order Code 101E: 101 Religions, A5, 48 pages, colour cover.**



*..Designed for Marc Miller's Traveller & GURPS Traveller but may be used with ease with other Traveller rule sets.*

### **Patrons...**

...always have a task that needs doing, often dangerous, sometimes illegal, occasionally heroic. But does the Patron have an ulterior motive? Do the rewards match the risks? That's for the adventurers to decide.

### **Lady luck...**

...can sometimes throw even the best prepared adventurers into a hazardous situation where fast thinking and decisive action is needed to save the day.

### **101 Patrons...**

...has a huge variety of exciting Patrons & Situations, each with multiple possible outcomes (to keep your players guessing), an index for fast plot selection, an adventure generation system based around 36 Dramatic Situations, plus Starport Chatter and World Seeds to add flavour to any game.

**ISBN 1-901228-14-2**



## ***A Combat Supplement for Traveller...***

### **At Close Quarters...**

...is a tactical system that emphasises the action and reaction process of real combat. Cautious combatants with fast reactions who use all available cover will out-live reckless gun slinger types.

### **Add Excitement...**

...to critical combat situations within your Traveller game, or use At Close Quarters for standalone ground skirmishes and starship boarding actions.

### **Comprehensive Rules for...**

...ranged combat (from aimed shots to suppression fire), melee combat, movement, action reaction situations, types of cover (and how to reach it quickly), damage effects and healing, zero-g combat and much more. Includes extensive weapons lists and a quick reference booklet listing all the key tables, tasks and actions.

**This combat supplement is for use with Marc Miller's Traveller, but may be used with other Traveller rule sets.**

**ISBN 1-901228-13-4**



## **An adventure suitable for use with all forms of Traveller...**

...especially *GURPS Traveller* and *Marc Miller's Traveller*

### **Captain Swing...**

...an anarchist at the forefront of the Khiidkar Freedom Front, whose cunning acts of piracy threaten the stable rule of the Imperial noble houses.

### **Join the fight against terror...**

...Count Julian Talaton is the sworn enemy of Captain Swing. Join this tale of noble intrigue, lost heirs, forbidden love, jealousy and experience the dangers of noble life, from a reckless hunt to a dangerous duel.

### **A detailed Traveller adventure**

...containing pregenerated noble characters, deckplans and statistics for two starships, a description of the world of Khiidkar and the Marquis' island residence, detailed non-player characters and a generic task system compatible with all versions of Traveller.

**This adventure is an expanded and corrected version of the adventure originally published in *Missions of State* published by Imperium Games. It follows the author's original plans for the adventure, not the version previously seen.**

**ISBN 1-901228-20-7, 42 pages.**



## **An adventure suitable for use with all forms of Traveller...**

...especially *GURPS Traveller* and *Marc Miller's Traveller*

### **Imperial Vargr...**

...uplifted doggies who do the dirty jobs. They are the underclass, doomed to live and die in the slums.

### **Little Heaven**

...a small colony in big trouble. Drug-crazed pirates besiege their village. The only help they can afford is canine. They don't care about fur and fangs, as long as you can fight.

Spacedogs is no simple combat mission—if the team win on the ground the struggle goes all the way to the Imperial Court.

### **A detailed Traveller adventure...**

...containing pregenerated Vargr characters, deckplans and statistics for two starships, a description of the colony of Little Heaven, non-player character details, guidance on playing Vargr and a generic task system compatible with all versions of Traveller.

**ISBN 1-901228-21-5, 44 pages.**

---

## BITS Traveller Software



### **GT Bestiary**

A simple application for generating *GURPS Traveller* animal encounter tables. Currently available for the Macintosh.



### **GT Shipyard**

A simple application for designing *GURPS Traveller* starships. Currently available for the Macintosh.



### **Imperial Grand Survey**

A simple application for detailing Traveller domains. Currently available for the Macintosh.



### **Infini-V**

A simple application for designing T4 vehicles. Currently available for the Macintosh.



### **QSDS**

A simple application for designing T4 starships. Currently available for the Macintosh.

Demonstration versions of all BITS software can be freely downloaded from the BITS web site. They are identical to the full version, except that printing and saving have been disabled. Details on how to purchase the full version are included with each demonstration package.

---

## Contacting BITS

*Electronic Mail*

[BITS@bits.org.uk](mailto:BITS@bits.org.uk)

*Regular Mail*

BITS  
P. O. Box 4222  
Sawbridgeworth, HERTS  
CM21 0DP  
England

*World Wide Web Site*

[www.bits.org.uk](http://www.bits.org.uk)



---

---

# Merchants & Traders

---

The Third Imperium is built on interstellar trade. Scouts may explore, the Navy may fight, but without the merchants and traders who make up the vast majority of starfarers the Imperium would collapse.

Merchants starships are intended to make a profit—some directly, others indirectly, but all are designed with a view to the bottom line. Of course, not every business succeeds, and some of these designs are failures.

---

## Einkhuissen-class Express Liner (GTL9)

An aging design, the *Einkhuissen* class is rapidly finding its “Express Liner” common use name replaced with just “Liner.” In its heyday, it was the flagship of Nordcan Lines, with routes covering the Sword Worlds. Now it spends most of its time shuttling between Gram and Beater.

**Crew:** 2 bridge crew, 2 engineers, 1 steward  
**Passengers:** 20 high passengers

300 SL, DR 100, PD 4, Basic Bridge, Engineering, 9 Jump, 8 Fusion Rocket, 60 Fuel, 15 Water (2.0 hrs), 2 Utility, 23 Staterooms, 39 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	240,000/36	1,600,000/41	32,000/31

**Maintenance:** HT: 12, 43.5 man-hours per day, 0.08 MCr/yr  
**Economics:** Income: 6.31 MCr (passenger: 5.28 MCr, freight: 1.03 MCr), Expenses: 0.93 MCr (Fuel: 0.69 MCr, Maintenance: 0.16 MCr, Payroll: 0.07 MCr), Net Profit: 5.38 MCr. Annual totals for a jump-2 liner at full capacity making 33 jumps per year.

**Statistics:** EMass 311.3 tonnes, LMass 542.6 tonnes, Cost: 82.00 MCr, HP: 25,407, Size Mod: +8

**Performance:** Accel: 1.1 G (1.9 G empty, 0.5 G overloaded), Jump 2, 2,693 km/h (atm), 7,618 km/h (skim)

---

## Ekorn-class Liner (GTL9)

The *Ekorn* is a rarity: a fusion-drive ship designed to land on a planetary surface. Found only within the Sword Worlds, the take-off of one of these liners is an awe-inspiring sight indeed!

**Crew:** 3 bridge crew, 2 engineers, 2 stewards  
**Passengers:** 40 high passengers, 40 low passengers

400 SL, DR 100, PD 4, Basic Bridge, Engineering, 8 Jump, 10 Fusion Rocket, 40 Fuel, 24 Water (2.6 hrs), 3 Utility, 44 Staterooms, 10 Low Berths (40 cryotubes), 40 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	240,000/36	1,600,000/41	32,000/31

**Maintenance:** HT: 12, 43.2 man-hours per day, 0.08 MCr/yr  
**Economics:** Income: 6.14 MCr (passenger: 5.54 MCr, freight: 0.59 MCr), Expenses: 0.72 MCr (Fuel: 0.46 MCr, Maintenance: 0.16 MCr, Payroll: 0.10 MCr), Net Profit: 5.42 MCr. Annual totals for a jump-1 liner at full capacity making 33 jumps per year.

**Statistics:** EMass 399.0 tonnes, LMass 616.6 tonnes, Cost: 80.97 MCr, HP: 30,779, Size Mod: +8

**Performance:** Accel: 1.2 G (1.8 G empty, 0.5 G overloaded), Jump 1, 2,735 km/h (atm), 7,738 km/h (skim)

---

## Kjerre-class Freighter (GTL9)

Reactionless thrusters are expensive and inefficient at lower tech levels, but they are a lot safer than fusion rockets. The *Kjerre*-class freighter, and ships like her, are a common sight in the Sword Worlds Confederation. Heavy and lumbering, she shuttles slowly along her route.

**Crew:** 3 bridge crew, 18 engineers

2,000 USL, DR 100, PD 4, Basic Bridge, Engineering, 40 Jump, 100 Maneuver, 200 Fuel, 10 Utility, 11 Staterooms, 1,560 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	240,000/36	1,600,000/41	32,000/31

**Maintenance:** HT: 12, 96.1 man-hours per day, 0.40 MCr/yr  
**Economics:** Freight Income: 23.17 MCr, Expenses: 3.39 MCr (Fuel: 2.31 MCr, Maintenance: 0.80 MCr, Payroll: 0.28 MCr), Net Profit: 19.78 MCr. Annual totals for a jump-1 liner at full capacity making 33 jumps per year.

**Statistics:** EMass 1,319.5 tonnes, LMass 8,575.5 tonnes, Cost: 401.18 MCr, HP: 90,000, Size Mod: +10

**Performance:** Accel: 0.05 G (0.36 G empty, 0.01 G overloaded), Jump 1

# Traske-class Freighter (GTL9)

Fusion rockets are inefficient, but thruster plates at lower tech levels are even worse. The *Traske* is designed to move large amounts of cargo, slowly but relatively efficiently. Its dispersed hull means that all cargo is exposed to vacuum, but the mass saved makes this a worthwhile trade-off.

**Crew:** 3 bridge crew, 9 engineers

2,000 DSP (114-dton subhull), DR 100 (DR 100 on subhull), PD 4, Basic Bridge, Engineering, 40 Jump, 50 Fusion Rocket, 200 Fuel, 75 Water (1.6 hrs), 1 Utility, 7 Staterooms, 1,560 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	240,000/36	1,600,000/41	32,000/31

**Maintenance:** HT: 12, 83.7 man-hours per day, 0.30 MCr/yr  
**Economics:** Freight Income: 23.17 MCr, Expenses: 3.07 MCr (Fuel: 2.31 MCr, Maintenance: 0.61 MCr, Payroll: 0.16 MCr), Net Profit: 20.09 MCr. Annual totals for a jump-1 liner at full capacity making 33 jumps per year.

**Statistics:** EMass 663.2 tonnes, LMass 7,919.2 tonnes, Cost: 303.95 MCr, HP: 90,000, Size Mod: +10

**Performance:** Accel: 0.5 G (5.5 G empty, 0.1 G overloaded), Jump 1

# Aablan-class Freighter (GTL 10)

An old Vilani design, many *Aablan*-class freighters are still in service, a testimony to Vilani engineering. Architecturally, the class is uninspired—like most Vilani designs—little more than a pressurized box with engines. Simplicity has, in this case, resulted in a durable and effective way to move large volumes of interstellar freight.

**Crew:** 3 bridge crew, 13 engineers

5,000 USL, DR 100, PD 4, Basic Bridge, Engineering, 150 Jump, 400 Maneuver, 1,000 Fuel, 10 Utility, 9 Staterooms, 3,400.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—


Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31

**Maintenance:** HT: 12, 127.8 man-hours per day, 0.7 MCr/yr  
**Economics:** Freight Income: 95.21 MCr, Expenses: 17.37 MCr (Fuel: 12.25 MCr, Berthing: 3.50 MCr, Maintenance: 1.42 MCr, Payroll: 0.20 MCr), Capital Cost: 44.29 MCr, Shipping Costs (per dton): 0.26 kCr per parsec, 0.52 kCr per jump, Net Profit: 33.56 MCr. Annual totals for a jump-2 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 2,786.6 tonnes, LMass 19,114.9 tonnes, Cost: 708.59 MCr, HP: 165,781, Size Mod: +10

**Performance:** Accel: 0.8 G (5.2 G empty, 0.2 G overloaded), Jump 2

# Aardvark-class Trader (GTL10)



**Deckplan 1: Aardvark-class Trader**

A small, multi-purpose ship, the *Aardvark* class is only encountered in backwater systems in the Solomani Rim, and rarely even there. It is too small to compete with the larger lines, while not small enough to survive running ‘specialty’ cargos (ie. smuggling).

*Crew:* 3 bridge crew, engineer, steward

*Passengers:* 20 high passengers, 20 low passengers

300 SL, DR 100, PD 4, Basic Bridge, Engineering, 6 Jump, 18 Maneuver, 30 Fuel, Fuel Processor (3.8 hrs), 1 Utility, 23 Staterooms, 5 Low Berths (20 cryotubes), 86 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

*Maintenance:* HT: 12, 28.9 man-hours per day, 0.0 MCr/yr  
*Economics:* Income: 3.34 MCr (passenger: 1.84 MCr, freight: 1.50 MCr), Expenses: 0.56 MCr (Fuel: 0.26 MCr, Berthing: 0.15 MCr, Maintenance: 0.07 MCr, Payroll: 0.07 MCr), Capital Cost: 2.26 MCr, Shipping Costs (per dton): 0.67 kCr per parsec, 0.67 kCr per jump, Net Profit: 0.52 MCr. Annual totals for a jump-1 free trader at full capacity making 25 jumps per year.

**Statistics:** EMass 259.6 tonnes, LMass 676.8 tonnes, Cost: 36.17 MCr, HP: 25,407, Size Mod: +8

**Performance:** Accel: 1.0 G (2.5 G empty, 0.3 G overloaded), Jump 1, 2,856 km/h (atm), 8,080 km/h (skim)

# Anhk-class Merchant (GTL 10)

The *Anhk* class merchant is a general-purpose design, intended to carry both passengers and freight along backwater routes in the Third Imperium. Although it can't compete with more specialized vessels, it is well suited for its intended niche: the streamlined hull allows *Anhk*-class ships to land directly at dirtside starports, while the fuel processor enables them to service even poorly-equipped starports.

**Crew:** 3 bridge crew, 3 engineers, 3 gunners, 3 stewards, medic

**Passengers:** 50 high passengers, 28 low passengers

1,200 SL, DR 100, PD 4, Triple Sandcaster Turret, 2 Triple 250 MJ Laser Turrets, Triple 90 MJ PD Laser Turret, Basic Bridge, Engineering, 36 Jump, 85 Maneuver, 240 Fuel, Fuel Processor (30.0 hrs), 2 Utility, 57 Staterooms, 7 Low Berths (28 cryotubes), Sickbay, 356 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	16,480 km	49,440 km	1/8

**Maintenance:** HT: 12, 65.7 man-hours per day, 0.2 MCr/yr  
**Economics:** Income: 24.36 MCr (passenger: 14.39 MCr, freight: 9.97 MCr), Expenses: 4.32 MCr (Fuel: 2.94 MCr, Berthing: 0.84 MCr, Maintenance: 0.37 MCr, Payroll: 0.17 MCr), Capital Cost: 11.72 MCr, Shipping Costs (per dtton): 0.41 kCr per parsec, 0.82 kCr per jump, Net Profit: 8.32 MCr. Annual totals for a jump-2 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 953.4 tonnes, LMass 2,785.5 tonnes, Cost: 187.46 MCr, HP: 64,024, Size Mod: +9

**Performance:** Accel: 1.1 G (3.2 G empty, 0.3 G overloaded), Jump 2, 3,771 km/h (atm), 10,668 km/h (skim)

# Ankrak-class Freighter (GTL 10)

The *Ankrak* class is uncommon in the Zhodani Consulate, and almost never seen elsewhere. As with all Drakaran ships, its passageways are wide with many nooks and crannies, suitable for hunting.

**Crew:** 3 bridge crew, 2 engineers

400 USL, DR 100, PD 4, Basic Bridge, Engineering, 12 Jump, 41 Maneuver, 80 Fuel, 1 Utility, 3 Staterooms, 20 Passageways, 250.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31

**Maintenance:** HT: 12, 38.2 man-hours per day, 0.1 MCr/yr  
**Economics:** Freight Income: 7.01 MCr, Expenses: 1.46 MCr (Fuel: 0.98 MCr, Berthing: 0.28 MCr, Maintenance: 0.13 MCr, Payroll: 0.07 MCr), Capital Cost: 3.97 MCr, Shipping Costs (per dtton): 0.31 kCr per parsec, 0.62 kCr per jump, Net Profit: 1.59 MCr. Annual totals for a jump-2 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 331.8 tonnes, LMass 1,540.4 tonnes, Cost: 63.47 MCr, HP: 30,779, Size Mod: +8

**Performance:** Accel: 1.0 G (4.5 G empty, 0.2 G overloaded), Jump 2

# Antillé-class Trader (GTL 10)

*Antillé* class traders can be found throughout the Solomani Confederation, and into the rimward part of the Third Imperium as well. Small, relatively cheap, well-protected, and with a decent freight and passenger capacity, they are popular with independent captain-owners.

**Crew:** 3 bridge crew, engineer, 3 gunners, steward

**Passengers:** 12 high passengers, 12 low passengers

300 SL, DR 100, PD 4, Triple Sandcaster Turret, Triple 250 MJ Laser Turret, Triple 90 MJ PD Laser Turret, Basic Bridge, Engineering, 9 Jump, 23 Maneuver, 60 Fuel, Fuel Processor (7.5 hrs), 1 Utility, 17 Staterooms, 3 Low Berths (12 cryotubes), 70 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	16,480 km	49,440 km	1/8


**Maintenance:** HT: 12, 35.9 man-hours per day, 0.1 MCr/yr  
**Economics:** Income: 4.48 MCr (passenger: 2.20 MCr, freight: 2.28 MCr), Expenses: 0.89 MCr (Fuel: 0.52 MCr, Berthing: 0.15 MCr, Maintenance: 0.11 MCr, Payroll: 0.11 MCr), Capital Cost: 3.50 MCr, Shipping Costs (per dtton): 0.74 kCr per parsec, 1.47 kCr per jump, Net Profit: 0.08 MCr. Annual totals for a jump-2 free trader at full capacity making 25 jumps per year.

**Statistics:** EMass 342.7 tonnes, LMass 714.5 tonnes, Cost: 55.98 MCr, HP: 25,407, Size Mod: +8

**Performance:** Accel: 1.2 G (2.4 G empty, 0.4 G overloaded), Jump 2, 3,022 km/h (atm), 8,548 km/h (skim)



# Aramine-class Liner (GTL10)



**Deckplan 2: Aramine-class Liner**

When new, the *Aramine*-class liners were the pride of Tukera Lines, running the fast—and highly profitable—routes to the Imperial Core. Now nearing obsolescence, their drives outranged by recent improvements in jump technology, they can still be found on the Imperial Fringe.

Over half of Tukera's fleet of *Aramine*-class liners was transferred to Akerut in 1110, as part of Tukera's move to revitalize its ailing subsidiary. Akerut runs these liners in the Domain of Deneb, with the greatest concentration in the Spinward Marches.

**Crew:** 3 bridge crew, 4 engineers, 4 gunners, 2 stewards, medic

**Passengers:** 40 high passengers, 40 low passengers

1,200 SL, DR 100, PD 4, 2 Triple Sandcaster Turrets, Triple 250 MJ Laser Turret, Triple 90 MJ PD Laser Turret, Basic Bridge, Engineering, 48 Jump, 78 Maneuver, 360 Fuel, 2 Utility, 48 Staterooms, 10 Low Berths (40 cryotubes), Sickbay, 266.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	16,480 km	49,440 km	1/8


**Maintenance:** HT: 12, 74.5 man-hours per day, 0.2 MCr/yr

**Economics:** Income: 28.83 MCr (passenger: 17.64 MCr, freight: 11.19 MCr), Expenses: 5.91 MCr (Fuel: 4.41 MCr, Berthing: 0.84 MCr, Maintenance: 0.48 MCr, Payroll: 0.18 MCr), Capital Cost: 15.05 MCr, Shipping Costs (per dton): 0.46 cCr per parsec, 1.39 cCr per jump, Net Profit: 7.88 MCr. Annual totals for a jump-3 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 983.8 tonnes, LMass 2,518.9 tonnes, Cost: 240.73 MCr, HP: 64,024, Size Mod: +9

**Performance:** Accel: 1.1 G (2.9 G empty, 0.4 G overloaded), Jump 3, 3,613 km/h (atm), 10,219 km/h (skim)

# Augustus Deo-class Fast Liner (GTL10)



## Deckplan 3: Augustus Deo-class Fast Liner

A top-of-the-line Solomani design, *Augustus Deo*-class liners serve long-haul express routes within the Solomani Confederation. Unlike most Solomani designs, they are spacious, with a theatre and multi-function hall to accommodate high passengers.

In 998 Deepak Rao, the notorious terrorist, was captured when he attempted to hijack the *Australis Deo*. Although

observers expected a lengthy trial, Rao unexpectedly pleaded guilty, calling himself a “very bad man who should be locked in his room until he can behave himself.” While Confederation counter-terrorist experts were astonished, the passengers and crew of the *Australis Deo* were unsurprised. “Even my young niece told him that,” said Hengabar Spofulam. “It is no surprise that he realized it himself.” Further details of the incident, including how untrained civilians overpowered the ex-commando, have been classified a state secret by SolSec.

**Crew:** 3 bridge crew, 2 engineers, 2 gunners, 3 stewards, medic, 1 other crew

**Passengers:** 55 high passengers, 20 low passengers

600 USL, DR 100, PD 4, 4 Empty Turrets, Triple Sandcaster Turret, Triple 90 MJ PD Laser Turret, Basic Bridge, Engineering, 25 Jump, 30 Maneuver, 183 Fuel, 2 Utility, 62 Staterooms, 5 Low Berths (20 cryotubes), Hall seating 100 people, Theatre seating 100 people, Sickbay, 69 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson		
Basic Bridge	8,000,000	—	16,000,000	—		
Sensor Range/Scan (km)	PESA	AESA	Radscanner			
Basic Bridge	480,000/38	1,600,000/41	32,000/31			
Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	16,480 km	49,440 km	1/8

**Maintenance:** HT: 12, 53.6 man-hours per day, 0.1 MCr/yr

**Economics:** Income: 26.42 MCr (passenger: 23.52 MCr, freight: 2.90 MCr), Expenses: 3.07 MCr (Fuel: 2.24 MCr, Berthing: 0.42 MCr, Maintenance: 0.25 MCr, Payroll: 0.16 MCr), Capital Cost: 7.78 MCr, Shipping Costs (per dton): 0.35 kCr per parsec, 1.06 kCr per jump, Net Profit: 15.57 MCr. Annual totals for a jump-3 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 614.2 tonnes, LMass 1,093.1 tonnes, Cost: 124.53 MCr, HP: 40,332, Size Mod: +9

**Performance:** Accel: 1.0 G (1.8 G empty, 0.5 G overloaded), Jump 3

## Bargam-class Tramp Trader (GTL 10)

One of the many small traders playing the spacelanes one step ahead of her creditors, the *Bargam* is too small to compete anywhere but the boondocks. When even a full load of freight isn't enough to make a mortgage payment captain/owners are forced into speculative trading—or smuggling—to make ends meet.

*Bargam*-class ships are rarely encountered on runs that have any form of regular service. Their skippers make ends meet servicing worlds that would otherwise be cut off from interstellar society.

**Crew:** 3 bridge crew, engineer, steward

**Passengers:** 4 middle passengers, 12 low passengers

200 SL, DR 100, PD 4, 2 Empty Turrets, Basic Bridge, Engineering, 4 Jump, 17 Maneuver, 20 Fuel, Fuel Processor (2.5 hrs), 1 Utility, 5 Staterooms, 3 Low Berths (12 cryotubes), 90 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Basic Bridge</i>	8,000,000	—	16,000,000	—
<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>	
<i>Basic Bridge</i>	480,000/38	1,600,000/41	32,000/31	

**Maintenance:** HT: 12, 25.0 man-hours per day, 0.0 MCr/yr

**Economics:** Income: 1.80 MCr (passenger: 0.23 MCr, freight: 1.58 MCr), Expenses: 0.40 MCr (Fuel: 0.18 MCr, Berthing: 0.10 MCr, Maintenance: 0.05 MCr, Payroll: 0.07 MCr), Capital Cost: 1.70 MCr, Shipping Costs (per dton): 0.84 kCr per parsec, 0.84 kCr per jump, Net Profit: (0.30) MCr. Annual totals for a jump-1 free trader at full capacity making 25 jumps per year.

**Statistics:** EMass 190.7 tonnes, LMass 617.0 tonnes, Cost: 27.13 MCr, HP: 19,389, Size Mod: +8

**Performance:** Accel: 1.0 G (3.2 G empty, 0.3 G overloaded), Jump 1, 2,997 km/h (atm), 8,479 km/h (skim)

## Barton-class Freighter (GTL 10)

Bare and utilitarian, *Barton*-class Freighters can be found throughout the Solomani Confederation. Large enough to be economical, small enough to be flexible, they serve countless mid-capacity routes.

**Crew:** 2 bridge crew, 5 engineers

2,000 USL, DR 100, PD 4, Basic Bridge, Engineering, 80 Jump, 75 Maneuver, 600 Fuel, 4 Utility, 4 Staterooms, 1,221.5 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Basic Bridge</i>	8,000,000	—	16,000,000	—
<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>	
<i>Basic Bridge</i>	480,000/38	1,600,000/41	32,000/31	

**Maintenance:** HT: 12, 92.1 man-hours per day, 0.4 MCr/yr

**Economics:** Freight Income: 48.74 MCr, Expenses: 9.58 MCr (Fuel: 7.35 MCr, Berthing: 1.40 MCr, Maintenance: 0.74 MCr, Payroll: 0.10 MCr), Capital Cost: 23.01 MCr, Shipping Costs (per dton): 0.25 kCr per parsec, 0.76 kCr per jump, Net Profit: 16.15 MCr. Annual totals for a jump-3 liner at 95% capacity making 35 jumps per year.

**Statistics:** EMass 1,073.2 tonnes, LMass 7,156.9 tonnes, Cost: 368.17 MCr, HP: 90,000, Size Mod: +10

**Performance:** Accel: 0.4 G (2.5 G empty, 0.1 G overloaded), Jump 3

## Bercovia-class Express Liner (GTL 10)

There are always profits in fast transport. In their heyday, *Bercovia*-class Express Liners plied the spacelanes between Fringe and Core, knitting the Imperium together. The slow advance of jump technology has broken their hold on long-distance express routes—newer starships have twice their speed. Paid-off *Bercovia* liners are now mostly found in smaller sector-wide lines, serving worlds off the express routes.

**Crew:** 3 bridge crew, 3 engineers, steward

**Passengers:** 20 high passengers, 20 low passengers

800 USL, DR 100, PD 4, Basic Bridge, Engineering, 32 Jump, 74 Maneuver, 240 Fuel, 2 Utility, 24 Staterooms, 5 Low Berths (20 cryotubes), 350 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Basic Bridge</i>	8,000,000	—	16,000,000	—

<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>
<i>Basic Bridge</i>	480,000/38	1,600,000/41	32,000/31


**Maintenance:** HT: 12, 60.6 man-hours per day, 0.2 MCr/yr

**Economics:** Income: 22.34 MCr (passenger: 8.38 MCr, freight: 13.97 MCr), Expenses: 3.91 MCr (Fuel: 2.94 MCr, Berthing: 0.56 MCr, Maintenance: 0.32 MCr, Payroll: 0.10 MCr), Capital Cost: 9.96 MCr, Shipping Costs (per dton): 0.31 kCr per parsec, 0.92 kCr per jump, Net Profit: 8.47 MCr. Annual totals for a jump-3 liner at 95% capacity making 35 jumps per year.

**Statistics:** EMass 680.5 tonnes, LMass 2,485.4 tonnes, Cost: 159.33 MCr, HP: 48,859, Size Mod: +9

**Performance:** Accel: 1.1 G (3.9 G empty, 0.3 G overloaded), Jump 3, 3,219 km/h (skim)

# Bergen-class Freighter (GTL 10)



## Deckplan 4: *Bergen*-class Freighter

Cheap yet rugged, the *Bergen*-class forms the basis for many mid-sized interstellar transport companies. While it is very slow and unwieldy its cavernous holds can transport even the bulkiest cargo with room to spare. *Bergens* are not armed, and thus must be escorted in dangerous areas: for this reason they are rare in frontier sectors.

The crew deck is comfortable but cramped: the captain has a private cabin, while the other four crewmembers must share two staterooms. This is not as big a disadvantage as it appears, because most *Bergens* have short routes and their crews visit home every month.

The two drive decks are 'flipped': dropping down the deck hatch of one brings you up the deck hatch of the other. This has the advantage that the drives themselves are never overhead, but takes some getting used to.

The two triple-height cargo holds are also 'flipped'. Accessed through giant roof hatches, they are usually kept in low gravity—just enough to stop the cargo containers from shifting.

**Crew:** 3 bridge crew, 2 engineers

1,200 USL, DR 100, PD 4, Basic Bridge, Engineering, 25 Jump, 50 Maneuver, 122 Fuel, 3 Utility, 3 Staterooms, 1 Cradle for Gig, 983.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

**Maintenance:** HT: 12, 51.5 man-hours per day, 0.1 MCr/yr

**Economics:** Freight Income: 15.49 MCr, Expenses: 2.64 MCr (Fuel: 1.49 MCr, Berthing: 0.84 MCr, Maintenance: 0.23 MCr, Payroll: 0.07 MCr), Capital Cost: 7.20 MCr, Shipping Costs (per dton): 0.29 kCr per parsec, 0.29 kCr per jump, Net Profit: 5.65 MCr. Annual totals for a jump-1 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 565.3 tonnes, LMass 5,206.7 tonnes, Cost: 115.22 MCr (MCr120.71 fitted out), HP: 64,024, Size Mod: +9

**Performance:** Accel: 0.3 G (3.2 G empty, 0.1 G overloaded), Jump 1

# Bharapar-class Subsidized Merchant (GTL 10)

Filling in where the more common Type-R merchants can't, the *Bharapar* class commonly serves worlds that are not part of a main. In safe regions the gunners' stateroom is frequently rented to a middle passenger (with the crew splitting the money).

**Crew:** 2 bridge crew, engineer, steward, gunner (if armed)

**Passengers:** 12 high passengers

400 SL, DR 100, PD 4, 2 Empty Turrets, Basic Bridge, Engineering, 12 Jump, 31 Maneuver, 80 Fuel, 1 Utility, 16 Staterooms, 126.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

**Maintenance:** HT: 12, 38.3 man-hours per day, 0.1 MCr/yr

**Economics:** Income: 6.90 MCr (passenger: 3.36 MCr, freight: 3.54 MCr), Expenses: 1.45 MCr (Fuel: 0.98 MCr, Berthing: 0.28 MCr, Maintenance: 0.13 MCr, Payroll: 0.06 MCr), Capital Cost: 3.98 MCr, Shipping Costs (per dton): 0.44 kCr per parsec, 0.89 kCr per jump, Net Profit: 1.47 MCr. Annual totals for a jump-2 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 338.0 tonnes, LMass 984.2 tonnes, Cost: 63.76 MCr, HP: 30,779, Size Mod: +8

**Performance:** Accel: 1.1 G (3.3 G empty, 0.3 G overloaded), Jump 2, 3,280 km/h (atm), 9,279 km/h (skim)



# Borodin-class Trader (GTL 10)

The Rule of Man offered amazing profits for those with the courage, dedication, and luck to seize the moment. The Vilani business model emphasised large corporations, but the Terrans revered the independent—at least in their myths. The *Borodin* is similar to many small traders that roamed the new territories at the dawn of the Rule of Man.

**Crew:** 3 bridge crew, engineer, steward

**Passengers:** 10 high passengers, 12 low passengers

200 SL, DR 100, PD 4, 2 Empty Turrets, Basic Bridge, Engineering, 4 Jump, 14 Maneuver, 20 Fuel, 1 Utility, 13 Staterooms, 3 Low Berths (12 cryotubes), 62 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31

**Maintenance:** HT: 12, 24.4 man-hours per day, 0.0 MCr/yr

**Economics:** Income: 1.31 MCr (passenger: 0.60 MCr, freight: 0.71 MCr), Expenses: 0.40 MCr (Fuel: 0.18 MCr, Berthing: 0.10 MCr, Maintenance: 0.05 MCr, Payroll: 0.07 MCr), Capital Cost: 1.62 MCr, Shipping Costs (per dton): 0.78 kCr per parsec, 0.78 kCr per jump, Net Profit: (0.71) MCr. Annual totals for a jump-1 free trader at 65% capacity making 25 jumps per year.

**Statistics:** EMass 197.8 tonnes, LMass 497.1 tonnes, Cost: 25.90 MCr, HP: 19,389, Size Mod: +8

**Performance:** Accel: 1.0 G (2.6 G empty, 0.3 G overloaded), Jump 1, 2,720 km/h (atm), 7,694 km/h (skim)

# Braydikor-class Trader (GTL 10)

A moderate-sized independent trader, the *Braydikor* class is only encountered within the Zhodani Consulate and nearby parts of the Vargr Extents. As with most Drakaran vessels, passengers are expected to fend for themselves.

**Crew:** pilot, engineer, 3 gunners

**Passengers:** 12 independent passengers

300 SL, DR 100, PD 4, Triple Sandcaster Turret, Triple 250 MJ Laser Turret, Triple 90 MJ PD Laser Turret, Basic Bridge, Engineering, 10 Jump, 21 Maneuver, 61 Fuel, Fuel Processor (7.6 hrs), 1 Utility, 15 Staterooms, 12 Passageways, 79.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	16,480 km	49,440 km	1/8

**Maintenance:** HT: 12, 36.6 man-hours per day, 0.1 MCr/yr

**Economics:** Income: 3.11 MCr (passenger: 0.52 MCr, freight: 2.58 MCr), Expenses: 0.87 MCr (Fuel: 0.53 MCr, Berthing: 0.15 MCr, Maintenance: 0.12 MCr, Payroll: 0.07 MCr), Capital Cost: 3.64 MCr, Shipping Costs (per dton): 0.71 kCr per parsec, 1.42 kCr per jump, Net Profit: (1.40) MCr. Annual totals for a jump-2 free trader at full capacity making 25 jumps per year.

**Statistics:** EMass 330.6 tonnes, LMass 746.5 tonnes, Cost: 58.24 MCr, HP: 25,407, Size Mod: +8

**Performance:** Accel: 1.0 G (2.3 G empty, 0.3 G overloaded), Jump 2, 2,887 km/h (atm), 8,168 km/h (skim)

# Cairngorm-class Cluster Liner (GTL 10)

Designed to shuttle passengers between close clusters of worlds, the *Cairngorm* class is only encountered in the Solomani Confederation. They are usually assigned to runs shuttling between two or three systems, which allows their crews to have a stable home on one of the worlds. Because of this, *Cairngorms* are usually manned by older, more settled crewmembers—one reason for their excellent safety record.

**Crew:** 4 bridge crew, 3 engineers, 4 gunners, 8 stewards, 2 medics

**Passengers:** 150 high passengers, 20 low passengers

1,200 USL, DR 100, PD 4, 3 Triple Sandcaster Turrets, Triple 90 MJ PD Laser Turret, Basic Bridge, Engineering, 25 Jump, 76 Maneuver, 120 Fuel, 3 Utility, 161 Staterooms, 5 Low Berths (20 cryotubes), 2 Sickbays, 320 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	16,480 km	49,440 km	1/8

**Maintenance:** HT: 12, 54.0 man-hours per day, 0.1 MCr/yr

**Economics:** Income: 26.18 MCr (passenger: 21.14 MCr, freight: 5.04 MCr), Expenses: 2.84 MCr (Fuel: 1.47 MCr, Berthing: 0.84 MCr, Maintenance: 0.25 MCr, Payroll: 0.28 MCr), Capital Cost: 7.91 MCr, Shipping Costs (per dton): 0.33 kCr per parsec, 0.33 kCr per jump, Net Profit: 15.43 MCr. Annual totals for a jump-1 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 1,067.9 tonnes, LMass 2,627.9 tonnes, Cost: 126.50 MCr, HP: 64,024, Size Mod: +9

**Performance:** Accel: 1.0 G (2.6 G empty, 0.3 G overloaded), Jump 1, 2,185 km/h (skim)

## Fedmist-class Droyne Trader (GTL 10)

Crewed by a single Droyne *kroyloss*, the *Fedmist* can be found plying the mains of the Five Sisters Subsector, looking for enough cargo to pay for fuel and repairs.

The *Fedmist* is more of an example than a class: Droyne starships are almost invariably handmade, thus ships with the same specifications can differ considerably in layout and appearance.

**Crew:** pilot, engineer, 2 gunners, steward

**Passengers:** 12 high passengers

200 SL, DR 100, PD 4, Triple 250 MJ Laser Turret, Triple 90 MJ PD Laser Turret, Basic Bridge, Engineering, 4 Jump, 16 Maneuver, 20 Fuel, 1 Utility, 3 Nests, 77.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	16,480 km	49,440 km	1/8

**Maintenance:** HT: 12, 26.2 man-hours per day, 0.0 MCr/yr

**Economics:** Income: 2.41 MCr (passenger: 1.05 MCr, freight: 1.36 MCr), Expenses: 0.41 MCr (Fuel: 0.18 MCr, Berthing: 0.10 MCr, Maintenance: 0.06 MCr, Payroll: 0.07 MCr), Capital Cost: 1.86 MCr, Shipping Costs (per dton): 0.89 kCr per parsec, 0.89 kCr per jump, Net Profit: 0.14 MCr. Annual totals for a jump-1 free trader at full capacity making 25 jumps per year.

**Statistics:** EMass 228.4 tonnes, LMass 598.0 tonnes, Cost: 29.74 MCr, HP: 19,389, Size Mod: +8

**Performance:** Accel: 1.0 G (2.5 G empty, 0.3 G overloaded), Jump 1, 2,908 km/h (atm), 8,226 km/h (skim)

## Fornast-class Subsidized Liner (GTL 10)

A common design in the Rule of Man, the *Fornast* class subsidized liner was found along both express and major routes.

**Crew:** 5 bridge crew, 3 engineers, 3 gunners, 2 stewards, medic, 1 auxiliary crew

**Passengers:** 40 high passengers, 24 low passengers

800 USL, DR 100, PD 4, 2 Triple Sandcaster Turrets, 2 Triple 90 MJ PD Laser Turrets, Basic Bridge, Engineering, 32 Jump, 62 Maneuver, 240 Fuel, 2 Utility, 48 Staterooms, 6 Low Berths (24 cryotubes), Sickbay, 1 Bay for *Skyskipper* Launch, 250 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	26,368 km	49,440 km	1/8

**Maintenance:** HT: 12, 61.4 man-hours per day, 0.2 MCr/yr

**Economics:** Income: 26.41 MCr (passenger: 16.44 MCr, freight: 9.97 MCr), Expenses: 4.02 MCr (Fuel: 2.94 MCr, Berthing: 0.56 MCr, Maintenance: 0.33 MCr, Payroll: 0.19 MCr), Capital Cost: 10.22 MCr, Shipping Costs (per dton): 0.33 kCr per parsec, 0.98 kCr per jump, Net Profit: 12.18 MCr. Annual totals for a jump-3 liner at 95% capacity making 35 jumps per year.

**Statistics:** EMass 775.2 tonnes, LMass 2,147.2 tonnes, Cost: 163.48 MCr (MCr166.62 fitted out), HP: 48,859, Size Mod: +9

**Performance:** Accel: 1.0 G (2.9 G empty, 0.3 G overloaded), Jump 3, 2,198 km/h (skim)

## Galak-class Megafreighter (GTL 10)

Possibly the largest freighter in Solomani space, the *Galak* class is exceedingly rare.

**Crew:** 5 bridge crew, 100 engineers

50,000 USL, DR 100, PD 4, Basic Bridge, Engineering, 1501 Jump, 2370 Maneuver, 10,002 Fuel, Workshop, 100 Utility, 53 Staterooms, 1 Cradle for Launch, 35,808.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	


**Maintenance:** HT: 12, 393.6 man-hours per day, 6.7 MCr/yr

**Economics:** Freight Income: 1,002.64 MCr, Expenses: 172.35 MCr (Fuel: 122.52 MCr, Berthing: 35.00 MCr, Maintenance: 13.45 MCr, Payroll: 1.38 MCr), Capital Cost: 420.26 MCr, Shipping Costs (per dton): 0.24 kCr per parsec, 0.47 kCr per jump, Net Profit: 410.02 MCr. Annual totals for a jump-2 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 19,453.8 tonnes, LMass 190,949.8 tonnes, Cost: 6,724.19 MCr (MCr6,727.78 fitted out), HP: 769,489, Size Mod: +12

**Performance:** Accel: 0.5 G (4.4 G empty, 0.1 G overloaded), Jump 2

# Gnortz-class Freighter (GTL 10)



**Deckplan 5: Gnortz-class Freighter**

Cheap and unglamorous, the *Gnortz*-class is notorious among merchant spacehands for its almost sadistic living arrangements. With only two staterooms shared accommodations are essential, which combined with barely adequate atmospheric conditioning makes for uncomfortable voyages.

**Crew:** 2 bridge crew, 2 engineers

600 USL, DR 100, PD 4, Empty Turret, Basic Bridge, Engineering, 18 Jump, 72 Maneuver, 120 Fuel, 1 Utility, 2 Staterooms, 376.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

**Maintenance:** HT: 12, 46.6 man-hours per day, 0.1 MCr/yr

**Economics:** Freight Income: 10.54 MCr, Expenses: 2.14 MCr (Fuel: 1.47 MCr, Berthing: 0.42 MCr, Maintenance: 0.19 MCr, Payroll: 0.06 MCr), Capital Cost: 5.89 MCr, Shipping Costs (per dton): 0.30 kCr per parsec, 0.61 kCr per jump, Net Profit: 2.52 MCr. Annual totals for a jump-2 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 496.9 tonnes, LMass 2,313.2 tonnes, Cost: 94.21 MCr, HP: 40,332, Size Mod: +9

**Performance:** Accel: 1.1 G (5.3 G empty, 0.3 G overloaded), Jump 2, 4,276 km/h (skim)

# Gurrak-class Megafreighter (GTL 10)

One of the largest starships registered in Imperial Space, the *Gurrak* class is extremely rare. Only the highest trade volumes can justify this much capacity, and only the largest corporations can afford the capital investment.

**Crew:** 5 bridge crew, 204 engineers, medic

100,000 USL, DR 100, PD 4, Basic Bridge, Engineering, 3002 Jump, 5000 Maneuver, 20,012 Fuel, 3 Workshops, 200 Utility, 106 Staterooms, Sickbay, 2 Cradles for Ship's Boat, 71,348 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

**Maintenance:** HT: 12, 557.0 man-hours per day, 13.5 MCr/yr  
**Economics:** Freight Income: 1,997.74 MCr, Expenses: 344.85 MCr (Fuel: 245.15 MCr, Berthing: 70.00 MCr, Maintenance: 26.93 MCr, Payroll: 2.77 MCr), Capital Cost: 841.51 MCr, Shipping Costs (per dton): 0.24 kCr per parsec, 0.48 kCr per jump, Net Profit: 811.39 MCr. Annual totals for a jump-2 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 38,568.2 tonnes, LMass 380,458.4 tonnes, Cost: 13,464.13 MCr (MCr13,482.49 fitted out), HP: 1,221,488, Size Mod: +13

**Performance:** Accel: 0.5 G (4.7 G empty, 0.1 G overloaded), Jump 2

## Hfiatlais-class Freighter (GTL 10)

The *Hfiatlais* is a small purpose-built freighter, typical of those operated by smaller clans. As with most Aslan designs, it is armed.

**Crew:** 2 bridge crew, 2 engineers, 3 gunners

400 USL, DR 100, PD 4, 2 Triple Sandcaster Turrets, 2 Triple 250 MJ Laser Turrets, Basic Bridge, Engineering, 12 Jump, 43 Maneuver, 80 Fuel, 1 Utility, 4 Staterooms, 240.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60

**Maintenance:** HT: 12, 40.3 man-hours per day, 0.1 MCr/yr

**Economics:** Freight Income: 6.73 MCr, Expenses: 1.50 MCr (Fuel: 0.98 MCr, Berthing: 0.28 MCr, Maintenance: 0.14 MCr, Payroll: 0.10 MCr), Capital Cost: 4.41 MCr, Shipping Costs (per dton): 0.35 kCr per parsec, 0.70 kCr per jump, Net Profit: 0.83 MCr. Annual totals for a jump-2 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 430.1 tonnes, LMass 1,593.4 tonnes, Cost: 70.58 MCr, HP: 30,779, Size Mod: +8

**Performance:** Accel: 1.0 G (3.6 G empty, 0.3 G overloaded), Jump 2

## Iridescent Poodle-class Combat Liner (GTL 10)

One of the oddest designs encountered in the Solomani Sphere, the *Iridescent Poodle* is a fully combat-capable starship with passenger capability. Imperial Naval Intelligence is split on whether the *Poodle* design is an economic miscalculation or a disguised naval auxiliary.

**Crew:** 2 bridge crew, 7 engineers, 2 stewards, 8 gunners (if armed)

**Passengers:** 24 high passengers

800 USL, DR 100, PD 4, 8 Empty Turrets, Hardened Basic Bridge, Engineering, 32 Jump, 335 Maneuver, 240 Fuel, 2 Utility, 34 Staterooms, 1 Bay for Gig, 22.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

**Maintenance:** HT: 12, 68.5 man-hours per day, 0.2 MCr/yr

**Economics:** Income: 11.02 MCr (passenger: 10.08 MCr, freight: 0.94 MCr), Expenses: 4.05 MCr (Fuel: 2.94 MCr, Berthing: 0.56 MCr, Maintenance: 0.41 MCr, Payroll: 0.14 MCr), Capital Cost: 12.74 MCr, Shipping Costs (per dton): 1.35 kCr per parsec, 4.05 kCr per jump, Net Profit: (5.77) MCr. Annual totals for a jump-3 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 1,536.2 tonnes, LMass 1,926.6 tonnes, Cost: 203.83 MCr (MCr209.32 fitted out), HP: 48,859, Size Mod: +9

**Performance:** Accel: 6.3 G (7.9 G empty, 5.2 G overloaded), Jump 3, 21,080 km/h (skim)

## Jelnai-class Armed Freighter (GTL 10)

Frontier regions have always had a higher incidence of piracy than the Imperial Core; in particular, the area behind the claw suffers from Vargr corsairs. The *Jelnai*-class freighter is popular with owners and crews alike, because it is sufficiently well-defended to deter all but the most desperate band of corsairs.

**Crew:** 2 bridge crew, 3 engineers, 6 gunners

800 USL, DR 100, PD 4, 4 Triple Sandcaster Turrets, 2 Triple 250 MJ Laser Turrets, 2 Triple 90 MJ PD Laser Turrets, Hardened Basic Bridge, Engineering, 24 Jump, 100 Maneuver, 160 Fuel, 2 Utility, 6 Staterooms, 478.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	16,480 km	49,440 km	1/8

**Maintenance:** HT: 12, 56.7 man-hours per day, 0.1 MCr/yr

**Economics:** Freight Income: 13.40 MCr, Expenses: 2.94 MCr (Fuel: 1.96 MCr, Berthing: 0.56 MCr, Maintenance: 0.28 MCr, Payroll: 0.14 MCr), Capital Cost: 8.73 MCr, Shipping Costs (per dton): 0.35 kCr per parsec, 0.70 kCr per jump, Net Profit: 1.72 MCr. Annual totals for a jump-2 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 830.9 tonnes, LMass 3,146.0 tonnes, Cost: 139.75 MCr, HP: 48,859, Size Mod: +9

**Performance:** Accel: 1.2 G (4.4 G empty, 0.3 G overloaded), Jump 2, 4,576 km/h (skim)



# Kjerre II-class Freighter (GTL 10)

As inefficient as GTL10 thrusters are by Imperial standards, they are an incredible improvement over the average Sword Worlds technology. When the *Kjerre*-class was refitted her acceleration increased four times, and the reduced engineering crew enabled her to carry a few passengers.

*Crew:* 3 bridge crew, 4 engineers, 3 gunners

*Passengers:* 14 middle passengers

2,000 USL, DR 100, PD 4, 2 Triple Sandcaster Turrets, 2 Triple 250 MJ Laser Turrets, Basic Bridge, Engineering, 40 Jump, 100 Maneuver, 200 Fuel, 4 Utility, 13 Staterooms, 1,596.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60

*Maintenance:* HT: 12, 66.3 man-hours per day, 0.2 MCr/yr

*Economics:* Income: 26.12 MCr (passenger: 0.98 MCr, freight: 25.14 MCr), Expenses: 4.36 MCr (Fuel: 2.45 MCr, Berthing: 1.40 MCr, Maintenance: 0.38 MCr, Payroll: 0.13 MCr), Capital Cost: 11.94 MCr, Shipping Costs (per dton): 0.29 kCr per parsec, 0.29 kCr per jump, Net Profit: 9.82 MCr. Annual totals for a jump-1 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 1,005.9 tonnes, LMass 8,427.4 tonnes, Cost: 191.05 MCr, HP: 90,000, Size Mod: +10

**Performance:** Accel: 0.4 G (3.6 G empty, 0.1 G overloaded), Jump 1

# Knorr-class Freighter (GTL 10)

The *Knorr* is a common class of freighter in the Sword Worlds, plodding the main that passes almost every member of the Confederation, although it is almost never encountered in Imperial space. This is not just because of political animosity: Sword Worlds licensing regulation do not require a steward for middle passengers, while Imperial regulations do. As well, pirates are unknown in the highly militarized worlds of the Sword Worlds Confederation, rendering weaponry unnecessary—a menace Sword Worlders know exists in their larger neighbour.

*Crew:* 2 bridge crew, 3 engineers

*Passengers:* 6 middle passengers

800 USL, DR 100, PD 4, Basic Bridge, Engineering, 16 Jump, 104 Maneuver, 80 Fuel, 2 Utility, 6 Staterooms, 570.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31

*Maintenance:* HT: 12, 44.9 man-hours per day, 0.1 MCr/yr

*Economics:* Income: 9.41 MCr (passenger: 0.42 MCr, freight: 8.99 MCr), Expenses: 1.79 MCr (Fuel: 0.98 MCr, Berthing: 0.56 MCr, Maintenance: 0.18 MCr, Payroll: 0.07 MCr), Capital Cost: 5.48 MCr, Shipping Costs (per dton): 0.36 kCr per parsec, 0.36 kCr per jump, Net Profit: 2.14 MCr. Annual totals for a jump-1 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 623.1 tonnes, LMass 3,282.9 tonnes, Cost: 87.62 MCr, HP: 48,859, Size Mod: +9

**Performance:** Accel: 1.1 G (6.1 G empty, 0.3 G overloaded), Jump 1, 5,048 km/h (skim)

# Knossos-class Liner (GTL10)

The wide-scattered Terrans of the Rule of Man were tied together by a sense of kinship and long-range liners. Fast, luxurious, and with defensive armament, the *Knossos* class was a popular vessel.

**Crew:** 4 bridge crew, 2 engineers, 2 gunners, 3 stewards, 1 auxiliary crew, 1 other crew

**Passengers:** 60 high passengers

800 USL, DR 100, PD 4, Triple Sandcaster Turret, Triple 90 MJ PD Laser Turret, Basic Bridge, Engineering, 32 Jump, 45 Maneuver, 240 Fuel, 2 Utility, 67 Staterooms, 2 Exercise Rooms, Hall seating 100 people, Theatre seating 100 people, Basic Security, 1 Bay for *Skyskipper* Launch, 161.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	26,368 km	49,440 km	1/8

**Maintenance:** HT: 12, 60.3 man-hours per day, 0.2 MCr/yr

**Economics:** Income: 30.38 MCr (passenger: 23.94 MCr, freight: 6.44 MCr), Expenses: 3.98 MCr (Fuel: 2.94 MCr, Berthing: 0.56 MCr, Maintenance: 0.32 MCr, Payroll: 0.17 MCr), Capital Cost: 9.86 MCr, Shipping Costs (per dton): 0.33 kCr per parsec, 0.98 kCr per jump, Net Profit: 16.54 MCr. Annual totals for a jump-3 liner at 95% capacity making 35 jumps per year.

**Statistics:** EMass 719.6 tonnes, LMass 1,690.3 tonnes, Cost: 157.73 MCr (MCr160.87 fitted out), HP: 48,859, Size Mod: +9

**Performance:** Accel: 1.0 G (2.3 G empty, 0.4 G overloaded), Jump 3

# Madiis-class Trader (GTL10)

A small Drakaran-designed trader sometimes found in the Vargr Extents near Zhodani space, the *Madiis* class is not economical without speculative trade. In the free-wheeling Extents this is sometimes a euphemism for smuggling and piracy.

**Crew:** pilot, engineer, 3 gunners

**Passengers:** 8 independent passengers

300 SL, DR 100, PD 4, Triple Sandcaster Turret, Triple 250 MJ Laser Turret, Triple 90 MJ PD Laser Turret, Basic Bridge, Engineering, 9 Jump, 22 Maneuver, 60 Fuel, Fuel Processor (7.5 hrs), 1 Utility, 11 Staterooms, 12 Passageways, 96.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	43,605 km	81,760 km	1/60
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	26,368 km	49,440 km	1/8

**Maintenance:** HT: 12, 35.6 man-hours per day, 0.1 MCr/yr

**Economics:** Income: 2.27 MCr (passenger: 0.23 MCr, freight: 2.04 MCr), Expenses: 0.86 MCr (Fuel: 0.52 MCr, Berthing: 0.15 MCr, Maintenance: 0.11 MCr, Payroll: 0.07 MCr), Capital Cost: 3.44 MCr, Shipping Costs (per dton): 0.67 kCr per parsec, 1.34 kCr per jump, Net Profit: (2.03) MCr. Annual totals for a jump-2 free trader at 65% capacity making 25 jumps per year.

**Statistics:** EMass 321.1 tonnes, LMass 813.1 tonnes, Cost: 55.09 MCr, HP: 25,407, Size Mod: +8

**Performance:** Accel: 1.0 G (2.5 G empty, 0.3 G overloaded), Jump 2, 2,955 km/h (atm), 8,360 km/h (skim)

# Monnin-class Freighter (GTL10)

One of the cheapest freighters in the Solomani Sphere, the *Monnin* class can be seen on almost every main. In interior regions the turret weapons are often removed; this saves MCr 3.1 and provides another 6 dtons of cargo (in the empty turrets).

**Crew:** 3 bridge crew, 6 engineers, 2 gunners

2,000 USL, DR 100, PD 4, Triple Sandcaster Turret, Triple 90 MJ PD Laser Turret, Basic Bridge, Engineering, 61 Jump, 202 Maneuver, 400 Fuel, 4 Utility, 6 Staterooms, 1 Bay for Launch, 1,293 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	16,480 km	49,440 km	1/8

**Maintenance:** HT: 12, 83.2 man-hours per day, 0.3 MCr/yr

**Economics:** Freight Income: 36.20 MCr, Expenses: 7.04 MCr (Fuel: 4.90 MCr, Berthing: 1.40 MCr, Maintenance: 0.60 MCr, Payroll: 0.14 MCr), Capital Cost: 18.77 MCr, Shipping Costs (per dton): 0.29 kCr per parsec, 0.57 kCr per jump, Net Profit: 10.39 MCr. Annual totals for a jump-2 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 1,384.5 tonnes, LMass 7,643.8 tonnes, Cost: 300.31 MCr (MCr303.90 fitted out), HP: 90,000, Size Mod: +10

**Performance:** Accel: 1.0 G (5.3 G empty, 0.2 G overloaded), Jump 2

# Morag-class Ore Transport (GTL 10)

The *Morag* is an unusual design. Lacking a jump drive, it is found only in industrialized systems that have many settled worlds, where it is employed shuttling raw materials between planets.

**Crew:** 3 bridge crew, 4 engineers

2,000 USL, DR 100, PD 4, Basic Bridge, Engineering, 200 Maneuver, 1 Utility, 4 Staterooms, 1,779.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

**Maintenance:** HT: 12, 31.6 man-hours per day, 0.0 MCr/yr  
**Economics:** No income, Expenses: 1.58 MCr (Fuel: 0.00 MCr, Berthing: 1.40 MCr, Maintenance: 0.09 MCr, Payroll: 0.10 MCr), Capital Cost: 2.70 MCr, Shipping Costs (per dton): 0.07 kCr per trip, Net Profit: (4.29) MCr. Annual totals for a jump-0 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 973.8 tonnes, LMass 9,043.9 tonnes, Cost: 43.27 MCr, HP: 90,000, Size Mod: +10

**Performance:** Accel: 0.8 G (7.5 G empty, 0.2 G overloaded)

# Muirhead-class Economy Liner (GTL 10)

A bare-bones liner, the *Muirhead* is a classic example of functional Solomani design philosophy. Comfort has been subordinated to the primary task of ferrying passengers from one system to another: the staterooms are double accommodation, the decor is starkly functional, and the food is, well, nutritious. Imperial Naval Intelligence has noted that the *Muirhead*, while barely suitable as a subsidized passenger liner, makes an excellent troopship.

**Crew:** 3 bridge crew, engineer, 3 gunners, 2 stewards

**Passengers:** 65 middle passengers, 40 low passengers

400 USL, DR 100, PD 4, 2 Triple Sandcaster Turrets, 2 Triple 90 MJ PD Laser Turrets, Basic Bridge, Engineering, 12 Jump, 25 Maneuver, 80 Fuel, 1 Utility, 38 Staterooms, 10 Low Berths (40 cryotubes), Hanger for Gig with 1 Entrance, 77.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	16,480 km	49,440 km	1/8

**Maintenance:** HT: 12, 39.9 man-hours per day, 0.1 MCr/yr  
**Economics:** Income: 11.83 MCr (passenger: 9.66 MCr, freight: 2.17 MCr), Expenses: 1.52 MCr (Fuel: 0.98 MCr, Berthing: 0.28 MCr, Maintenance: 0.14 MCr, Payroll: 0.12 MCr), Capital Cost: 4.31 MCr, Shipping Costs (per dton): 0.39 kCr per parsec, 0.78 kCr per jump, Net Profit: 6.00 MCr. Annual totals for a jump-2 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 454.2 tonnes, LMass 948.9 tonnes, Cost: 68.93 MCr (MCr74.42 fitted out), HP: 30,779, Size Mod: +8

**Performance:** Accel: 1.0 G (2.0 G empty, 0.4 G overloaded), Jump 2

# Mullet-class Merchant Liner (GTL 10)

Although histories of the Rule of Man are filled with descriptions of warships, the small traders and merchants that knit the scattered Terrans together played a larger part in postponing the Long Night.

**Crew:** 3 bridge crew, 2 engineers, 2 stewards

**Passengers:** 40 high passengers

600 SL, DR 100, PD 4, Basic Bridge, Engineering, 24 Jump, 26 Maneuver, 180 Fuel, 1 Utility, 44 Staterooms, 69.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31

**Maintenance:** HT: 12, 52.0 man-hours per day, 0.1 MCr/yr  
**Economics:** Income: 18.73 MCr (passenger: 15.96 MCr, freight: 2.77 MCr), Expenses: 2.96 MCr (Fuel: 2.20 MCr, Berthing: 0.42 MCr, Maintenance: 0.23 MCr, Payroll: 0.10 MCr), Capital Cost: 7.33 MCr, Shipping Costs (per dton): 0.43 kCr per parsec, 1.28 kCr per jump, Net Profit: 8.44 MCr. Annual totals for a jump-3 liner at 95% capacity making 35 jumps per year.

**Statistics:** EMass 480.2 tonnes, LMass 958.6 tonnes, Cost: 117.35 MCr, HP: 40,332, Size Mod: +9

**Performance:** Accel: 1.0 G (2.0 G empty, 0.4 G overloaded), Jump 3, 2,725 km/h (atm), 7,707 km/h (skim)

---

## Murpak-class Freighter (GTL10)

Slow and steady, the *Murpak* is a common sight as it carries routine cargos between the thinly-settled worlds of the Core. With no provision for weapons mounts, this class of freighter is not usually found in frontier regions, although some desperate owners have been spotted in the Marches.

**Crew:** 2 bridge crew, engineer

400 USL, DR 100, PD 4, Basic Bridge, Engineering, 12 Jump, 20 Maneuver, 80 Fuel, 1 Utility, 2 Staterooms, 275.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

**Maintenance:** HT: 12, 37.2 man-hours per day, 0.1 MCr/yr  
**Economics:** Freight Income: 7.71 MCr, Expenses: 1.43 MCr (Fuel: 0.98 MCr, Berthing: 0.28 MCr, Maintenance: 0.12 MCr, Payroll: 0.05 MCr), Capital Cost: 3.76 MCr, Shipping Costs (per dton): 0.27 kCr per parsec, 0.54 kCr per jump, Net Profit: 2.53 MCr. Annual totals for a jump-2 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 264.9 tonnes, LMass 1,586.8 tonnes, Cost: 60.10 MCr, HP: 30,779, Size Mod: +8

**Performance:** Accel: 0.5 G (2.7 G empty, 0.1 G overloaded), Jump 2

---

## Murphy-class Freighter (GTL10)

A simple bulk carrier, freighters like the *Murphy* class crisscrossed the Rule of Man, carrying the ever-dwindling trade.

**Crew:** 3 bridge crew, 6 engineers

3,000 DSP (213-dton subhull), DR 100 (DR 100 on subhull), PD 4, Basic Bridge, Engineering, 90 Jump, 100 Maneuver, 600 Fuel, 1 Utility, 5 Staterooms, 2,185.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

**Maintenance:** HT: 12, 96.2 man-hours per day, 0.4 MCr/yr

**Economics:** Freight Income: 58.13 MCr, Expenses: 10.37 MCr (Fuel: 7.35 MCr, Berthing: 2.10 MCr, Maintenance: 0.80 MCr, Payroll: 0.12 MCr), Capital Cost: 25.13 MCr, Shipping Costs (per dton): 0.23 kCr per parsec, 0.46 kCr per jump, Net Profit: 22.63 MCr. Annual totals for a jump-2 liner at 95% capacity making 35 jumps per year.

**Statistics:** EMass 1,047.0 tonnes, LMass 11,502.4 tonnes, Cost: 402.04 MCr, HP: 117,933, Size Mod: +10

**Performance:** Accel: 0.3 G (3.5 G empty, 0.1 G overloaded), Jump 2

---

## Nahiin-class Trader (GTL10)

Another common starship, *Nahiin*-class traders can be encountered anywhere in the Imperium, and along any main that connects to the Imperium.

**Crew:** pilot, engineer, steward

**Passengers:** 12 high passengers, 2 middle passengers (unless gunners carried), 16 low passengers

200 SL, DR 100, PD 4, 2 Empty Turrets, Basic Bridge, Engineering, 4 Jump, 15 Maneuver, 20 Fuel, 1 Utility, 15 Staterooms, 4 Low Berths (16 cryotubes), 52.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

**Maintenance:** HT: 12, 24.6 man-hours per day, 0.0 MCr/yr

**Economics:** Income: 2.13 MCr (passenger: 1.21 MCr, freight: 0.92 MCr), Expenses: 0.38 MCr (Fuel: 0.18 MCr, Berthing: 0.10 MCr, Maintenance: 0.05 MCr, Payroll: 0.05 MCr), Capital Cost: 1.64 MCr, Shipping Costs (per dton): 0.76 kCr per parsec, 0.76 kCr per jump, Net Profit: 0.11 MCr. Annual totals for a jump-1 free trader at full capacity making 25 jumps per year.

**Statistics:** EMass 207.1 tonnes, LMass 463.3 tonnes, Cost: 26.30 MCr, HP: 19,389, Size Mod: +8

**Performance:** Accel: 1.2 G (2.6 G empty, 0.4 G overloaded), Jump 1, 2,816 km/h (atm), 7,965 km/h (skim)



## Newcombe-class Trader (GTL10)

Fairly large for a free trader, the *Newcombe* class is a money-loser when used as a liner. The only way to make a profit is to engage in speculative trade.

**Crew:** 3 bridge crew, engineer, steward

**Passengers:** 20 high passengers, 18 low passengers

300 SL, DR 100, PD 4, Basic Bridge, Engineering, 9 Jump, 16 Maneuver, 60 Fuel, 1 Utility, 23 Staterooms, 5 Low Berths (20 cryotubes), 56 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

**Maintenance:** HT: 12, 33.6 man-hours per day, 0.0 MCr/yr  
**Economics:** Income: 3.56 MCr (passenger: 2.38 MCr, freight: 1.18 MCr), Expenses: 0.85 MCr (Fuel: 0.52 MCr, Berthing: 0.15 MCr, Maintenance: 0.10 MCr, Payroll: 0.07 MCr), Capital Cost: 3.07 MCr, Shipping Costs (per dton): 0.57 kCr per parsec, 1.13 kCr per jump, Net Profit: (0.36) MCr. Annual totals for a jump-2 free trader at 65% capacity making 25 jumps per year.

**Statistics:** EMass 271.5 tonnes, LMass 579.9 tonnes, Cost: 49.10 MCr, HP: 25,407, Size Mod: +8

**Performance:** Accel: 1.0 G (2.1 G empty, 0.4 G overloaded), Jump 2, 2,693 km/h (atm), 7,618 km/h (skim)

## Olythnos-class Trader (GTL10)

The *Olythnos* is most common in the Solomani Sphere, where it can be found running routes along the mains. While not particularly fast, nor very well defended, it is cheap, and that counts for more when trading in civilized sectors.

**Crew:** 3 bridge crew, engineer, steward

**Passengers:** 16 high passengers, 4 middle passengers (if no gunners), 20 low passengers

400 SL, DR 100, PD 4, 4 Empty Turrets, Basic Bridge, Engineering, 8 Jump, 33 Maneuver, 40 Fuel, 1 Utility, 21 Staterooms, 5 Low Berths (20 cryotubes), 144 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

**Maintenance:** HT: 12, 32.8 man-hours per day, 0.0 MCr/yr  
**Economics:** Income: 4.18 MCr (passenger: 1.66 MCr, freight: 2.52 MCr), Expenses: 0.72 MCr (Fuel: 0.35 MCr, Berthing: 0.20 MCr, Maintenance: 0.09 MCr, Payroll: 0.07 MCr), Capital Cost: 2.92 MCr, Shipping Costs (per dton): 0.67 kCr per parsec, 0.67 kCr per jump, Net Profit: 0.54 MCr. Annual totals for a jump-1 free trader at full capacity making 25 jumps per year.

**Statistics:** EMass 347.5 tonnes, LMass 1,036.8 tonnes, Cost: 46.73 MCr, HP: 30,779, Size Mod: +8

**Performance:** Accel: 1.2 G (3.4 G empty, 0.3 G overloaded), Jump 1, 3,268 km/h (atm), 9,245 km/h (skim)

## Oytrist-class Merchant (GTL10)

Droyne starships are virtually handmade, with no two alike, but similar designs are common. Ships like the *Oytrist* are occasionally encountered behind the claw, where the risk of Varg corsairs is enough to warrant arming a merchant.

**Crew:** 3 bridge crew, engineer, gunner, steward

**Passengers:** 12 high passengers

300 SL, DR 100, PD 4, 3 Triple 250 MJ Laser Turrets, Basic Bridge, Engineering, 10 Jump, 23 Maneuver, 61 Fuel, 1 Utility, 3 Nests, 102.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson		
Basic Bridge	8,000,000	—	16,000,000	—		
Sensor Range/Scan (km)	PESA	AESA	Radscanner			
Basic Bridge	480,000/38	1,600,000/41	32,000/31			
Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60

**Maintenance:** HT: 12, 37.2 man-hours per day, 0.1 MCr/yr

**Economics:** Income: 5.43 MCr (passenger: 2.10 MCr, freight: 3.33 MCr), Expenses: 0.89 MCr (Fuel: 0.53 MCr, Berthing: 0.15 MCr, Maintenance: 0.12 MCr, Payroll: 0.08 MCr), Capital Cost: 3.75 MCr, Shipping Costs (per dton): 0.73 kCr per parsec, 1.47 kCr per jump, Net Profit: 0.79 MCr. Annual totals for a jump-2 free trader at full capacity making 25 jumps per year.

**Statistics:** EMass 338.5 tonnes, LMass 858.6 tonnes, Cost: 60.04 MCr, HP: 25,407, Size Mod: +8

**Performance:** Accel: 1.0 G (2.5 G empty, 0.3 G overloaded), Jump 2, 3,022 km/h (atm), 8,548 km/h (skim)

# Quotal-class Tramp Trader (GTL10)

Neither fish nor fowl, *Quotal*-class traders carry a mix of passengers and cargo. While this makes them a flexible design, they are also unsuited for high-capacity runs between major worlds. Instead, their niche is the backwater mains of the Imperium, where they are a familiar sight.

**Crew:** 2 bridge crew, engineer, 4 gunners, steward

**Passengers:** 12 high passengers, 12 middle passengers, 20 low passengers

400 SL, DR 100, PD 4, 2 Triple Sandcaster Turrets, Triple 250 MJ Laser Turret, Triple 90 MJ PD Laser Turret, Basic Bridge, Engineering, 13 Jump, 30 Maneuver, 81 Fuel, 1 Utility, 23 Staterooms, 5 Low Berths (20 cryotubes), 93 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	16,480 km	49,440 km	1/8

**Maintenance:** HT: 12, 41.3 man-hours per day, 0.1 MCr/yr

**Economics:** Income: 6.34 MCr (passenger: 3.32 MCr, freight: 3.02 MCr), Expenses: 1.16 MCr (Fuel: 0.71 MCr, Berthing: 0.20 MCr, Maintenance: 0.15 MCr, Payroll: 0.11 MCr), Capital Cost: 4.63 MCr, Shipping Costs (per dton): 0.69 kCr per parsec, 1.38 kCr per jump, Net Profit: 0.55 MCr. Annual totals for a jump-2 free trader at full capacity making 25 jumps per year.

**Statistics:** EMass 437.7 tonnes, LMass 932.9 tonnes, Cost: 74.07 MCr, HP: 30,779, Size Mod: +8

**Performance:** Accel: 1.2 G (2.5 G empty, 0.4 G overloaded), Jump 2, 3,116 km/h (atm), 8,815 km/h (skim)

# Porion-class Passenger Liner (GTL10)

An older liner, the *Porion* class was designed to serve medium-distance routes within a sector. A combination of high jump capability and extra acceleration made it a popular choice with passengers in a hurry. It is now somewhat outdated, but can still compete handily along second-tier routes.

Like many Solomani designs, the *Porion* is not armed. The Confederation frowns on private wars, and the Navy is more than capable of controlling piracy.

**Crew:** 3 bridge crew, 3 engineers, 4 stewards, medic, 1 auxiliary crew

**Passengers:** 75 high passengers, 100 low passengers

800 USL, DR 100, PD 4, Basic Bridge, Engineering, 32 Jump, 50 Maneuver, 240 Fuel, 2 Utility, 82 Staterooms, 25 Low Berths (100 cryotubes), 3 Exercise Rooms, Sickbay, 1 Bay for Launch, 113 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	—	16,000,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31

**Maintenance:** HT: 12, 60.9 man-hours per day, 0.2 MCr/yr

**Economics:** Income: 36.43 MCr (passenger: 31.92 MCr, freight: 4.51 MCr), Expenses: 3.98 MCr (Fuel: 2.94 MCr, Berthing: 0.56 MCr, Maintenance: 0.32 MCr, Payroll: 0.16 MCr), Capital Cost: 10.05 MCr, Shipping Costs (per dton): 0.31 kCr per parsec, 0.94 kCr per jump, Net Profit: 22.40 MCr. Annual totals for a jump-3 liner at 95% capacity making 35 jumps per year.

**Statistics:** EMass 771.5 tonnes, LMass 1,534.3 tonnes, Cost: 160.76 MCr (MCr164.36 fitted out), HP: 48,859, Size Mod: +9

**Performance:** Accel: 1.2 G (2.4 G empty, 0.5 G overloaded), Jump 3, 3,813 km/h (skim)

# Rikiamid-class Bulk Freighter (GTL10)

Ungainly and lacking small craft, *Rikiamid* freighters are never encountered away from major trade routes. Almost all ships in this class are owned by megacorporations or governments and dedicated to fixed routes.

**Crew:** 5 bridge crew, 16 engineers, 4 gunners

5,000 USL, DR 100, PD 4, 4 Empty Turrets, Basic Bridge, Engineering, 150 Jump, 500 Maneuver, 1,000 Fuel, 10 Utility, 25 Staterooms, 3,232.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31

**Maintenance:** HT: 12, 129.3 man-hours per day, 0.7 MCr/yr

**Economics:** Freight Income: 90.51 MCr, Expenses: 17.52 MCr (Fuel: 12.25 MCr, Berthing: 3.50 MCr, Maintenance: 1.45 MCr, Payroll: 0.32 MCr), Capital Cost: 45.32 MCr, Shipping Costs (per dton): 0.28 kCr per parsec, 0.56 kCr per jump, Net Profit: 27.66 MCr. Annual totals for a jump-2 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 3,147.3 tonnes, LMass 18,713.7 tonnes, Cost: 725.13 MCr, HP: 165,781, Size Mod: +10

**Performance:** Accel: 1.0 G (5.8 G empty, 0.2 G overloaded), Jump 2

# Tedoaraq-class Liner (GTL 10)

One of the most popular liners produced by Bilstein Yards, *Tedoaraq*-class ships can be encountered anywhere in the Imperium, although they are most common in the Domain of Deneb. A streamlined hull permits on-planet loading (popular on the Imperial Fringe), while four hardpoints allow adequate protective weaponry to be installed if necessary.

**Crew:** 4 bridge crew, engineer, 4 gunners (if weapons installed), 2 stewards

**Passengers:** 36 high passengers, 24 low passengers

600 SL, DR 100, PD 4, 4 Empty Turrets, Basic Bridge, Engineering, 18 Jump, 36 Maneuver, 120 Fuel, 1 Utility, 42 Staterooms, 6 Low Berths (24 cryotubes), 126.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31

**Maintenance:** HT: 12, 46.2 man-hours per day, 0.1 MCr/yr

**Economics:** Income: 13.96 MCr (passenger: 10.42 MCr, freight: 3.54 MCr), Expenses: 2.22 MCr (Fuel: 1.47 MCr, Berthing: 0.42 MCr, Maintenance: 0.19 MCr, Payroll: 0.14 MCr), Capital Cost: 5.79 MCr, Shipping Costs (per dton): 0.42 kCr per parsec, 0.84 kCr per jump, Net Profit: 5.95 MCr. Annual totals for a jump-2 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 497.0 tonnes, LMass 1,179.5 tonnes, Cost: 92.63 MCr, HP: 40,332, Size Mod: +9

**Performance:** Accel: 1.1 G (2.6 G empty, 0.4 G overloaded), Jump 2, 3,031 km/h (atm), 8,573 km/h (skim)

# Tolley-class Subsidized Merchant (GTL 10)

Like most merchants subsidized by the Solomani government, the *Tolley* is intended to serve as an auxiliary in wartime; this explains her unusually high acceleration and large number of turrets.

**Crew:** 2 bridge crew, 3 engineers, 6 gunners, steward

**Passengers:** 15 high passengers, 12 low passengers

600 SL, DR 100, PD 4, 4 Empty Turrets, Triple Sandcaster Turret, Triple 90 MJ PD Laser Turret, Basic Bridge, Engineering, 18 Jump, 100 Maneuver, 120 Fuel, 1 Utility, 22 Staterooms, 3 Low Berths (12 cryotubes), 142 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	16,480 km	49,440 km	1/8

**Maintenance:** HT: 12, 49.1 man-hours per day, 0.1 MCr/yr

**Economics:** Income: 8.34 MCr (passenger: 4.37 MCr, freight: 3.98 MCr), Expenses: 2.26 MCr (Fuel: 1.47 MCr, Berthing: 0.42 MCr, Maintenance: 0.21 MCr, Payroll: 0.16 MCr), Capital Cost: 6.55 MCr, Shipping Costs (per dton): 0.62 kCr per parsec, 1.24 kCr per jump, Net Profit: (0.46) MCr. Annual totals for a jump-2 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 683.6 tonnes, LMass 1,436.4 tonnes, Cost: 104.78 MCr, HP: 40,332, Size Mod: +9

**Performance:** Accel: 2.5 G (5.3 G empty, 0.9 G overloaded), Jump 2, 4,923 km/h (atm), 13,924 km/h (skim)

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31

# Triku-class Subsidized Aquatic Liner (GTL 10)

The Solomani Sphere contains several worlds populated mainly by dolphins. Several of these worlds have banded together to subsidize the *Triku*-class liner, designed specifically for aquatic passengers. Dolphins and other aquatic sapients will travel in such a starship if possible—it's much more comfortable than enduring 1G in a support sling.

**Crew:** 4 bridge crew, engineer, 4 gunners (if weapons installed), 3 stewards

400-ton SL Hull, DR 100, PD 4, 4 Turrets, Bridge, Engineering, 42 Maneuver, 12 Jump, 80 Fuel, 8 Staterooms, 1 Utility, 30 Aquatic Staterooms, 115.5 cargo (+12 in turrets)

**Communicators:** Radio 8 million km, Laser 16 million km

**Sensors:** PESA 48000 km, AESA 160000 km, Radscanner 3200 km

**Statistics:** EMass 910.3 tonnes, LMass 1434.1 tonnes, Cost MCr 81.9, HP 42300

**Performance:** Accel 1.1 G (1.7 G empty, 0.4 G overloaded), Jump 2, Air Speed 3382 km/h

# Tslechdael-class Freighter (GTL 10)

A common sight in the interior of the Zhodani Consulate, the *Tslechdael* is rare towards the borders, where more aggressive empires might feel tempted into a bit of piracy.

**Crew:** 3 bridge crew, 4 engineers

2,000 USL, DR 100, PD 4, Basic Bridge with Psionic Switches, Engineering, 60 Jump, 100 Maneuver, 400 Fuel, 4 Utility, 7 Staterooms, Exercise Room, 1,402 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

**Maintenance:** HT: 12, 80.1 man-hours per day, 0.3 MCr/yr  
**Economics:** Freight Income: 37.29 MCr, Expenses: 6.95 MCr (Fuel: 4.90 MCr, Berthing: 1.40 MCr, Maintenance: 0.56 MCr, Payroll: 0.10 MCr), Capital Cost: 17.39 MCr, Shipping Costs (per dton): 0.25 kCr per parsec, 0.50 kCr per jump, Net Profit: 12.95 MCr. Annual totals for a jump-2 liner at 95% capacity making 35 jumps per year.

**Statistics:** EMass 1,030.3 tonnes, LMass 7,751.1 tonnes, Cost: 278.26 MCr, HP: 90,000, Size Mod: +10

**Performance:** Accel: 0.5 G (3.5 G empty, 0.1 G overloaded), Jump 2

# Umburko-class Subsidized Liner (GTL 10)

Worlds along a main cannot always rely on passing free traders for communication with the galactic community. Many cluster of worlds band together to subsidize regular liners to guarantee transportation at least as far as the xboat network. The *Umburko* liner is typically found serving small clusters of worlds in safe areas. On the frontier it requires an armed escort (or lots of luck).

**Crew:** 2 bridge crew, engineer, 4 stewards

**Passengers:** 80 high passengers

600 SL, DR 100, PD 4, Basic Bridge, Engineering, 12 Jump, 24 Maneuver, 60 Fuel, 1 Utility, 84 Staterooms, 43.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31

**Maintenance:** HT: 12, 37.5 man-hours per day, 0.1 MCr/yr  
**Economics:** Income: 11.89 MCr (passenger: 11.20 MCr, freight: 0.69 MCr), Expenses: 1.37 MCr (Fuel: 0.74 MCr, Berthing: 0.42 MCr, Maintenance: 0.12 MCr, Payroll: 0.10 MCr), Capital Cost: 3.82 MCr, Shipping Costs (per dton): 0.41 kCr per parsec, 0.41 kCr per jump, Net Profit: 6.69 MCr. Annual totals for a jump-1 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 484.9 tonnes, LMass 736.6 tonnes, Cost: 61.11 MCr, HP: 40,332, Size Mod: +9

**Performance:** Accel: 1.2 G (1.8 G empty, 0.6 G overloaded), Jump 1, 2,618 km/h (atm), 7,405 km/h (skim)

# Vloshr-class Frontier Trader (GTL 10)

Unlike most Zhodani ships, *Vloshr* Frontier Traders are armed. Intended to travel outside the safe confines of the Consulate, they also carry alien passengers in conditioned habitats.

**Crew:** 1 bridge crew, 1 engineer, 2 gunners, 1 steward

**Passengers:** 15 high passengers

300 SL, DR 100, PD 4, Triple Sandcaster Turret, 2 Triple 90 MJ PD Laser Turrets, Basic Bridge with Psionic Switches, Engineering, 10 Jump, 19 Maneuver, 61 Fuel, 1 Fuel Processor (7.6 hrs), 1 Utility, 18 Staterooms, 2 Habitats, 69.5 Cargo

Communicator Range	Radio	Maser	Laser	Meson
Basic Bridge:	8,000,000 km	—	16,000,000 km	—

Sensor Range/Scan	PESA	AESA	Radscanner
Basic Bridge:	480,000 km/38	1,600,000 km/41	32,000 km/31

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	16,480 km	49,440 km	1/8

**Statistics:** EMass 324.3 tonnes, LMass 694.8 tonnes, Cost: 57.31 MCr, HP: 25,407, HT: 12, Size Mod: +8

**Performance:** Accel: 1.0 G (2.1 G empty, 0.4 G overloaded), Jump 2, 2,746 km/h (atm), 7,769 km/h (skim)



## Wain-class Freighter (GTL10)

Common in the confined space of the Sword Worlds, *Wain*-class freighters plod long the main, shuttling freight and a few passengers from world to world. The nature of Sword Worlds politics eliminates the need for weapons (no pirate can survive long in the militarized Sword Worlds). Unlike most freighter, the *Wain* class is streamlined, permitting it to be loaded directly from the ground rather than relying on orbital transshipment.

**Crew:** 2 bridge crew, 2 engineers

**Passengers:** 6 middle passengers, 12 low passengers

800 SL, DR 100, PD 4, Basic Bridge, Engineering, 16 Jump, 82 Maneuver, 80 Fuel, 2 Utility, 6 Staterooms, 3 Low Berths (12 cryotubes), 431 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31

**Maintenance:** HT: 12, 44.8 man-hours per day, 0.1 MCr/yr

**Economics:** Income: 7.29 MCr (passenger: 0.50 MCr, freight: 6.79 MCr), Expenses: 1.77 MCr (Fuel: 0.98 MCr, Berthing: 0.56 MCr, Maintenance: 0.17 MCr, Payroll: 0.06 MCr), Capital Cost: 5.44 MCr, Shipping Costs (per dton): 0.46 kCr per parsec, 0.46 kCr per jump, Net Profit: 0.08 MCr. Annual totals for a jump-1 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 560.7 tonnes, LMass 2,587.9 tonnes, Cost: 87.04 MCr, HP: 48,859, Size Mod: +9

**Performance:** Accel: 1.1 G (5.3 G empty, 0.3 G overloaded), Jump 1, 4,397 km/h (atm), 12,436 km/h (skim)

## Wolfram-class Freighter (GTL10)

A small bare-bones freight hauler, the *Wolfram* freighter was a fixture during the Rule of Man.

**Crew:** 2 bridge crew, 2 engineers

600 DSP (66-dton subhull), DR 100 (DR 100 on subhull), PD 4, Basic Bridge, Engineering, 24 Jump, 27 Maneuver, 180 Fuel, 1 Utility, 3 Staterooms, 352.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31

**Maintenance:** HT: 12, 51.4 man-hours per day, 0.1 MCr/yr

**Economics:** Freight Income: 14.06 MCr, Expenses: 2.91 MCr (Fuel: 2.20 MCr, Berthing: 0.42 MCr, Maintenance: 0.23 MCr, Payroll: 0.06 MCr), Capital Cost: 7.16 MCr, Shipping Costs (per dton): 0.27 kCr per parsec, 0.82 kCr per jump, Net Profit: 3.99 MCr. Annual totals for a jump-3 liner at 95% capacity making 35 jumps per year.

**Statistics:** EMass 330.2 tonnes, LMass 2,092.1 tonnes, Cost: 114.53 MCr, HP: 40,332, Size Mod: +9

**Performance:** Accel: 0.5 G (3.0 G empty, 0.1 G overloaded), Jump 3

## Xeek'krir-class Freighter (GTL10)

Like most K'kree ships, the *Xeek'krir*-class Freighter resembles a giant flying saucer. Home to a small herd of crew and their families, it is *almost* large enough to avoid claustrophobia, although the crew still spend as much time outdoors on a planet's surface as possible.

The crew and their dependents live in a giant 'pasture' on the top side of the ship. The smaller cargo hold is located below, along with engineering and fuel tankage. Like most K'kree starships, the *Xeek'krir* has many dedicated robots and servomechanisms to do work in cramped places.

The *Xeek'krir* is uneconomical by Imperial standards—indeed, it would be bankrupt anywhere but the Two Thousand Worlds. There, however, freight rates for the few goods that must travel between the stars are high enough that it can turn a profit.

**Crew:** 5 bridge crew, 149 engineers, 4 medics, 790 dependents  
75,000 SL, Robotic, DR 100, PD 4, Basic Bridge, Engineering, 2250 Jump, 3500 Maneuver, 15,000 Fuel, 2

Workshops, 120 Utility, Pasture for 948-1896 K'kree, 4 Sickbays, 16,333 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31

**Maintenance:** HT: 12, 486.4 man-hours per day, 10.3 MCr/yr

**Economics:** Freight Income: 434.46 MCr, Expenses: 269.29 MCr (Fuel: 183.75 MCr, Berthing: 52.50 MCr, Maintenance: 20.54 MCr, Payroll: 12.50 MCr), Capital Cost: 641.82 MCr, Shipping Costs (per dton): 0.80 kCr per parsec, 1.59 kCr per jump, Net Profit: (476.66) MCr. Annual totals for a jump-2 liner at 95% capacity making 35 jumps per year.

**Statistics:** EMass 40,423.2 tonnes, LMass 128,098.4 tonnes, Cost: 10,269.20 MCr, HP: 1,008,316, Size Mod: +13

**Performance:** Accel: 1.0 G (3.1 G empty, 0.3 G overloaded), Jump 2, 6,323 km/h (atm), 17,885 km/h (skim)

# Yarmouth-class Frontier Trader (GTL 10)

Originating on the trailing edge of the Solomani Sphere, examples of the *Yarmouth*-class can now be found throughout human-occupied space. Rugged and survivable, it is a favourite with free trader crews.

**Crew:** 2 bridge crew, engineer, 3 gunners, steward

**Passengers:** 12 high passengers, 20 low passengers

400 SL, DR 100, PD 4, Heavy Compartmentalization, 2 Triple Sandcaster Turrets, 2 Triple 250 MJ Laser Turrets, Basic Bridge, Engineering, 12 Jump, 30 Maneuver, 80 Fuel, Fuel Processor (10.0 hrs), 1 Utility, 16 Staterooms, 5 Low Berths (20 cryotubes), 122 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60

**Maintenance:** HT: 12, 40.8 man-hours per day, 0.1 MCr/yr

**Economics:** Income: 6.24 MCr (passenger: 2.27 MCr, freight: 3.96 MCr), Expenses: 1.14 MCr (Fuel: 0.70 MCr, Berthing: 0.20 MCr, Maintenance: 0.14 MCr, Payroll: 0.10 MCr), Capital Cost: 4.52 MCr, Shipping Costs (per dton): 0.66 kCr per parsec, 1.31 kCr per jump, Net Profit: 0.58 MCr. Annual totals for a jump-2 free trader at full capacity making 25 jumps per year.

**Statistics:** EMass 428.1 tonnes, LMass 1,053.9 tonnes, Cost: 72.28 MCr, HP: 30,779, Size Mod: +8

**Performance:** Accel: 1.0 G (2.5 G empty, 0.3 G overloaded), Jump 2, 3,116 km/h (atm), 8,815 km/h (skim)

# Aakroyss-class Merchant (GTL 11)

Fairly large for a Droyne ship, the *Aakross* and similar ships maintain trade between scattered Droyne worlds. While non-Droyne are sometimes carried as passengers, they must adapt to the communal and cramped living quarters.

**Crew:** 1 bridge crew, 1 engineer, 2 gunners, 1 steward

**Passengers:** 18 high passengers

400 SL, DR 100, PD 4, Triple Sandcaster Turret, Triple 97 MJ PD Laser Turret, Basic Bridge, Engineering, 12 Jump, 12 Maneuver, 80 Fuel, 1 Fuel Processor (10.0 hrs), 1 Utility, 4 Nests, 160.5 Cargo

Communicator Range	Radio	Maser	Laser	Meson
Basic Bridge:	8,000,000 km	—	16,000,000 km	—
Sensor Range/Scan	PESA	AESA	Radscanner	
Basic Bridge:	480,000 km/38	1,600,000 km/41	32,000 km/31	

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
97 MJ X-Ray Laser	Imp	31	5d x 40(2)	18,720 km	56,160 km	1/8

**Statistics:** EMass 255.3 tonnes, LMass 1,055.7 tonnes, Cost: 68.07 MCr, HP: 30,779, Size Mod: +8

**Performance:** Accel: 1.0 G (4.3 G empty, 0.3 G overloaded), Jump 2, 3,227 km/h

# Arisha-class Subsidized Merchant (GTL 11)

A common sight in settled regions of the Imperium, most *Arisha*-class merchants have long since been paid off. They quietly travel their assigned routes, knitting together backwater worlds throughout the realm.

**Crew:** 1 bridge crew, 1 engineer, 1 steward

**Passengers:** 20 high passengers, 12 low passengers

400 SL, DR 100, PD 4, 2 Empty Turrets, Basic Bridge, Engineering, 8 Jump, 11 Maneuver, 40 Fuel, 1 Utility, 22 Staterooms, 3 Low Berths, 165 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

**Statistics:** EMass 220.8 tonnes, LMass 1,005.3 tonnes, Cost: 45.94 MCr, HP: 30,779, HT: 12, Size Mod: +8

**Performance:** Accel: 1.0 G (4.5 G empty, 0.2 G overloaded), Jump 1, 3,089 km/h (atm), 8,739 km/h (skim)

---

# Baarnekki-class Fast Trader (GTL11)

Although the megacorporations have a virtual monopoly on express shipping along the Imperial express routes, there's a niche market for smaller cargos, especially if the captain is willing to leave the route. The *Baarnekki* is found filling this niche.

**Crew:** 3 bridge crew, 1 engineer

300 SL, DR 100, PD 4, Basic Bridge, Engineering, 15 Jump, 8 Maneuver, 120 Fuel, 1 Utility, 3 Staterooms, 80.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
<i>Basic Bridge</i>	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
<i>Basic Bridge</i>	480,000/38	1,600,000/41	32,000/31	

**Maintenance:** HT: 12, 42.0 man-hours per day, Annual Maintenance: 0.08 MCr

**Economics:** Freight Income: 9.66 MCr, Expenses: 1.26 MCr (Fuel: 1.05 MCr, Maintenance: 0.15 MCr, Payroll: 0.06 MCr), Net Profit: 8.40 MCr. Annual totals for a jump-4 free trader at full capacity making 25 jumps per year.

**Statistics:** EMass 199.5 tonnes, LMass 673.4 tonnes, Cost: 76.44 MCr, HP: 25,407, Size Mod: +8

**Performance:** Accel: 1.1 G (3.6 G empty, 0.3 G overloaded), Jump 4, 3,011 km/h (atm), 8,517 km/h (skim)

---

# Dragger-class Bulk Freighter (GTL11)

While tramp traders may delude themselves that they are carrying the lifeblood of the Imperium, bulk carriers like the *Dragger* class are really doing so. While not fast, it can carry nearly 15,000 tons of cargo along a jump-2 main, and do so far cheaper than even the scruffiest free trader.

**Crew:** 3 bridge crew, 20 engineers, medic

20,000 DSP (1,042-dton subhull), DR 100 (DR 100 on subhull), PD 4, Basic Bridge, Engineering, 600 Jump, 390 Maneuver, 4,000 Fuel, 3 Utility, 12 Staterooms, Sickbay, 14,954.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
<i>Basic Bridge</i>	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
<i>Basic Bridge</i>	480,000/38	1,600,000/41	32,000/31

**Maintenance:** HT: 12, 251.6 man-hours per day, 2.7 MCr/yr

**Economics:** Freight Income: 418.73 MCr, Expenses: 68.81 MCr (Fuel: 49.00 MCr, Berthing: 14.00 MCr, Maintenance: 5.49 MCr, Payroll: 0.31 MCr), Capital Cost: 171.70 MCr, Shipping Costs (per dton): 0.23 kCr per parsec, 0.46 kCr per jump, Net Profit: 178.22 MCr. Annual totals for a jump-2 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 5,217.0 tonnes, LMass 76,663.7 tonnes, Cost: 2,747.24 MCr, HP: 417,743, Size Mod: +12

**Performance:** Accel: 0.5 G (6.8 G empty, 0.1 G overloaded), Jump 2

---

# Enzhyiench-class Freighter (GTL11)

A common freighter in the Zhodani Consulate, the *Enzhyiench* class can be encountered almost anywhere that required bulk freight transported.

**Crew:** 3 bridge crew, 2 engineers

1,200 USL, DR 100, PD 4, Basic Bridge with Psionic Switches, Engineering, 36 Jump, 50 Maneuver, 240 Fuel, 3 Utility, 3 Staterooms, 855.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
<i>Basic Bridge</i>	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
<i>Basic Bridge</i>	480,000/38	1,600,000/41	32,000/31

**Maintenance:** HT: 12, 65.9 man-hours per day, 0.2 MCr/yr

**Economics:** Freight Income: 23.95 MCr, Expenses: 4.23 MCr (Fuel: 2.94 MCr, Berthing: 0.84 MCr, Maintenance: 0.38 MCr, Payroll: 0.07 MCr), Capital Cost: 11.79 MCr, Shipping Costs (per dton): 0.27 kCr per parsec, 0.53 kCr per jump, Net Profit: 7.94 MCr. Annual totals for a jump-2 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 569.1 tonnes, LMass 4,666.5 tonnes, Cost: 188.57 MCr, HP: 64,024, Size Mod: +9

**Performance:** Accel: 1.0 G (8.0 G empty, 0.2 G overloaded), Jump 2

# Gelliam-class Express Freighter (GTL 11)

One of Tukera Lines' most profitable designs, *Gelliam*-class freighters have been sighted in virtually every part of the Imperium.

**Crew:** 1 bridge crew, 4 engineers

2,000 DSP (223-dton subhull), DR 100 (DR 100 on subhull), PD 4, Basic Bridge, Engineering, 100 Jump, 100 Maneuver, 800 Fuel, 1 Utility, 5 Staterooms, 975.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

**Maintenance:** HT: 12, 108.0 man-hours per day, Annual Maintenance: 0.51 MCr

**Economics:** Freight Income: 103.01 MCr, Expenses: 10.32 MCr (Fuel: 9.24 MCr, Maintenance: 1.01 MCr, Payroll: 0.07 MCr), Net Profit: 92.69 MCr. Annual totals for a jump-4 express liner at full capacity making 33 jumps per year.

**Statistics:** EMass 1,093.5 tonnes, LMass 6,243.0 tonnes, Cost: 506.30 MCr, HP: 90,000, Size Mod: +10

**Performance:** Accel: 1.5 G (8.3 G empty, 0.4 G overloaded), Jump 4

# Klastao-class Far Trader (GTL 11)

A slightly more modern version of the *Empress Marava* Far Trader, a more efficient fusion power plant gives the *Klastao* a greater cargo capacity.

**Crew:** 3 bridge crew, engineer, steward

**Passengers:** 6 high passengers, 2 middle passengers, 12 low passengers

200 SL, DR 100, PD 4, 2 Empty Turrets, Basic Bridge, Engineering, 6 Jump, 10 Maneuver, 40 Fuel, Fuel Processor (5.0 hrs), 1 Utility, 10 Staterooms, 3 Low Berths (12 cryotubes), 1 Bay for Air/Raft, 54.6 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

**Maintenance:** HT: 12, 29.9 man-hours per day, 0.0 MCr/yr

**Economics:** Income: 3.10 MCr (passenger: 1.33 MCr, freight: 1.77 MCr), Expenses: 0.60 MCr (Fuel: 0.35 MCr, Berthing: 0.10 MCr, Maintenance: 0.08 MCr, Payroll: 0.07 MCr), Capital Cost: 2.42 MCr, Shipping Costs (per dton): 0.72 kCr per parsec, 1.44 kCr per jump, Net Profit: 0.08 MCr. Annual totals for a jump-2 free trader at full capacity making 25 jumps per year.

**Statistics:** EMass 163.7 tonnes, LMass 452.5 tonnes, Cost: 38.71 MCr (MCr38.77 fitted out), HP: 19,389, Size Mod: +8

**Performance:** Accel: 2.0 G (5.5 G empty, 0.6 G overloaded), Jump 2, 3,635 km/h (atm), 10,282 km/h (skim)

# Klepsidar-class Freighter (GTL 11)

A small, moderate-capacity freighter, the *Klepsidar* is usually encountered away from established routes, where competition from larger freighters is less.

**Crew:** 2 bridge crew, 2 engineers, 2 gunners (if armed)

800 USL, DR 100, PD 4, 2 Empty Turrets, Basic Bridge, Engineering, 32 Jump, 30 Maneuver, 240 Fuel, 2 Utility, 3 Staterooms, 478.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

**Maintenance:** HT: 12, 61.2 man-hours per day, 0.2 MCr/yr

**Economics:** Freight Income: 20.10 MCr, Expenses: 3.88 MCr (Fuel: 2.94 MCr, Berthing: 0.56 MCr, Maintenance: 0.32 MCr, Payroll: 0.06 MCr), Capital Cost: 10.15 MCr, Shipping Costs (per dton): 0.28 kCr per parsec, 0.84 kCr per jump, Net Profit: 6.07 MCr. Annual totals for a jump-3 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 442.7 tonnes, LMass 2,830.4 tonnes, Cost: 162.34 MCr, HP: 48,859, Size Mod: +9

**Performance:** Accel: 1.0 G (6.1 G empty, 0.2 G overloaded), Jump 3

---

# Kriaplezh-class Liner (GTL 11)

A common liner in the Zhodani Consulate, where it serves express routes, the *Kriaplezh* is an extremely comfortable liner. As an unarmed vessel is rarely encountered outside the Consulate, where violence and piracy are virtually unknown.

**Crew:** 2 bridge crew, 2 engineers, 4 stewards, medic, 2 auxiliary crew

**Passengers:** 75 high passengers, 40 low passengers

800 USL, DR 100, PD 4, Basic Bridge with Psionic Switches, Engineering, 42 Jump, 16 Maneuver, 336 Fuel, 2 Utility, 81 Staterooms, 10 Low Berths (40 cryotubes), Sickbay, 1 Cradle for Pinnacle, 69.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

**Maintenance:** HT: 12, 68.3 man-hours per day, 0.2 MCr/yr  
**Economics:** Income: 79.11 MCr (passenger: 71.33 MCr, freight: 7.78 MCr), Expenses: 5.23 MCr (Fuel: 4.12 MCr, Berthing: 0.56 MCr, Maintenance: 0.41 MCr, Payroll: 0.14 MCr), Capital Cost: 12.66 MCr, Shipping Costs (per dton): 0.34 kCr per parsec, 1.36 kCr per jump, Net Profit: 61.23 MCr. Annual totals for a jump-4 express liner at full capacity making 35 jumps per year.

**Statistics:** EMass 614.9 tonnes, LMass 1,353.1 tonnes, Cost: 202.60 MCr (MCr214.06 fitted out), HP: 48,859, Size Mod: +9

**Performance:** Accel: 1.1 G (2.4 G empty, 0.6 G overloaded), Jump 4, 2,258 km/h (skim)

---

# Leviathan-class Megafreighter (GTL 11)

So large it can transport entire starships, the *Leviathan* class is rarely encountered within the Solomani Confederation—and never outside it.

**Crew:** 5 bridge crew, 120 engineers, medic

100,000 DSP (6,294-dton subhull), DR 100 (DR 100 on subhull), PD 4, Basic Bridge, Engineering, 4000 Jump, 2000 Maneuver, 30,000 Fuel, 2 Workshops, 13 Utility, 63 Staterooms, 5 Exercise Rooms, 2 Halls seating 200 people, Sickbay, 63,693 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

**Maintenance:** HT: 12, 650.5 man-hours per day, 18.4 MCr/yr  
**Economics:** Freight Income: 2,541.35 MCr, Expenses: 475.89 MCr (Fuel: 367.50 MCr, Berthing: 70.00 MCr, Maintenance: 36.73 MCr, Payroll: 1.66 MCr), Capital Cost: 1,147.84 MCr, Shipping Costs (per dton): 0.24 kCr per parsec, 0.73 kCr per jump, Net Profit: 917.63 MCr. Annual totals for a jump-3 liner at 95% capacity making 35 jumps per year.

**Statistics:** EMass 31,656.7 tonnes, LMass 347,714.5 tonnes, Cost: 18,365.37 MCr, HP: 1,221,488, Size Mod: +13

**Performance:** Accel: 0.5 G (5.7 G empty, 0.1 G overloaded), Jump 3

---

# Meredith-class Trader (GTL 11)

Designed for the densely populated Solomani Rim, the *Meredith* class would be uneconomical in a frontier region like the Spinward Marches. Trade levels in the Confederation are high enough that a canny skipper can make a living on the leavings of large shipping lines.

**Crew:** 3 bridge crew, engineer, steward

**Passengers:** 20 high passengers, 20 low passengers

400 SL, DR 100, PD 4, Basic Bridge, Engineering, 12 Jump, 9 Maneuver, 80 Fuel, 1 Utility, 23 Staterooms, 5 Low Berths (20 cryotubes), 120 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

**Maintenance:** HT: 12, 38.2 man-hours per day, 0.1 MCr/yr  
**Economics:** Income: 9.24 MCr (passenger: 5.88 MCr, freight: 3.36 MCr), Expenses: 1.46 MCr (Fuel: 0.98 MCr, Berthing: 0.28 MCr, Maintenance: 0.13 MCr, Payroll: 0.07 MCr), Capital Cost: 3.96 MCr, Shipping Costs (per dton): 0.38 kCr per parsec, 0.77 kCr per jump, Net Profit: 3.82 MCr. Annual totals for a jump-2 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 238.9 tonnes, LMass 855.6 tonnes, Cost: 63.44 MCr, HP: 30,779, Size Mod: +8

**Performance:** Accel: 1.0 G (3.4 G empty, 0.3 G overloaded), Jump 2, 2,901 km/h (atm), 8,207 km/h (skim)



# Pelagros-class Luxury Liner (GTL 11)

Long distance travel in the Imperium takes time, even with jump-4 ships. In an effort to attract more passengers, some lines build luxurious ships. The *Pelagros* class is a typical example, with accommodations for 200 high passengers and ten suites for nobles and megacorporate executives, exercise rooms, a swimming pool, ample dining and meeting rooms, and enough theatres and holoventure zones to entertain even the most jaded passenger.

**Crew:** 4 bridge crew, 4 engineers, 20 stewards, 3 medics, 5 other crew

**Passengers:** 10 noble passengers, 200 high passengers, 100 low passengers

2,500 USL, DR 100, PD 4, Basic Bridge, Engineering, 125 Jump, 38 Maneuver, 1,000 Fuel, 5 Utility, 10 Suites, 219 Staterooms, 25 Low Berths (100 cryotubes), 5 Exercise Rooms, 3 Halls seating 300 people, 2 Theatres seating 200 people, Stage, 2 Holoventure Zones, Swimming Pool (36 m<sup>3</sup>

total), 3 Sickbays, Basic Security, Brig (2 prisoners), 2 Safes (22.7 m<sup>3</sup> capacity), 170 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Basic Bridge</i>	8,000,000	—	16,000,000	—
<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>	
<i>Basic Bridge</i>	480,000/38	1,600,000/41	32,000/31	

**Maintenance:** HT: 12, 116.5 man-hours per day, 0.6 MCr/yr  
**Economics:** Income: 226.94 MCr (passenger: 207.90 MCr, freight: 19.04 MCr), Expenses: 15.65 MCr (Fuel: 12.25 MCr, Berthing: 1.75 MCr, Maintenance: 1.18 MCr, Payroll: 0.47 MCr), Capital Cost: 36.82 MCr, Shipping Costs (per dton): 0.35 kCr per parsec, 1.41 kCr per jump, Net Profit: 174.48 MCr. Annual totals for a jump-4 express liner at full capacity making 35 jumps per year.

**Statistics:** EMass 1,666.6 tonnes, LMass 3,437.1 tonnes, Cost: 589.07 MCr, HP: 104,435, Size Mod: +10

**Performance:** Accel: 1.0 G (2.1 G empty, 0.5 G overloaded), Jump 4, 480 km/h (skim)

# Selonian-class Passenger Liner (GTL 11)

High-capacity liners, such as the *Therania* class, connect the far-flung reaches of the Imperium. Most world, however, are not on an express route—and most travellers' destinations are the world next door. Vessels like the *Selonian* class are a common sight along second-tier routes.

**Crew:** pilot, 2 engineers, 3 stewards, medic, 1 auxiliary crew

**Passengers:** 50 high passengers, 20 low passengers

900 USL, DR 100, PD 4, Basic Bridge, Engineering, 27 Jump, 30 Maneuver, 180 Fuel, 2 Utility, 55 Staterooms, 5 Low Berths (20 cryotubes), Sickbay, Hanger for *Marstrom* Launch with 1 Entrance, 394 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Basic Bridge</i>	8,000,000	—	16,000,000	—
<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>	
<i>Basic Bridge</i>	480,000/38	1,600,000/41	32,000/31	

**Maintenance:** HT: 12, 56.7 man-hours per day, 0.1 MCr/yr  
**Economics:** Income: 24.05 MCr (passenger: 13.57 MCr, freight: 10.48 MCr), Expenses: 3.22 MCr (Fuel: 2.20 MCr, Berthing: 0.63 MCr, Maintenance: 0.28 MCr, Payroll: 0.11 MCr), Capital Cost: 8.72 MCr, Shipping Costs (per dton): 0.29 kCr per parsec, 0.57 kCr per jump, Net Profit: 12.10 MCr. Annual totals for a jump-2 liner at 95% capacity making 35 jumps per year.

**Statistics:** EMass 516.9 tonnes, LMass 2,484.9 tonnes, Cost: 139.52 MCr (MCr142.63 fitted out), HP: 52,850, Size Mod: +9

**Performance:** Accel: 1.1 G (5.3 G empty, 0.3 G overloaded), Jump 2, 3,368 km/h (skim)

## Therania-class Luxury Liner (GTL 11)

The Imperium is large, and travelling across it takes months. While most Imperial subjects never leave their homeworlds, there are those with the need or inclination to travel, and many travellers will pay extra for comfortable accommodations. The *Therania* class was commissioned for long-haul, high capacity routes.

Passengers on a *Therania* are provided with a wide selection of amenities: exercise rooms, holoventure suites, theatres, even a swimming pool. Those able to afford stellar passage have larger quarters, their own personal steward, and preferential access to facilities.

The presence of so many wealthy passengers is a temptation to hijackers and kidnappers. Internal security is provided by a basic security system and 26 full-time security guards.

**Crew:** 5 bridge crew, 15 engineers, 115 stewards, 5 medics, 25 other crew, 26 security (officer, 25 enlisted)

**Passengers:** 100 noble passengers, 300 high passengers, 1,000 low passengers

10,000 USL, DR 100, PD 4, Basic Bridge, Engineering, 500 Jump, 250 Maneuver, 4,000 Fuel, 20 Utility, 100 Suites, 383 Staterooms, 250 Low Berths (1,000 cryotubes), Security Barracks (14 Staterooms), 3 Briefing Rooms (holds 30), Weapons Locker (1.8 tonnes capacity), 2 Gyms, 20 Exercise

Rooms, 6 Halls seating 600 people, 2 Theatres seating 200 people, 3 Stages, 10 Holoventure Zones, Swimming Pool (464 m<sup>3</sup> total), 5 Sickbays, Operating Theatre, Microsurgery Theatre, Basic Security, 10 Brigs (20 prisoners), Safe (11.3 m<sup>3</sup> capacity), 1,887 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

**Maintenance:** HT: 12, 236.7 man-hours per day, 2.4 MCr/yr

**Economics:** Income: 706.18 MCr (passenger: 505.40 MCr, freight: 200.78 MCr), Expenses: 63.04 MCr (Fuel: 49.00 MCr, Berthing: 7.00 MCr, Maintenance: 4.86 MCr, Payroll: 2.17 MCr), Capital Cost: 152.03 MCr, Shipping Costs (per dton): 0.38 kCr per parsec, 1.53 kCr per jump, Net Profit: 491.11 MCr. Annual totals for a jump-4 express liner at 95% capacity making 35 jumps per year.

**Statistics:** EMass 6,180.6 tonnes, LMass 19,522.6 tonnes, Cost: 2,432.47 MCr, HP: 263,161, Size Mod: +11

**Performance:** Accel: 1.2 G (3.7 G empty, 0.4 G overloaded), Jump 4, 5,516 km/h (skim)

## Trabatch-class Express Liner (GTL 11)

A bare-bones design from the Zhodani Consulate, the *Trabatch* express liner is only encountered on high-priority routes, where saving a few hours by landing directly on a world's surface is important.

**Crew:** 2 bridge crew, engineer, steward, medic

**Passengers:** 20 high passengers

600 SL, DR 100, PD 4, Basic Bridge with Psionic Switches, Engineering, 30 Jump, 20 Maneuver, 240 Fuel, 1 Utility, 23 Staterooms, Sickbay, 92.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

**Maintenance:** HT: 12, 59.0 man-hours per day, 0.2 MCr/yr

**Economics:** Income: 27.13 MCr (passenger: 17.29 MCr, freight: 9.84 MCr), Expenses: 3.72 MCr (Fuel: 2.94 MCr, Berthing: 0.42 MCr, Maintenance: 0.30 MCr, Payroll: 0.06 MCr), Capital Cost: 9.45 MCr, Shipping Costs (per dton): 0.55 kCr per parsec, 2.18 kCr per jump, Net Profit: 13.96 MCr. Annual totals for a jump-4 express liner at 95% capacity making 35 jumps per year.

**Statistics:** EMass 401.0 tonnes, LMass 1,038.1 tonnes, Cost: 151.24 MCr, HP: 40,332, Size Mod: +9

**Performance:** Accel: 1.7 G (4.5 G empty, 0.7 G overloaded), Jump 4, 3,779 km/h (atm), 10,688 km/h (skim)

# Tsenjia-class Freighter (GTL 11)

Reliable, efficient, and dull, *Tsenjia*-class freighters are a common sight in the Imperium—so common that they are effectively invisible to most travellers.

**Crew:** 3 bridge crew, engineer

2000-ton USL Hull, DR 100, PD 4, Bridge, Engineering, 82 Maneuver, 60 Jump, 400 Fuel, 2 Staterooms, 4 Utility, 1442.5 cargo

**Communicators:** Radio 3 million km, Laser 6 million km  
**Sensors:** PESA 48000 km, AESA 160000 km, Radscanner 3200 km

**Statistics:** EMass 1246.2 tonnes, LMass 7788.0 tonnes, Cost MCr 280.9, HP 90000

**Performance:** Accel 1.0 G (6.0 G empty, 0.2 G overloaded), Jump 2, Air Speed 960 km/h

# Wilberton-class Subsidized Merchant (GTL 11)

Moderately size, the *Wilberton* is assigned to trade routes in sparse regions of Solomani space, ensuring that even the smallest world is not cut off from civilization.

The design is notable for the 'streamlined' crew; only four to handle the entire ship. While theoretically possible, the stress of being solely responsible is wearing, and *Wilberton* crews are notorious for their high burnout rates.

**Crew:** pilot, engineer, steward, medic

**Passengers:** 20 high passengers, 28 low passengers

400 SL, DR 100, PD 4, Basic Bridge, Engineering, 8 Jump, 11 Maneuver, 40 Fuel, 1 Utility, 23 Staterooms, 7 Low Berths (28 cryotubes), Sickbay, 160 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31

**Maintenance:** HT: 12, 32.8 man-hours per day, 0.0 MCr/yr

**Economics:** Income: 5.24 MCr (passenger: 2.85 MCr, freight: 2.39 MCr), Expenses: 0.92 MCr (Fuel: 0.49 MCr, Berthing: 0.28 MCr, Maintenance: 0.09 MCr, Payroll: 0.06 MCr), Capital Cost: 2.92 MCr, Shipping Costs (per dton): 0.45 kCr per parsec, 0.45 kCr per jump, Net Profit: 1.39 MCr. Annual totals for a jump-1 liner at 95% capacity making 35 jumps per year.

**Statistics:** EMass 225.1 tonnes, LMass 987.0 tonnes, Cost: 46.79 MCr, HP: 30,779, Size Mod: +8

**Performance:** Accel: 1.0 G (4.4 G empty, 0.3 G overloaded), Jump 1, 3,208 km/h (atm), 9,074 km/h (skim)

# Zhdiechranj-class Liner (GTL 11)

The *Zhdiechranj* is a high-capacity liner, used to link outlying sectors with the capital. Unlike most Zhodani ships it is armed—mainly because many routes pass by the Vargr Extents.

**Crew:** 1 bridge crew, 1 engineer, 2 gunners, 2 stewards

**Passengers:** 40 high passengers

700 USL, DR 100, PD 4, Triple Sandcaster Turret, Triple 97 MJ PD Laser Turret, Basic Bridge with Psionic Switches, Engineering, 35 Jump, 17 Maneuver, 280 Fuel, 2 Utility, 44 Staterooms, 184.5 Cargo

Communicator Range	Radio	Maser	Laser	Meson
Basic Bridge:	8,000,000 km	—	16,000,000 km	—

Sensor Range/Scan	PESA	AESA	Radscanner
Basic Bridge:	480,000 km/38	1,600,000 km/41	32,000 km/31

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
97 MJ X-Ray Laser	Imp	31	5d x 40(2)	18,720 km	56,160 km	1/8

**Statistics:** EMass 510.3 tonnes, LMass 1,601.0 tonnes, Cost: 172.55 MCr, HP: 44,697, Size Mod: +9

**Performance:** Accel: 1.0 G (3.0 G empty, 0.3 G overloaded), Jump 4, 960 km/h

# Ampi-class Express Freighter (GTL 12)

A common sight on most Core-Fringe runs, the *Ampi* and her sister ships carry high-priority freight almost as fast as an Imperial Navy courier ship, commanding shipping charges to match. While not a passenger ship, five low berth modules are fitted; the cryotubes are usually used by service engineers sent along to install new Core technology.

In 1083 the *Swari*, an *Ampi*-class ship, won the coveted Mora Vintners' Trophy—given to the first commercial ship bringing the decade's new Terran wine to the Marches. Since then *Ampis* have established a reputation for fast delivery, no matter what the obstacles.

**Crew:** 3 bridge crew, 5 engineers, 2 gunners

**Passengers:** 20 low passengers

5,000 USL, DR 100, PD 4, Triple Sandcaster Turret, Triple 102 MJ PD Laser Turret, Basic Bridge, Engineering, 350 Jump, 100 Maneuver, 3,000 Fuel, 10 Utility, 8 Staterooms, 5 Low Berths (20 cryotubes), 1,500 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	16,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	2,400,000/42	160,000/35

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
102 MJ X-Ray Laser	Imp	31	5d x 50(2)	20,960 km	62,880 km	1/8

**Maintenance:** HT: 12, 193.8 man-hours per day, 1.6 MCr/yr

**Economics:** Income: 254.31 MCr (passenger: 2.31 MCr, freight: 252.00 MCr), Expenses: 43.64 MCr (Fuel: 36.75 MCr, Berthing: 3.50 MCr, Maintenance: 3.26 MCr, Payroll: 0.13 MCr), Capital Cost: 101.84 MCr, Shipping Costs (per dton): 0.46 kCr per parsec, 2.77 kCr per jump, Net Profit: 108.83 MCr. Annual totals for a jump-6 express liner at full capacity making 35 jumps per year.

**Statistics:** EMass 2,868.6 tonnes, LMass 12,392.1 tonnes, Cost: 1,629.44 MCr, HP: 165,781, Size Mod: +10

**Performance:** Accel: 0.7 G (3.2 G empty, 0.2 G overloaded), Jump 6

# Ariasa-class Subsidized Packet (GTL 12)

The express boat service may bind the Imperium together, but most worlds are not on an xboat route. Rather than rely on slow or haphazard merchant runs, some governments subsidize high-jump packets to ensure their timely access to news, and to encourage Imperial trade. Subsidized packets are invariably given a mail contract, and can often charge a premium for express delivery.

**Crew:** pilot, engineer, 2 gunners, steward

**Passengers:** 8 middle passengers, 4 low passengers

400 SL, DR 100, PD 4, Triple Sandcaster Turret, Triple 102 MJ PD Laser Turret, Basic Bridge, Engineering, 20 Jump, 10 Maneuver, 160 Fuel, 1 Utility, 7 Staterooms, Low Berth (4 cryotubes), 95 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	16,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	2,400,000/42	160,000/35

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
102 MJ X-Ray Laser	Imp	31	5d x 50(2)	20,960 km	62,880 km	1/8

**Maintenance:** HT: 12, 48.4 man-hours per day, 0.1 MCr/yr

**Economics:** Income: 17.11 MCr (passenger: 6.47 MCr, freight: 10.64 MCr), Expenses: 2.52 MCr (Fuel: 1.96 MCr, Berthing: 0.28 MCr, Maintenance: 0.20 MCr, Payroll: 0.07 MCr), Capital Cost: 6.36 MCr, Shipping Costs (per dton): 0.57 kCr per parsec, 2.27 kCr per jump, Net Profit: 8.23 MCr. Annual totals for a jump-4 express liner at full capacity making 35 jumps per year.

**Statistics:** EMass 265.0 tonnes, LMass 841.0 tonnes, Cost: 101.78 MCr, HP: 30,779, Size Mod: +8

**Performance:** Accel: 1.1 G (3.4 G empty, 0.4 G overloaded), Jump 4, 2,946 km/h (atm), 8,333 km/h (skim)

# Astron-class Express Trader (GTL12)

Following the express boat network, *Astron* traders cater to passengers in a hurry and cargo that can't wait. Low cargo space makes meeting payments is tough without speculative trading; startown jokers claim that *Astron* skippers are in as much of a hurry as their ships.

Tukera Lines operates a fleet of *Astron*-class Express Traders. Tukera skippers don't have to worry about making payments, but they take particular pride in arriving ahead of schedule. Tukera recruits former express-boat pilots, and on many runs there's a friendly rivalry between Tukera's express traders and the Scout Services express boats.

**Crew:** 2 bridge crew, engineer, 2 stewards, 2 gunners (if weapons installed)

**Passengers:** 24 high passengers, 12 low passengers

400 USL, DR 100, PD 4, 2 Empty Turrets, Basic Bridge, Engineering, 20 Jump, 10 Maneuver, 160 Fuel, 1 Utility, 28 Staterooms, 3 Low Berths (12 cryotubes), 90 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Basic Bridge</i>	8,000,000	—	16,000,000	16,000
<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>	
<i>Basic Bridge</i>	480,000/38	2,400,000/42	160,000/35	

**Maintenance:** HT: 12, 47.8 man-hours per day, 0.1 MCr/yr

**Economics:** Income: 19.41 MCr (passenger: 8.61 MCr, freight: 10.80 MCr), Expenses: 1.87 MCr (Fuel: 1.40 MCr, Berthing: 0.20 MCr, Maintenance: 0.20 MCr, Payroll: 0.07 MCr), Capital Cost: 6.20 MCr, Shipping Costs (per dton): 0.43 kCr per parsec, 1.72 kCr per jump, Net Profit: 11.33 MCr. Annual totals for a jump-4 free trader at full capacity making 25 jumps per year.

**Statistics:** EMass 279.1 tonnes, LMass 832.4 tonnes, Cost: 99.24 MCr, HP: 30,779, Size Mod: +8

**Performance:** Accel: 1.1 G (3.2 G empty, 0.4 G overloaded), Jump 4, 2,390 km/h (skim)

# Belasmon-class Liner (GTL12)

An updated version of the popular *Tedoaraq*-class liner, the *Belasmon*-class is proving to be a best-seller for Bilstein Yards. The latest high-efficiency thrusters leave more space for the hold; other than that the two classes are identical. A streamlined hull permits on-planet loading (popular on the Imperial Fringe), while four hardpoints allow adequate protective weaponry to be installed if necessary.

**Crew:** 4 bridge crew, engineer, 3 gunners, 2 stewards, medic

**Passengers:** 36 high passengers, 24 low passengers

600 SL, DR 100, PD 4, 4 Empty Turrets, Basic Bridge, Engineering, 18 Jump, 13 Maneuver, 120 Fuel, 1 Utility, 42 Staterooms, 6 Low Berths (24 cryotubes), Sickbay, 148.5 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Basic Bridge</i>	8,000,000	—	16,000,000	16,000

<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>
<i>Basic Bridge</i>	480,000/38	2,400,000/42	160,000/35

**Maintenance:** HT: 12, 46.1 man-hours per day, 0.1 MCr/yr

**Economics:** Income: 14.57 MCr (passenger: 10.42 MCr, freight: 4.16 MCr), Expenses: 2.22 MCr (Fuel: 1.47 MCr, Berthing: 0.42 MCr, Maintenance: 0.18 MCr, Payroll: 0.14 MCr), Capital Cost: 5.78 MCr, Shipping Costs (per dton): 0.39 kCr per parsec, 0.77 kCr per jump, Net Profit: 6.58 MCr. Annual totals for a jump-2 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 321.6 tonnes, LMass 1,103.8 tonnes, Cost: 92.44 MCr, HP: 40,332, Size Mod: +9

**Performance:** Accel: 1.1 G (3.7 G empty, 0.3 G overloaded), Jump 2, 2,880 km/h (atm), 8,146 km/h (skim)



# Empress Nicole-class Cruise Liner (GTL12)

Pride of Meladin Lines, upstart competitor to Tukera Lines, the *Empress Nicole* and her sister-ships travel the Core-Fringe run. Rather than competing based on connections, Meladin bills its ships as more luxurious than Tukera's. While the *Empress Nicole*-class is luxuriously appointed, recent passengers have noted that personal service is highly variable, leading some analysts to speculate that Meladin's increasingly youthful stewards are due to financial difficulties.

**Crew:** 5 bridge crew, 3 engineers, 20 stewards, 3 medics, 8 auxiliary crew, 9 other crew

**Passengers:** 10 noble passengers, 200 high passengers, 40 low passengers

3,000 USL, DR 100, PD 4, Basic Bridge, Engineering, 150 Jump, 61 Maneuver, 1,200 Fuel, 6 Utility, 10 Suites, 224 Staterooms, 10 Low Berths (40 cryotubes), 10 Exercise Rooms, 3 Halls seating 300 people, Theatre seating 100 people, Stage, 5 Holoventure Zones, Swimming Pool (92 m<sup>3</sup>)

total), 3 Sickbays, Hanger for 4 Gigs with 1 Entrance, 133.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	16,000
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	2,400,000/42	160,000/35	

**Maintenance:** HT: 12, 128.1 man-hours per day, 0.7 MCr/yr  
**Economics:** Income: 218.23 MCr (passenger: 203.28 MCr, freight: 14.95 MCr), Expenses: 18.85 MCr (Fuel: 14.70 MCr, Berthing: 2.10 MCr, Maintenance: 1.42 MCr, Payroll: 0.62 MCr), Capital Cost: 44.51 MCr, Shipping Costs (per dton): 0.44 kCr per parsec, 1.78 kCr per jump, Net Profit: 154.87 MCr. Annual totals for a jump-4 express liner at full capacity making 35 jumps per year.

**Statistics:** EMass 1,826.9 tonnes, LMass 4,034.5 tonnes, Cost: 712.21 MCr (MCr734.17 fitted out), HP: 117,933, Size Mod: +10

**Performance:** Accel: 1.4 G (3.0 G empty, 0.9 G overloaded), Jump 4, 5,680 km/h (skim)

# Furgal-class Blockade Runner (GTL12)

Built to look like the ubiquitous *Bargam*-class trader, the *Furgal* incorporates high-efficiency GTL12 thrusters for better acceleration, advanced stealthing for concealed approaches, and 10 dtons of concealed and shielded compartments scattered throughout the ship.

**Crew:** 3 bridge crew, 1 engineer, 1 steward

**Passengers:** 4 middle passengers, 12 low passengers

200 SL, DR 100, PD 4, 2 Empty Turrets, Radical Stealth, Radical Emission Cloaking, Basic Bridge, Engineering, 4 Jump, 17 Maneuver, 20 Fuel, 1 Fuel Processor (2.5 hrs), 1 Utility, 5 Staterooms, 3 Low Berths (12 cryotubes), 80 Cargo, 10 Concealed Cargo (-8 to spot)

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	2,400,000/42	160,000/35

**Maintenance:** HT: 12, 35.8 man-hours per day, 0.06 MCr/yr  
**Economics:** Income: 1.63 MCr (passenger: 0.23 MCr, freight: 1.40 MCr), Expenses: 0.36 MCr (Fuel: 0.18 MCr, Maintenance: 0.11 MCr, Payroll: 0.07 MCr), Net Profit: 1.27 MCr. Annual totals for a jump-1 free trader at full capacity making 25 jumps per year.

**Statistics:** EMass 163.6 tonnes, LMass 589.9 tonnes, Cost: 55.52 MCr, HP: 19,389, Size Mod: +8

**Performance:** Accel: 2.6 G (9.4 G empty, 0.7 G overloaded), Jump 1, 4,740 km/h (atm), 13,407 km/h (skim)

# Komar-class Free Trader (GTL12)

While uncommon in the Imperium, some merchants are run by families. The *Komar*-class of free trader is such a ship. Although larger (and more expensive) than the average free trader, it has extra recreation space to allow the crew (usually an extended family) to raise children.

**Crew:** 5 bridge crew, engineer, 6 gunners, 2 stewards, medic

**Passengers:** 36 high passengers, 24 low passengers

600 SL, DR 100, PD 4, 6 Empty Turrets, Basic Bridge, Engineering, 18 Jump, 11 Maneuver, 120 Fuel, 1 Utility, 51 Staterooms, 6 Low Berths (24 cryotubes), Exercise Room, Hall seating 100 people, Sickbay, 100 Cargo

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	2,400,000/42	160,000/35

**Maintenance:** HT: 12, 45.9 man-hours per day, 0.1 MCr/yr  
**Economics:** Income: 9.76 MCr (passenger: 6.51 MCr, freight: 3.25 MCr), Expenses: 1.72 MCr (Fuel: 1.05 MCr, Berthing: 0.30 MCr, Maintenance: 0.18 MCr, Payroll: 0.19 MCr), Capital Cost: 5.72 MCr, Shipping Costs (per dton): 0.60 kCr per parsec, 1.21 kCr per jump, Net Profit: 2.31 MCr. Annual totals for a jump-2 free trader at full capacity making 25 jumps per year.

**Statistics:** EMass 334.9 tonnes, LMass 897.2 tonnes, Cost: 91.48 MCr, HP: 40,332, Size Mod: +9

**Performance:** Accel: 1.1 G (3.0 G empty, 0.4 G overloaded), Jump 2, 2,581 km/h (atm), 7,301 km/h (skim)

# Luusitar-class Subsidized Liner (GTL12)

Paralleling the xboat network, *Luusitar*-class liners provide fast, comfortable transport for the citizens of the Third Imperium. They are rarely armed—the Navy protects the xboat routes—but are equipped with four turrets, which may be mounted with weaponry as necessary.

*Crew:* pilot, engineer, 3 stewards, medic, 1 auxiliary crew

*Passengers:* 50 high passengers, 20 low passengers

800 USL, DR 100, PD 4, 4 Empty Turrets, Basic Bridge, Engineering, 41 Jump, 20 Maneuver, 328 Fuel, 2 Utility, 54 Staterooms, 5 Low Berths (20 cryotubes), Sickbay, 1 Cradle for Gig, 181 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Basic Bridge</i>	8,000,000	—	16,000,000	16,000
<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>	
<i>Basic Bridge</i>	480,000/38	2,400,000/42	160,000/35	

*Maintenance:* HT: 12, 67.7 man-hours per day, 0.2 MCr/yr

*Economics:* Income: 67.31 MCr (passenger: 47.04 MCr, freight: 20.27 MCr), Expenses: 5.07 MCr (Fuel: 4.02 MCr, Berthing: 0.56 MCr, Maintenance: 0.40 MCr, Payroll: 0.10 MCr), Capital Cost: 12.45 MCr, Shipping Costs (per dton): 0.33 kCr per parsec, 1.31 kCr per jump, Net Profit: 49.79 MCr. Annual totals for a jump-4 express liner at full capacity making 35 jumps per year.

**Statistics:** EMass 535.9 tonnes, LMass 1,724.9 tonnes, Cost: 199.15 MCr (MCr204.64 fitted out), HP: 48,859, Size Mod: +9

**Performance:** Accel: 1.1 G (3.4 G empty, 0.4 G overloaded), Jump 4, 2,053 km/h (skim)

# Luustani-class Liner (GTL12)

Plying the established routes of the Imperial Core, *Luustani*-class liners operate almost exclusively on high-capacity runs between major worlds. Their 200 passengers are well cared for by eleven stewards, with a spacious hall and theatre for dining and entertainment, and a swimming pool for gentle exercise.

Although the *Luustani* class is armed, its six turrets are not really enough to ensure safety. They do, however, provide a sense of security to the liner's often wealthy clientele.

*Crew:* pilot, 2 engineers, 4 gunners, 10 stewards, 2 medics, 2 other crew

*Passengers:* 200 high passengers, 40 low passengers

2,000 USL, DR 100, PD 4, 2 Triple Sandcaster Turrets, 2 Triple 405 MJ Laser Turrets, 2 Triple 102 MJ PD Laser Turrets, Basic Bridge, Engineering, 100 Jump, 32 Maneuver, 800 Fuel, 4 Utility, 211 Staterooms, 10 Low Berths (40 cryotubes), 5 Exercise Rooms, Hall seating 100 people, Theatre seating 100 people, Stage, Swimming Pool (100 s.f. total), 2 Sickbays, 114 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Basic Bridge</i>	8,000,000	—	16,000,000	16,000
<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>	
<i>Basic Bridge</i>	480,000/38	2,400,000/42	160,000/35	

<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
405 MJ X-Ray Laser	Imp	33	5d x 100(2)	41,653 km	124,960 km	1/60
102 MJ X-Ray Laser	Imp	31	5d x 50(2)	20,960 km	62,880 km	1/8

*Maintenance:* HT: 12, 104.7 man-hours per day, 0.5 MCr/yr

*Economics:* Income: 197.85 MCr (passenger: 185.08 MCr, freight: 12.77 MCr), Expenses: 12.43 MCr (Fuel: 9.80 MCr, Berthing: 1.40 MCr, Maintenance: 0.95 MCr, Payroll: 0.28 MCr), Capital Cost: 29.73 MCr, Shipping Costs (per dton): 0.33 kCr per parsec, 1.31 kCr per jump, Net Profit: 155.69 MCr. Annual totals for a jump-4 express liner at full capacity making 35 jumps per year.

**Statistics:** EMass 1,407.9 tonnes, LMass 2,766.1 tonnes, Cost: 475.65 MCr, HP: 90,000, Size Mod: +10

**Performance:** Accel: 1.0 G (2.1 G empty, 0.6 G overloaded), Jump 4, 1,887 km/h (skim)

# Mauripo-class Subsidized Merchant (GTL12)

A common trader throughout the Imperium, the *Mauripo* is one of GSbAG's most successful designs. Carrying a good mix of passengers and freight, and with the capability of adding up to 24 weapons for protection, this class is popular with governments and owners alike.

**Crew:** 2 bridge crew, engineer, 2 stewards, medic

**Passengers:** 20 high passengers, 6 middle passengers (if no gunners carried), 12 low passengers

600 SL, DR 100, PD 4, 6 Empty Turrets, Basic Bridge, Engineering, 18 Jump, 15 Maneuver, 120 Fuel, 1 Utility, 27 Staterooms, 3 Low Berths (12 cryotubes), Sickbay, 206 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	16,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	2,400,000/42	160,000/35

**Maintenance:** HT: 12, 46.3 man-hours per day, 0.1 MCr/yr

**Economics:** Income: 12.38 MCr (passenger: 6.61 MCr, freight: 5.77 MCr), Expenses: 2.16 MCr (Fuel: 1.47 MCr, Berthing: 0.42 MCr, Maintenance: 0.19 MCr, Payroll: 0.08 MCr), Capital Cost: 5.82 MCr, Shipping Costs (per dton): 0.38 kCr per parsec, 0.76 kCr per jump, Net Profit: 4.40 MCr. Annual totals for a jump-2 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 299.8 tonnes, LMass 1,342.9 tonnes, Cost: 93.13 MCr, HP: 40,332, Size Mod: +9

**Performance:** Accel: 1.0 G (4.5 G empty, 0.3 G overloaded), Jump 2, 3,014 km/h (atm), 8,526 km/h (skim)

# Permain-class Freighter (GTL12)

Found only in safe, high-density clusters of developed worlds, *Permain* class freighters are rarely seen outside the Imperial Core. These freighters usually run fixed routes, often shuttling between two neighbouring worlds. Serving on a *Permain*-class freighter is predictable, boring work, often chosen by married spacers. With sub-G acceleration and no weapons, the crew's only options when attacked are either surrendering or dumping their cargo and fleeing—neither a palatable choice.

**Crew:** 3 bridge crew, engineer

2,000 USL, DR 100, PD 4, Basic Bridge, Engineering, 40 Jump, 50 Maneuver, 200 Fuel, 4 Utility, 3 Staterooms, 1,690.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	16,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	2,400,000/42	160,000/35

**Maintenance:** HT: 12, 67.1 man-hours per day, 0.2 MCr/yr

**Economics:** Freight Income: 26.63 MCr, Expenses: 4.30 MCr (Fuel: 2.45 MCr, Berthing: 1.40 MCr, Maintenance: 0.39 MCr, Payroll: 0.06 MCr), Capital Cost: 12.20 MCr, Shipping Costs (per dton): 0.28 kCr per parsec, 0.28 kCr per jump, Net Profit: 10.12 MCr. Annual totals for a jump-1 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 574.0 tonnes, LMass 8,421.9 tonnes, Cost: 195.24 MCr, HP: 90,000, Size Mod: +10

**Performance:** Accel: 0.5 G (7.9 G empty, 0.1 G overloaded), Jump 1

# Selanai-class Armed Liner (GTL12)

While the Imperial Navy keeps the peace in the Core, the Frontiers can be dangerous places. *Selanai*-class liners are better-equipped than most merchants, with decent armament and military-grade sensors.

**Crew:** 3 bridge crew, engineer, 5 gunners, 2 stewards, 1 auxiliary crew

**Passengers:** 24 high passengers

1,200 USL, DR 100, PD 4, 4 Triple Sandcaster Turrets, 2 Triple 102 MJ PD Laser Turrets, Command Bridge, Engineering, 37 Jump, 50 Maneuver, 242 Fuel, 3 Utility, 31 Staterooms, 1 Bay for *Tralsa* Gig, 711 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	16,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	1,600,000/41	3,200,000/43	480,000/38

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
102 MJ X-Ray Laser	Imp	31	5d x 50(2)	20,960 km	62,880 km	1/8

**Maintenance:** HT: 12, 68.3 man-hours per day, 0.2 MCr/yr

**Economics:** Income: 26.63 MCr (passenger: 6.72 MCr, freight: 19.91 MCr), Expenses: 4.37 MCr (Fuel: 2.96 MCr, Berthing: 0.84 MCr, Maintenance: 0.41 MCr, Payroll: 0.16 MCr), Capital Cost: 12.66 MCr, Shipping Costs (per dton): 0.30 kCr per parsec, 0.60 kCr per jump, Net Profit: 9.60 MCr. Annual totals for a jump-2 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 680.4 tonnes, LMass 4,193.5 tonnes, Cost: 202.53 MCr (MCr206.03 fitted out), HP: 64,024, Size Mod: +9

**Performance:** Accel: 1.1 G (6.7 G empty, 0.3 G overloaded), Jump 2, 3,490 km/h (skim)

# Toves-class Bulk Freighter (GTL12)

Toves-class freighters are very rare. They are usually owned by high-population worlds, who use them to bring in food and raw materials—few other organizations need a freighter with this capacity. Toves are too slow to be worth arming; instead, they are invariably escorted by a small naval squadron on anti-piracy duty.

**Crew:** 3 bridge crew, 5 engineers

10,000 USL, DR 100, PD 4, Basic Bridge, Engineering, 200 Jump, 300 Maneuver, 1,000 Fuel, 20 Utility, 8 Staterooms, 8,444.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	16,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	2,400,000/42	160,000/35

**Maintenance:** HT: 12, 150.7 man-hours per day, 1.0 MCr/yr  
**Economics:** Freight Income: 133.00 MCr, Expenses: 21.33 MCr (Fuel: 12.25 MCr, Berthing: 7.00 MCr, Maintenance: 1.97 MCr, Payroll: 0.11 MCr), Capital Cost: 61.65 MCr, Shipping Costs (per dton): 0.28 kCr per parsec, 0.28 kCr per jump, Net Profit: 50.02 MCr. Annual totals for a jump-1 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 2,716.9 tonnes, LMass 41,919.7 tonnes, Cost: 986.34 MCr, HP: 263,161, Size Mod: +11

**Performance:** Accel: 0.6 G (10.0 G empty, 0.1 G overloaded), Jump 1

# Vanderpelt-class Luxury Liner (GTL12)

Evoking a bygone era, the Vanderpelt liners are richly appointed with all manner of luxurious fittings. The highlight of the ship is its spacious dinner theatre, where passengers can eat in congenial surroundings, entertained by live theatre.

**Crew:** 3 bridge crew, engineer, 6 gunners, 7 stewards, medic, 2 auxiliary crew, 1 other crew

**Passengers:** 4 noble passengers, 60 high passengers

1,200 SL, DR 100, PD 4, 4 Triple Sandcaster Turrets, 4 Triple 405 MJ Laser Turrets, 4 Triple 102 MJ PD Laser Turrets, Basic Bridge, Engineering, 48 Jump, 23 Maneuver, 360 Fuel, 2 Utility, 4 Suites, 71 Staterooms, Hall seating 100 people, Stage, Swimming Pool (500 s.f. total), Sickbay, Hanger for Gig with 1 Entrance, 97.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	16,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	2,400,000/42	160,000/35

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
405 MJ X-Ray Laser	Imp	33	5d x 100(2)	41,653 km	124,960 km	1/60
102 MJ X-Ray Laser	Imp	31	5d x 50(2)	20,960 km	62,880 km	1/8

**Maintenance:** HT: 12, 75.4 man-hours per day, 0.2 MCr/yr  
**Economics:** Income: 32.65 MCr (passenger: 28.56 MCr, freight: 4.09 MCr), Expenses: 6.02 MCr (Fuel: 4.41 MCr, Berthing: 0.84 MCr, Maintenance: 0.49 MCr, Payroll: 0.28 MCr), Capital Cost: 15.41 MCr, Shipping Costs (per dton): 0.55 kCr per parsec, 1.66 kCr per jump, Net Profit: 11.22 MCr. Annual totals for a jump-3 liner at full capacity making 35 jumps per year.

**Statistics:** EMass 846.5 tonnes, LMass 1,801.5 tonnes, Cost: 246.62 MCr (MCr252.11 fitted out), HP: 64,024, Size Mod: +9

**Performance:** Accel: 1.2 G (2.5 G empty, 0.6 G overloaded), Jump 3, 2,906 km/h (atm), 8,220 km/h (skim)

---

---

# Scouts, Couriers, & Lab Ships

---

*Humans are curious. They are forever poking their noses into strange corners to scent what's there. And behind these curious monkeys are others, spying on them and running to tell the pack leader the news. Very strange people, I tell you.*

*Can you believe entire starships built for nothing but satisfying curiosity or carrying tales? It's true!*

— Gverrhaz, Vargr Diplomat

---

The starship in this section are designed to acquire or transmit information. Some are civilian research vessels, others are merchant scouts, but all specialize in information rather than fighting or cargo handling.

---

## Flinton-class Scout (GTL9)

Leaders in the Vilani Imperium needed only to look in an atlas to determine what lay within their borders. The rulers of the Terran Federation, and later the Rule of Man, had no such luxury, and dispatched scouts like the *Flinton* to survey their conquests.

**Crew:** 5 bridge crew, 3 engineers, medic, 7 technicians

200 SL, DR 100, PD 4, Basic Bridge, Enhanced Sensor, Probe Centre, Engineering, 6 Jump, 10 Maneuver, 40 Fuel, Workshop, 1 Utility, 9 Staterooms, Sickbay, 2 Labs (1 Standard, 1 Isolation), Hanger for Vehicle, 20.5 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Basic Bridge</i>	8,000,000	—	16,000,000	—
<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>	
<i>Basic Bridge</i>	240,000/36	1,600,000/41	32,000/31	
<i>Enhanced Sensor</i>	1,600,000/41	3,200,000/43	72,000/33	

**Maintenance:** HT: 12, 50.6 man-hours per day, 0.1 MCr/yr

**Statistics:** EMass 398.4 tonnes, LMass 532.7 tonnes, Cost: 110.93 MCr, HP: 19,389, Size Mod: +8

**Performance:** Accel: 0.09 G (0.12 G empty, 0.05 G overloaded), Jump 2, 878 km/h (atm), 2,485 km/h (skim)

---

## Maynard-class Interstellar Scout (GTL9)

A long-range exploration vessel, the *Maynard* was designed before Terra realized how widespread the Vilani Empire was. Although equipped with three 40 MJ laser for meteor defense, the scoutship was essentially unarmed, unarmoured, and too slow to run from a fight. The exigencies of combat force the Terran High Command to use the *Maynard* as advanced scouts: probing ahead of advancing fleets and jumping back with reports of the next system—or failing to report back, which was itself valuable data.

The *Maynard* class is most known through the holovid series *Khan of the Federation*, historical dramas set during the early Interstellar Wars (the authors are deliberately vague about which Interstellar War). While Captain Franklin Khan and the TNS *Fraser* did exist, very little else is historically accurate—which does not stop countless Solomani school children from treating the series as a documentary!

**Crew:** 11 bridge crew, 3 engineers, gunner, medic

400 DSP (78-dton subhull), DR 100 (DR 100 on subhull), PD 4, Triple 40 MJ PD Laser Turret, Basic Bridge, Information Centre, Enhanced Sensor, 2 Engineering, 12 Jump, 5 Fusion Rocket, 240 Fuel, 70 Water (15.0 hrs), 1 Utility, 9 Staterooms, Sickbay, 5 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Basic Bridge</i>	8,000,000	—	16,000,000	—
<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>	
<i>Basic Bridge</i>	240,000/36	1,600,000/41	32,000/31	
<i>Enhanced Sensor</i>	1,600,000/41	3,200,000/43	72,000/33	

<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
<i>40 MJ Rainbow Laser</i>	Imp	30	5d x 20	23,296 km	43,680 km	1/15

**Maintenance:** HT: 12, 63.6 man-hours per day, 0.2 MCr/yr

**Statistics:** EMass 391.1 tonnes, LMass 631.5 tonnes, Cost: 175.70 MCr, HP: 30,779, Size Mod: +8

**Performance:** Accel: 0.6 G (0.9 G empty, 0.5 G overloaded), Jump 2

---



---

# Kagarin-class Exploratory Trader (GTL 10)

After the fall of the Vilani Imperium and the establishment of the Rule of Man, Terran merchants fanned across the occupied territories, looking for markets and trade goods. Starships like the *Kagarin* class were purpose-built to survey, land, and trade for high-value, low-bulk commodities.

With enough fuel for two consecutive jumps, a fuel refinery, workshop, labs, good medical facilities, and provision for eight turrets, the *Kagarin* was well equipped for extended voyages.

**Crew:** 6 bridge crew, 2 engineers, 5 gunners, medic, 10 technicians, 2 auxiliary crew

800 SL, DR 100, PD 4, Triple Missile Turret (Light), Triple Sandcaster Turret, 2 Triple 250 MJ Laser Turrets, 2 Triple 90 MJ PD Laser Turrets, 2 Single 810 MJ Laser Turrets, Hardened Basic Bridge, Enhanced Sensor, Engineering, 24 Jump, 50 Maneuver, 320 Fuel, 3 Fuel Processors (13.3 hrs), 2 Workshops, 2 Utility, 13 Staterooms, 2 Exercise Rooms, Hall seating 100 people, Sickbay, Operating Theatre, 4 Labs (2

Standard, 1 Isolation, 1 Simulation) with enhanced displays, Armoury (1.8 tonnes capacity), Basic Security, 2 Bays for *Xenos* Fast Launches, 90 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>		
<i>Basic Bridge</i>	8,000,000	—	16,000,000	—		
<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>			
<i>Basic Bridge</i>	480,000/38	1,600,000/41	32,000/31			
<i>Enhanced Sensor</i>	3,200,000/43	7,200,000/45	320,000/37			
<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
<i>250 MJ X-Ray Laser</i>	Imp	32	5d x 50(2)	43,605 km	81,760 km	1/60
<i>90 MJ X-Ray Laser</i>	Imp	30	5d x 30(2)	26,368 km	49,440 km	1/8
<i>810 MJ X-Ray Laser</i>	Imp	33	6d x 75(2)	64,000 km	120,000 km	1/60

**Maintenance:** HT: 12, 70.2 man-hours per day, 0.2 MCr/yr

**Statistics:** EMass 943.8 tonnes, LMass 1,729.2 tonnes, Cost: 213.90 MCr (MCr229.67 fitted out), HP: 48,859, Size Mod: +9

**Performance:** Accel: 1.0 G (1.9 G empty, 0.5 G overloaded), Jump 2, 3,138 km/h (atm), 8,878 km/h (skim)

---

# Malthus-class Lab Ship (GTL 10)

While not usually encountered, the *Malthus* is the most common Solomani scientific starship. Extensive laboratory space and spacious accommodations (by Solomani standards) make the *Malthus* popular with scientists.

**Crew:** 2 bridge crew, engineer, medic, 22 technicians, 4 auxiliary crew

400 USL, DR 100, PD 4, Basic Bridge, Engineering, 12 Jump, 27 Maneuver, 80 Fuel, Workshop, 1 Utility, 16 Staterooms, Sickbay, 22 Labs (18 Standard, 1 Isolation, 1 Physics, 1 Simulation, 1 Computer) with enhanced displays, Hanger for 2 Gigs with 1 Entrance, 9.5 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Basic Bridge</i>	8,000,000	—	16,000,000	—
<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>	
<i>Basic Bridge</i>	480,000/38	1,600,000/41	32,000/31	

**Maintenance:** HT: 12, 111.9 man-hours per day, 0.5 MCr/yr

**Statistics:** EMass 613.3 tonnes, LMass 870.2 tonnes, Cost: 543.26 MCr (MCr554.24 fitted out), HP: 30,779, Size Mod: +8

**Performance:** Accel: 1.1 G (1.6 G empty, 0.9 G overloaded), Jump 2, 3,004 km/h (skim)

---

# Nostrii-class Science Scout (GTL 10)

Cosy yet well-equipped, the *Nostrii* is employed by the Imperial Scout Service and many universities as a base for small research projects. In unsafe regions the passenger's stateroom is given to a gunner.

**Crew:** pilot, engineer, 2 scientists

**Passengers:** 1 passenger or gunner, 4 low passengers

100 SL, DR 100, PD 4, Empty Turret, Basic Bridge, Engineering, 4 Jump, 7 Maneuver, 30 Fuel, Fuel Processor (3.8 hrs), 1 Utility, 5 Staterooms, Low Berth (4 cryotubes), 2 Labs, Hanger for Air/Raft with 1 Entrance, 7.2 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Basic Bridge</i>	8,000,000	—	16,000,000	—
<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>	
<i>Basic Bridge</i>	480,000/38	1,600,000/41	32,000/31	

**Maintenance:** HT: 12, 25.3 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 147.6 tonnes, LMass 214.4 tonnes, Cost: 27.69 MCr (MCr27.74 fitted out), HP: 12,214, Size Mod: +7

**Performance:** Accel: 1.2 G (1.7 G empty, 0.7 G overloaded), Jump 3, 2,451 km/h (atm), 6,934 km/h (skim)

# Oskrip-class Droyne Scout (GTL 10)

Capable of being operated by a single Droyne—usually a sport—the *Oskrip* is none-the-less fitted to support an entire *kroyloss* if necessary.

The *Oskrip* is more of an example than a class: Droyne starships are almost invariably handmade, thus ships with the same specifications can differ considerably in layout and appearance.

**Crew:** pilot, engineer, gunner, technician

100 SL, DR 100, PD 4, Triple 250 MJ Laser Turret, Basic Bridge, Enhanced Sensor, Engineering, 3 Jump, 19 Maneuver, 20 Fuel, 1 Utility, Nest, Lab, 1 Bay for Air/Raft, 14.1 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31
Enhanced Sensor	3,200,000/43	3,200,000/43	320,000/37

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60

**Maintenance:** HT: 12, 36.6 man-hours per day, 0.1 MCr/yr

**Statistics:** EMass 220.9 tonnes, LMass 307.9 tonnes, Cost: 58.19 MCr (MCr58.25 fitted out), HP: 12,214, Size Mod: +7

**Performance:** Accel: 2.2 G (3.1 G empty, 1.2 G overloaded), Jump 2, 4,039 km/h (atm), 11,424 km/h (skim)

# Otter-class Survey Scout (GTL 10)

Like the Imperium, the Solomani Confederation continually resurveys its territory to maintain navigation charts and beacon—and incidentally to keep an eye on what its member worlds are doing. The *Otter* is the standard survey scout. Like many Solomani ships, it is designed to be armed and used as an auxiliary in the event of war.

**Crew:** 6 bridge crew, engineer, medic, 2 technicians, 1 gunner (if weapons carried)

200 SL, DR 100, PD 4, 2 Empty Turrets, Hardened Basic Bridge, Enhanced Sensor, Probe Centre, Engineering, 7 Jump, 20 Maneuver, 40 Fuel, 3 Fuel Processors (1.7 hrs), Workshop,

1 Utility, 7 Staterooms, Sickbay, Lab with enhanced displays, 1 Bay for Launch, 32 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—


Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31
Enhanced Sensor	3,200,000/43	4,800,000/44	320,000/37

**Maintenance:** HT: 12, 42.5 man-hours per day, 0.1 MCr/yr

**Statistics:** EMass 281.8 tonnes, LMass 495.9 tonnes, Cost: 78.40 MCr (MCr82.00 fitted out), HP: 19,389, Size Mod: +8

**Performance:** Accel: 1.5 G (2.6 G empty, 0.7 G overloaded), Jump 2, 3,251 km/h (atm), 9,197 km/h (skim)

# Polo-class Merchant Scout (GTL 10)



## Deckplan 6: *Polo*-class Merchant Scout

The *Polo*-class is a pocket trade pioneer, combining both exploration and trade. An enhanced sensor array and lab provide excellent investigatory abilities, while the gig enables away missions. A collapsible fuel tank permits a 2 parsec jump on an empty hold, allowing the *Polo* to visit more distant worlds.

**Crew:** 5 bridge crew, 2 engineers, 4 gunners, medic, technician, 1 auxiliary crew

400 SL, DR 100, PD 4, Triple Missile Turret (Light), Triple Sandcaster Turret, Triple 250 MJ Laser Turret, Triple 90 MJ PD Laser Turret, Basic Stealth, Basic Emission Cloaking, Basic Bridge, Enhanced Sensor, Engineering, 16 Jump, 30 Maneuver, 120 Fuel, Collapsible Fuel Tank holding 81-dtons fuel, Fuel Processor (15.0 hrs), Workshop, 1 Utility, 8 Staterooms, Sickbay, Lab, 1 Bay for Gig, 81 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	
Enhanced Sensor	3,200,000/43	4,800,000/44	320,000/37	

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	16,480 km	49,440 km	1/8

**Maintenance:** HT: 12, 54.0 man-hours per day, 0.1 MCr/yr

**Statistics:** EMass 486.0 tonnes, LMass 1,066.3 tonnes, Cost: 126.54 MCr (MCr140.89 fitted out), HP: 30,779, Size Mod: +8

**Performance:** Accel: 1.0 G (2.2 G empty, 0.4 G overloaded), Jump 3, 3,116 km/h (atm), 8,815 km/h (skim)

# Tête Jaune-class Survey Ship (GTL 10)

A common survey vessel in the Solomani Confederation, examples of the *Tête Jaune* class are also found in private hands in the Third Imperium. Surface transport and investigation are provided by a modular cutter equipped with a lab module and ATV cradle.

**Crew:** 3 bridge crew, engineer, 2 medics, 1 auxiliary crew, 2 scientists

300-ton USL Hull, DR 100, PD 4, Hardened Command Bridge, Engineering, 32 Maneuver, 12 Jump, 90 Fuel, 5 Staterooms, 1 Utility, 2 Vehicle Bays (Modular Cutter, ATV

Cradle), Sickbay, 2 Lab Modules, Logistics Module, Probe Module, Survey Module, 35 cargo

**Communicators:** Radio 8 million km, Laser 16 million km, Meson 0.2 million km

**Sensors:** PESA 80000 km, AESA 240000 km, Radscanner 6400 km

**Statistics:** EMass 636.8 tonnes, LMass 1112.8 tonnes, Cost MCr 91.4, HP 30000

**Performance:** Accel 1.0 G (1.8 G empty, 0.7 G overloaded), Jump 3, Air Speed 960 km/h

# Xeer'rr-class Courier (GTL 10)

One of the smallest K'kree ships in existence, the *Xeer'rr* courier is manned by a small crew and their immediate family. Duty on a *Xeer'rr* is unpleasant even by K'kree standards, and crews typically rest for a while between flights.

**Crew:** 2 bridge crew, 2 engineers, 4 dependents

600 SL, DR 100, PD 4, Basic Bridge, Engineering, 24 Jump, 50 Maneuver, 180 Fuel, 1 Utility, Pasture for 8-16 K'kree, 17 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31

**Maintenance:** HT: 12, 57.0 man-hours per day, 0.1 MCr/yr

**Statistics:** EMass 601.9 tonnes, LMass 842.3 tonnes, Cost: 141.24 MCr, HP: 40,332, Size Mod: +9

**Performance:** Accel: 2.2 G (3.0 G empty, 1.6 G overloaded), Jump 3, 3,779 km/h (atm), 10,688 km/h (skim)

# Wirlas-class Exploratory Trader (GTL 10)

Trading between established markets is safe, but in the stable environment of the Third Imperium the *real* profits come from developing new markets outside Imperial space. Fitted with the latest in laboratory equipment, the *Wirlas* is designed to seek out new markets and bring the news safely back to headquarters.

**Crew:** 5 bridge crew, 10 engineers, 7 gunners, medic, 10 technicians, 6 auxiliary crew, 21 Marines (officer, 20 enlisted)

**Passengers:** 8 low passengers

2,000 USL, DR 100, PD 4, Triple Missile Turret (Light), 2 Triple Sandcaster Turrets, 4 Triple 250 MJ Laser Turrets, 3 Triple 90 MJ PD Laser Turrets, 13 GJ Particle Bay, Hardened Command Bridge, Engineering, 80 Jump, 392 Maneuver, 600 Fuel, 1.5 Fuel Scoops, 5 Fuel Processors (15.0 hrs), Workshop, 4 Utility, 20 Staterooms, 2 Low Berths (8 cryotubes), Marine Barracks (11 Staterooms), Briefing Room (holds 10), Weapons Locker (1.8 tonnes capacity), 2 Gyms,

Sickbay, 10 Labs (8 Standard, 1 Isolation, 1 Simulation) with enhanced displays, Hanger for *Suliaman* Scout Ship with 1 Entrance, 3 Bays for Gigs, 387 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	720,000/39	2,400,000/42	48,000/32

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	16,480 km	49,440 km	1/8
13 GJ PAW Bay	Imp	30	6d x 1,500	37,452 km	70,224 km	1/60

**Maintenance:** HT: 12, 106.6 man-hours per day, 0.5 MCr/yr

**Statistics:** EMass 2,971.1 tonnes, LMass 5,830.3 tonnes, Cost: 493.52 MCr (MCr545.25 fitted out), HP: 90,000, Size Mod: +10

**Performance:** Accel: 2.4 G (4.8 G empty, 1.1 G overloaded), Jump 3, 14,456 km/h (skim)

---

## Dezdinsh-class Courier (GTL 11)

A high-jump courier vessel, the *Dezdinsh* class is usually owned by Zhodani nobles and worlds that need high-speed interstellar communication. Like most Zhodani ships, the *Dezdinsh* is unarmed.

**Crew:** pilot

**Passengers:** 2 independent passengers, 4 low passengers

100 SL, DR 100, PD 4, Basic Bridge with Psionic Switches, Engineering, 6 Jump, 3 Maneuver, 50 Fuel, 1 Utility, 3 Staterooms, Low Berth (4 cryotubes), 4 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Basic Bridge</i>	8,000,000	—	16,000,000	16,000
<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>	
<i>Basic Bridge</i>	480,000/38	2,400,000/42	160,000/35	

**Maintenance:** HT: 12, 27.7 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 92.3 tonnes, LMass 155.8 tonnes, Cost: 33.24 MCr, HP: 12,214, Size Mod: +7

**Performance:** Accel: 1.7 G (2.9 G empty, 1.2 G overloaded), Jump 5, 2,659 km/h (atm), 7,522 km/h (skim)

---

## Jheron-class Scoutship (GTL 11)

Although outdated by Imperial standards, the *Jheron*-class scoutship is still perfectly useful. Numerous examples are still in service with the IISS, while many others are in private hands.

**Crew:** pilot, gunner, 4 scientists

100-ton SL Hull, DR 100, PD 4, Turret with mixed weapons, Hardened Bridge, Engineering, 2 Maneuver, 6 Jump, 50 Fuel, 3 Staterooms, 1 Utility, Survey Module, 0.5 cargo

**Communicators:** Radio 3 million km, Laser 6 million km

**Sensors:** PESA 48000 km, AESA 160000 km, Radscanner 3200 km

**390-MJ Laser:** Imp, Acc 32, Dmg 8dx50(2), 1/2D Rng 41630 km, MxRng 112000 km, FP 5, SS 30, RoF 1/60

**Statistics:** EMass 178.8 tonnes, LMass 181.1 tonnes, Cost MCr 41.9, HP 16200

**Performance:** Accel 1.0 G (1.0 G empty, 1.0 G overloaded), Jump 5, Air Speed 1886 km/h

---

## Chiral-class Lab Ship (GTL 12)

The *Chiral* class is popular with professors and independent researchers. Small and relatively inexpensive, it is none-the-less a versatile and well-equipped research vessel.

**Crew:** pilot, 5 technicians

100 SL, DR 100, PD 4, Basic Bridge, Engineering, 3 Jump, 3 Maneuver, 20 Fuel, 1 Utility, 6 Staterooms, 4 Labs, 2 Bays for Air Rafts, 2 Bays for Grav Sleds, 13.5 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Basic Bridge</i>	8,000,000	—	16,000,000	16,000

<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>	
<i>Basic Bridge</i>	480,000/38	2,400,000/42	160,000/35	

**Maintenance:** HT: 12, 23.1 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 114.1 tonnes, LMass 213.5 tonnes, Cost: 23.06 MCr (MCr23.30 fitted out), HP: 12,214, Size Mod: +7

**Performance:** Accel: 1.3 G (2.4 G empty, 0.6 G overloaded), Jump 2, 2,659 km/h (atm), 7,522 km/h (skim)

---

## Morath-class Fast Courier (GTL 12)

Serving the high-traffic Core-Fringe route, the *Morath* resembles a self-propelled express boat. Close kin to the *S'donath*-class Fast Courier, the *Morath* is almost externally identical except for the antenna required by its banks of high-capacity data communications modules. Having maneuvering thrusters, the *Morath* doesn't require a tender, and thus is popular with megacorporations.

**Crew:** pilot

**Passengers:** 1 independent passenger, 4 low passengers

100 USL, DR 100, PD 4, Basic Bridge, Xboat Communicator, Engineering, 7 Jump, 1 Maneuver, 60 Fuel, 1 Utility, 2 Staterooms, Low Berth (4 cryotubes), 7 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Basic Bridge</i>	8,000,000	—	16,000,000	16,000
<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>	
<i>Basic Bridge</i>	480,000/38	2,400,000/42	160,000/35	

**Maintenance:** HT: 12, 30.3 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 214.8 tonnes, LMass 301.0 tonnes, Cost: 39.79 MCr, HP: 12,214, Size Mod: +7

**Performance:** Accel: 0.3 G (0.4 G empty, 0.2 G overloaded), Jump 6



---

# Pekherni Observatory (GTL12)

Custom-built as a mobile astrophysical observatory by the Glisten Institute of Technology, the *Pekherni* travels throughout the Domain of Deneb studying various stars.

**Crew:** 3 bridge crew, 1 engineer, 15 scientists, 2 auxiliary crew

600 DSP (196-dton subhull), DR 100 (DR 100 on subhull), PD 4, Basic Bridge, Computer Centre (complexity 10), Advanced Sensor, Engineering, 42 Jump, 20 Maneuver, 360 Fuel, 2 Utility, 11 Staterooms, 15 Labs (10 Standard, 2 Physics, 2 Simulation, 1 Computer), Hanger for Gig with 1 Entrance, 43.5 Cargo

<i>Communicator Range</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
Basic Bridge:	8,000,000 km	—	16,000,000 km	16,000 km

<i>Sensor Range/Scan</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>
Basic Bridge:	480,000 km/38	2,400,000 km/42	160,000 km/35
Advanced Sensor:	7,200,000 km/45	7,200,000 km/45	1,120,000 km/40

**Statistics:** EMass 636.4 tonnes, LMass 1,230.8 tonnes, Cost: 769.10 MCr (MCr774.59 fitted out), HP: 40,332, Size Mod: +9

**Performance:** Accel: 1.5 G (2.9 G empty, 0.9 G overloaded), Jump 6, 0 km/h

---

# S'donath-class Fast Courier (GTL12)

Serving the high-traffic Core-Fringe route, the *S'donath* resembles a self-propelled express boat. Unlike the express boat, it doesn't have banks of high-capacity data communications modules, but it has a reasonably large hold for transporting critical materials. Having maneuvering thrusters, the *S'donath* doesn't require a tender, and thus is popular with megacorporations.

**Crew:** pilot

**Passengers:** 1 independent passenger, 4 low passengers

100 USL, DR 100, PD 4, Basic Bridge, Engineering, 7 Jump, 1 Maneuver, 60 Fuel, 1 Utility, 2 Staterooms, Low Berth (4 cryotubes), 19 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
Basic Bridge	8,000,000	—	16,000,000	16,000

<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>
Basic Bridge	480,000/38	2,400,000/42	160,000/35

**Maintenance:** HT: 12, 28.8 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 89.6 tonnes, LMass 230.2 tonnes, Cost: 35.96 MCr, HP: 12,214, Size Mod: +7

**Performance:** Accel: 0.4 G (1.0 G empty, 0.2 G overloaded), Jump 6

---

# Voidtrekker-class Rift Scout (GTL12)

High-jump scouts commissioned for deep exploration in the Great Rift, the *Voidtrekker* class is rarely encountered anywhere else. Most *Voidtrekkers* mount laser weapons (as resupply depots are few and far between in the Long Dark), but some captains prefer a mix of weapons.

**Crew:** 4 bridge crew, 1 engineer, 1 medic, 2 technicians, 2 auxiliary crew, 4 gunners (if weapons carried)

400 USL, DR 100, PD 4, 4 Empty Turrets, Hardened Basic Bridge, Enhanced Sensor, Engineering, 28 Jump, 8 Maneuver, 240 Fuel, Fuel Processor (30.0 hrs), Workshop, 1 Utility, 14 Staterooms, Sickbay, 2 Labs, Hanger for Gig with 1 Entrance, 7 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
Basic Bridge	8,000,000	—	16,000,000	16,000

<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>
Basic Bridge	480,000/38	2,400,000/42	160,000/35
Enhanced Sensor	4,800,000/44	4,800,000/44	720,000/39

**Maintenance:** HT: 12, 63.3 man-hours per day, 0.2 MCr/yr

**Statistics:** EMass 367.2 tonnes, LMass 687.3 tonnes, Cost: 173.71 MCr (MCr179.20 fitted out), HP: 30,779, Size Mod: +8

**Performance:** Accel: 1.1 G (2.0 G empty, 0.9 G overloaded), Jump 6, 1,654 km/h (skim)

# Zeramine-class Trade Pioneer (GTL 12)

Buy low, sell high. Most merchants spend their careers doing just that: shuttling standard goods between known markets, playing the margins, shaving a few points here-and-there to turn a profit. Some are different: they take risks, seeking out new goods, new markets, new adventures. Flamboyant, unpredictable, innovative, frequently at odds with the “bean-counters” at corporate headquarters; perpetually seeing themselves as square pigeons in round holes. Half scout, half merchant, trade pioneers are the elite of the merchant service—no megacorporation can survive without them.

**Crew:** 5 bridge crew, 1 engineer, 3 gunners, 1 medic, 3 technicians, 2 auxiliary crew, 8 Marines (8 enlisted)

**Passengers:** 12 low passengers

400 SL, DR 600 (DR 300 on weapons), PD 4, Triple Missile Turret (Light), Triple Sandcaster Turret, 2 Triple 405 MJ Laser Turrets, Basic Stealth, Basic Emission Cloaking, Hardened Basic Bridge, Enhanced Communicator, Enhanced Sensor, Survey Centre, Probe Centre, Engineering, 20 Jump,

13 Maneuver, 160 Fuel, Fuel Processor (20.0 hrs), Workshop, 1 Utility, 8 Staterooms, 3 Low Berths (12 cryotubes), Marine Barracks (4 Staterooms), Sickbay, 2 Labs, 1 Bay for Launch, 40 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Basic Bridge</i>	8,000,000	—	16,000,000	16,000
<i>Enhanced Commo</i>	8,000,000	80,000,000	16,000,000	3,200,000

<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>
<i>Basic Bridge</i>	480,000/38	2,400,000/42	160,000/35
<i>Enhanced Sensor</i>	4,800,000/44	4,800,000/44	720,000/39

<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
<i>405 MJ X-Ray Laser</i>	Imp	33	5d x 100(2)	41,653 km	124,960 km	1/60

**Maintenance:** HT: 12, 61.0 man-hours per day, 0.2 MCr/yr

**Statistics:** EMass 622.0 tonnes, LMass 1,014.7 tonnes, Cost: 161.42 MCr (MCr170.66 fitted out), HP: 30,779, Size Mod: +8

**Performance:** Accel: 1.2 G (1.9 G empty, 0.7 G overloaded), Jump 4, 3,243 km/h (atm), 9,175 km/h (skim)

---

---

# Miscellaneous Starships

---

The universe is a vast and complicated place, and there are many starships that do not fit neatly into other categories. They are collected here.

From asteroid miners to pleasure yachts, from medical centres to missionary churches, there is more to naval architecture than are dreamed of in your philosophies...

---

## Brass Goat Filibuster (GTL10)

One of the oddest yachts ever launched, the *Brass Goat* is truly one-of-a-kind. Commissioned in 1042 by Sir Edwin Alpaq, the *Goat* was to be a shining beacon of daring and adventure, gallantly fairing throughout the Imperium righting wrongs, doing deeds, and saving Life As We Know It.

Sir Edwin's rather dodgy grasp on what the rest of the Imperium calls "reality", coupled with his large inheritance, resulted in a starship based on an old Solomani wet navy ship. Modern gravitic technology was installed side-by-side with primitive plumbing; sophisticated laser weapon systems fired with a loud bang and clouds of smoke—Sir Edwin was delighted, and never discovered the modern fresher hidden in the engine room.

After a life of adventure, misadventure, and merriment, Sir Edwin's luck finally ran out: he was killed while attacking a pirate base in Corridor Sector. His retainers, who had grown exceedingly fond of the old man, utterly destroyed the base, leaving only an orphaned pirate alive to spread the story. Then after consigning Sir Edwin's body to the Dark, they elected a new Sir Edwin and, seeking "fresh feats and windmills new," boldly set forth once more on a never-ending quest for justice and kindness.

Captained by the sixth Sir Edwin, the *Brass Goat* has been sighted in most of the systems Behind the Claw. While a poorly designed starship herself, "Old Nanny" and her crew can call on favours from an incredible variety of

people—including, it is rumoured, members of the Imperial Family.

This, at any rate, is the official story. Some muck-raking journalists have claimed that the *Brass Goat* is in fact an undercover Naval operation—but no one in their right mind believes that the Imperial Navy would build a starship with masts!

**Crew:** 5 bridge crew, 2 engineers, 3 gunners

**Passengers:** 8 low passengers

300 SL, DR 300 (DR 150 on weapons), PD 4, Heavy Compartmentalization, Triple Missile Turret (Light), Triple Sandcaster Turret, Triple 250 MJ Laser Turret, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 12 Jump, 50 Maneuver, 90 Fuel, 1 Utility, 10 Staterooms, 2 Low Berths (8 cryotubes), 35 Cargo, 2 Concealed Cargo (-10 to spot)

Communicator Range (km)	Radio	Maser	Laser	Meson		
Command Bridge	8,000,000	—	16,000,000	160,000		
Sensor Range/Scan (km)	PESA	AESA	Radscanner			
Command Bridge	720,000/39	2,400,000/42	48,000/32			
Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60

**Maintenance:** HT: 12, 44.3 man-hours per day, 0.1 MCr/yr

**Statistics:** EMass 595.1 tonnes, LMass 878.0 tonnes, Cost: 85.14 MCr (MCr93.99 fitted out), HP: 25,407, Size Mod: +8

**Performance:** Accel: 2.1 G (3.0 G empty, 1.2 G overloaded), Jump 3, 4,456 km/h (atm), 12,603 km/h (skim)

---

## Étienne-class Missionary Ship (GTL10)

Many thinly-settled worlds cannot afford to support a theological establishment. Some churches have solved this problem by commissioning missionary ships: mobile places of instruction and worship. The *Étienne* class is one of the smaller examples, devoted almost exclusively to these two functions—although it does have a small sickbay for treating the faithful.

**Crew:** pilot, engineer, 2 priests and lay medics

200-ton SL Hull, DR 100, PD 4, Bridge, Engineering, 6 Maneuver, 6 Jump, 40 Fuel, Fuel Processor (5.0 hours), 2

Staterooms, 1 Utility, 2 Halls seating 200 people, 2 Theatres seating 200 people, 2 Stages, Sickbay, 1.5 cargo

**Communicators:** Radio 8 million km, Laser 16 million km

**Sensors:** PESA 48000 km, AESA 160000 km, Radscanner 3200 km

**Statistics:** EMass 202.1 tonnes, LMass 208.9 tonnes, Cost MCr 34.5, HP 22500

**Performance:** Accel 1.0 G (1.1 G empty, 0.9 G overloaded), Jump 2, Air Speed 1753 km/h

## Faunel-class Yacht (GTL 10)

A small yacht, commonly used by minor Party officials and large corporations, the *Faunel* class can be encountered anywhere in the Solomani Confederation. Although its single turret provides only minimal protection, the luxurious theatre and swimming pool make this yacht a popular choice for entertaining influential guests.

**Crew:** 3 bridge crew, engineer, gunner, steward

**Passengers:** 12 high passengers

300-ton SL Hull, DR 100, PD 4, Turret with mixed weapons, Bridge, Engineering, 19 Maneuver, 9 Jump, 60 Fuel, 15

Staterooms, 1 Utility, Theatre seating 25 people, Stage, Swimming Pool, 35.5 cargo

**Communicators:** Radio 8 million km, Laser 16 million km  
**Sensors:** PESA 48000 km, AESA 160000 km, Radscanner 3200 km

**360-MJ Laser:** Imp, Acc 32, Dmg 6dx50(2), 1/2D Rng 32726 km, MxRng 98618 km, FP 4, SS 30, RoF 1/60

**Statistics:** EMass 367.2 tonnes, LMass 528.2 tonnes, Cost MCr 50.9, HP 31200

**Performance:** Accel 1.3 G (1.9 G empty, 0.6 G overloaded), Jump 2, Air Speed 2649 km/h

## Ingham-class Missionary Ship (GTL 10)

Many thinly-settled worlds cannot afford to support a theological establishment. Some churches in the Solomani Confederation have solved this problem by commissioning missionary ships: mobile places of instruction and worship. The *Ingham* class is a successful example of this unusual type of starship; large enough to accommodate a large congregation of worshippers, yet small enough to be affordable.

**Crew:** 3 bridge crew, engineer, medic, 2 other crew

**Passengers:** 11 priests and ecclesiastical staff, 8 low passengers

300 SL, DR 100, PD 4, Basic Bridge, Engineering, 9 Jump, 12 Maneuver, 60 Fuel, 1 Utility, 15 Staterooms, 2 Low Berths (8

cryotubes), 2 Theatres seating 200 people, 2 Stages, Sickbay, 1 Bay for Air/Raft, 20.1 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31

**Maintenance:** HT: 12, 33.2 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 242.2 tonnes, LMass 392.6 tonnes, Cost: 47.91 MCr (MCr47.96 fitted out), HP: 25,407, Size Mod: +8

**Performance:** Accel: 1.1 G (1.8 G empty, 0.6 G overloaded), Jump 2, 2,332 km/h (atm), 6,597 km/h (skim)

## Murbles-class Luxury Yacht (GTL 10)

Luxuriously appointed with handcarved wooden panelling, the *Murbles*-class yacht is popular with younger nobles and newly-rich corporate executives.

**Crew:** pilot, engineer, 2 gunners, 3 stewards, medic, 1 other crew

**Passengers:** 2 noble passengers, 6 high passengers

200 SL, DR 100, PD 4, Triple Sandcaster Turret, Triple 90 MJ PD Laser Turret, Basic Bridge, Engineering, 6 Jump, 11 Maneuver, 40 Fuel, 1 Utility, 2 Suites, 11 Staterooms, Exercise Room, Swimming Pool (200 s.f. total), Sickbay, 1 Bay for Air/Raft, 19.8 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	16,480 km	49,440 km	1/8

**Maintenance:** HT: 12, 29.2 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 230.6 tonnes, LMass 410.1 tonnes, Cost: 37.00 MCr (MCr37.06 fitted out), HP: 19,389, Size Mod: +8

**Performance:** Accel: 1.0 G (1.7 G empty, 0.5 G overloaded), Jump 2, 2,411 km/h (atm), 6,820 km/h (skim)

---

# Quorum Assembly Hall (GTL 10)

During the waning days of the Rule of Man, when the perjorative label “Ramshackle Empire” seemed more appropriate every year, almost every possible scheme to halt the fall of the Long Night was tried somewhere. The *Quorum* was one such attempt.

Reasoning that the more people felt part of the Rule of Man, the more they would try to make things work, the designers created a mobile assembly hall with luxurious, if somewhat cramped, facilities for 60 assemblymen and their staffs. Incapable of landing on a planet, the *Quorum* was to rove the subsector, letting the general population see their government in action.

The experiment was a dismal failure. The *Quorum* tied up several naval squadrons guarding it, its quarters were too cramped for long-term occupancy, and the general population had no way of reaching the ship in orbit.

**Crew:** pilot, 10 engineers, 28 gunners, 78 stewards, 5 medics, 25 auxiliary crew, 2 other crew, 55 Marines (5 officers, 50 enlisted)

**Passengers:** 60 assembly members, 360 staff

5,000 DSP (3,313-dton subhull), DR 100 (DR 100 on subhull), PD 4, 25 Triple Sandcaster Turrets, 25 Triple 90 MJ PD Laser Turrets, Basic Bridge, Engineering, 200 Jump, 100 Maneuver, 1,500 Fuel, 7 Utility, 60 Suites, 435 Staterooms, Marine Barracks (28 Staterooms), Tactical Command Centre, 5 Briefing Rooms (holds 50), Weapons Locker (1.8 tonnes capacity), 2 Gyms, 24 Exercise Rooms, 4 Halls seating 400 people, 2 Theatres seating 200 people, Stage, 5 Sickbays, Operating Theatre, Microsurgery Theatre, Hanger for 25 *Skyskipper* Launches with 1 Entrance, 129.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	26,368 km	49,440 km	1/8

**Maintenance:** HT: 12, 150.2 man-hours per day, 1.0 MCr/yr

**Statistics:** EMass 4,310.6 tonnes, LMass 6,773.3 tonnes, Cost: 979.05 MCr (MCr1,057.55 fitted out), HP: 165,781, Size Mod: +10

**Performance:** Accel: 0.5 G (0.8 G empty, 0.4 G overloaded), Jump 3

---

# Rori-class Asteroid Miner (GTL 10)

Slow and steady, *Rori*-class starships are among the first to exploit new beltstrikes. Their high jump (up to 4 parsecs using the collapsible tank) gives them flexibility, while the onboard smelter lets them fill the spacious hold with refined ingots instead of ores.

**Crew:** pilot, engineer, 2 gunners (if weapons installed)

200-ton USL Hull, DR 100, PD 4, 2 Turrets, Bridge, Engineering, 5 Maneuver, 6 Jump, 40 Fuel, Collapsible Tank (60 tons), Fuel Processor (5.0 hours), 4 Staterooms, Low Berth

(holds 4 cryotubes), 1 Utility, Smelter (1 dtons/hour), 124 cargo (+6 in turrets)

**Communicators:** Radio 8 million km, Laser 16 million km

**Sensors:** PESA 48000 km, AESA 160000 km, Radscanner 3200 km

**Statistics:** EMass 213.9 tonnes, LMass 776.2 tonnes, Cost MCr 33.6, HP 24900

**Performance:** Accel 0.2 G (0.8 G empty, 0.1 G overloaded), Jump 2, Air Speed 960 km/h

---

# Tch'atl-class Yacht (GTL 10)

The smallest known Zhodani yacht, the *Tch'atl* is not commonly encountered outside the Consulate. This is partly because it has no cargo hold for storing possessions, but mostly because, like most civilian ships in Zhodani space, it is unarmed.

**Crew:** pilot, engineer, steward

**Passengers:** 6 high passengers

100 SL, DR 100, PD 4, Basic Bridge with Psionic Switches, Engineering, 4 Jump, 5 Maneuver, 30 Fuel, 1 Utility, 8 Staterooms, 4.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31

**Maintenance:** HT: 12, 23.6 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 121.7 tonnes, LMass 169.3 tonnes, Cost: 24.23 MCr, HP: 12,214, Size Mod: +7

**Performance:** Accel: 1.1 G (1.5 G empty, 0.7 G overloaded), Jump 3, 2,171 km/h (atm), 6,142 km/h (skim)

---

# Titanic-class Resettlement Vessel (GTL10)

An old design commissioned by the Ministry of Colonization, *Titanic*-class ships are rarely encountered anymore. Those that remain in service are in private hands, and can be found carrying colonists over long distances for terraforming projects. The Imperial Navy has dismissed persistent rumours that the *Colossus* is being used to carry slaves to the Vargr Extents. Ironically, the *Titanic* itself was lost with all hands when struck by an ice asteroid in 924.

**Crew:** pilot, 15 engineers, 3 stewards, 10 medics, 10 technicians, 20 auxiliary crew

**Passengers:** 20 high passengers, 100 middle passengers, 6,000 low passengers

5,000 USL, DR 100, PD 4, Basic Bridge, Engineering, 200 Jump, 417 Maneuver, 1,500 Fuel, 4 Fuel Processors (46.9 hrs),

10 Utility, 100 Staterooms, 1,500 Low Berths (6,000 cryotubes), 10 Sickbays, Operating Theatre, 10 Labs, Hanger for 10 Gigs with 1 Entrance, 1,284.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31

**Maintenance:** HT: 12, 172.6 man-hours per day, 1.3 MCr/yr

**Statistics:** EMass 6,178.3 tonnes, LMass 14,070.4 tonnes, Cost: 1,292.52 MCr (MCr1,347.42 fitted out), HP: 165,781, Size Mod: +10

**Performance:** Accel: 1.1 G (2.4 G empty, 0.4 G overloaded), Jump 3, 4,027 km/h (skim)

---

# Zandrak-class Safari Ship (GTL10)

Slightly larger than the *Animal*-class safari ship, the *Zandrak*-class is common only in the older parts of the Imperium.

**Crew:** 3 bridge crew, engineer, 2 stewards

**Passengers:** 1 noble passenger, 20 high passengers

300 SL, DR 100, PD 4, Basic Bridge, Engineering, 9 Jump, 30 Maneuver, 60 Fuel, 1 Utility, Suite, 24 Staterooms, Shooting Range, Exercise Room, 8 Cages (16 animals), Habitat Cage, 2 Bays for Air/Rafts, 10.9 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31

**Maintenance:** HT: 12, 34.2 man-hours per day, 0.1 MCr/yr

**Statistics:** EMass 370.7 tonnes, LMass 483.9 tonnes, Cost: 50.71 MCr (MCr50.82 fitted out), HP: 25,407, Size Mod: +8

**Performance:** Accel: 2.2 G (2.9 G empty, 1.6 G overloaded), Jump 2, 3,688 km/h (atm), 10,431 km/h (skim)

---

# Drachplitl-class Diplomatic Yacht (GTL11)

Designed for diplomatic missions, the *Drachplitl* is relatively common withing the Zhodani Consulate. Comfortable without being ostentatious, it is an ideal location for serious negotiations.

The *Drachplitl* is notable for the arrangement of its living quarters. In keeping with its purpose, the passenger quarters are divided into two sections of two suites and four staterooms each, with a further two staterooms in a third section. This allows separate delegations to be accommodated without causing offense.

**Crew:** 4 bridge crew, engineer, gunner, 5 stewards

**Passengers:** 4 noble passengers, 10 high passengers

400 SL, DR 100, PD 4, Psi Shielded, Electrified Surface, 2 Triple 97 MJ PD Laser Turrets, Basic Bridge with Psionic

Switches, Engineering, 20 Jump, 10 Maneuver, 160 Fuel, 1 Utility, 4 Suites, 16 Staterooms, Briefing Room (holds 10), Exercise Room, 24 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
97 MJ X-Ray Laser	Imp	31	5d x 40(2)	18,720 km	56,160 km	1/8

**Maintenance:** HT: 12, 48.8 man-hours per day, 0.1 MCr/yr

**Statistics:** EMass 313.3 tonnes, LMass 567.3 tonnes, Cost: 103.39 MCr, HP: 30,779, Size Mod: +8

**Performance:** Accel: 1.6 G (2.9 G empty, 0.9 G overloaded), Jump 4, 2,946 km/h (atm), 8,333 km/h (skim)



---

## Gothick-class Yacht (GTL11)

One of the stranger offshoots of the Authenticist Movement, the *Gothick* was designed for Baron Albert Kurgashii. An amateur historian, the Baron tried to recreate the feel of an 18<sup>th</sup> century castle. While a capable administrator, the Baron's historical 'knowledge' is based more on an eccentric late 20<sup>th</sup> century subculture than reality. The *Gothick* reflects this: brooding clouds chase across its surface, interior lighting is dim and gloomy, and strange creaks and groans come from the dungeon.

*Crew:* 3 bridge crew, engineer, 4 stewards, medic, 1 other crew

*Passengers:* 4 noble passengers

300 SL, DR 100, PD 4, Liquid Crystal Skin, Basic Bridge, Engineering, 15 Jump, 5 Maneuver, 120 Fuel, 1 Utility, 4 Suites, 6 Staterooms, Holoventure Zone, Sickbay, 8.5 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Basic Bridge</i>	8,000,000	—	16,000,000	—

<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>
<i>Basic Bridge</i>	480,000/38	1,600,000/41	32,000/31

*Maintenance:* HT: 12, 42.1 man-hours per day, 0.1 MCr/yr

**Statistics:** EMass 206.9 tonnes, LMass 354.2 tonnes, Cost: 76.85 MCr, HP: 25,407, Size Mod: +8

**Performance:** Accel: 1.3 G (2.2 G empty, 0.9 G overloaded), Jump 4, 2,380 km/h (atm), 6,733 km/h (skim)

---

## Larilla-class Yacht (GTL11)

A small, cosy vessel, the *Larilla* yacht is designed to carry a noble couple in comfort. A holoventure zone and exercise room provide for entertainment during the voyage, while the well-stocked sickbay and attending physician look after the passengers' health. In spite of these features, some nobles refuse to buy *Larilla* yachts, citing a lack of luggage space!

*Crew:* 3 bridge crew, engineer, 2 stewards, medic, 1 other crew

*Passengers:* 2 noble passengers

300 SL, DR 100, PD 4, 3 Empty Turrets, Basic Bridge, Engineering, 16 Jump, 10 Maneuver, 122 Fuel, 1 Utility, 2

Suites, 5 Staterooms, Exercise Room, Holoventure Zone, Sickbay, 15 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Basic Bridge</i>	8,000,000	—	16,000,000	—

<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>
<i>Basic Bridge</i>	480,000/38	1,600,000/41	32,000/31

*Maintenance:* HT: 12, 43.7 man-hours per day, 0.1 MCr/yr

**Statistics:** EMass 230.9 tonnes, LMass 409.5 tonnes, Cost: 83.05 MCr, HP: 25,407, Size Mod: +8

**Performance:** Accel: 2.2 G (3.9 G empty, 1.3 G overloaded), Jump 4, 3,150 km/h (atm), 8,912 km/h (skim)

# Bralonné Mobile University (GTL 12)

Although students from small worlds can travel to larger centres for their educations, many are unable to afford the journey, or cannot leave their families for that length of time. The solution, obviously, is for the university to travel to them.

In 1045 Professor John Coenraads convinced a consortium of nobles that a mobile university would be a fitting legacy for the children of the Imperium's second millennium. Persuasion, a discrete bit of Imperial influence, and a seat on the Board convinced Ling Standard Products to build the facility at cost.

Despite initial skepticism, Bralonné University has maintained high academic and scientific standards. It follows a winding path through the Imperium, visiting every sector once per generation, and every sector has highly-placed graduates. Professor Coenraads was knighted in 1097 as a public recognition of his service to the Imperium.

Students generally stay on board for the duration of their course, although some visiting students are permitted when circumstances dictate. A trust fund provides for all living expenses and up to five jumps of middle passage for students—further costs are generally paid by the sector's nobility. Very few students take a complete degree at Bralonné; instead, they take the opportunity to study particular fields under some of the Imperium's top experts, using transfer credits to make up the rest of their degree.

**Crew:** 9 bridge crew, 4 engineers, 2 stewards, 5 medics, 10 technicians, 8 auxiliary crew, 4 other crew

**Passengers:** 40 professors, 2,000 students

8,000 DSP (10 subhulls with 5,285-dton total capacity), DR 100 (DR 100 on subhulls), PD 4, Basic Bridge and Auxiliary Basic Bridge, 2 Computer Centres (complexity 10), Enhanced Communicator, Advanced Sensor, 2 Survey Centres, Engineering, 320 Jump, 50 Maneuver, 2,400 Fuel, Workshop, 11 Utility, 1,061 Staterooms, 10 Exercise Rooms, 20 Halls seating 2000 people, 2 Theatres seating 200 people, 2 Stages, 2 Swimming Pools (74 m<sup>3</sup> total), 5 Sickbays, Operating Theatre, Microsurgery Theatre, 10 Labs (5 Standard, 2 Isolation, 1 Physics, 1 Simulation, 1 Computer) with enhanced displays, 4 Brigs (8 prisoners), 2 Safes (22.7 m<sup>3</sup> capacity), Hanger for 2 Launchs with 1 Entrance, Hanger for 2 Ship's Boats, 304 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	16,000
Enhanced Commo	8,000,000	80,000,000	16,000,000	3,200,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	2,400,000/42	160,000/35
Advanced Sensor	16,000,000/47	16,000,000/47	1,120,000/40

**Maintenance:** HT: 12, 218.2 man-hours per day, 2.1 MCr/yr

**Statistics:** EMass 5,184.0 tonnes, LMass 9,241.8 tonnes, Cost: 2,065.76 MCr (MCr2,095.10 fitted out), HP: 226,785, Size Mod: +11

**Performance:** Accel: 0.5 G (0.9 G empty, 0.3 G overloaded), Jump 3

# Cardos-class Fast Yacht (GTL 12)

Popular among ruling nobles and megacorporation executives, the *Cardos* class combines luxury with speed, delivering its passengers in style.

**Crew:** 3 bridge crew, engineer, 2 gunners, steward

**Passengers:** 6 high passengers

400 SL, DR 100, PD 4, Triple Sandcaster Turret, Triple 102 MJ PD Laser Turret, Basic Bridge, Engineering, 24 Jump, 41 Maneuver, 200 Fuel, 1 Utility, 10 Staterooms, Exercise Room, 6 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	16,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	2,400,000/42	160,000/35

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
102 MJ X-Ray Laser	Imp	31	5d x 50(2)	20,960 km	62,880 km	1/8

**Maintenance:** HT: 12, 56.9 man-hours per day, 0.1 MCr/yr

**Statistics:** EMass 407.0 tonnes, LMass 615.6 tonnes, Cost: 140.35 MCr, HP: 30,779, Size Mod: +8

**Performance:** Accel: 6.0 G (9.1 G empty, 5.1 G overloaded), Jump 5, 5,965 km/h (atm), 16,873 km/h (skim)

# Mallory-class Racing Yacht (GTL 12)

A popular ship among younger nobles, the *Mallory* won a name for itself when Sir Ennra Fitzwilliam beat the IISS team in the third Core-Marches Race, completing the trip in less than two years.

**Crew:** pilot

100 SL, DR 100, PD 4, Basic Bridge, Engineering, 7 Jump, 3 Maneuver, 60 Fuel, 1 Utility, Stateroom, 1.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	16,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	2,400,000/42	160,000/35

**Maintenance:** HT: 12, 29.4 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 93.2 tonnes, LMass 154.4 tonnes, Cost: 37.59 MCr, HP: 12,214, Size Mod: +7

**Performance:** Accel: 1.8 G (2.9 G empty, 1.5 G overloaded), Jump 6, 2,659 km/h (atm), 7,522 km/h (skim)

## Moonii-class Luxury Yacht (GTL12)

One of the most luxurious starships to be found in the Imperium, the *Moonii* carries four couple, or a large family, in comfort and style. Equipped with a gymnasium, a swimming pool, and a state-of-the-art holoventure zone, its owner can while away long voyages and entertain royally when he arrives at his destination.

**Crew:** 2 bridge crew, engineer, 2 gunners, 4 stewards, medic, 1 auxiliary crew, 2 other crew

**Passengers:** 4 noble passengers

400 SL, DR 100, PD 4, Triple Sandcaster Turret, Triple 102 MJ PD Laser Turret, Basic Bridge, Engineering, 20 Jump, 15 Maneuver, 160 Fuel, 1 Utility, 4 Suites, 7 Staterooms,

Exercise Room, Holoventure Zone, Swimming Pool (200 s.f. total), Sickbay, 1 Bay for Grav Car, 11.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	16,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	2,400,000/42	160,000/35

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
102 MJ X-Ray Laser	Imp	31	5d x 50(2)	20,960 km	62,880 km	1/8

**Maintenance:** HT: 12, 49.5 man-hours per day, 0.1 MCr/yr

**Statistics:** EMass 297.2 tonnes, LMass 542.6 tonnes, Cost: 106.54 MCr (MCr106.62 fitted out), HP: 30,779, Size Mod: +8

**Performance:** Accel: 2.5 G (4.6 G empty, 1.8 G overloaded), Jump 4, 3,608 km/h (atm), 10,205 km/h (skim)

## Wirimethar-class Treatment Vessel (GTL12)

Biodisasters are rare, but when they happen a fast response in necessary if widespread disaster is to be avoided. The *Wirimethar* class is designed to transport a medical team on-location as fast as possible. Once in position they provide treatment until a course of action is decided upon; typically, this is either a treatment program, or plans to eradicate and sterilize the contaminated areas. Eradication is carried out by the Navy.

**Crew:** pilot, engineer, 15 medics, 6 technicians

**Passengers:** 20 low passengers

400 SL, DR 100, PD 4, Basic Bridge, Engineering, 20 Jump, 8 Maneuver, 160 Fuel, Fuel Processor (20.0 hrs), 1 Utility, 12

Staterooms, 5 Low Berths (20 cryotubes), 15 Sickbays, 2 Operating Theatres, Microsurgery Theatre, 6 Labs (4 Standard, 1 Isolation, 1 Simulation), 25 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	16,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	2,400,000/42	160,000/35

**Maintenance:** HT: 12, 52.4 man-hours per day, 0.1 MCr/yr

**Statistics:** EMass 393.3 tonnes, LMass 651.8 tonnes, Cost: 119.36 MCr, HP: 30,779, Size Mod: +8

**Performance:** Accel: 1.1 G (1.8 G empty, 0.7 G overloaded), Jump 4, 2,735 km/h (atm), 7,738 km/h (skim)

---

---

# Military Scouts & Couriers

---

*No matter how powerful your fleet, trying to operate without information means you're fighting blind.*

— Rear Admiral Anton Thrasher, Imperial Navy

The starships in this section are designed to acquire or transmit information. Some are high-jump couriers, others are military black ops scouts, but all specialize in information rather than combat.

---

## Marathon-class Courier (GTL9)

Like many Terran designs during the early Interstellar Wars, the *Marathon* class mounted two maneuver drives: reactionless thrusters for sustained acceleration, and a fusion rocket for combat and emergencies. Carrying enough fuel for three consecutive two-parsec jumps, the *Marathon* and similar ships were invaluable in coordinating naval actions over several systems.

**Crew:** pilot, engineer, gunner

100 USL, DR 100, PD 4, Triple 40 MJ PD Laser Turret, Basic Bridge, Enhanced Communicator, Engineering, 3 Jump, 3 Maneuver, 4 Fusion Rocket, 60 Fuel, 10 Water (2.7 hrs), 1 Utility, Bunkroom, 3 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Basic Bridge</i>	8,000,000	—	16,000,000	—
<i>Enhanced Commo</i>	1,600,000	16,000,000	3,200,000	—

<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>
<i>Basic Bridge</i>	240,000/36	1,600,000/41	32,000/31

<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
<i>40 MJ Rainbow Laser</i>	Imp	30	5d x 20	23,296 km	43,680 km	1/15

**Maintenance:** HT: 12, 35.1 man-hours per day, 0.1 MCr/yr

**Statistics:** EMass 192.1 tonnes, LMass 260.1 tonnes, Cost: 53.44 MCr, HP: 12,214, Size Mod: +7

**Performance:** Thruster Accel: 0.05 G (0.07 G empty, 0.04 G overloaded), Fusion Rocket Accel: 1.1 G (1.5 G empty, 0.9 G overloaded), Jump 2, 2,388 km/h (skim)

---

## Iechtekl-class Intelligence Frigate (GTL11)

Every empire maintains listening posts along its borders, and sometimes over its borders. The *Iechtekl* class is the Zhodani Consulate's covert surveillance platform—with radical stealth and emission cloaking and a double load of jump fuel, it can slip into an outer system, gather intelligence, and slip away with local defenses being none the wiser.

**Crew:** 5 bridge crew, engineer, 3 gunners, medic, 5 frozen watch

600 USL, DR 100, PD 4, Triple Missile Turret (Light), Triple Sandcaster Turret, 4 Triple 97 MJ PD Laser Turrets, Radical Stealth, Radical Emission Cloaking, Hardened Basic Bridge with Psionic Switches, Computer Centre (complexity 9), Advanced Communicator, Enhanced Sensor, Engineering, 30 Jump, 20 Maneuver, 480 Fuel, 1 Fuel Scoop, 3 Fuel

Processors (20.0 hrs), 2 Utility, 6 Staterooms, 2 Low Berths (8 cryotubes), Exercise Room, Sickbay, 14 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Basic Bridge</i>	8,000,000	—	16,000,000	—
<i>Advanced Commo</i>	8,000,000	80,000,000	16,000,000	24,000,000

<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>
<i>Basic Bridge</i>	480,000/38	1,600,000/41	32,000/31
<i>Enhanced Sensor</i>	7,200,000/45	7,200,000/45	720,000/39

<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
<i>97 MJ X-Ray Laser</i>	Imp	31	5d x 40(2)	18,720 km	56,160 km	1/8

**Maintenance:** HT: 12, 85.1 man-hours per day, 0.3 MCr/yr

**Statistics:** EMass 699.0 tonnes, LMass 1,231.3 tonnes, Cost: 313.96 MCr (MCr319.62 fitted out), HP: 40,332, Size Mod: +9

**Performance:** Accel: 1.5 G (2.6 G empty, 1.2 G overloaded), Jump 4, 5,580 km/h (skim)

---

# Shtiabr-class Intelligence Frigate (GTL 11)

The Zhodani Consulate, like any interstellar state, needs up-to-date intelligence on what its neighbours are doing. *Shtiabr*-class intelligence frigates are one means of acquiring this information. Radically stealthed and with enough fuel for two consecutive 4 parsec jumps, they slip over the border to gather data, then slip back again. Although they never seek out trouble, they are armed and armoured enough to give pause to any patrol vessel that waylays them.

**Crew:** 9 bridge crew, 7 engineers, 6 gunners, medic, 2 auxiliary crew

3,000 USL, DR 2500 (DR 1250 on weapons), PD 4, 3 Triple 97 MJ PD Laser Turrets, 7 Single 870 MJ Laser Turrets, 2 14 GJ Particle Bays, Radical Stealth, Radical Emission Cloaking, Hardened Basic Bridge with Psionic Switches, Computer Centre (complexity 9), Advanced Sensor, Electronic Warfare Suite, Probe Centre, Engineering, 150 Jump, 200 Maneuver, 2,400 Fuel, 2.5 Fuel Scoops, 10 Fuel Processors (30.0 hrs), 6

Utility, 13 Staterooms, Sickbay, 2 Bays for *Shebzhinj* Launches, 31 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>		
<i>Basic Bridge</i>	8,000,000	—	16,000,000	—		
<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>			
<i>Basic Bridge</i>	480,000/38	1,600,000/41	32,000/31			
<i>Advanced Sensor</i>	11,200,000/46	11,200,000/46	1,120,000/40			
<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
<i>97 MJ X-Ray Laser</i>	Imp	31	5d x 40(2)	18,720 km	56,160 km	1/8
<i>870 MJ X-Ray Laser</i>	Imp	34	6d x 100(2)	56,000 km	168,000 km	1/60
<i>14 GJ PAW Bay</i>	Imp	33	5d x 2,250	26,720 km	80,160 km	1/60

**Maintenance:** HT: 12, 177.6 man-hours per day, 1.4 MCr/yr

**Statistics:** EMass 9,092.2 tonnes, LMass 11,482.4 tonnes, Cost: 1,368.51 MCr (MCr1,374.71 fitted out), HP: 117,933, Size Mod: +10

**Performance:** Accel: 1.6 G (2.0 G empty, 1.5 G overloaded), Jump 4, 11,408 km/h (skim)

---

# Geist-class Deep Scout (GTL 12)

The existence of the *Geist*-class of deep-penetration scout is officially denied by the Imperial Navy. The following design is conjectural, based on mission requirements and known technological capabilities. Most respected naval experts agree that the Navy maintains long duration, deep penetration missions inside foreign territory, to serve as advance listening posts and warn of enemy mobilization.

**Crew:** pilot, engineer, gunner

100 USL, DR 100, PD 4, Triple Missile Turret (Light), Basic Stealth, Basic Emission Cloaking, Hardened Basic Bridge, Computer Centre (complexity 10), Long-Range PESA Array,

Engineering, 7 Jump, 15 Maneuver, 60 Fuel, 0.5 Fuel Scoops, Fuel Processor (7.5 hrs), 1 Utility, 2 Staterooms, 0.5 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Basic Bridge</i>	8,000,000	—	16,000,000	16,000
<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>	
<i>Basic Bridge</i>	480,000/38	2,400,000/42	160,000/35	
<i>Md PESA Array</i>	3,200,000/43	—	—	—

**Maintenance:** HT: 12, 56.8 man-hours per day, 0.1 MCr/yr

**Statistics:** EMass 177.2 tonnes, LMass 267.3 tonnes, Cost: 140.11 MCr (MCr145.77 fitted out), HP: 12,214, Size Mod: +7

**Performance:** Accel: 5.1 G (7.7 G empty, 4.9 G overloaded), Jump 6, 14,387 km/h (skim)

---

# Lorden-class Armed Courier (GTL 12)

In war, timely information is critical. The Imperial Navy uses the *Lorden* and similar armed couriers to spread information among its commanders as fast as possible.

Although armed with both missiles and lasers, standing orders limit these to defensive use—the information stored in the ship's memory banks is more critical than destroying enemy vessels. Prospective skippers are told of Lt. Yeganagi, who was court-martialed after she single-handedly defeated a Sword Worlds destroyer during the Fifth Frontier War. Although a brilliant tactical victory, the Naval Review Board held that it was inconsequential compared to the risk of losing the intelligence reports she was carrying.

**Crew:** 2 bridge crew, engineer, 3 gunners

400 SL, DR 100, PD 4, 2 Triple Missile Turrets (Light), 2 Triple 405 MJ Laser Turrets, Basic Stealth, Basic Emission

Cloaking, Hardened Basic Bridge, Xboat Communicator, Engineering, 28 Jump, 16 Maneuver, 240 Fuel, 3 Fuel Processors (10.0 hrs), 1 Utility, 2 Bunkrooms, 4.5 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Basic Bridge</i>	8,000,000	—	16,000,000	16,000
<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>	
<i>Basic Bridge</i>	480,000/38	2,400,000/42	160,000/35	

<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
<i>405 MJ X-Ray Laser</i>	Imp	33	5d x 100(2)	41,653 km	124,960 km	1/60

**Maintenance:** HT: 12, 60.4 man-hours per day, 0.2 MCr/yr

**Statistics:** EMass 488.3 tonnes, LMass 793.4 tonnes, Cost: 158.23 MCr (MCr169.54 fitted out), HP: 30,779, Size Mod: +8

**Performance:** Accel: 1.8 G (3.0 G empty, 1.7 G overloaded), Jump 6, 3,598 km/h (atm), 10,178 km/h (skim)

# Pheidippides-class Imperial Courier (GTL12)

Swift and well-protected, a small fleet of *Pheidippides*-class couriers travels with the Emperor, ready to carry his Voice to the farthest reaches of the Imperium. Service on an Imperial courier is a great honour, and Navy officers and ratings alike compete to be chosen.

*Crew:* 3 bridge crew, engineer, 4 gunners

400 SL, DR 800 (DR 400 on weapons), PD 4, Triple Missile Turret (Light), Triple Sandcaster Turret, Triple 405 MJ Laser Turret, Triple 102 MJ PD Laser Turret, Basic Stealth, Basic Emission Cloaking, Hardened Basic Bridge, Xboat Communicator, Engineering, 28 Jump, 12 Maneuver, 240 Fuel, 1 Utility, 2 Bunkrooms, 11.5 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Basic Bridge</i>	8,000,000	—	16,000,000	16,000

<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>
<i>Basic Bridge</i>	480,000/38	2,400,000/42	160,000/35

<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
<i>405 MJ X-Ray Laser</i>	Imp	33	5d x 100(2)	41,653 km	124,960 km	1/60
<i>102 MJ X-Ray Laser</i>	Imp	31	5d x 50(2)	20,960 km	62,880 km	1/8

*Maintenance:* HT: 12, 60.0 man-hours per day, 0.2 MCr/yr

**Statistics:** EMass 754.4 tonnes, LMass 1,057.7 tonnes, Cost: 156.37 MCr (MCr162.03 fitted out), HP: 30,779, Size Mod: +8

**Performance:** Accel: 1.0 G (1.4 G empty, 0.9 G overloaded), Jump 6, 3,116 km/h (atm), 8,815 km/h (skim)

# Pugilist-class Combat Scout (GTL12)

A failed experiment, the *Pugilist* class was an attempt to produce a small, cheap scoutship capable of standing in the line of battle. While small, the design is neither cheap nor battle-capable, and the few examples left in service are in private hands.

*Crew:* pilot, engineer, gunner

100 SL, DR 2000 (DR 1000 on weapons), PD 4, Total Compartmentalization, Triple 405 MJ Laser Turret, Basic Stealth, Basic Emission Cloaking, Hardened Basic Bridge, Enhanced Sensor, Engineering, 5 Jump, 16 Maneuver, 40 Fuel, Fuel Processor (5.0 hrs), 1 Utility, 2 Staterooms, 0.5 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Basic Bridge</i>	8,000,000	—	16,000,000	16,000

<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>
<i>Basic Bridge</i>	480,000/38	2,400,000/42	160,000/35
<i>Enhanced Sensor</i>	3,200,000/43	3,200,000/43	720,000/39

<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
<i>405 MJ X-Ray Laser</i>	Imp	33	5d x 100(2)	41,653 km	124,960 km	1/60

*Maintenance:* HT: 12, 43.2 man-hours per day, 0.1 MCr/yr

**Statistics:** EMass 489.4 tonnes, LMass 527.9 tonnes, Cost: 81.15 MCr, HP: 12,214, Size Mod: +7

**Performance:** Accel: 2.7 G (3.0 G empty, 2.7 G overloaded), Jump 4, 5,860 km/h (atm), 16,577 km/h (skim)

# S-XL -class Long Range Scout (GTL12)

The S-XL (Suliman Extended Range) programme was instigated following the Fifth Frontier War when the Imperial Interstellar Scout Service (IISS) identified the need for a long range scout ship. The intent was for the vessel to act as a courier for personnel too, but the development of prototypes demonstrated that the hull had insufficient space to fulfill this role adequately. The number of S-XL class ships in use is unknown as they utilise the same hull form as the original Type-S for disinformation and cost purposes. The hull is manufactured to civilian standards to save costs. Although armed with a single turret (with the classic sand/laser/missile mix, the S-XL does not carry a dedicated gunner and is designed to be operated by a single individual.

Unconfirmed rumours suggest that a squadron of these vessels is based in the Jewell subsector (around Ruby and Emerald) of the Spinward Marches, used for Jump 3 stand off observation of the Zhodani Riverland Wall.

*Crew:* pilot

100-ton SL Hull, DR 100, PD 4, Turret with mixed weapons, Basic stealth, Basic emission cloaking, Hardened Bridge, Engineering, 3 Maneuver, 7 Jump, 60 Fuel, Stateroom, 1 Utility, 0.5 cargo

*Communicators:* Radio 3 million km, Laser 6 million km, Meson 0.01 million km

*Sensors:* PESA 48000 km, AESA 240000 km, Radscanner 3200 km

*405-MJ Laser:* Imp, Acc 33, Dmg 5dx100(2), 1/2D Rng 41630 km, MxRng 124900 km, FP 7, SS 30, RoF 1/60

**Statistics:** EMass 182.4 tonnes, LMass 184.7 tonnes, Cost MCr 40.2, HP 16200

**Performance:** Accel 1.5 G (1.5 G empty, 1.4 G overloaded), Jump 6, Air Speed 2309 km/h



---

# *Ssaybom* Exploration Cruiser (GTL12)

One of the largest Droyne ships ever seen, the *Ssaybom* is an odd combination of explorer and warship first observed in the Five Sisters subsector in 1119. Imperial analysts are baffled by the apparent confounding of two distinct functions, yet the Droyne have turned aside all questions.

Why does a warship need such extensive research facilities? Why does a scoutship need a meson gun? Are the Droyne anticipating attack, and if so from where? Is the *Ssaybom*'s construction connected with the disappearance and reappearance of all Droyne ships in 1118? Why is Muodray personally interested in the *Ssaybom*?

*Crew:* 8 bridge crew, 9 engineers, 20 gunners, 2 medics, 4 auxiliary crew, 5 scientists, 12 troops

5000-ton SL Hull, DR 4200, PD 4, 8 Turrets with 3 lasers each, 2 Turrets with 3 sandcasters each, 4 Particle Beam Bays, Spinal Meson Gun, Meson Screen (DR4044), Nuclear Damper (25 mile range), Basic stealth, Basic emission cloaking, Hardened Command Bridge, Engineering, 800 Maneuver, 150 Jump, 1000 Fuel, 5 Fuel Processors (25.0 hours), 9 Droyne

Staterooms, Bunkroom (16 personnel), 10 Utility, Spacedock (2 Launches), Sickbay, Lab Module, Probe Module, Survey Module, 111 cargo

*Communicators:* Radio 5 million miles, Laser 10 million miles, Meson 0.1 million miles

*Sensors:* PESA 100000 miles, AESA 200000 miles, Radscanner 4000 miles

*24 405-MJ Lasers:* Imp, Acc 33, Dmg 5dx100(2), 1/2D Rng 26022 miles, MxRng 78068 miles, FP 7

*4 Particle Beam Bays:* Imp, Acc 33, Dmg 6dx1500, Rng 14630 miles, MxRng 43890 miles, FP 63

*Spinal Meson Gun:* Exp, Acc 36, Dmg 6dx10000(!), Rng 48800 miles, MxRng 146400 miles, FP 4243

*Note: all weapons have SS 30, RoF 1/60*

**Statistics:** EMass 34985.6 tons, LMass 35612.7 tons, Cost MCr 2209.3, HP 216000

**Performance:** Accel 2.2 G (2.3 G empty, 2.1 G overloaded), Jump 2, Air Speed 6455 mph

---

# *Vuki*-class Intruder Scout (GTL12)

Designed for deep-penetration surveillance mission, the *Vuki* can hold station for months if necessary, lurking protected by radical stealthing and emission cloaking while its command-level sensors sweep the sky for intelligence on enemy naval movements.

Unlike the *Geist*-class Deep Scout, the Imperial Navy admits the existence of the *Vuki*-class Intruder Scout, although officially the ships do no more than patrol neutral space along the Imperium's borders. Deep penetration missions are officially denied, and no neighbouring government has made public evidence that they are occurring: whether this is because there are in fact no such missions or because of political maneuvering is known only to Imperial officials with the highest security clearances.

*Crew:* 3 bridge crew, engineer, 2 gunners

200 USL, DR 600 (DR 300 on weapons), PD 4, 2 Triple Missile Turrets (Light), Radical Stealth, Radical Emission Cloaking, Hardened Basic Bridge, Long-Range PESA Array, Engineering, 14 Jump, 30 Maneuver, 120 Fuel, 0.5 Fuel Scoops, Fuel Processor (15.0 hrs), 1 Utility, 4 Staterooms, Exercise Room, 8 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Basic Bridge</i>	8,000,000	—	16,000,000	16,000

<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>
<i>Basic Bridge</i>	480,000/38	2,400,000/42	160,000/35
<i>Md PESA Array</i>	4,800,000/44	—	—

*Maintenance:* HT: 12, 63.2 man-hours per day, 0.2 MCr/yr

**Statistics:** EMass 412.2 tonnes, LMass 624.2 tonnes, Cost: 173.35 MCr (MCr184.66 fitted out), HP: 19,389, Size Mod: +8

**Performance:** Accel: 4.4 G (6.6 G empty, 3.5 G overloaded), Jump 6, 15,634 km/h (skim)

---

---

# Escorts

---

Battleships may be the queens of space, but even the mighty battle squadrons of the Imperial Navy would be helpless without their flotillas of smaller starships.

Escorts range from small corvettes to fleet destroyers with a place in the line of battle. They are, essentially, any armed naval starship without a spinal weapon.

---

## Arasfor-class Destroyer (GTL9)

While vulnerable to Imperial warships, the *Arasfor* is well-suited for its purpose: short sharp raids against Sword Worlds targets. Protected against turret weapons at long range, armed with a good mix of weapons itself, carrying two *Elding*-class light fighters, and fuel for two jumps, destroyers like this play a large part in the Sword Worlds continual internecine warfare.

**Crew:** 4 bridge crew, 4 engineers, 12 gunners, 3 auxiliary crew, 10 troops

1200-ton USL Hull, DR 1000, PD 4, Heavy compartmentalization, 4 Turrets with 3 missile racks each, 4 Turrets with 3 lasers each, 4 Turrets with 3 sandcasters each, Basic stealth, Basic emission cloaking, Hardened Command

Bridge, Engineering, 250 Fusion Rocket, 24 Jump, 240 Fuel, 550 Rocket Fuel (1.3 hours), Fuel Processor (30.0 hours), Stateroom, 2 Bunkrooms (32 personnel), 3 Utility, 3 Vehicle Bays (Gig, 2 *Elding* Light Fighters), 11.5 cargo

**Communicators:** Radio 1 million km, Laser 1 million km

**Sensors:** PESA 8000 km, AESA 16000 km, Radscanner 3680 km

**12 102-MJ Lasers:** Imp, Acc 32, Dmg 8dx20, 1/2D Rng 16360 km, MxRng 65450 km, FP 2, SS 30, RoF 1/60

**Statistics:** EMass 15754.4 tonnes, LMass 16393.3 tonnes, Cost MCr 591.4, HP 89400

**Performance:** Accel 2.3 G (2.4 G empty, 2.3 G overloaded), Jump 1, Air Speed 960 km/h

---

## Bopamo-class Light Carrier (GTL9)

One of the earliest dispersed-hull classes fielded by the Terran Federation, *Bopamo* Light Carriers served in most battles of the early Interstellar Wars. While weakly defended themselves, they could quickly close to combat range and launch swarms of fighters, overwhelming Vilani defenses by sheer numbers.

**Crew:** 8 bridge crew, 39 engineers, 4 gunners, 2 medics, 102 auxiliary crew

3,000 DSP (381-dton subhull), DR 100 (DR 100 on subhull), PD 4, 4 Triple 40 MJ PD Laser Turrets, Hardened Command Bridge, Engineering, 151 Jump, 500 Fusion Rocket, 1,005 Fuel, 1000 Water (2.1 hrs), 3 Utility, 13 Bunkrooms, 2

Military Sickbays, 100 Cradles for *Huata* Fighters, 2 Cradles for *Chiang* Launches, 28 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Command Bridge</i>	8,000,000	—	16,000,000	160,000
<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>	
<i>Command Bridge</i>	320,000/37	2,400,000/42	48,000/32	

<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
<i>40 MJ Rainbow Laser</i>	Imp	30	5d x 20	23,296 km	43,680 km	1/15

**Maintenance:** HT: 12, 189.5 man-hours per day, 1.6 MCr/yr

**Statistics:** EMass 2,785.3 tonnes, LMass 12,630.6 tonnes, Cost: 1,559.28 MCr (MCr3,329.68 fitted out), HP: 117,933, Size Mod: +10

**Performance:** Accel: 2.9 G (13.0 G empty, 2.8 G overloaded), Jump 2

---

# Frederik Magnus-class Corvette (GTL9)

One of the Terran Navy's first multi-function warships, the *Frederik Magnus* sported a mixed armament, streamlining to allow it to function as a ground support craft, and half a platoon of Marines for dirtside raids.

**Crew:** 4 bridge crew, 6 engineers, 6 gunners, medic, 16 Marines (16 enlisted)

800 SL, DR 100, PD 4, 4 Triple Missile Turrets (Light, 3 Heavys), Triple 40 MJ PD Laser Turret, 3 Single 303 MJ Laser Turrets, Basic Stealth, Basic Emission Cloaking, Hardened Basic Bridge, Enhanced Sensor, Engineering, 24 Jump, 75 Fusion Rocket, 160 Fuel, 300 Water (4.3 hrs), 4 Utility, 2 Bunkrooms, Marine Barracks (Bunkroom), Weapons Locker (1.8 tonnes capacity), Gym, Military Sickbay, 14 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	240,000/36	1,600,000/41	32,000/31
Enhanced Sensor	1,600,000/41	3,200,000/43	72,000/33

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
40 MJ Rainbow Laser	Imp	30	5d x 20	23,296 km	43,680 km	1/15
303 MJ Rainbow Laser	Imp	33	5d x 55	12,800 km	24,000 km	1/60

**Defenses:** DR 100, PD 4, -5 to active scans, -2 to passive scans

**Maintenance:** HT: 12, 88.6 man-hours per day, 0.3 MCr/yr

**Statistics:** EMass 822.4 tonnes, LMass 1,156.3 tonnes, Cost: 340.38 MCr (MCr375.99 fitted out), HP: 48,859, Size Mod: +9

**Performance:** Accel: 4.7 G (6.6 G empty, 3.9 G overloaded), Jump 2, 5,436 km/h (atm), 15,377 km/h (skim)

# Maikuku-class Missile Boat (GTL9)

Early in the Interstellar Wars the navies of the Terran Federation were armed almost exclusively with beam weapons. To counter the Vilani forces, who armed their ships with a mixture of weapons, the Terrans designed small purpose-built missile boats. The *Maikuku* is an early class of missile boat.

The missilea are launched from hull-mounted racks. Although capable of a great rate-of-fire, they can only be fired in one direction. During firing the ship is vulnerable, and must be aimed directly at teh target.

**Crew:** 5 bridge crew, 3 engineers, 3 gunners

400 SL, DR 100, PD 4, 10 Fixed Light Missile Racks, 10 Fixed Heavy Missile Racks, 2 Triple Sandcaster Turrets, 2 Triple 40 MJ PD Laser Turrets, 10 Magazines, Basic Stealth, Basic Emission Cloaking, Hardened Basic Bridge, Enhanced

Sensor, Electronic Warfare Suite, Engineering, 12 Jump, 40 Fusion Rocket, 80 Fuel, 100 Water (2.7 hrs), 3 Utility, 6 Staterooms, 2 Cargo

Communicator Range	Radio	Maser	Laser	Meson
Basic Bridge:	8,000,000 km	—	16,000,000 km	—

Sensor Range/Scan	PESA	AESA	Radscanner
Basic Bridge:	240,000 km/36	1,600,000 km/41	32,000 km/31
Enhanced Sensor:	1,600,000 km/41	3,200,000 km/43	72,000 km/33

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
40 MJ Rainbow Laser	Imp	30	5d x 20	14,560 km	43,680 km	1/15

**Statistics:** EMass 786.8 tonnes, LMass 868.5 tonnes, Cost: 193.29 MCr, HP: 30,779, HT: 12, Size Mod: +8

**Performance:** Accel: 3.3 G (3.7 G empty, 3.2 G overloaded), Jump 2, 5,089 km/h (atm), 14,395 km/h (skim)

# Puyan-class Frigate (GTL9)

The Terran Navy fielded the *Puyan*-class Frigate during the Second Interstellar War.

**Crew:** 5 bridge crew, 6 engineers, 8 gunners, medic

800 USL, DR 100, PD 4, 5 Triple Missile Turrets (4 Lights, Heavy), Triple Sandcaster Turret, Triple 101 MJ Laser Turret, Triple 40 MJ PD Laser Turret, Basic Stealth, Basic Emission Cloaking, Hardened Basic Bridge, Enhanced Sensor, Engineering, 24 Jump, 75 Fusion Rocket, 320 Fuel, 1 Fuel Scoop, 300 Water (4.3 hrs), 5 Utility, 3 Bunkrooms, Military Sickbay, 15.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	240,000/36	1,600,000/41	32,000/31
Enhanced Sensor	1,600,000/41	3,200,000/43	72,000/33

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
101 MJ Rainbow Laser	Imp	31	8d x 20	36,864 km	69,120 km	1/60
40 MJ Rainbow Laser	Imp	30	5d x 20	23,296 km	43,680 km	1/15

**Defenses:** DR 100, PD 4, -5 to active scans, -2 to passive scans

**Maintenance:** HT: 12, 90.6 man-hours per day, 0.4 MCr/yr

**Statistics:** EMass 826.7 tonnes, LMass 1,351.7 tonnes, Cost: 356.09 MCr (MCr399.53 fitted out), HP: 48,859, Size Mod: +9

**Performance:** Accel: 4.0 G (6.6 G empty, 3.3 G overloaded), Jump 2, 13,331 km/h (skim)

# Auldwich-class Light Destroyer (GTL 10)

*Auldwich*-class destroyers can frequently be found on patrol along the Imperial border. Although lightly armed and armoured, they are—by Solomani standards—agile and comfortable ships, well suited to patrol duties.

**Crew:** 6 bridge crew, 21 engineers, 12 gunners, medic, 22 auxiliary crew, 32 Marines (officer, 31 enlisted)

2,000 USL, DR 1300 (DR 650 on weapons), PD 4, Total Compartmentalization, 8 Triple Missile Turrets (Light), 2 Triple Sandcaster Turrets, 4 Triple 250 MJ Laser Turrets, 6 Single 810 MJ Laser Turrets, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, 2 Engineering, 60 Jump, 1100 Maneuver, 400 Fuel, Workshop, 4 Utility, 6 Bunkrooms, Marine Barracks (2 Bunkrooms), Briefing Room (holds 10), Weapons Locker (1.8 tonnes capacity), Gym,

Sickbay, 10 Bays for *Langsdale* Attack Fighters, 1 Bay for Gig, 33 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	720,000/39	2,400,000/42	48,000/32

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60
810 MJ X-Ray Laser	Imp	33	6d x 75(2)	40,000 km	120,000 km	1/60

**Maintenance:** HT: 12, 111.2 man-hours per day, 0.5 MCr/yr

**Statistics:** EMass 8,244.9 tonnes, LMass 10,758.7 tonnes, Cost: 536.91 MCr (MCr711.74 fitted out), HP: 90,000, Size Mod: +10

**Performance:** Accel: 3.7 G (4.8 G empty, 3.5 G overloaded), Jump 2, 25,485 km/h (skim)

# Berghoff-class Missile Boat (GTL 10)

Ever since the Interstellar Wars, the Terran Navy has fielded missile boats: small, light, agile ships armed exclusively with missiles. The *Berghoff* class, currently in service with the Solomani Navy, carries on the tradition. Scarcely more protected than the average merchant, the *Berghoff* boasts a high acceleration and 18 missile racks.

**Crew:** 4 bridge crew, 7 engineers, 6 gunners

600 USL, DR 250 (DR 125 on weapons), PD 4, 6 Triple Missile Turrets (Light), 12 Magazines, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 24 Jump, 362 Maneuver, 180 Fuel, 2 Utility, 2 Bunkrooms

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	720,000/39	2,400,000/42	48,000/32

**Maintenance:** HT: 12, 65.6 man-hours per day, 0.2 MCr/yr

**Statistics:** EMass 1,755.5 tonnes, LMass 2,119.6 tonnes, Cost: 187.02 MCr (MCr240.16 fitted out), HP: 40,332, Size Mod: +9

**Performance:** Accel: 6.2 G (7.5 G empty), Jump 3, 24,261 km/h (skim)

# Cholath-class Destroyer (GTL 10)

Although its design is now outdated, the Imperial Navy still has many *Cholath*-class destroyers. Their long legs and varied armament make them ideal patrol vessels, and they are frequently seen “showing the flag” in backwater subsectors.

**Crew:** 10 bridge crew, 38 engineers, 12 gunners, medic, 30 frozen watch

4,000 SL, DR 1300 (DR 650 on weapons), PD 4, Total Compartmentalization, 5 Triple Missile Turrets (Light), 5 Triple 90 MJ PD Laser Turrets, 3 13 GJ Particle Bays, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 120 Jump, 1950 Maneuver, 800 Fuel, 10 Fuel Processors (10.0 hrs), 7 Utility, 31 Staterooms, 8 Low Berths (32 cryotubes), Sickbay, 18 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	720,000/39	2,400,000/42	48,000/32

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	16,480 km	49,440 km	1/8
13 GJ PAW Bay	Imp	30	6d x 1,500	23,408 km	70,224 km	1/60

**Maintenance:** HT: 12, 153.4 man-hours per day, 1.0 MCr/yr

**Statistics:** EMass 14,238.4 tonnes, LMass 15,213.0 tonnes, Cost: 1,021.66 MCr (MCr1,065.94 fitted out), HP: 142,866, Size Mod: +10

**Performance:** Accel: 4.7 G (5.0 G empty, 4.6 G overloaded), Jump 2, 12,043 km/h (atm), 34,065 km/h (skim)

# Congreve-class Missile Boat (GTL 10)

Desperately outclassed by the forces of the Zira Siirka, the outnumbered Terrans developed the missile boat, a small craft armed exclusively with missiles, and deployed it in squadrons capable of overwhelming a Vilani warship's point defenses.

The present *Congreve*-class missile boat is a continuation of that tradition. Armed with a massive missile bay, and with enough armour to ignore turret weapons at long range, doctrine calls for several squadrons of missile boats to jump into a system, overwhelm the target with a massive barrage, and then jump back to their base for resupply.

**Crew:** 3 bridge crew, 11 engineers, 3 gunners, medic

1,200 USL, DR 120 (DR 100 on weapons), PD 4, Large Missile Bay (Heavy), 2 Triple 90 MJ PD Laser Turrets, Basic Stealth, Basic Emission Cloaking, Hardened Command

Bridge, Engineering, 36 Jump, 561 Maneuver, 480 Fuel, 2 Utility, 3 Bunkrooms, Sickbay

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	720,000/39	2,400,000/42	48,000/32

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	16,480 km	49,440 km	1/8

**Maintenance:** HT: 12, 84.5 man-hours per day, 0.3 MCr/yr

**Statistics:** EMass 2,528.8 tonnes, LMass 3,984.6 tonnes, Cost: 310.16 MCr (MCr580.16 fitted out), HP: 64,024, Size Mod: +9

**Performance:** Accel: 5.1 G (8.0 G empty), Jump 2, 25,019 km/h (skim)

# Dartmouth-class Patrol Frigate (GTL 10)

The *Dartmouth*-class patrol frigate is one of the most common vessels in the Solomani Navy. Cramped and austere, like most Solomani vessels, *Dartmouth* crews take pride in the length of their patrols.

**Crew:** 5 bridge crew, 2 engineers, 2 gunners, 4 auxiliary crew

200 USL, DR 1300 (DR 650 on weapons), PD 4, Triple Missile Turret (Light), Triple 250 MJ Laser Turret, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 8 Jump, 71 Maneuver, 60 Fuel, 0.5 Fuel Scoops, Fuel Processor (7.5 hrs), 1 Utility, 2 Bunkrooms, 2 Bays for *Imp* Patrol Fighters, 0.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	720,000/39	2,400,000/42	48,000/32

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60

**Maintenance:** HT: 12, 41.8 man-hours per day, 0.1 MCr/yr

**Statistics:** EMass 1,163.0 tonnes, LMass 1,465.1 tonnes, Cost: 75.97 MCr (MCr96.24 fitted out), HP: 19,389, Size Mod: +8

**Performance:** Accel: 1.8 G (2.2 G empty, 1.7 G overloaded), Jump 3, 11,379 km/h (skim)

# Drangki-class Destroyer (GTL 10)

While obsolete by Imperial standards, the *Drangki* is one of the best ships in its world's navy.

**Crew:** pilot, 39 engineers, 9 gunners

4,000 SL, DR 2500 (DR 1250 on weapons), PD 4, Heavy Compartmentalization, 4 Triple 250 MJ Laser Turrets, 3 Triple 90 MJ PD Laser Turrets, 3 Single 810 MJ Laser Turrets, 3 13 GJ Particle Bays, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 120 Jump, 2000 Maneuver, 800 Fuel, 4 Fuel Processors (25.0 hrs), 7 Utility, 25 Staterooms, 3 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	720,000/39	2,400,000/42	48,000/32

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	16,480 km	49,440 km	1/8
810 MJ X-Ray Laser	Imp	33	6d x 75(2)	40,000 km	120,000 km	1/60
13 GJ PAW Bay	Imp	30	6d x 1,500	23,408 km	70,224 km	1/60

**Maintenance:** HT: 12, 159.8 man-hours per day, 1.1 MCr/yr

**Statistics:** EMass 19,880.6 tonnes, LMass 20,619.8 tonnes, Cost: 1,108.24 MCr, HP: 142,866, Size Mod: +10

**Performance:** Accel: 3.5 G (3.6 G empty, 3.5 G overloaded), Jump 2, 12,197 km/h (atm), 34,499 km/h (skim)

# Fermouche-class Escort Frigate (GTL 10)

During the closing years of the Solomani Rim War, commerce raiders took a fearful toll of Solomani shipping as the Imperial Navy pursued a logistical strategy against the Solomani Confederation. The Confederation Navy was faced with the choice of detaching fleet assets as convoy escorts stripped Solomani battle squadrons of their escorts, resulting in a higher loss rate, or leaving merchants unescorted, resulting in a virtual shutdown of Solomani industry. Resolving never to face such a dilemma again, one of the first ships laid down after the Rim War was a new class of escort frigate.

*Fermouche*-class frigates are the constant companions of Solomani convoys in dangerous regions. While not heavy enough to stand up in the line of battle, they are admirably suited to their intended purpose: protecting slow merchants from privateers. *Fermouche* frigates are usually deployed in pairs; when heavier opposition is expected a *Velroi*-class escort destroyer is detailed to assist a squadron of eight frigates.

*Crew:* 5 bridge crew, 6 engineers, 3 gunners, medic, 10 auxiliary crew

600 USL, DR 1300 (DR 650 on weapons), PD 4, 2 Triple 250 MJ Laser Turrets, 2 Triple 90 MJ PD Laser Turrets, 2 Single 810 MJ Laser Turrets, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 18 Jump, 280 Maneuver, 120 Fuel, 0.5 Fuel Scoops, Fuel Processor (15.0 hrs), 1 Utility, Stateroom, 2 Bunkrooms, Sickbay, 4 Bays for *Burtoine* Escort Fighters, 1 Bay for Gig, 7.5 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Command Bridge</i>	8,000,000	—	16,000,000	160,000
<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>	
<i>Command Bridge</i>	720,000/39	2,400,000/42	48,000/32	

<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
<i>250 MJ X-Ray Laser</i>	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60
<i>90 MJ X-Ray Laser</i>	Imp	30	5d x 30(2)	16,480 km	49,440 km	1/8
<i>810 MJ X-Ray Laser</i>	Imp	33	6d x 75(2)	40,000 km	120,000 km	1/60

*Maintenance:* HT: 12, 63.9 man-hours per day, 0.2 MCr/yr

**Statistics:** EMass 2,908.2 tonnes, LMass 4,382.4 tonnes, Cost: 177.14 MCr (MCr229.91 fitted out), HP: 40,332, Size Mod: +9

**Performance:** Accel: 2.3 G (3.5 G empty, 2.2 G overloaded), Jump 2, 17,569 km/h (skim)

# Holgrim-class Fleet Destroyer (GTL 10)

Intended to support fleet operations, the *Holgrim*-class destroyer can be found in every Sword World fleet. While very restricted in terms of independent operations, it's relatively high armour and compartmentalization, both unusual in a vessel this size, increase its survivability during a fleet engagement.

*Crew:* 8 bridge crew, 9 engineers, 8 gunners, 12 frozen watch 800-ton USL Hull, DR 1300, PD 4, Total compartmentalization, 2 Turrets with 3 missile racks each, 6 Turrets with 3 lasers each, Basic stealth, Basic emission cloaking, Hardened Command Bridge, Engineering, 534 Maneuver, 24 Jump, 160 Fuel, Fuel Processor (20.0 hours), 15

Staterooms, 4 Low Berths (holds 16 cryotubes), 2 Utility, 3 cargo

*Communicators:* Radio 3 million km, Laser 6 million km, Meson 0.1 million km

*Sensors:* PESA 80000 km, AESA 240000 km, Radscanner 6400 km

*18 360-MJ Lasers:* Imp, Acc 32, Dmg 6dx50(2), 1/2D Rng 32720 km, MxRng 98610 km, FP 4, SS 30, RoF 1/60

**Statistics:** EMass 5081.8 tonnes, LMass 5095.4 tonnes, Cost MCr 268.8, HP 69600

**Performance:** Accel 3.8 G (3.8 G empty, 3.8 G overloaded), Jump 2, Air Speed 960 km/h

# Hoplite-class Close Escort (GTL 10)

Sister-ship to the *Maniakes*, the *Hoplite* class trades streamlining and acceleration for improved armour. In other respects the classes are identical. Solomani doctrine calls for deploying *Hoplites* in squadrons of five ships in border regions, to protect schedules inter-orbital shipping.

*Crew:* 4 bridge crew, 5 engineers, 4 gunners

400 USL, DR 2500 (DR 1250 on weapons), PD 4, Total Compartmentalization, 4 Triple 250 MJ Laser Turrets, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 16 Jump, 240 Maneuver, 120 Fuel, 0.5 Fuel Scoops, Fuel Processor (15.0 hrs), 1 Utility, 2 Bunkrooms, 3.5 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Command Bridge</i>	8,000,000	—	16,000,000	160,000
<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>	
<i>Command Bridge</i>	720,000/39	2,400,000/42	48,000/32	

<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
<i>250 MJ X-Ray Laser</i>	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60

*Maintenance:* HT: 12, 62.4 man-hours per day, 0.2 MCr/yr

**Statistics:** EMass 3,511.0 tonnes, LMass 3,635.7 tonnes, Cost: 169.12 MCr, HP: 30,779, Size Mod: +8

**Performance:** Accel: 2.4 G (2.5 G empty, 2.4 G overloaded), Jump 3, 19,028 km/h (skim)



# Korkii-class Destroyer (GTL 10)

The *Korkii* is a typical Ziru Sirka design: good armour, decent acceleration, and a mix of beam and missile weapons. With no small craft of its own, the *Korkii* was always deployed with a squadron of smaller escorts and auxiliaries.

**Crew:** 8 bridge crew, 88 engineers, 27 gunners, 3 medics

7,500 USL, DR 5500 (DR 2000 on weapons), PD 4, Heavy Compartmentalization, 15 Triple Missile Turrets (Light), 5 Triple 250 MJ Laser Turrets, 5 Triple 90 MJ PD Laser Turrets, 5 13 GJ Particle Bays, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 308 Jump, 4500 Maneuver, 2,310 Fuel, 2.5 Fuel Scoops, 15 Fuel Processors (19.3 hrs), Workshop, 15 Utility, 63 Staterooms, 3 Military Sickbays, 6.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	720,000/39	2,400,000/42	48,000/32

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	43,605 km	81,760 km	1/60
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	26,368 km	49,440 km	1/8
13 GJ PAW Bay	Imp	30	6d x 1,500	37,452 km	70,224 km	1/60

**Defenses:** DR 5500 (DR 2000 on weapons), PD 4, -6 to active scans, -3 to passive scans

**Maintenance:** HT: 12, 253.6 man-hours per day, 2.8 MCr/yr

**Statistics:** EMass 59,475.1 tonnes, LMass 62,101.8 tonnes, Cost: 2,792.21 MCr (MCr2,925.05 fitted out), HP: 217,235, Size Mod: +11

**Performance:** Accel: 2.6 G (2.7 G empty, 2.6 G overloaded), Jump 3, 29,464 km/h (skim)

# Kosigar-class Pocket Carrier (GTL 10)

Carrying a reinforced squadron of *Olmeka* heavy fighters, the *Kosigar* class carrier is well defended, making it an ideal vessel for strike raids against moderately-defended targets.

**Crew:** pilot, 21 engineers, 22 gunners, medic, 20 auxiliary crew

4,000 USL, DR 1800 (DR 900 on weapons), PD 4, Heavy Compartmentalization, 10 Triple Missile Turrets (Light), 10 Triple Sandcaster Turrets, 20 Triple 250 MJ Laser Turrets, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 160 Jump, 850 Maneuver, 1,200 Fuel, 6 Utility, 33 Staterooms, Sickbay, Hanger for 10 *Olmeka* Heavy Fighters with 1 Entrance, 5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	720,000/39	2,400,000/42	48,000/32

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60

**Maintenance:** HT: 12, 154.9 man-hours per day, 1.0 MCr/yr

**Statistics:** EMass 13,550.0 tonnes, LMass 33,284.8 tonnes, Cost: 1,041.89 MCr (MCr1,529.25 fitted out), HP: 142,866, Size Mod: +10

**Performance:** Accel: 0.9 G (2.3 G empty, 0.9 G overloaded), Jump 3

# Kroydon-class Droyne Cruiser (GTL 10)

Ships like the *Kroydon* would be classed as escorts by the Imperial Navy.

The *Kroydon* is more of an example than a class: Droyne starships are almost invariably handmade, thus ships with the same specifications can differ considerably in layout and appearance.

**Crew:** 3 bridge crew, 13 engineers, 5 gunners, 2 auxiliary crew

1,200 USL, DR 1300 (DR 650 on weapons), PD 4, 2 Triple Missile Turrets (Light), 6 Triple 250 MJ Laser Turrets, 2 Triple 90 MJ PD Laser Turrets, 2 Single 810 MJ Laser Turrets, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 48 Jump, 625 Maneuver, 360 Fuel, 3 Utility, 4 Nests, 1 Bay for Gig, 77 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	720,000/39	2,400,000/42	48,000/32

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	16,480 km	49,440 km	1/8
810 MJ X-Ray Laser	Imp	33	6d x 75(2)	40,000 km	120,000 km	1/60

**Maintenance:** HT: 12, 95.0 man-hours per day, 0.4 MCr/yr

**Statistics:** EMass 5,372.9 tonnes, LMass 6,186.2 tonnes, Cost: 391.61 MCr (MCr414.81 fitted out), HP: 64,024, Size Mod: +9

**Performance:** Accel: 3.7 G (4.2 G empty, 3.0 G overloaded), Jump 3, 23,110 km/h (skim)

## Maniakes-class Close Escort (GTL 10)

Used by the Solomani Navy to escort small merchant convoys, the *Maniakes* is designed for both attack and defence: its lasers can function in an anti-missile role to protect the convey. Commonly deployed in squadrons of five, the *Maniakes* and its sister-class the *Hoplite* are a common sight along the Imperial border.

**Crew:** 4 bridge crew, 4 engineers, 4 gunners

400 SL, DR 500 (DR 250 on weapons), PD 4, Total Compartmentalization, 4 Triple 250 MJ Laser Turrets, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 16 Jump, 160 Maneuver, 120 Fuel, Fuel Processor (15.0 hrs), 1 Utility, 2 Bunkrooms, 4 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Command Bridge	720,000/39	2,400,000/42	48,000/32	

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60

**Maintenance:** HT: 12, 55.0 man-hours per day, 0.1 MCr/yr

**Statistics:** EMass 1,257.8 tonnes, LMass 1,384.7 tonnes, Cost: 131.44 MCr, HP: 30,779, Size Mod: +8

**Performance:** Accel: 4.2 G (4.6 G empty, 4.0 G overloaded), Jump 3, 7,197 km/h (atm), 20,357 km/h (skim)

## Melbourne-class Close Escort (GTL 10)

After the Rim War, the Solomani Confederation vowed to protect their interests against every form of Imperial aggression—including commerce raiding. The *Melbourne* class was commissioned in the wake of that decision. No faster than the merchants it escorts, it carried four *Jumo* heavy fighters to engage the enemy at long range while it interposes itself between the raiders and its convoy. Good armour and total compartmentalization make for a survivable ship. The designers believe that a commerce raider will leave to seek easier targets rather than risk a drag-out fight; whether this will be true in practice will be discovered the next time empires clash.

**Crew:** 5 bridge crew, 9 engineers, 16 gunners, medic, 8 auxiliary crew

1,200 USL, DR 4000 (DR 2000 on weapons), PD 4, Total Compartmentalization, 6 Triple Missile Turrets (Light), 6 Triple 250 MJ Laser Turrets, 4 Nuclear Dampers, Basic

Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 36 Jump, 450 Maneuver, 240 Fuel, 1 Fuel Scoop, 3 Fuel Processors (10.0 hrs), 3 Utility, 4 Bunkrooms, Sickbay, Hanger for 4 *Jumo* Heavy Fighters with 1 Entrance, 16 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Command Bridge	720,000/39	2,400,000/42	48,000/32	

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60

**Maintenance:** HT: 11, 101.0 man-hours per day, 0.4 MCr/yr

**Statistics:** EMass 10,646.9 tonnes, LMass 12,928.7 tonnes, Cost: 442.80 MCr (MCr560.97 fitted out), HP: 64,024, Size Mod: +9

**Performance:** Accel: 1.3 G (1.5 G empty, 1.2 G overloaded), Jump 2, 10,490 km/h (skim)

## Orman-class Fleet Destroyer (GTL 10)

One of the countless escorts deployed during the Rule of Man, the *Orman* fleet destroyer is unexceptional. Adequately armoured, with decent strategic and tactical mobility, it is none-the-less designed to serve as part of a fleet rather than on independent operations.

**Crew:** 10 bridge crew, 83 engineers, 19 gunners, 21 auxiliary crew

7,500 USL, DR 2500 (DR 1250 on weapons), PD 4, Heavy Compartmentalization, 5 Triple 90 MJ PD Laser Turrets, 7 29 GJ Particle Bays, Nuclear Damper, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Electronic Warfare Suite, Engineering, 323 Jump, 4200 Maneuver, 2,418 Fuel, 2.5 Fuel Scoops, 20 Fuel Processors (15.1 hrs), Workshop, 15 Utility, 12 Bunkrooms, Hanger for 10 *Firefly* Light Fighters with 1 Entrance, Hanger for *Skyskipper* Launch, 93 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Command Bridge	720,000/39	2,400,000/42	48,000/32	

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	26,368 km	49,440 km	1/8
29 GJ PAW Bay	Imp	34	5d x 2,700	56,064 km	105,120 km	1/60

**Defenses:** DR 2500 (DR 1250 on weapons), PD 4, -6 to active scans, -3 to passive scans, 16 km Nuclear Damper

**Maintenance:** HT: 12, 255.8 man-hours per day, 2.8 MCr/yr

**Statistics:** EMass 44,044.5 tonnes, LMass 47,151.0 tonnes, Cost: 2,839.50 MCr (MCr2,894.74 fitted out), HP: 217,235, Size Mod: +11

**Performance:** Accel: 3.2 G (3.5 G empty, 3.1 G overloaded), Jump 3, 27,258 km/h (skim)

## Sveinhelm-class Assault Carrier (GTL10)

Scarcely slower than the *Angbar* fighters it carries, the *Sveinhelm* class carrier is an archetypical Sword Worlds design. Massive, blocky, built for survival not speed, it is intended for the decisive set-piece battle that the Confederation High Command plans for. Imperial Naval Intelligence rates the *Sveinhelm's* threat as "minimal" to any modern Imperial vessel.

**Crew:** 4 bridge crew, 11 engineers, 20 gunners, 2 medics, 20 auxiliary crew, 8 frozen watch, 12 troops

2000-ton USL Hull, DR 500, PD 4, Total compartmentalization, 10 Turrets with 3 missile racks each, 10 Turrets with 3 lasers each, Hardened Command Bridge, Engineering, 500 Maneuver, 60 Jump, 400 Fuel, 29

Staterooms, Bunkroom (16 personnel), 2 Low Berths (holds 8 cryotubes), 4 Utility, 2 Spacedocks (20 *Angbar* Heavy Fighters), Sickbay, Workshop, 85.5 cargo

**Communicators:** Radio 8 million km, Laser 16 million km, Meson 0.2 million km

**Sensors:** PESA 80000 km, AESA 240000 km, Radscanner 6400 km

**30 360-MJ Lasers:** Imp, Acc 32, Dmg 6dx50(2), 1/2D Rng 32726 km, MxRng 98618 km, FP 4, SS 30, RoF 1/60

**Statistics:** EMass 4868.8 tonnes, LMass 15250.6 tonnes, Cost MCr 407.4, HP 114000

**Performance:** Accel 1.2 G (3.7 G empty, 1.1 G overloaded), Jump 2, Air Speed 960 km/h

## Ubervisch-class Commerce Raider (GTL10)

During the closing years of the Solomani Rim War, commerce raiders took a fearful toll of Solomani shipping as the Imperial Navy pursued a logistical strategy against the Solomani Confederation. Learning from this, the *Ubervisch*-class commerce raider was designed by the Solomani Navy for one purpose only: destroying Imperial merchant shipping.

Too fragile for the line of battle, too cramped for deep penetration patrols, too underpowered for escort duty—*Ubervisch*-class ships are not a popular posting in the Solomani Navy, although once shaken down their crews develop strong camaraderie.

**Crew:** 4 bridge crew, 7 engineers, 6 gunners, 2 auxiliary crew  
600 USL, DR 500 (DR 250 on weapons), PD 4, Total Compartmentalization, 5 Triple Missile Turrets (Light), Triple 250 MJ Laser Turret, Radical Stealth, Radical Emission Cloaking, Hardened Command Bridge, Engineering, 24 Jump,

345 Maneuver, 180 Fuel, 1 Fuel Scoop, Fuel Processor (22.5 hrs), 2 Utility, 3 Bunkrooms, 1 Bay for Gig, 2 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Command Bridge	720,000/39	2,400,000/42	48,000/32	

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60

**Defenses:** DR 500 (DR 250 on weapons), PD 4, -12 to active scans, -6 to passive scans

**Maintenance:** HT: 12, 73.3 man-hours per day, 0.2 MCr/yr

**Statistics:** EMass 2,014.5 tonnes, LMass 2,424.8 tonnes, Cost: 233.35 MCr (MCr283.12 fitted out), HP: 40,332, Size Mod: +9

**Performance:** Accel: 5.2 G (6.2 G empty, 5.1 G overloaded), Jump 3, 23,223 km/h (skim)

## Uxkoong-class Frigate (GTL10)

A smaller warship, the *Uxkoong* is used to patrol the borders of the Two Thousand Worlds.

**Crew:** 5 bridge crew, 29 engineers, 22 gunners

**Passengers:** 15 independent passengers

7,500 SL, DR 3000 (DR 1500 on weapons), PD 4, 4 Large Missile Bays (Heavy), 5 Triple 90 MJ PD Laser Turrets, 10 Single 810 MJ Laser Turrets, 2 29 GJ Particle Bays, 4 Nuclear Dampers, 38 Meson Screens (DR 5000), Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Enhanced Communicator, Enhanced Sensor, Electronic Warfare Suite, Engineering, 300 Jump, 1000 Maneuver, 2,250 Fuel, 15 Utility, Pasture for 71-142 K'kree, 22.5 Cargo

Communicator Range	Radio	Maser	Laser	Meson
Command Bridge:	8,000,000 km	—	16,000,000 km	160,000 km
Enhanced Commo:	8,000,000 km	80,000,000 km	16,000,000 km	1,600,000 km
Sensor Range/Scan	PESA	AESA	Radscanner	
Command Bridge:	720,000 km/39	2,400,000 km/42	48,000 km/32	
Enhanced Sensor:	3,200,000 km/43	7,200,000 km/45	320,000 km/37	

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	16,480 km	49,440 km	1/8
810 MJ X-Ray Laser	Imp	33	6d x 75(2)	40,000 km	120,000 km	1/60
29 GJ PAW Bay	Imp	34	5d x 2,700	35,040 km	105,120 km	1/60

**Statistics:** EMass 30,017.2 tonnes, LMass 36,241.5 tonnes, Cost: 2,264.03 MCr (MCr3,344.03 fitted out), HP: 217,235, HT: 12, Size Mod: +11

**Performance:** Accel: 1.0 G (1.2 G empty, 1.0 G overloaded), Jump 3, 6,998 km/h (atmospheric), 19,793 km/h (skimming)

# Velroi-class Escort Destroyer (GTL 10)

During the closing years of the Solomani Rim War, commerce raiders took a fearful toll of Solomani shipping as the Imperial Navy pursued a logistical strategy against the Solomani Confederation. The Confederation Navy was faced with the choice of detaching fleet assets as convoy escorts stripped Solomani battle squadrons of their escorts, resulting in a higher loss rate, or leaving merchants unescorted, resulting in a virtual shutdown of Solomani industry. Resolving never to face such a dilemma again, one of the first ships laid down after the Rim War was a new class of escort destroyer.

*Velroi*-class destroyers are the mainstay of Solomani convoys. While not heavy enough to stand up in the line of battle, they are admirably suited to their intended purpose: protecting slow merchants from commerce raiders and privateers. Twenty triple turrets and heavy armour, as well as a squadron of *Burtoine* escort fighters, keep all but the heaviest commerce raider at bay.

**Crew:** 5 bridge crew, 19 engineers, 12 gunners, medic, 18 auxiliary crew

2,000 USL, DR 2000 (DR 1000 on weapons), PD 4, Heavy Compartmentalization, 5 Triple Missile Turrets (Light), 5 Triple 250 MJ Laser Turrets, 5 Triple 90 MJ PD Laser Turrets,

5 Single 810 MJ Laser Turrets, Nuclear Damper, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 60 Jump, 950 Maneuver, 400 Fuel, 1 Fuel Scoop, 5 Fuel Processors (10.0 hrs), 4 Utility, 6 Bunkrooms, Sickbay, Hanger for 8 *Burtoine* Escort Fighters with 1 Entrance, Hanger for Gig, 5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	720,000/39	2,400,000/42	48,000/32

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	16,480 km	49,440 km	1/8
810 MJ X-Ray Laser	Imp	33	6d x 75(2)	40,000 km	120,000 km	1/60

**Defenses:** DR 2000 (DR 1000 on weapons), PD 4, -6 to active scans, -3 to passive scans, 16 km Nuclear Damper

**Maintenance:** HT: 12, 114.4 man-hours per day, 0.6 MCr/yr

**Statistics:** EMass 9,993.5 tonnes, LMass 13,138.5 tonnes, Cost: 568.47 MCr (MCr712.80 fitted out), HP: 90,000, Size Mod: +10

**Performance:** Accel: 2.6 G (3.4 G empty, 2.6 G overloaded), Jump 2, 21,799 km/h (skim)

# Xianghou-class Destroyer (GTL 10)

An aging design, *Xianghou* destroyers have been relegated to second-tier duties. They are rarely encountered outside the Solomani Confederation.

**Crew:** 8 bridge crew, 51 engineers, 14 gunners, 2 medics, 8 auxiliary crew, 41 frozen watch, 31 Marines (officer, 30 enlisted)

5,000 USL, DR 5500 (DR 2000 on weapons), PD 4, Heavy Compartmentalization, 4 Large Missile Bays (Heavy), 5 Triple 250 MJ Laser Turrets, 5 Triple 90 MJ PD Laser Turrets, 2 Nuclear Dampers, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, 3 Engineering, 213 Jump, 2500 Maneuver, 1,596 Fuel, 2 Fuel Scoops, 10 Fuel Processors (20.0 hrs), Workshop, 10 Utility, 4 Staterooms, 5 Bunkrooms, 11 Low Berths (44 cryotubes), Marine Barracks (Stateroom, 2 Bunkrooms), Briefing Room (holds 10), 2 Battledress Racks (40 stored), Weapons Locker (1.8 tonnes capacity), Gym, Shooting Range, 2 Military Sickbays, Hanger for 4 *Steadfast*

Medium Fighters with 1 Entrance, Hanger for *Sarta* Armoured Launch, 145.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	720,000/39	2,400,000/42	48,000/32

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	43,605 km	81,760 km	1/60
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	26,368 km	49,440 km	1/8

**Defenses:** DR 5500 (DR 2000 on weapons), PD 4, -6 to active scans, -3 to passive scans, 24 km Nuclear Damper

**Maintenance:** HT: 12, 207.9 man-hours per day, 1.9 MCr/yr

**Statistics:** EMass 43,273.7 tonnes, LMass 50,180.4 tonnes, Cost: 1,876.81 MCr (MCr3,005.53 fitted out), HP: 165,781, Size Mod: +10

**Performance:** Accel: 1.8 G (2.1 G empty, 1.7 G overloaded), Jump 3, 20,060 km/h (skim)

# Bliaprlinzh-class Strike Destroyer (GTL 11)

The *Bliaprlinzh*-class Strike Destroyer is the Zhodani Consulate's vessel of choice for launching fast, devastating raids. It can carry a reinforced platoon of Consular Guards—trained in meteoric assault—to their target, provide heavy fire support, and recover them with its gigs.

**Crew:** 5 bridge crew, 34 engineers, 7 gunners, 2 medics, 4 auxiliary crew, 26 frozen watch, 42 Consular Guard (2 officers, 40 enlisted)

4,000 USL, DR 3000 (DR 1500 on weapons), PD 4, 3 Large Missile Bays (Heavy), 10 Triple 97 MJ PD Laser Turrets, Radical Stealth, Radical Emission Cloaking, Hardened Basic Bridge with Psionic Switches, Advanced Communicator, Advanced Sensor, Electronic Warfare Suite, 2 Engineering, 200 Jump, 1500 Maneuver, 1,600 Fuel, 2 Fuel Scoops, 20 Fuel Processors (10.0 hrs), 8 Utility, 27 Staterooms, 7 Low Berths (28 cryotubes), Marine Barracks (Stateroom, 10 Bunkrooms), 2 Briefing Rooms (holds 20), Drop Capsule Launcher (240 per

turn, 64 stored), 3 Battledress Racks (60 stored), Weapons Locker (1.8 tonnes capacity), Gym, Shooting Range, 2 Sickbays, Hanger for 2 *Echpoz*h Armed Gigs, 76.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Advanced Commo	8,000,000	80,000,000	16,000,000	24,000,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31
Advanced Sensor	11,200,000/46	11,200,000/46	1,120,000/40

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
97 MJ X-Ray Laser	Imp	31	5d x 40(2)	18,720 km	56,160 km	1/8

**Maintenance:** HT: 12, 227.2 man-hours per day, 2.2 MCr/yr

**Statistics:** EMass 15,998.6 tonnes, LMass 21,057.0 tonnes, Cost: 2,240.09 MCr (MCr3,155.09 fitted out), HP: 142,866, Size Mod: +10

**Performance:** Accel: 6.5 G (8.5 G empty, 6.1 G overloaded), Jump 4, 43,430 km/h (skim)

# Brildan-class Heavy Destroyer (GTL 11)

Fairly fast and well-armoured for an escort vessel, the *Brildan* class is intended to take its place in the line of battle. Armed with heavy missiles and a mixture of beam weapons, it can threaten cruisers. Although obsolete by modern Imperial standards, it is more than adequate against Vargr raiders.

**Crew:** 8 bridge crew, 56 engineers, 13 gunners, 3 medics, 2 auxiliary crew, 41 frozen watch

5,000 USL, DR 15000 (DR 4000 on weapons), PD 4, Heavy Compartmentalization, 2 Large Missile Bays (Heavy), 5 Triple 390 MJ Laser Turrets, 5 Triple 97 MJ PD Laser Turrets, 10 Single 870 MJ Laser Turrets, 29 GJ Particle Bay, 30 Magazines, Nuclear Damper, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Advanced Communicator, Advanced Sensor, Electronic Warfare Suite, Engineering, 202 Jump, 2600 Maneuver, 1,512 Fuel, 2 Fuel Scoops, 9 Fuel Processors (21.0 hrs), 10 Utility, 41 Staterooms, 11 Low Berths (44 cryotubes), 3 Military

Sickbays, Armoury (1.8 tonnes capacity), Hanger for Ship's Boat with 1 Entrance, 52 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000
Advanced Commo	8,000,000	80,000,000	16,000,000	24,000,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	1,600,000/41	2,400,000/42	48,000/32
Advanced Sensor	11,200,000/46	11,200,000/46	1,120,000/40

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
390 MJ X-Ray Laser	Imp	32	8d x 50(2)	37,440 km	112,320 km	1/60
97 MJ X-Ray Laser	Imp	31	5d x 40(2)	18,720 km	56,160 km	1/8
870 MJ X-Ray Laser	Imp	34	6d x 100(2)	56,000 km	168,000 km	1/60
29 GJ PAW Bay	Imp	34	5d x 2,700	35,040 km	105,120 km	1/60

**Maintenance:** HT: 10, 280.2 man-hours per day, 3.4 MCr/yr

**Statistics:** EMass 59,898.8 tonnes, LMass 63,634.8 tonnes, Cost: 3,407.85 MCr (MCr4,017.03 fitted out), HP: 165,781, Size Mod: +10

**Performance:** Accel: 3.7 G (3.9 G empty, 3.7 G overloaded), Jump 3, 48,007 km/h (skim)

# Cadiz-class Fast Destroyer (GTL11)

*Cadiz*-class destroyers are some of the lightest and fastest in the Solomani Confederation. Comparitively underarmoured and with 40% of their displacement given over to their massive thrusters, they can pull over 5 Gs.

Armed with a good mix of laser weapons, as well as three heavy missile bays and a platoon of drop troops, and having a high jump rating as well, *Cadiz*-class destroyers are often used for raids.

**Crew:** 8 bridge crew, 36 engineers, 9 gunners, 2 medics, 6 auxiliary crew, 30 frozen watch, 31 Marines (officer, 30 enlisted)

4,000 USL, DR 5000 (DR 2500 on weapons), PD 4, 3 Large Missile Bays (Heavy), 3 Triple 390 MJ Laser Turrets, 3 Triple 97 MJ PD Laser Turrets, 4 Single 870 MJ Laser Turrets, 30 Magazines, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Enhanced Communicator, Enhanced Sensor, Electronic Warfare Suite, Engineering, 201 Jump, 1600 Maneuver, 1,608 Fuel, 2 Fuel Scoops, 10 Fuel Processors (20.1 hrs), 8 Utility, 6 Bunkrooms, 8 Low Berths (32 cryotubes), Marine Barracks (3 Bunkrooms), Briefing

Room (holds 10), Drop Capsule Launcher (240 per turn, 32 stored), 2 Battledress Racks (40 stored), Weapons Locker (1.8 tonnes capacity), Gym, Shooting Range, Exercise Room, 2 Military Sickbays, 3 Bays for *Vixen* Armed Gigs, 87 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000
Enhanced Commo	8,000,000	80,000,000	16,000,000	2,400,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	1,600,000/41	2,400,000/42	48,000/32
Enhanced Sensor	7,200,000/45	11,200,000/46	720,000/39

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
390 MJ X-Ray Laser	Imp	32	8d x 50(2)	37,440 km	112,320 km	1/60
97 MJ X-Ray Laser	Imp	31	5d x 40(2)	18,720 km	56,160 km	1/8
870 MJ X-Ray Laser	Imp	34	6d x 100(2)	56,000 km	168,000 km	1/60

**Maintenance:** HT: 12, 225.8 man-hours per day, 2.2 MCr/yr

**Statistics:** EMass 21,760.0 tonnes, LMass 26,942.6 tonnes, Cost: 2,212.00 MCr (MCr3,139.93 fitted out), HP: 142,866, Size Mod: +10

**Performance:** Accel: 5.4 G (6.7 G empty, 5.1 G overloaded), Jump 4, 44,027 km/h (skim)

# Curzon-class Destroyer (GTL11)

*Curzon*-class destroyers are typical Solomani designs: cramped and lacking privacy, all crew comfort is subordinated to the mission. Well armoured, fast, long-legged, and packing a formidable punch, *Curzon* destroyers are well-suited for a variety of missions.

**Crew:** 6 bridge crew, 26 engineers, 14 gunners, medic, 13 auxiliary crew, 32 Marines (officer, 31 enlisted)

3,000 USL, DR 4800 (DR 2400 on weapons), PD 4, Small Missile Bay (Heavy), 2 Triple 97 MJ PD Laser Turrets, 8 Single 870 MJ Laser Turrets, 14 GJ Particle Bay, 2 Nuclear Dampers, 5 Meson Screens (DR 1000), Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 150 Jump, 1150 Maneuver, 1,200 Fuel, 2 Fuel Scoops, 10 Fuel Processors (15.0 hrs), 6 Utility, 6 Bunkrooms, Marine Barracks (2 Bunkrooms), Briefing Room (holds 10), Drop Capsule Launcher (240 per turn, 32 stored), 2 Battledress Racks (40 stored), Weapons Locker (1.8 tonnes capacity),

Military Sickbay, Hanger for 4 *Luzon* Aerospace Fighters with 1 Entrance, Hanger for *Estevan* Cutter, 37.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	1,600,000/41	2,400,000/42	48,000/32

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
97 MJ X-Ray Laser	Imp	31	5d x 40(2)	18,720 km	56,160 km	1/8
870 MJ X-Ray Laser	Imp	34	6d x 100(2)	56,000 km	168,000 km	1/60
14 GJ PAW Bay	Imp	33	5d x 2,250	26,720 km	80,160 km	1/60

**Maintenance:** HT: 12, 194.4 man-hours per day, 1.6 MCr/yr

**Statistics:** EMass 16,983.4 tonnes, LMass 20,578.5 tonnes, Cost: 1,639.45 MCr (MCr1,895.69 fitted out), HP: 117,933, Size Mod: +10

**Performance:** Accel: 5.1 G (6.1 G empty, 4.9 G overloaded), Jump 4, 40,458 km/h (skim)



# Drianjdaqr-class Destroyer (GTL11)

The Zhodani Consulate maintains its most advanced ships as a reserve, ready to respond to any aggression. *Drianjdaqr* destroyers form part of that reserve. Fast, agile, and hard-hitting, they provide both a screen for larger vessels, and the core of independent task forces for special operations.

**Crew:** 4 bridge crew, 41 engineers, 10 gunners, medic, 60 auxiliary crew

5,000 USL, DR 2500 (DR 1250 on weapons), PD 4, Heavy Compartmentalization, 3 Triple 97 MJ PD Laser Turrets, 7 Single 870 MJ Laser Turrets, 4 14 GJ Particle Bays, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge with Psionic Switches, Engineering, 250 Jump, 1800 Maneuver, 2,000 Fuel, 10 Utility, 59 Staterooms, Sickbay, 20 Bays for *Joqlsha'* Fighters, 67 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	1,600,000/41	2,400,000/42	48,000/32

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
97 MJ X-Ray Laser	Imp	31	5d x 40(2)	18,720 km	56,160 km	1/8
870 MJ X-Ray Laser	Imp	34	6d x 100(2)	56,000 km	168,000 km	1/60
14 GJ PAW Bay	Imp	33	5d x 2,250	26,720 km	80,160 km	1/60

**Maintenance:** HT: 12, 240.2 man-hours per day, 2.5 MCr/yr

**Statistics:** EMass 18,288.0 tonnes, LMass 25,801.8 tonnes, Cost: 2,504.32 MCr (MCr2,868.52 fitted out), HP: 165,781, Size Mod: +10

**Performance:** Accel: 6.3 G (8.9 G empty, 6.0 G overloaded), Jump 4, 44,317 km/h (skim)

# Ewos-class Q-Ship (GTL11)

Piracy is a long-standing problem near the Vargr Border. While Naval patrols can catch obvious pirates, they can do little against those who lie quiet until the warships have left. To counter this threat to commerce, the Navy runs 'sting' operations using Q-ships. Built to resemble common freighters and mounting concealed plasma guns behind heavy armour, Q-ships will play along with a pirate until the scoundrels are close, then cripple them with a blast from the concealed guns.

**Crew:** 2 bridge crew, 8 engineers, 2 gunners, medic, 30 Marines (2 officers, 28 enlisted)

600 USL, DR 5200 (DR 2600 on weapons), PD 4, 8 Fixed 422 MJ Plasma Guns, Triple Sandcaster Turret, Triple 97 MJ PD Laser Turret, Hardened Command Bridge, Engineering, 18 Jump, 380 Maneuver, 120 Fuel, 2 Utility, Stateroom, 3

Bunkrooms, Marine Barracks (Stateroom, 7 Bunkrooms), Sickbay, 5 Brigs (10 prisoners), 6 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	1,600,000/41	2,400,000/42	48,000/32

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
97 MJ X-Ray Laser	Imp	31	5d x 40(2)	18,720 km	56,160 km	1/8
422 MJ Plasma Gun	Spcl	28	6d x 272	4,267 km	12,800 km	1/60

**Maintenance:** HT: 12, 95.7 man-hours per day, 0.4 MCr/yr

**Statistics:** EMass 5,546.2 tonnes, LMass 5,682.3 tonnes, Cost: 397.59 MCr, HP: 40,332, Size Mod: +9

**Performance:** Accel: 6.1 G (6.2 G empty, 6.0 G overloaded), Jump 2, 41,364 km/h (skim)

# Fenross-class Destroyer (GTL11)

One of the fastest destroyers in Solomani service, the Fenross combines acceleration with decent armour: while not proof against heavy weapons, it can shrug off hits from turret lasers.

**Crew:** 6 bridge crew, 78 engineers, 19 gunners, 2 medics, 4 auxiliary crew, 31 Marines (officer, 30 enlisted)

7,500 USL, DR 5500 (DR 2750 on weapons), PD 4, Heavy Compartmentalization, 6 Large Missile Bays (Heavy), 5 Triple 390 MJ Laser Turrets, 5 Triple 97 MJ PD Laser Turrets, 5 Single 870 MJ Laser Turrets, Nuclear Damper, Basic Stealth, Basic Emission Cloaking, Hardened Basic Bridge, Enhanced Sensor, Engineering, 399 Jump, 3500 Maneuver, 3,192 Fuel, 3 Fuel Scoops, 30 Fuel Processors (13.3 hrs), Workshop, 15 Utility, 10 Bunkrooms, Marine Barracks (3 Bunkrooms), 3 Briefing Rooms (holds 30), 2 Battledress Racks (40 stored), Weapons Locker (1.8 tonnes capacity), 2 Gyms, Shooting Range, 2 Military Sickbays, Brig (2 prisoners), Hanger for 2 *Vixen* Armed Gigs with 1 Entrance, 56 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31
Enhanced Sensor	7,200,000/45	16,000,000/47	720,000/39

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
390 MJ X-Ray Laser	Imp	32	8d x 50(2)	59,904 km	112,320 km	1/60
97 MJ X-Ray Laser	Imp	31	5d x 40(2)	29,952 km	56,160 km	1/8
870 MJ X-Ray Laser	Imp	34	6d x 100(2)	89,600 km	168,000 km	1/60

**Defenses:** DR 5500 (DR 2750 on weapons), PD 4, -7 to active scans, -3 to passive scans, 16 km Nuclear Damper

**Maintenance:** HT: 12, 323.5 man-hours per day, 4.5 MCr/yr

**Statistics:** EMass 45,189.7 tonnes, LMass 54,640.0 tonnes, Cost: 4,543.03 MCr (MCr6,361.65 fitted out), HP: 217,235, Size Mod: +11

**Performance:** Accel: 5.8 G (7.0 G empty, 5.7 G overloaded), Jump 4, 43,535 km/h (skim)

# Gherain-class Corvette (GTL 11)

*Gherain*-class corvettes made a name for themselves during the Fourth Frontier War. Their high acceleration and long legs made them admirably suited for skirmishing and commerce raiding, while their platoon of marines were suitable for lighting surface raids. Now relegated to a secondary role in the Imperial Navy, *Gherain*-class corvettes are also used by some successful star merc companies.

**Crew:** 4 bridge crew, 7 engineers, 4 gunners, medic, 2 auxiliary crew, 33 Marines (officer, 32 enlisted)

800 USL, DR 2300 (DR 1150 on weapons), PD 4, 2 Triple Missile Turrets (Light), 4 Triple 390 MJ Laser Turrets, 2 Single 870 MJ Laser Turrets, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 40 Jump, 300 Maneuver, 320 Fuel, 2 Utility, 10 Staterooms, Marine Barracks (Stateroom, 8 Bunkrooms), 2 Battledress Racks (40

stored), Weapons Locker (1.8 tonnes capacity), Sickbay, 1 Bay for *Quero* Assault Lander, 2 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	1,600,000/41	2,400,000/42	48,000/32

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
390 MJ X-Ray Laser	Imp	32	8d x 50(2)	37,440 km	112,320 km	1/60
870 MJ X-Ray Laser	Imp	34	6d x 100(2)	56,000 km	168,000 km	1/60

**Maintenance:** HT: 12, 100.2 man-hours per day, 0.4 MCr/yr

**Statistics:** EMass 3,879.1 tonnes, LMass 4,644.3 tonnes, Cost: 435.78 MCr (MCr464.52 fitted out), HP: 48,859, Size Mod: +9

**Performance:** Accel: 5.9 G (7.0 G empty, 5.8 G overloaded), Jump 4, 31,313 km/h (skim)

# Jupiter-class Frigate (GTL 11)

*Jupiter*-class frigates are a common sight in the Solomani Navy. Rather than the usual Solomani emphasis on missiles, this design carries an equal number of lasers.

**Crew:** 5 bridge crew, 9 engineers, 8 gunners, 11 frozen watch

800 USL, DR 5000 (DR 2500 on weapons), PD 4, Total Compartmentalization, 4 Triple Missile Turrets (Light), 4 Triple 390 MJ Laser Turrets, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 40 Jump, 400 Maneuver, 320 Fuel, 1 Fuel Scoop, 4 Fuel Processors (10.0 hrs), 2 Utility, 3 Bunkrooms, 3 Low Berths (12 cryotubes), 5.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	1,600,000/41	2,400,000/42	48,000/32

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
390 MJ X-Ray Laser	Imp	32	8d x 50(2)	37,440 km	112,320 km	1/60

**Maintenance:** HT: 12, 111.1 man-hours per day, 0.5 MCr/yr

**Statistics:** EMass 6,744.3 tonnes, LMass 7,193.3 tonnes, Cost: 536.10 MCr (MCr558.73 fitted out), HP: 48,859, Size Mod: +9

**Performance:** Accel: 5.0 G (5.4 G empty, 5.0 G overloaded), Jump 4, 35,551 km/h (skim)

# Khorfooz-class Raider (GTL 11)

Vargr corsair bands are generally equipped at fairly low tech levels—maintaining a complex manufacturing base is difficult in an area as fragmented as the Vargr Extents. Recently some of the larger corsair bands have been using higher-tech starships, such as the *Khorfooz*. While no match for an Imperial Navy escort, the *Khorfooz* can easily defeat merchants and most small system defense boats.

**Crew:** 4 bridge crew, 5 engineers, 8 gunners, 31 Marines (officer, 30 enlisted)

800 SL, DR 2500 (DR 1250 on weapons), PD 4, Heavy Compartmentalization, 4 Triple 390 MJ Laser Turrets, 2 Triple 97 MJ PD Laser Turrets, 2 Single 870 MJ Laser Turrets, Nuclear Damper, Radical Stealth, Radical Emission Cloaking, Hardened Basic Bridge, Enhanced Sensor, Engineering, 32 Jump, 200 Maneuver, 240 Fuel, 2 Fuel Processors (15.0 hrs), 2 Utility, 9 Staterooms, Marine

Barracks (Stateroom, 8 Bunkrooms), Brig (2 prisoners), 74.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31
Enhanced Sensor	7,200,000/45	7,200,000/45	720,000/39

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
390 MJ X-Ray Laser	Imp	32	8d x 50(2)	59,904 km	112,320 km	1/60
97 MJ X-Ray Laser	Imp	31	5d x 40(2)	29,952 km	56,160 km	1/8
870 MJ X-Ray Laser	Imp	34	6d x 100(2)	89,600 km	168,000 km	1/60

**Defenses:** DR 2500 (DR 1250 on weapons), PD 4, -14 to active scans, -7 to passive scans, 16 km Nuclear Damper

**Maintenance:** HT: 12, 99.2 man-hours per day, 0.4 MCr/yr

**Statistics:** EMass 3,684.2 tonnes, LMass 4,239.8 tonnes, Cost: 426.84 MCr, HP: 48,859, Size Mod: +9

**Performance:** Accel: 4.3 G (4.9 G empty, 3.2 G overloaded), Jump 3, 9,926 km/h (atm), 28,075 km/h (skim)

# Shtiabrisht-class Destroyer (GTL11)

Well armoured, impressively armed, and lighting-fast, the *Shtiabrisht* was designed to deliver lightning strikes against moderately defended targets.

**Crew:** 8 bridge crew, 87 engineers, 19 gunners, 2 medics, 20 auxiliary crew

8,000 USL, DR 5500 (DR 2750 on weapons), PD 4, Heavy Compartmentalization, 6 Large Missile Bays (Heavy), 5 Triple 390 MJ Laser Turrets, 15 Triple 97 MJ PD Laser Turrets, 2 Nuclear Dampers, Radical Stealth, Radical Emission Cloaking, Hardened Basic Bridge with Psionic Switches, Enhanced Sensor, Electronic Warfare Suite, Engineering, 340 Jump, 4000 Maneuver, 2,544 Fuel, Workshop, 16 Utility, 69 Staterooms, 2 Military Sickbays, Hanger for 10 *Tezhmacht* Fighters with 1 Entrance, 64 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31
Enhanced Sensor	7,200,000/45	16,000,000/47	720,000/39

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
390 MJ X-Ray Laser	Imp	32	8d x 50(2)	59,904 km	112,320 km	1/60
97 MJ X-Ray Laser	Imp	31	5d x 40(2)	29,952 km	56,160 km	1/8

**Defenses:** DR 5500 (DR 2750 on weapons), PD 4, -14 to active scans, -7 to passive scans, 24 km Nuclear Damper

**Maintenance:** HT: 12, 337.0 man-hours per day, 4.9 MCr/yr

**Statistics:** EMass 48,040.9 tonnes, LMass 60,112.8 tonnes, Cost: 4,928.46 MCr (MCr7,011.16 fitted out), HP: 226,785, Size Mod: +11

**Performance:** Accel: 6.0 G (7.6 G empty, 5.9 G overloaded), Jump 3, 45,723 km/h (skim)

# von Braun-class Missile Boat (GTL11)

During the Solomani Rim War the Imperial Navy inflicted defeat after defeat on Solomani forces. Operational analysis indicated that, surprisingly, missile boats were one of the most cost-effective means the Solomani possessed of damaging their more technologically advanced enemies.

The *von Braun* is a typical Solomani design: starkly functional, with little consideration given to crew comfort. All personnel but the commander share a common bunkroom. The grav compensators are overloaded at max acceleration, forcing the crew to remain at their stations without relief. These savings have bought one of the fastest warships known, with 7G acceleration, enough fuel for two successive jumps, and a *Hun*-class light fighter.

**Crew:** pilot, 13 engineers, 3 gunners, medic, 3 auxiliary crew

1,200 USL, DR 2500 (DR 1250 on weapons), PD 4, Small Missile Bay (Heavy), 2 Triple 390 MJ Laser Turrets, Basic Stealth, Basic Emission Cloaking, Hardened Command

Bridge, Engineering, 36 Jump, 585 Maneuver, 480 Fuel, 1 Fuel Scoop, 3 Fuel Processors (20.0 hrs), 3 Utility, 3 Bunkrooms, Sickbay, 1 Bay for *Hun* Light Fighter, 10.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	1,600,000/41	2,400,000/42	48,000/32

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
390 MJ X-Ray Laser	Imp	32	8d x 50(2)	37,440 km	112,320 km	1/60

**Defenses:** DR 2500 (DR 1250 on weapons), PD 4, -7 to active scans, -3 to passive scans

**Maintenance:** HT: 12, 121.3 man-hours per day, 0.6 MCr/yr

**Statistics:** EMass 5,572.5 tonnes, LMass 6,628.8 tonnes, Cost: 638.90 MCr (MCr800.30 fitted out), HP: 64,024, Size Mod: +9

**Performance:** Accel: 8.0 G (9.5 G empty, 7.8 G overloaded), Jump 2, 42,138 km/h (skim)

# Bilanos-class Patrol Frigate (GTL12)

Externally identical to the *Irushma*-class patrol frigate, the more recent *Bilanos*-class has radical stealthing, greater armour, and more thrusters. The trade-off is a starship costing 30% more with no frontier refuelling capability. *Bilanos*-class patrol frigates are deployed much like the earlier *Irushma* class, although their relative expense means that they are concentrated in sectors where hostilities are a distinct possibility.

**Crew:** 3 bridge crew, engineer, 3 gunners

300 USL, DR 800 (DR 400 on weapons), PD 4, Triple Missile Turret (Light), Triple Sandcaster Turret, Triple 405 MJ Laser Turret, Radical Stealth, Radical Emission Cloaking, Hardened

Command Bridge, Engineering, 16 Jump, 9 Maneuver, 248 Fuel, 1 Utility, 4 Staterooms, 1 Cradle for Launch, 0.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	1,600,000/41	3,200,000/43	480,000/38

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
405 MJ X-Ray Laser	Imp	33	5d x 100(2)	41,653 km	124,960 km	1/60

**Maintenance:** HT: 12, 57.4 man-hours per day, 0.1 MCr/yr

**Statistics:** EMass 527.3 tonnes, LMass 817.7 tonnes, Cost: 142.98 MCr (MCr152.24 fitted out), HP: 25,407, Size Mod: +8

**Performance:** Accel: 1.0 G (1.5 G empty, 1.0 G overloaded), Jump 4

## Cytos-class Corvette (GTL12)

Small and fast, the *Cytos* is employed for lightning raids and orbital interdiction. While unable to stand in the line of battle, it is more than capable of defeating civilian ships many times its size.

**Crew:** 4 bridge crew, 3 engineers, 5 gunners

600 SL, DR 4200 (DR 2100 on weapons), PD 4, Total Compartmentalization, Triple Missile Turret (Light), Triple Sandcaster Turret, 2 Triple 405 MJ Laser Turrets, Triple 102 MJ PD Laser Turret, Single 1,313 MJ Laser Turret, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 24 Jump, 234 Maneuver, 180 Fuel, Fuel Processor (22.5 hrs), 1 Utility, 7 Staterooms

Communicator Range (km)	Radio	Maser	Laser	Meson		
Command Bridge	8,000,000	—	16,000,000	160,000		
Sensor Range/Scan (km)	PESA	AESA	Radscanner			
Command Bridge	1,600,000/41	3,200,000/43	480,000/38			
Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
405 MJ X-Ray Laser	Imp	33	5d x 100(2)	41,653 km	124,960 km	1/60
102 MJ X-Ray Laser	Imp	31	5d x 50(2)	20,960 km	62,880 km	1/8
1,313 MJ X-Ray Laser	Imp	34	6d x 150(2)	75,200 km	225,600 km	1/60

**Maintenance:** HT: 12, 85.0 man-hours per day, 0.3 MCr/yr

**Statistics:** EMass 3,388.9 tonnes, LMass 3,585.6 tonnes, Cost: 313.25 MCr (MCr318.91 fitted out), HP: 40,332, Size Mod: +9

**Performance:** Accel: 5.9 G (6.3 G empty), Jump 3, 11,907 km/h (atm), 33,678 km/h (skim)

## Fury-class Fleet Escort (GTL12)

The *Fury* class of fleet escort has proved an abysmal failure. Too slow to keep up with cruisers, and too weak to survive the line of battle, it is a ship looking for a mission. When commissioned naval doctrine held that its long-range armament would keep the enemy at bay, but combat experience has proven the folly of this decision. The Imperial Navy has relegated all surviving *Fury*-class escorts to guard duties near backwater naval bases, and to training missions with new recruits. Crews often claim that “Hell hath no *Fury*, because even the Devil won’t take one!”

**Crew:** 8 bridge crew, 7 engineers, 28 gunners, medic, 1 auxiliary crew

3,000 USL, DR 300 (DR 150 on weapons), PD 4, Total Compartmentalization, Small Missile Bay (Heavy), 5 Triple 405 MJ Laser Turrets, Nuclear Damper, Meson Screen (DR 200), 570 GJ Spinal Meson Gun, Basic Stealth, Basic

Emission Cloaking, Hardened Command Bridge, Engineering, 90 Jump, 585 Maneuver, 600 Fuel, 6 Utility, 23 Staterooms, Sickbay, 1 Bay for *Tralsa* Gig, 30 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson		
Command Bridge	8,000,000	—	16,000,000	160,000		
Sensor Range/Scan (km)	PESA	AESA	Radscanner			
Command Bridge	1,600,000/41	3,200,000/43	480,000/38			
Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
405 MJ X-Ray Laser	Imp	33	5d x 100(2)	41,653 km	124,960 km	1/60
570 GJ Spinal Meson Gun	Exp	38	7d x 3000(!)	156,800 km	470,400 km	1/60

**Maintenance:** HT: 12, 200.3 man-hours per day, 1.7 MCr/yr

**Statistics:** EMass 17,132.2 tonnes, LMass 18,391.0 tonnes, Cost: 1,741.04 MCr (MCr1,895.06 fitted out), HP: 117,933, Size Mod: +10

**Performance:** Accel: 2.9 G (3.1 G empty, 2.8 G overloaded), Jump 2, 26,656 km/h (skim)

## Garyan-class Corvette (GTL12)

Sleek and fast, the *Garyan* is none-the-less a fragile ship, unable to fight most other warships. High jump and acceleration give it the means to run when outclassed, while missiles and lasers are sufficient to overpower civilian starships.

**Crew:** 3 bridge crew, engineer, 6 gunners

400 SL, DR 500 (DR 250 on weapons), PD 4, Total Compartmentalization, Triple Missile Turret (Light), 3 Triple 405 MJ Laser Turrets, Nuclear Damper, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 24 Jump, 59 Maneuver, 200 Fuel, Fuel Processor (25.0 hrs), 1 Utility, 6 Staterooms


Communicator Range (km)	Radio	Maser	Laser	Meson		
Command Bridge	8,000,000	—	16,000,000	160,000		
Sensor Range/Scan (km)	PESA	AESA	Radscanner			
Command Bridge	1,600,000/41	3,200,000/43	480,000/38			
Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
405 MJ X-Ray Laser	Imp	33	5d x 100(2)	41,653 km	124,960 km	1/60

**Maintenance:** HT: 12, 63.7 man-hours per day, 0.2 MCr/yr

**Statistics:** EMass 699.0 tonnes, LMass 913.9 tonnes, Cost: 175.91 MCr (MCr181.57 fitted out), HP: 30,779, Size Mod: +8

**Performance:** Accel: 5.9 G (7.7 G empty), Jump 5, 6,910 km/h (atm), 19,546 km/h (skim)

# Hawk-class Destroyer Escort (GTL 12)



**Deckplan 7: Hawk-class Destroyer Escort**

The *Hawk*-class Destroyer Escort was designed and built in response to the growing pirate activity along the Vargr Extents. Capable of extremely high acceleration, it is able to get to a trouble spot in minimal time and either dish out moderate quantities of damage or act as a missile shield for convoys. Against heavily armed and armored ships, it fairs better than expected as this high acceleration allows it to stay out of range of most of the heavier weapons, swooping in for an attack at unprotected (or non-weapon bearing) locations.

Typical missions are convoy escort and perimeter patrol. Its moderate jump rating and high acceleration also qualifies it as a true escort, running along side destroyer squadrons.

*Hawk*-class Destroyer Escorts are named after birds of prey.

**Crew:** 32 Total. 18 Command and Control, 1 Maneuver Drive, 1 Medical, 10 Turret Gunners, 2 Flight Crew

1,000-ton SL Hull, DR 1000 (Dr 500 on weapons), Heavy Compartmentalization, 10 Turrets (2 lasers and one missile rack each), Radical Stealth, Radical Emission Cloaking,

Hardened Basic Bridge, Computer Centre, EW Suite, Enhanced Communicators, Enhanced Sensors, 2 Engineering, 192 Maneuver, 52 Jump, 412 Fuel, 6 Fuel Processors (8.6 hours), 2 Utility, 18 Staterooms, Sickbay, Workshop, 4 Escape Capsules, Spacedock for Launch, 15 Cargo

Communicator Range (miles)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	16,000
Enhanced Commo				

Sensor Range/Scan (miles)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	2,400,000/42	160,000/35
Enhanced Sensors			


Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
405 MJ X-Ray Laser	Imp					1/60

**Maintenance:** 116.6 Man-Hours/day

**Statistics:** EMass 2,666.19 stons, LMass 3,190.19 stons, Cost MCr589.59, HP 67,500, Size Mod 10, HT 12, CP 78.

**Performance:** Jump-4, Acc L/E 6.02 / 7.20 Gs, Airspeed 5,657 mph, Skimming Airspeed 16,000 mph, Aerostatic Lift 19,200 stons.

# Irushma-class Patrol Frigate (GTL12)



**Deckplan 8: Irushma-class Patrol Frigate**

Intended as a cost-effective patrol ship, the *Irushma*-class patrol frigate was introduced in 1094, and is now widely deployed on all Imperial frontiers. Thin-skinned and slow, the *Irushma* is intended to patrol its assigned route, jumping out at the first sign of trouble. While enough fuel for 8 parsecs of continuous jumping is carried, standard doctrine calls for maintaining a 124 dton reserve of fuel at all times—enough for a 4 parsec jump to safety.

**Crew:** 3 bridge crew, engineer, 3 gunners

300 USL, DR 100, PD 4, Triple Missile Turret (Light), Triple Sandcaster Turret, Triple 405 MJ Laser Turret, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 16 Jump, 7 Maneuver, 248 Fuel, 1 Fuel Scoop,

Fuel Processor (31.0 hrs), 1 Utility, 4 Staterooms, 1 Cradle for Launch, 0.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	1,600,000/41	3,200,000/43	480,000/38

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
405 MJ X-Ray Laser	Imp	33	5d x 100(2)	41,653 km	124,960 km	1/60

**Maintenance:** HT: 12, 51.1 man-hours per day, 0.1 MCr/yr

**Statistics:** EMass 284.7 tonnes, LMass 575.0 tonnes, Cost: 113.41 MCr (MCr122.67 fitted out), HP: 25,407, Size Mod: +8

**Performance:** Accel: 1.1 G (2.2 G empty, 1.1 G overloaded), Jump 4, 2,290 km/h (skim)

---

# Kuru-class Patrol Frigate (GTL 12)

The *Kuru*-class patrol frigate is one of the latest additions to the Imperial Navy. Long range sensors and two *Rampart* fighters provide excellent patrol capability, while stealthing and armour make for a hard-hitting, survivable ship in combat. While impressive, the *Kuru* has no extra boats, and thus is reliant on other ships for atmospheric landing of crew and supplies. While not a problem when used as designed, this limitation does restrict the missions the *Kuru* may be assigned.

**Crew:** 6 bridge crew, 2 engineers, 8 gunners, medic, 2 auxiliary crew, 9 frozen watch

400 USL, DR 500 (DR 250 on weapons), PD 4, 3 Triple Missile Turrets (Light), Triple 405 MJ Laser Turret, Nuclear Damper, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 24 Jump, 90 Maneuver, 200

Fuel, 1 Utility, 10 Staterooms, 3 Low Berths (12 cryotubes), Sickbay, 2 Bays for *Rampart* Fighters, 10.5 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>		
<i>Command Bridge</i>	8,000,000	—	16,000,000	160,000		
<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>			
<i>Command Bridge</i>	1,600,000/41	3,200,000/43	480,000/38			
<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
<i>405 MJ X-Ray Laser</i>	Imp	33	5d x 100(2)	41,653 km	124,960 km	1/60

**Maintenance:** HT: 12, 66.2 man-hours per day, 0.2 MCr/yr

**Statistics:** EMass 781.8 tonnes, LMass 1,275.0 tonnes, Cost: 190.40 MCr (MCr235.37 fitted out), HP: 30,779, Size Mod: +8

**Performance:** Accel: 6.4 G (10.4 G empty, 5.6 G overloaded), Jump 5, 22,176 km/h (skim)

---

# Osiron-class Destroyer (GTL 12)

*Osiron*-class destroyers are commonly encountered leading small task forces. Armed with a mix of weaponry and carrying a small flight of *Citadel*-class heavy fighters, they are ideal ships to command a flotilla. The Imperial Navy also uses *Osiron*-class destroyers as escorts for valuable supply convoys.

**Crew:** 8 bridge crew, 18 engineers, 20 gunners, 10 auxiliary crew, 28 frozen watch, 33 Marines (officer, 32 enlisted)

4,000 USL, DR 5000 (DR 2500 on weapons), PD 4, Total Compartmentalization, 5 Triple Missile Turrets (Light), 5 Triple 405 MJ Laser Turrets, 3 13 GJ Meson Bays, Nuclear Damper, 15 Meson Screens (DR 3000), Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, 3 Engineering, 200 Jump, 1586 Maneuver, 1,600 Fuel, 5 Utility, 29 Staterooms, 7 Low Berths (28 cryotubes), Marine Barracks

(Stateroom, 8 Bunkrooms), 4 Bays for *Citadel* Heavy Fighters, 1 Bay for Gig, 38.5 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>		
<i>Command Bridge</i>	8,000,000	—	16,000,000	160,000		
<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>			
<i>Command Bridge</i>	1,600,000/41	3,200,000/43	480,000/38			
<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
<i>405 MJ X-Ray Laser</i>	Imp	33	5d x 100(2)	41,653 km	124,960 km	1/60
<i>13 GJ Meson Gun</i>	Exp	30	6d x 1,500(!)	23,408 km	70,224 km	1/60

**Maintenance:** HT: 12, 223.4 man-hours per day, 2.2 MCr/yr

**Statistics:** EMass 17,555.2 tonnes, LMass 21,179.3 tonnes, Cost: 2,165.27 MCr (MCr2,330.93 fitted out), HP: 142,866, Size Mod: +10

**Performance:** Accel: 6.8 G (8.2 G empty, 6.6 G overloaded), Jump 4, 44,856 km/h (skim)

---

# Stromali-class Escort Destroyer (GTL 12)

Fast, well-armoured, and with a jump capacity better than most Imperial battleships, squadrons of *Stromali*-class destroyers are attached to every major Imperial fleet.

**Crew:** pilot, 10 engineers, 16 gunners, 4 auxiliary crew

2,000 USL, DR 5000 (DR 2500 on weapons), PD 4, Total Compartmentalization, 5 Triple Missile Turrets (Light), 5 Triple 405 MJ Laser Turrets, 13 GJ Meson Bay, Nuclear Damper, 4 Meson Screens (DR 1000), Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 100 Jump, 857 Maneuver, 800 Fuel, 3 Utility, 16 Staterooms, 2 Bays for *Citadel* Heavy Fighters

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>		
<i>Command Bridge</i>	8,000,000	—	16,000,000	160,000		
<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>			
<i>Command Bridge</i>	1,600,000/41	3,200,000/43	480,000/38			
<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
<i>405 MJ X-Ray Laser</i>	Imp	33	5d x 100(2)	41,653 km	124,960 km	1/60
<i>13 GJ Meson Gun</i>	Exp	30	6d x 1,500(!)	23,408 km	70,224 km	1/60

**Maintenance:** HT: 12, 161.9 man-hours per day, 1.1 MCr/yr

**Statistics:** EMass 10,178.5 tonnes, LMass 11,951.6 tonnes, Cost: 1,138.30 MCr (MCr1,232.53 fitted out), HP: 90,000, Size Mod: +10

**Performance:** Accel: 6.5 G (7.6 G empty), Jump 4, 40,474 km/h (skim)

---



# Temaughi-class Corvette (GTL12)

The Imperial Navy commissioned its first *Temaughi*-class corvette just before the Fifth Frontier War. Fast, well-armoured, and with an incredible strategic mobility, *Temaughi* corvettes are tasked with courier and patrol operations.

**Crew:** 3 bridge crew, engineer, 3 gunners

300 USL, DR 800 (DR 400 on weapons), PD 4, Heavy Compartmentalization, 2 Triple Missile Turrets (Light), Triple 405 MJ Laser Turret, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 21 Jump, 70 Maneuver, 180 Fuel, 1 Utility, 4 Staterooms, 3 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	1,600,000/41	3,200,000/43	480,000/38

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
405 MJ X-Ray Laser	Imp	33	5d x 100(2)	41,653 km	124,960 km	1/60

**Defenses:** DR 800 (DR 400 on weapons), PD 4, -8 to active scans, -4 to passive scans

**Maintenance:** HT: 12, 60.7 man-hours per day, 0.2 MCr/yr

**Statistics:** EMass 724.6 tonnes, LMass 968.4 tonnes, Cost: 160.05 MCr (MCr171.36 fitted out), HP: 25,407, Size Mod: +8

**Performance:** Accel: 6.6 G (8.8 G empty, 6.2 G overloaded), Jump 6, 21,706 km/h (skim)

# Thespia-class Destroyer (GTL12)

One of the smaller destroyers in the Imperial Navy, the *Thespia* class is cramped but popular with crews. It is armed entirely with beam weapons, making it suitable for extended action far from supply depots.

**Crew:** 5 bridge crew, 10 engineers, 15 gunners, medic

3,000 SL, DR 4500 (DR 2250 on weapons), PD 4, Total Compartmentalization, 3 Triple 405 MJ Laser Turrets, 4 Triple 102 MJ PD Laser Turrets, 3 Single 1,313 MJ Laser Turrets, 2 13 GJ Meson Bays, Nuclear Damper, 3 Meson Screens, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 150 Jump, 840 Maneuver, 1,200 Fuel, 10 Fuel Processors (15.0 hrs), 5 Utility, 16 Staterooms, Sickbay, 10 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	1,600,000/41	3,200,000/43	480,000/38

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
405 MJ X-Ray Laser	Imp	33	5d x 100(2)	41,653 km	124,960 km	1/60
102 MJ X-Ray Laser	Imp	31	5d x 50(2)	20,960 km	62,880 km	1/8
1,313 MJ X-Ray Laser	Imp	34	6d x 150(2)	75,200 km	225,600 km	1/60
13 GJ Meson Gun	Exp	30	6d x 1,500(!)	23,408 km	70,224 km	1/60

**Defenses:** DR 4500 (DR 2250 on weapons), PD 4, -8 to active scans, -4 to passive scans, 16 km Nuclear Damper, Meson Screen DR 600

**Maintenance:** HT: 12, 179.6 man-hours per day, 1.4 MCr/yr

**Statistics:** EMass 11,864.8 tonnes, LMass 12,998.6 tonnes, Cost: 1,400.17 MCr, HP: 117,933, Size Mod: +10

**Performance:** Accel: 5.9 G (6.4 G empty, 5.8 G overloaded), Jump 4, 13,645 km/h (atm), 38,594 km/h (skim)

# Tlach'dev-class Destroyer (GTL12)

One of the newest Zhodani destroyers, the *Tlach'dev* class is entirely deployed on Imperial border.

**Crew:** 6 bridge crew, 10 engineers, 14 gunners, medic

3,000 SL, DR 5000 (DR 2500 on weapons), PD 4, Total Compartmentalization, 2 Small Missile Bays (Heavy), 2 Triple 405 MJ Laser Turrets, 8 Single 1,313 MJ Laser Turrets, Nuclear Damper, 3 Meson Screens, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge with Psionic Switches, Engineering, 150 Jump, 850 Maneuver, 1,200 Fuel, 10 Fuel Processors (15.0 hrs), 5 Utility, 16 Staterooms, Sickbay, No Cargo Hold

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	1,600,000/41	3,200,000/43	480,000/38

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
405 MJ X-Ray Laser	Imp	33	5d x 100(2)	41,653 km	124,960 km	1/60
1,313 MJ X-Ray Laser	Imp	34	6d x 150(2)	75,200 km	225,600 km	1/60

**Defenses:** DR 5000 (DR 2500 on weapons), PD 4, -8 to active scans, -4 to passive scans, 16 km Nuclear Damper, Meson Screen DR 650

**Maintenance:** HT: 12, 178.4 man-hours per day, 1.4 MCr/yr

**Statistics:** EMass 12,046.0 tonnes, LMass 14,154.8 tonnes, Cost: 1,381.56 MCr (MCr1,681.56 fitted out), HP: 117,933, Size Mod: +10

**Performance:** Accel: 5.4 G (6.4 G empty), Jump 4, 13,726 km/h (atm), 38,823 km/h (skim)

# Uramikaa-class Corvette (GTL12)

One of the Imperial Navy's most heavily armoured corvettes, *Uramikaa* class warships are usually assigned to anti-piracy patrols along the border with the Vargr Extents.

**Crew:** 3 bridge crew, 3 engineers, 4 gunners

800 SL, DR 5000 (DR 2500 on weapons), PD 4, Heavy Compartmentalization, 2 Triple Missile Turrets (Light), 3 Triple 405 MJ Laser Turrets, 3 Single 1,313 MJ Laser Turrets, Basic Stealth, Basic Emission Cloaking, Hardened Basic Bridge, Enhanced Sensor, Engineering, 40 Jump, 238 Maneuver, 320 Fuel, Fuel Processor (40.0 hrs), 1 Utility, 6 Staterooms, 0.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	16,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	2,400,000/42	160,000/35
Enhanced Sensor	7,200,000/45	7,200,000/45	720,000/39

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
405 MJ X-Ray Laser	Imp	33	5d x 100(2)	66,645 km	124,960 km	1/60
1,313 MJ X-Ray Laser	Imp	34	6d x 150(2)	120,320 km	225,600 km	1/60

**Defenses:** DR 5000 (DR 2500 on weapons), PD 4, -8 to active scans, -4 to passive scans

**Maintenance:** HT: 12, 100.0 man-hours per day, 0.4 MCr/yr

**Statistics:** EMass 4,580.3 tonnes, LMass 4,939.8 tonnes, Cost: 434.45 MCr (MCr445.77 fitted out), HP: 48,859, Size Mod: +9

**Performance:** Accel: 4.4 G (4.7 G empty, 4.4 G overloaded), Jump 4, 10,828 km/h (atm), 30,626 km/h (skim)

# Viodak-class Light Carrier (GTL12)

One of the Imperial Navy's recent acquisitions, the *Viodak*-class is intended for long-range patrolling as part of a small flotilla. While its hold carries enough spares for extended operations, the carrier is dependent on other vessels for refuelling. This is not seen as a weakness, because current Navy doctrine calls for specialized refuelling vessels.

**Crew:** 10 bridge crew, 4 engineers, 25 gunners, 2 medics, 104 auxiliary crew, 10 auxiliary support crew, 12 Marines (12 enlisted)

5,000 USL, DR 600 (DR 300 on weapons), PD 4, Heavy Compartmentalization, 2 Small Missile Bays (Light), 10 Triple Sandcaster Turrets, 20 Triple 102 MJ PD Laser Turrets, Nuclear Damper, 4 Meson Screens, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 200 Jump, 190 Maneuver, 1,500 Fuel, 2 Fuel Scoops, 15 Fuel Processors (12.5 hrs), 2 Workshops, 10 Utility, 78 Staterooms, Marine Barracks (6 Staterooms), 2 Sickbays, Hanger for 100

**Rampart** Fighters with 1 Entrance & 1 Launch Tube, Hanger for 2 Gigs, 501 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	1,600,000/41	3,200,000/43	480,000/38

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
102 MJ X-Ray Laser	Imp	31	5d x 50(2)	20,960 km	62,880 km	1/8

**Defenses:** DR 600 (DR 300 on weapons), PD 4, -8 to active scans, -4 to passive scans, 16 km Nuclear Damper, Meson Screen DR 600

**Maintenance:** HT: 12, 158.4 man-hours per day, 1.1 MCr/yr

**Statistics:** EMass 4,163.1 tonnes, LMass 17,243.1 tonnes, Cost: 1,089.31 MCr (MCr2,688.89 fitted out), HP: 165,781, Size Mod: +10

**Performance:** Accel: 1.0 G (4.1 G empty, 0.7 G overloaded), Jump 3

# Warhoud-class Assault Carrier (GTL12)

The *Warhoud*-class Assault Carrier is a prototype design, currently being tested by the Imperial Navy. Standard doctrine calls for two main missions: fighter support of a jump-4 fleet, or jump-2 raids against soft targets and shipping. Five squadrons of front-line *Rampart* fighters give the *Warhoud* plenty of firepower for both these missions.

**Crew:** 5 bridge crew, 3 engineers, 12 gunners, 2 medics, 51 auxiliary crew

1200-ton USL Hull, DR 2000, PD 4 (Installations DR 100, PD 4), 5 Turrets with 3 missile racks each, 7 Turrets with 3 lasers each, Meson Screen (DR2093), Nuclear Damper (24 km range), Hardened Command Bridge, Engineering, 308 Maneuver, 85 Jump, 480 Fuel, Fuel Processor (60.0 hours), 37 Staterooms, 3 Utility, Spacedock (holds Gig, 20 tons, door),

72 External Cradles (50 *Ramparts*, max capacity 4082 tonnes), Sickbay, 72 cargo

**Communicators:** Radio 8 million km, Laser 16 million km, Meson 0.2 million km

**Sensors:** PESA 160000 km, AESA 320000 km, Radscanner 6400 km

**21 405-MJ Lasers:** Imp, Acc 33, Dmg 5dx100(2), 1/2D Rng 41635 km, MxRng 124909 km, FP 7, SS 30, RoF 1/60

**Statistics:** EMass 4754.4 tonnes, LMass 9233.1 tonnes, Cost MCr 515.4, HP 89400

**Performance:** Accel 3.0 G (5.9 G empty, 2.7 G overloaded), Jump 4, Air Speed 0 km/h

# Yelsyn-class Frigate (GTL12)

A typical Imperial multi-function frigate, the *Yelsyn*-class is common in Reavers' Deep and along the border with the Aslan Hierate, although several squadrons are assigned to the Marches.

*Crew:* 7 bridge crew, 3 engineers, 9 gunners, medic

800 SL, DR 2500 (DR 1250 on weapons), PD 4, Heavy Compartmentalization, 4 Triple Missile Turrets (Light), 4 Triple 405 MJ Laser Turrets, Nuclear Damper, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 40 Jump, 216 Maneuver, 320 Fuel, 2 Fuel Processors (20.0 hrs), 2 Utility, 10 Staterooms, Sickbay, 4 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Command Bridge</i>	8,000,000	—	16,000,000	160,000

<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>
<i>Command Bridge</i>	1,600,000/41	3,200,000/43	480,000/38

<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
<i>405 MJ X-Ray Laser</i>	Imp	33	5d x 100(2)	41,653 km	124,960 km	1/60

*Defenses:* DR 2500 (DR 1250 on weapons), PD 4, -8 to active scans, -4 to passive scans, 16 km Nuclear Damper

*Maintenance:* HT: 12, 92.6 man-hours per day, 0.4 MCr/yr

**Statistics:** EMass 2,837.6 tonnes, LMass 3,279.9 tonnes, Cost: 372.34 MCr (MCr394.98 fitted out), HP: 48,859, Size Mod: +9

**Performance:** Accel: 6.0 G (6.9 G empty, 5.8 G overloaded), Jump 4, 10,315 km/h (atm), 29,176 km/h (skim)

---

---

# Capital Ships

---

Destroyers and frigates are all very well for fighting pirates, but defending an empire against foreign aggression requires heavier guns: the spinal weapons carried by cruisers and battleships.

The difference between cruisers and battleships is much debated in naval circles. Some base the distinction on size, others on armour, still others on maneuverability. All agree, however, that both are capital ships.

---

## *Beowulf*-class Greater Dreadnought (GTL9)

Imperial propaganda makes much of “slow-moving, dense” Sword Worlders but their characteristic naval architecture is the result of the Imperium's vast technological lead. Outraged by Imperial weapons, Sword World ships must be prepared to survive several volleys of fire before closing to within range of their own weapons; the resulting mass severely lowers their maneuverability. Unable to force a battle in open space, Sword World tactics rely on forcing the Imperial Navy to assault specific targets, thus lowering their strategic advantage.

*Beowulf*-class Greater Dreadnoughts form a large part of Sword World offensive capability. Large, invulnerable to turret weapons (and thus most fighters), and relatively fast for a Sword World ship, the *Beowulf* class was designed to stand up to Imperial warships—and win.

**Crew:** 10 bridge crew, 600 engineers, 362 gunners, 64 auxiliary crew, 286 frozen watch

100000-ton USL Hull, DR 4200, PD 4, Total compartmentalization, 190 Turrets with 3 lasers each, 10 Turrets with 3 sandcasters each, 30 Missile Bays, 50 Particle Beam Bays, Spinal Particle Beam, Basic stealth, Basic

emission cloaking, Hardened Command Bridge, Engineering, 16000 Fusion Rocket, 3000 Jump, 20000 Fuel, 50000 Rocket Fuel (1.9 hours), 10 Fuel Processors (250.0 hours), Stateroom, 65 Bunkrooms (1040 personnel), 72 Low Berths (holds 288 cryotubes), 200 Utility, 32 Vehicle Bays (32 *Helm* Fighters), 423.5 cargo

**Communicators:** Radio 1 million km, Laser 1 million km

**Sensors:** PESA 8000 km, AESA 16000 km, Radscanner 3680 km

**570 102-MJ Lasers:** Imp, Acc 32, Dmg 8dx20, 1/2D Rng 16360 km, MxRng 65450 km, FP 2, SS 30, RoF 1/60

**50 Particle Beam Bays:** Imp, Acc 33, Dmg 6dx1500, Rng 23400 km, MxRng 70220 km, FP 63, SS 30, RoF 1/60

**Spinal Particle Beam:** Imp, Acc 36, Dmg 6dx10000, Rng 78080 km, MxRng 234240 km, FP 424, SS 30, RoF 1/60

**Statistics:** EMass 1425133.4 tonnes, LMass 1476078.0 tonnes, Cost MCr 47395.5, HP 2235000

**Performance:** Accel 1.6 G (1.7 G empty, 1.6 G overloaded), Jump 2, Air Speed 960 km/h

---

## *Grendel*-class Lesser Dreadnought (GTL9)

Imperial propaganda makes much of “slow-moving, dense” Sword Worlders but their characteristic naval architecture is the result of the Imperium's vast technological lead. Outraged by Imperial weapons, Sword World ships must be prepared to survive several volleys of fire before closing to within range of their own weapons; the resulting mass severely lowers their maneuverability. Unable to force a battle in open space, Sword World tactics rely on forcing the Imperial Navy to assault specific targets, thus lowering their strategic advantage.

*Grendel*-class Lesser Dreadnoughts form a large part of Sword World offensive capability. Large, invulnerable to turret weapons (and thus most fighters), and relatively fast for a Sword World ship, the *Grendel* class was designed to stand up to second-rank Imperial warships—and win.

**Crew:** 10 bridge crew, 300 engineers, 262 gunners, 16 auxiliary crew, 286 frozen watch

50000-ton USL Hull, DR 4200, PD 4, Total compartmentalization, 190 Turrets with 3 lasers each, 10 Turrets with 3 sandcasters each, 30 Missile Bays, Spinal

Particle Beam, Basic stealth, Basic emission cloaking, Hardened Command Bridge, Engineering, 8000 Fusion Rocket, 1500 Jump, 10000 Fuel, 25000 Rocket Fuel (1.9 hours), 10 Fuel Processors (125.0 hours), Stateroom, 37 Bunkrooms (592 personnel), 72 Low Berths (holds 288 cryotubes), 100 Utility, 8 Vehicle Bays (8 *Helm* Fighters), 143.5 cargo

**Communicators:** Radio 1 million km, Laser 1 million km

**Sensors:** PESA 8000 km, AESA 16000 km, Radscanner 3680 km

**570 102-MJ Lasers:** Imp, Acc 32, Dmg 8dx20, 1/2D Rng 16360 km, MxRng 65450 km, FP 2

**Spinal Particle Beam:** Imp, Acc 36, Dmg 6dx10000, Rng 78080 km, MxRng 234240 km, FP 424

**Note:** all weapons have SS 30, RoF 1/60

**Statistics:** EMass 753489.1 tonnes, LMass 766395.8 tonnes, Cost MCr 24553.8, HP 1297500

**Performance:** Accel 1.6 G (1.6 G empty, 1.6 G overloaded), Jump 2, Air Speed 960 km/h

---

# Guanxou-class Light Cruiser (GTL9)

Designed by the Terran Federation in the early days of the Interstellar Wars, the *Guanxou*-class Light Cruiser distinguished itself in raids against lightly-defended outposts.

**Crew:** 8 bridge crew, 96 engineers, 53 gunners, 2 medics, 4 auxiliary crew, 81 frozen watch, 31 Marines (officer, 30 enlisted)

10,000 USL, DR 1000 (DR 500 on weapons), PD 4, Total Compartmentalization, 5 Large Missile Bays (Heavy), 3 Triple 101 MJ Laser Turrets, 8 Triple 40 MJ PD Laser Turrets, 670 GJ Spinal Particle Accelerator, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 313 Jump, 2000 Fusion Rocket, 2,084 Fuel, 2.5 Fuel Scoops, 1000 Water (0.5 hrs), Workshop, 54 Utility, 14 Bunkrooms, 21 Low Berths (84 cryotubes), Marine Barracks (2 Bunkrooms), Briefing Room (holds 10), Battledress Rack (20 stored), Weapons Locker (1.8 tonnes capacity), Gym, Shooting Range,

2 Military Sickbays, 2 Bays for *Huata* Fighters, 2 Bays for *Chiang* Launches, 26 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Command Bridge</i>	8,000,000	—	16,000,000	160,000

<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>
<i>Command Bridge</i>	320,000/37	2,400,000/42	48,000/32

<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
<i>101 MJ Rainbow Laser</i>	Imp	31	8d x 20	36,864 km	69,120 km	1/60
<i>40 MJ Rainbow Laser</i>	Imp	30	5d x 20	23,296 km	43,680 km	1/15
<i>670 GJ Spinal PAW</i>	Imp	38	6d x 3000	248,576 km	466,080 km	1/60

**Defenses:** DR 1000 (DR 500 on weapons), PD 4, -5 to active scans, -2 to passive scans

**Maintenance:** HT: 12, 484.8 man-hours per day, 10.2 MCr/yr

**Statistics:** EMass 44,711.0 tonnes, LMass 52,054.1 tonnes, Cost: 10,201.79 MCr (MCr11,747.49 fitted out), HP: 263,161, Size Mod: +11

**Performance:** Accel: 2.8 G (3.2 G empty, 2.8 G overloaded), Jump 2, 25,146 km/h (skim)

---

# Slakter-class Assault Cruiser (GTL9)

A formidable ship by local standards, the *Slakter* class is typical of Sword World navies before the Fifth Frontier War. Armed with a spinal particle accelerator and massive missile batteries, carrying eight squadrons of fighters, and armoured against all GTL9 turret weapons, it is ideally suited to the set-piece battles so common in the Sword Worlds' internecine wars.

Against Imperial Navy warships, the *Slakter* is woefully outclassed. Too slow to run and too thin-skinned to survive even long-range sniping, it became known as the "slagheap" to Imperial gunners—who claimed that it wasn't challenging enough for a practice target.

**Crew:** 4 bridge crew, 40 engineers, 46 gunners, 120 auxiliary crew

10000-ton USL Hull, DR 2000, PD 4, Total compartmentalization, 15 Turrets with 3 lasers each, 15 Turrets with 3 sandcasters each, 7 Missile Bays, Spinal Particle Beam, Basic stealth, Basic emission cloaking,

Hardened Command Bridge, Engineering, 1200 Fusion Rocket, 200 Jump, 1000 Fuel, 2800 Rocket Fuel (1.4 hours), 5 Fuel Processors (25.0 hours), Stateroom, 14 Bunkrooms (224 personnel), 20 Utility, 80 Vehicle Bays (40 *Elding* Light Fighters, 40 *Helm* Fighters), 92.5 cargo

**Communicators:** Radio 1 million km, Laser 1 million km

**Sensors:** PESA 8000 km, AESA 16000 km, Radscanner 3680 km

**45 102-MJ Lasers:** Imp, Acc 32, Dmg 8dx20, 1/2D Rng 16360 km, MxRng 65450 km, FP 2

**Spinal Particle Beam:** Imp, Acc 36, Dmg 6dx10000, Rng 78080 km, MxRng 234240 km, FP 424

**Note:** all weapons have SS 30, RoF 1/60

**Statistics:** EMass 112888.8 tonnes, LMass 184912.3 tonnes, Cost MCr 4477.6, HP 359250

**Performance:** Accel 1.0 G (1.6 G empty, 1.0 G overloaded), Jump 1, Air Speed 960 km/h

# Zhounang-class Cruiser (GTL9)

Dating from the early days of the Terran Federation, the Zhounang Cruiser distinguished itself during several crucial battles with the Vilani Imperium.

*Crew:* 10 bridge crew, 282 engineers, 101 gunners, 5 medics, 2 auxiliary crew, 52 Marines (2 officers, 50 enlisted)

30,000 USL, DR 2000 (DR 1000 on weapons), PD 4, 20 Large Missile Bays (Heavy), 15 Triple 101 MJ Laser Turrets, 17 Triple 40 MJ PD Laser Turrets, 15 Single 303 MJ Laser Turrets, 920 GJ Spinal Particle Accelerator, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge and Auxiliary Command Bridge, Engineering, 948 Jump, 5500 Fusion Rocket, 6,320 Fuel, 10000 Water (1.9 hrs), 4 Workshops, 162 Utility, 20 Staterooms, 23 Bunkrooms, Marine Barracks (Stateroom, 4 Bunkrooms), 5 Briefing Rooms (holds 50), Battledress Rack (20 stored), Weapons Locker (1.8 tonnes capacity), 2 Gyms, Shooting Range, 5 Military Sickbays, 2 Bays for *Chiang* Launches, 10.5 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Command Bridge</i>	8,000,000	—	16,000,000	160,000
<i>Command Bridge</i>	8,000,000	—	16,000,000	160,000

<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>
<i>Command Bridge</i>	320,000/37	2,400,000/42	48,000/32
<i>Command Bridge</i>	320,000/37	2,400,000/42	48,000/32

<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
<i>101 MJ Rainbow Laser</i>	Imp	31	8d x 20	36,864 km	69,120 km	1/60
<i>40 MJ Rainbow Laser</i>	Imp	30	5d x 20	23,296 km	43,680 km	1/15
<i>303 MJ Rainbow Laser</i>	Imp	33	5d x 55	12,800 km	24,000 km	1/60
<i>920 GJ Spinal PAW</i>	Imp	38	5d x 4000	291,072 km	545,760 km	1/60

*Defenses:* DR 2000 (DR 1000 on weapons), PD 4, -5 to active scans, -2 to passive scans

*Maintenance:* HT: 12, 708.8 man-hours per day, 21.8 MCr/yr

**Statistics:** EMass 121,801.0 tonnes, LMass 148,028.1 tonnes, Cost: 21,804.23 MCr (MCr27,814.63 fitted out), HP: 547,398, Size Mod: +12

**Performance:** Accel: 2.7 G (3.3 G empty, 2.7 G overloaded), Jump 2, 25,332 km/h (skim)

# Arduin-class Light Cruiser (GTL10)

One of the most common light cruisers deployed by the Rule of Man, the *Arduin* class served on every front. With fuel tankage for four parsecs of jumpspace travel, small squadrons of *Arduin* cruisers were frequently assigned to perimeter patrols and scouting missions.

The tactical limitations of 2G acceleration were partly offset by two flights of *Firefly* and *Hyena* fighters, each capable of over 6G acceleration. Light armour prevented the *Arduin* from serving in the line of battle, but they were frequently deployed as fleet scouts, either on their own or escorting and guarding more specialized starships.

Long lonely watches defending civilization resonated with the zeitgeist of the late Rule of Man, and tales of heroism by captains and crews were widely retold through the years, even unto the present day.

During the last days of the Rule of Man, Captain Takhar and the Light Cruiser *Harappa* passed into legend. On a standard patrol along the Reavers Deep frontier, the *Harappa* emerged from jumpspace into the middle of an Aslan ihatei fleet. Immediately launching all fighters, Captain Takhar ordered the Aslan to turn back or be destroyed. The Aslan commander ignored the *Harappa* and continued refueling operations. Knowing that by the time she returned with reinforcements the Aslan would be gone, Captain Takhar ordered an all-out attack. Launching a devastating missile barrage at the refueling ships, the *Harappa* and her fighters attacked the high guard, crippling several ships in the initial volley before the Aslan realized that they were under attack. Although the humans fought bravely the outcome was never in doubt: the outnumbered fighters were picked off one by one, while the *Harappa* herself was reduced to glowing wreckage.

The entire incident would be unknown if not for a marine who survived the boarding of the Aslan command ship. Impressed by the humans' bravery, the Aslan treated the survivors as honoured guests, returning them to a human

planet. Several of the Marines were adopted into the Aslan clan.

**Crew:** 10 bridge crew, 49 engineers, 31 gunners, 2 medics, 30 auxiliary crew, 31 Marines (officer, 30 enlisted)

7,500 USL, DR 1000 (DR 500 on weapons), PD 4, Heavy Compartmentalization, 4 Large Missile Bays (2 Lights, 2 Heavys), 10 Triple 90 MJ PD Laser Turrets, 10 Single 810 MJ Laser Turrets, Nuclear Damper, 570 GJ Spinal Particle Accelerator, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 313 Jump, 2150 Maneuver, 3,000 Fuel, 2.5 Fuel Scoops, 10 Fuel Processors (37.5 hrs), 15 Utility, 10 Bunkrooms, Marine Barracks (2 Bunkrooms), Briefing Room (holds 10), 2 Battledress Racks (40 stored), Weapons Locker (1.8 tonnes capacity), Gym, Shooting Range, 2 Military Sickbays, Hanger for 2 *Astra* Launches with 1 Entrance, Hanger for 10 *Firefly* Light Fighters with 1 Entrance, Hanger for 4 *Hyena* Medium Fighters, 18 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	720,000/39	2,400,000/42	48,000/32

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	26,368 km	49,440 km	1/8
810 MJ X-Ray Laser	Imp	33	6d x 75(2)	64,000 km	120,000 km	1/60
570 GJ Spinal PAW	Imp	38	7d x 3000	250,880 km	470,400 km	1/60

**Defenses:** DR 1000 (DR 500 on weapons), PD 4, -6 to active scans, -3 to passive scans, 16 km Nuclear Damper

**Maintenance:** HT: 12, 266.0 man-hours per day, 3.1 MCr/yr

**Statistics:** EMass 31,763.8 tonnes, LMass 39,919.8 tonnes, Cost: 3,071.15 MCr (MCr4,321.73 fitted out), HP: 217,235, Size Mod: +11

**Performance:** Accel: 2.0 G (2.5 G empty, 1.9 G overloaded), Jump 3, 17,407 km/h (skim)



# Armageddon-class Bombardment Cruiser (GTL10)

The *Armageddon* is essentially a terror weapon. Radical stealthing and emission cloaking let the cruiser slip close to any world and overwhelm its satellite defenses with missiles. The Solomani government uses the implied threat to ‘encourage’ the loyalty of suspect worlds within the Solomani Confederation.

By 1000 the Solomani Rim War was essentially over, as the Imperium’s superior industrial capability triumphed over the Solomani Navy. Cameroon (Solomani Rim 1736) was occupied by a squadron of the Imperial 106<sup>th</sup> Fleet, and the planetary leadership opened negotiations to safeguard their world. Informed of this ‘treachery’ by SolSec agents, Captain Augusta Packer of the *Ragnarok* slipped into the Cameroon system, destroying the starport and manufacturing centres in a surprise strike. Deprived of power and supplies, most of the population slowly strangled in the tainted atmosphere, despite the heroic efforts of Imperial sailors.

Recent disclosure of the “Cameroon Incident” has called the existence of the *Armageddon* class into question. Given the nature of Solomani politics few have the courage to contradict official policy, but pressure is growing for a ‘reallocation’ of resources to external external threats—a trend Imperial diplomats fear may lead to more aggression against the Imperium.

**Crew:** 8 bridge crew, 80 engineers, 38 gunners, 2 medics, 2 auxiliary crew, 31 Marines (officer, 30 enlisted)

10,000 USL, DR 5000 (DR 2000 on weapons), PD 4, Total Compartmentalization, 8 Large Missile Bays (Heavy), 5 Triple 90 MJ PD Laser Turrets, 200 Magazines, Nuclear Damper, 570 GJ Spinal Particle Accelerator, Radical Stealth, Radical Emission Cloaking, Hardened Command Bridge, 2 Engineering, 400 Jump, 3800 Maneuver, 3,000 Fuel, Workshop, 20 Utility, 12 Bunkrooms, Marine Barracks (2 Bunkrooms), Briefing Room (holds 10), Gym, Shooting Range, 2 Sickbays, Hanger for 2 Gigs with 1 Entrance, 98 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson		
Command Bridge	8,000,000	—	16,000,000	160,000		
Sensor Range/Scan (km)	PESA	AESA	Radscanner			
Command Bridge	720,000/39	2,400,000/42	48,000/32			
Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	16,480 km	49,440 km	1/8
570 GJ Spinal PAW	Imp	38	7d x 3000	156,800 km	470,400 km	1/60

**Maintenance:** HT: 12, 313.4 man-hours per day, 4.3 MCr/yr

**Statistics:** EMass 70,916.4 tonnes, LMass 82,386.0 tonnes, Cost: 4,263.29 MCr (MCr6,434.27 fitted out), HP: 263,161, Size Mod: +11

**Performance:** Accel: 1.7 G (1.9 G empty, 1.6 G overloaded), Jump 3, 22,881 km/h (skim)

# Gvergh-class Assault Cruiser (GTL10)

Few Vargr organizations possess starships this large. Holding the loyalty and purpose of enough Vargr to build this size cruiser is virtually impossible—only the most charismatic leaders can manage, and then rarely for long.

**Crew:** 6 bridge crew, 36 engineers, 24 gunners, 2 medics, 2 auxiliary crew, 64 Marines (4 officers, 60 enlisted)

5,000 USL, DR 1300 (DR 650 on weapons), PD 4, Total Compartmentalization, 3 Small Missile Bays (Heavy), 5 Triple 250 MJ Laser Turrets, 570 GJ Spinal Particle Accelerator, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 150 Jump, 1800 Maneuver, 1,000 Fuel, 10 Utility, 36 Staterooms, Marine Barracks (2 Staterooms, 15 Bunkrooms), 2 Briefing Rooms (holds 20), Weapons Locker (3.6 tonnes capacity), 2 Gyms, Shooting Range, 2 Sickbays,

Hanger for 2 *Aekguthang* Assault Cutters with 1 Entrance, 54 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson		
Command Bridge	8,000,000	—	16,000,000	160,000		
Sensor Range/Scan (km)	PESA	AESA	Radscanner			
Command Bridge	720,000/39	2,400,000/42	48,000/32			
Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60
570 GJ Spinal PAW	Imp	38	7d x 3000	156,800 km	470,400 km	1/60

**Maintenance:** HT: 12, 219.5 man-hours per day, 2.1 MCr/yr

**Statistics:** EMass 27,502.0 tonnes, LMass 30,329.6 tonnes, Cost: 2,091.66 MCr (MCr2,507.08 fitted out), HP: 165,781, Size Mod: +10

**Performance:** Accel: 2.2 G (2.4 G empty, 2.1 G overloaded), Jump 2, 22,741 km/h (skim)

---

# Gzong!xk-class Dreadnought (GTL 10)

Large and lumbering, the *Gzong!xk* is more of a mobile battlestation than a battleship in the Imperial Naval tradition. Armoured against half-range hits by spinal weapons, a small force of dreadnoughts with their outriders can destroy most planetary navies with overwhelming firepower—an old K’ree tradition!

**Crew:** 15 bridge crew, 780 engineers, 229 gunners, 7 medics, 515 dependents

100,000 SL, DR 30000 (DR 2000 on weapons), PD 4, 90 Small Missile Bays (Heavy), 10 Triple Sandcaster Turrets, 68 Triple 90 MJ PD Laser Turrets, 4 Nuclear Dampers, 211 Meson Screens (DR 5000), 870 GJ Spinal Particle Accelerator, Radical Stealth, Radical Emission Cloaking, Hardened Command Bridge and Auxiliary Basic Bridge, Information Centre, 3 Engineering, 2000 Jump, 42000

Maneuver, 10,000 Fuel, 13 Workshops, 140 Utility, Pasture for 773-1546 K’ree, 7 Sickbays, 65.5 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Command Bridge</i>	8,000,000	—	16,000,000	160,000
<i>Basic Bridge</i>	8,000,000	—	16,000,000	—

<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>
<i>Command Bridge</i>	720,000/39	2,400,000/42	48,000/32
<i>Basic Bridge</i>	480,000/38	1,600,000/41	32,000/31

<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
<i>90 MJ X-Ray Laser</i>	Imp	30	5d x 30(2)	16,480 km	49,440 km	1/8
<i>870 GJ Spinal PAW</i>	Imp	38	6d x 4000	193,120 km	579,360 km	1/60

**Maintenance:** HT: 9, 880.2 man-hours per day, 33.6 MCr/yr

**Statistics:** EMass 1,296,466.4 tonnes, LMass 1,351,750.3 tonnes, Cost: 33,624.55 MCr (MCr45,774.55 fitted out), HP: 1,221,488, Size Mod: +13

**Performance:** Accel: 1.1 G (1.2 G empty, 1.1 G overloaded), Jump 1, 19,181 km/h (atm), 54,252 km/h (skim)

---

# Hvort-class Pocket Dreadnought (GTL 10)

Laid down after the Fifth Frontier War, the *Hvort*-class is an attempt by the Sword Worlds to evade Imperial treaty restrictions. Packing an impressive punch for its size, it is still no match for an Imperial cruiser. Imperial Naval Intelligence believes that the *Hvort*-class was laid down to bolster support at home, rather than to support aggression abroad.

**Crew:** 10 bridge crew, 29 engineers, 26 gunners, 3 medics, 34 frozen watch, 20 troops

4000-ton USL Hull, DR 1300, PD 4, Total compartmentalization, 20 Turrets with 3 lasers each, 2 Missile Bays, Spinal Particle Beam, Basic stealth, Basic emission cloaking, Hardened Command Bridge, Engineering, 1550 Maneuver, 80 Jump, 400 Fuel, 2 Fuel Processors (25.0 hours), 49 Staterooms, 9 Low Berths (holds 36 cryotubes), 8 Utility, 2 Sickbays, 118.5 cargo

**Communicators:** Radio 3 million km, Laser 6 million km, Meson 0.1 million km

**Sensors:** PESA 80000 km, AESA 240000 km, Radscanner 6400 km

**60 360-MJ Lasers:** Imp, Acc 32, Dmg 6dx50(2), 1/2D Rng 32720 km, MxRng 98610 km, FP 4

**Spinal Particle Beam:** Imp, Acc 36, Dmg 6dx10000, Rng 78080 km, MxRng 234240 km, FP 424

*Note: all weapons have SS 30, RoF 1/60*

**Statistics:** EMass 28465.6 tonnes, LMass 29003.0 tonnes, Cost MCr 1800.1, HP 178500

**Performance:** Accel 1.9 G (2.0 G empty, 1.8 G overloaded), Jump 1, Air Speed 960 km/h

# Intrepid-class Cruiser (GTL 10)

One of the older cruisers in Solomani service, *Intrepids* are still a common sight along the Imperial border. Their heavy armament is purchased at the price of crew comfort: only the captain, executive officer, and chief engineer have private staterooms—all other crewmembers share common bunkrooms. While no match for a modern Imperial capital ship, an *Intrepid* can scatter a flotilla of escorts with ease.

**Crew:** 10 bridge crew, 86 engineers, 36 gunners, 2 medics, 16 auxiliary crew, 75 frozen watch, 33 Marines (officer, 32 enlisted)

10,000 USL, DR 2000 (DR 1000 on weapons), PD 4, Total Compartmentalization, 6 Small Missile Bays (Heavy), 5 Triple Sandcaster Turrets, 20 Triple 90 MJ PD Laser Turrets, 570 GJ Spinal Particle Accelerator, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 400 Jump, 4200 Maneuver, 3,000 Fuel, 2.5 Fuel Scoops, 12 Fuel Processors (31.3 hrs), Workshop, 20 Utility, 3 Staterooms, 13

Bunkrooms, 19 Low Berths (76 cryotubes), Marine Barracks (3 Bunkrooms), Briefing Room (holds 10), Weapons Locker (1.8 tonnes capacity), Gym, 2 Sickbays, 8 Bays for *Steadfast* Medium Fighters, 92 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>		
<i>Command Bridge</i>	8,000,000	—	16,000,000	160,000		
<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>			
<i>Command Bridge</i>	720,000/39	2,400,000/42	48,000/32			
<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
<i>90 MJ X-Ray Laser</i>	Imp	30	5d x 30(2)	16,480 km	49,440 km	1/8
<i>570 GJ Spinal PAW</i>	Imp	38	7d x 3000	156,800 km	470,400 km	1/60

**Maintenance:** HT: 12, 294.7 man-hours per day, 3.8 MCr/yr

**Statistics:** EMass 47,236.8 tonnes, LMass 54,784.1 tonnes, Cost: 3,769.76 MCr (MCr4,669.52 fitted out), HP: 263,161, Size Mod: +11

**Performance:** Accel: 2.8 G (3.2 G empty, 2.7 G overloaded), Jump 3, 29,079 km/h (skim)

# K!kreer-class Light Cruiser (GTL 10)

Like most K'kree warships, the *K!kreer* Light Cruiser is more suited to bombarding helpless planets than fighting a pitched naval battle. While impressively well armed, it is slow and thin-skinned, vulnerable even to Imperial escort vessels.

**Crew:** 10 bridge crew, 181 engineers, 124 gunners, 5 medics, 320 dependents

50,000 SL, DR 3500 (DR 1750 on weapons), PD 4, 40 Large Missile Bays (Heavy), 41 Triple 90 MJ PD Laser Turrets, 1.4 TJ Spinal Meson Gun, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 1596 Jump, 7000 Maneuver, 10,640 Fuel, 100 Fuel Processors (13.3 hrs), 3 Workshops, 80 Utility, Pasture for 640-1280 K'kree, 5 Sickbays, 561.5 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>		
<i>Command Bridge</i>	8,000,000	—	16,000,000	160,000		
<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>			
<i>Command Bridge</i>	720,000/39	2,400,000/42	48,000/32			
<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
<i>90 MJ X-Ray Laser</i>	Imp	30	5d x 30(2)	26,368 km	49,440 km	1/8
<i>1.4 TJ Spinal Meson Gun</i>	Exp	39	6d x 3000(!)	329,216 km	617,280 km	1/60

**Defenses:** DR 3500 (DR 1750 on weapons), PD 4, -6 to active scans, -3 to passive scans

**Maintenance:** HT: 12, 627.4 man-hours per day, 17.1 MCr/yr

**Statistics:** EMass 206,489.4 tonnes, LMass 259,501.3 tonnes, Cost: 17,082.74 MCr (MCr27,882.74 fitted out), HP: 769,489, Size Mod: +12

**Performance:** Accel: 1.0 G (1.2 G empty, 0.9 G overloaded), Jump 2, 7,102 km/h (atm), 20,088 km/h (skim)

# Miotos-class Battleship (GTL 10)

Although outmoded, the *Miotos* class battleships acquitted themselves well during the Solomani Rim War. Slow, underarmoured, and lacking shields, they none-the-less did considerable damage to the invading Imperial fleets logistical tail, forcing the Imperial Navy to devote scarce battle squadrons to escort duty.

**Crew:** 10 bridge crew, 414 engineers, 128 gunners, 10 medics, 126 auxiliary crew, 344 frozen watch, 165 Marines (5 officers, 160 enlisted)

50,000 USL, DR 20000 (DR 2000 on weapons), PD 4, Total Compartmentalization, 25 Small Missile Bays (Heavy), 10 Triple Sandcaster Turrets, 15 Triple 90 MJ PD Laser Turrets, 10 Single 810 MJ Laser Turrets, 20 13 GJ Particle Bays, 4 Nuclear Dampers, 79 Meson Screens (DR 3000), 570 GJ Spinal Particle Accelerator, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge and Auxiliary Basic Bridge, Enhanced Communicator, Advanced Sensor, Electronic Warfare Suite, Engineering, 2000 Jump, 20000 Maneuver, 15,000 Fuel, 6 Workshops, 100 Utility, 56 Bunkrooms, 86 Low Berths (344 cryotubes), Marine Barracks (12 Bunkrooms), 4 Briefing Rooms (holds 40), 2 Battledress Racks (40 stored), Weapons Locker (3.6 tonnes capacity), 4 Gyms, Shooting Range, 10 Sickbays, Operating Theatre,

Microsurgery Theatre, 5 Brigs (10 prisoners), Safe (11.3 m<sup>3</sup> capacity), Hanger for 20 *Steadfast* Medium Fighters with 1 Entrance, Hanger for 40 *Olmeka* Heavy Fighters with 1 Entrance, Hanger for 2 *Dieppe* Assault Landers with 1 Entrance, 291 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000
Basic Bridge	8,000,000	—	16,000,000	—
Enhanced Commo	8,000,000	80,000,000	16,000,000	1,600,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	720,000/39	2,400,000/42	48,000/32
Basic Bridge	480,000/38	1,600,000/41	32,000/31
Advanced Sensor	7,200,000/45	16,000,000/47	480,000/38

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	16,480 km	49,440 km	1/8
810 MJ X-Ray Laser	Imp	33	6d x 75(2)	40,000 km	120,000 km	1/60
13 GJ PAW Bay	Imp	30	6d x 1,500	23,408 km	70,224 km	1/60
570 GJ Spinal PAW	Imp	38	7d x 3000	156,800 km	470,400 km	1/60

**Maintenance:** HT: 10, 682.6 man-hours per day, 20.2 MCr/yr

**Statistics:** EMass 568,838.6 tonnes, LMass 674,816.6 tonnes, Cost: 20,222.06 MCr (MCr25,464.04 fitted out), HP: 769,489, Size Mod: +12

**Performance:** Accel: 1.1 G (1.3 G empty, 1.1 G overloaded), Jump 3, 12,608 km/h (skim)

# Monarch-class Light Battleship (GTL 10)

Core of a battle group, *Monarch*-class battleships formed part of the striking fist of the Rule of Man. While not as heavy as the *Emperor*-class heavy battleship, *Monarchs* were considerably cheaper and more widely distributed.

**Crew:** 30 bridge crew, 763 engineers, 225 gunners, 10 medics, 210 auxiliary crew, 619 frozen watch, 405 Marines (5 officers, 400 enlisted)

75,000 USL, DR 15000 (DR 2000 on weapons), PD 4, Total Compartmentalization, 60 Large Missile Bays (Heavy), 32 Triple 90 MJ PD Laser Turrets, 30 Single 810 MJ Laser Turrets, 32 Nuclear Dampers, 1,084 Meson Screens, 3.4 TJ Spinal Meson Gun, Radical Stealth, Radical Emission Cloaking, Hardened Command Bridge and Auxiliary Command Bridge, Information Centre, Advanced Communicator, Advanced Sensor, Electronic Warfare Suite, Engineering, 2394 Jump, 40000 Maneuver, 15,960 Fuel, 6 Fuel Scoops, 100 Fuel Processors (20.0 hrs), 12 Workshops, 150 Utility, 101 Bunkrooms, 155 Low Berths (620 cryotubes), Marine Barracks (27 Bunkrooms), Tactical Command Centre, 10 Briefing Rooms (holds 100), 20 Battledress Racks (400 stored), Weapons Locker (7.3 tonnes capacity), 10 Gyms, 4 Shooting Ranges, 10 Military Sickbays, 2 Operating Theatres, Microsurgery Theatre, Basic Security, 10 Brigs (20 prisoners), 2 Safes (22.7 m<sup>3</sup> capacity), Hanger for 40 *Hyena* Medium

Fighters with 1 Entrance, Hanger for 60 *Firefly* Light Fighters with 1 Entrance, Hanger for 10 *Skyskipper* Launches with 1 Entrance, 423 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000
Auxiliary Bridge	8,000,000	—	16,000,000	160,000
Advanced Commo	8,000,000	80,000,000	16,000,000	16,000,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	720,000/39	2,400,000/42	48,000/32
Auxiliary Bridge	720,000/39	2,400,000/42	48,000/32
Advanced Sensor	7,200,000/45	16,000,000/47	480,000/38

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	26,368 km	49,440 km	1/8
810 MJ X-Ray Laser	Imp	33	6d x 75(2)	64,000 km	120,000 km	1/60
3.4 TJ Spinal Meson Gun	Exp	39	6d x 4000(!)	507,136 km	950,880 km	1/60

**Defenses:** DR 15000 (DR 2000 on weapons), PD 4, -12 to active scans, -6 to passive scans, 56 km Nuclear Damper, Meson Screen DR 15000

**Maintenance:** HT: 11, 1,048.0 man-hours per day, 47.7 MCr/yr

**Statistics:** EMass 771,750.0 tonnes, LMass 858,070.6 tonnes, Cost: 47,667.86 MCr (MCr64,821.46 fitted out), HP: 1,008,316, Size Mod: +13

**Performance:** Accel: 1.7 G (1.9 G empty, 1.7 G overloaded), Jump 2, 25,861 km/h (skim)

# Pugnacious-class Battle Cruiser (GTL 10)

The *Pugnacious* battle cruiser is unusual in having no turret-mounted weapons. Solomani naval doctrine called for the “all big gun” ship when the class was first laid down, and although poor performance against a balanced fleet have thrown the doctrine into disrepute the *Pugnacious* class is still in service.

**Crew:** 10 bridge crew, 80 engineers, 38 gunners, 2 medics, 65 frozen watch

10,000 USL, DR 3000, PD 4, Total Compartmentalization, 5 Small Missile Bays (Heavy), 2 13 GJ Particle Bays, 870 GJ Spinal Particle Accelerator, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, 2 Engineering, 400 Jump, 3800 Maneuver, 3,000 Fuel, 2.5 Fuel Scoops, 15 Fuel Processors (25.0 hrs), Workshop, 20 Utility, 12 Bunkrooms, 17 Low Berths (68 cryotubes), 2 Sickbays, 53.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	720,000/39	2,400,000/42	48,000/32

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
13 GJ PAW Bay	Imp	30	6d x 1,500	23,408 km	70,224 km	1/60
870 GJ Spinal PAW	Imp	38	6d x 4000	193,120 km	579,360 km	1/60

**Maintenance:** HT: 12, 316.1 man-hours per day, 4.3 MCr/yr

**Statistics:** EMass 60,441.9 tonnes, LMass 65,956.4 tonnes, Cost: 4,335.98 MCr (MCr5,010.98 fitted out), HP: 263,161, Size Mod: +11

**Performance:** Accel: 2.1 G (2.3 G empty, 2.1 G overloaded), Jump 3, 26,345 km/h (skim)

# Shibaash-class Light Cruiser (GTL 10)

One of a multitude of Vilani warships, the *Shibaash* class was commissioned before the Interstellar Wars. Such was the technological conservatism of the First Imperium that it served through most of the wars.

While an excellent all-round warship, once the Terran Federation developed meson weapons the *Shibaash* was phased out of front-line service. Rather than retrofit existing vessels to include meson screen, Vilani design philosophy called for the development of a whole new class of ship.

**Crew:** 8 bridge crew, 30 engineers, 32 gunners, 1 medic

5,000 USL, DR 4000 (DR 2000 on weapons), PD 4, 2 Large Missile Bays (Heavy), 4 Triple Sandcaster Turrets, 4 Triple 250 MJ Laser Turrets, 4 Triple 90 MJ PD Laser Turrets, 3 Single 810 MJ Laser Turrets, Nuclear Damper, 570 GJ Spinal Particle Accelerator, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 200 Jump, 1300

Maneuver, 1,500 Fuel, 10 Utility, 36 Staterooms, 1 Sickbay, 108 Cargo

Communicator Range	Radio	Maser	Laser	Meson
Command Bridge:	8,000,000 km	—	16,000,000 km	160,000 km

Sensor Range/Scan	PESA	AESA	Radscanner
Command Bridge:	720,000 km/39	2,400,000 km/42	48,000 km/32

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	16,480 km	49,440 km	1/8
810 MJ X-Ray Laser	Imp	33	6d x 75(2)	40,000 km	120,000 km	1/60
570 GJ Spinal PAW	Imp	38	7d x 3000	156,800 km	470,400 km	1/60

**Statistics:** EMass 40,954.8 tonnes, LMass 44,845.8 tonnes, Cost: 2,472.30 MCr (MCr3,012.30 fitted out), HP: 165,781, HT: 12, Size Mod: +10

**Performance:** Accel: 1.1 G (1.2 G empty, 1.0 G overloaded), Jump 3, 5,660 km/h (skimming)

# Xing!kir-class Light Cruiser (GTL 10)

“Light” only by K’kree standards, the *Xing!kir* appears to be a formidable warship at first glance: an extra-heavy spinal mount, 40 batteries of heavy missiles, and 80 point-defense lasers. Set against this is its poor acceleration and jump rating, thin skin, and total lack of internal compartments. Like most K’kree warships, the *Xing!kir* is hard-hitting but extremely vulnerable.

**Crew:** 10 bridge crew, 194 engineers, 161 gunners, 2 medics, 73 dependents

50,000 SL, DR 5200 (DR 2000 on weapons), PD 4, 40 Small Missile Bays (10 Lights, 30 Heavys), 40 Triple 90 MJ PD Laser Turrets, 40 Single 810 MJ Laser Turrets, 2.7 TJ Spinal Particle Accelerator, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 1505 Jump, 8000

Maneuver, 10,032 Fuel, 3 Workshops, 100 Utility, Pasture for 440-880 K’kree, 2 Sickbays, 563.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	720,000/39	2,400,000/42	48,000/32

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	16,480 km	49,440 km	1/8
810 MJ X-Ray Laser	Imp	33	6d x 75(2)	40,000 km	120,000 km	1/60
2.7 TJ Spinal PAW	Imp	40	7d x 5000	340,000 km	1,020,000 km	1/60

**Statistics:** EMass 235,770.7 tonnes, LMass 268,308.9 tonnes, Cost: 14,611.64 MCr (MCr20,137.64 fitted out), HP: 769,489, HT: 12, Size Mod: +12

**Performance:** Accel: 1.1 G (1.2 G empty, 1.0 G overloaded), Jump 2, 10,319 km/h (atm), 29,186 km/h (skim)

# Alderbaran-class Heavy Cruiser (GTL11)

While only a cruiser, the *Alderbaran's* spinal weapon is the equal of any carried by a battleship. Although a 4 parsec jump range gives the *Alderbaran* admirable strategic mobility, its low acceleration is a tactical handicap. Solomani doctrine deploys the *Alderbaran* as the core of small strategic response squadrons.

**Crew:** 13 bridge crew, 162 engineers, 127 gunners, 10 medics, 30 auxiliary crew, 66 Marines (2 officers, 64 enlisted)

30,000 USL, DR 10,000 (DR 4000 on weapons), PD 4, Heavy Compartmentalization, 20 Large Missile Bays (Heavy), 26 Triple 97 MJ PD Laser Turrets, 32 Nuclear Dampers, 156 Meson Screens, 2.8 TJ Spinal Particle Accelerator, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge and Auxiliary Basic Bridge, Advanced Sensor, Electronic Warfare Suite, Engineering, 1580 Jump, 6500 Maneuver, 12,640 Fuel, 5.5 Fuel Scoops, 100 Fuel Processors (15.8 hrs), 2 Workshops, 60 Utility, 29 Bunkrooms, Marine Barracks (Stateroom, 4 Bunkrooms), 6 Briefing Rooms (holds 60), Weapons Locker (3.6 tonnes capacity), 4 Gyms, 2 Shooting Ranges, 10 Military Sickbays, Operating Theatre, Microsurgery Theatre, 2 Brigs (4 prisoners), Hanger for 10

*Luzon* Aerospace Fighters with 1 Entrance, Hanger for 2 *Estevan* Cutters, 153 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	1,600,000/41	2,400,000/42	48,000/32
Basic Bridge	480,000/38	1,600,000/41	32,000/31
Advanced Sensor	16,000,000/47	24,000,000/48	1,120,000/40

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
97 MJ X-Ray Laser	Imp	31	5d x 40(2)	29,952 km	56,160 km	1/8
2.8 TJ Spinal PAW	Imp	40	6d x 7000	603,136 km	1,130,880 km	1/60

**Defenses:** DR 10,000 (DR 4000 on weapons), PD 4, -7 to active scans, -3 to passive scans, 56 km Nuclear Damper, Meson Screen DR 5000

**Maintenance:** HT: 12, 649.2 man-hours per day, 18.3 MCr/yr

**Statistics:** EMass 235,829.8 tonnes, LMass 272,837.1 tonnes, Cost: 18,293.90 MCr (MCr24,557.34 fitted out), HP: 547,398, Size Mod: +12

**Performance:** Accel: 2.2 G (2.5 G empty, 2.1 G overloaded), Jump 4, 28,820 km/h (skim)

# Basilos-class Pocket Cruiser (GTL11)

One of the smallest capital ships in the Solomani Confederation Navy, the *Basilos* class was designed for combat against the Aslan, not the Imperium.

**Crew:** 5 bridge crew, 28 engineers, 30 gunners, medic

5,000 USL, DR 2500 (DR 1250 on weapons), PD 4, 3 Large Missile Bays (Heavy), 7 Triple 97 MJ PD Laser Turrets, Nuclear Damper, 19 Meson Screens, 530 GJ Spinal Particle Accelerator, Radical Stealth, Radical Emission Cloaking, Hardened Basic Bridge, Enhanced Sensor, Engineering, 263 Jump, 1100 Maneuver, 2,101 Fuel, 2.5 Fuel Scoops, 10 Fuel Processors (26.3 hrs), 10 Utility, 6 Bunkrooms, Military Sickbay, 4.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	1,600,000/41	32,000/31
Enhanced Sensor	7,200,000/45	11,200,000/46	720,000/39

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
97 MJ X-Ray Laser	Imp	31	5d x 40(2)	29,952 km	56,160 km	1/8
530 GJ Spinal PAW	Imp	39	6d x 4000	260,352 km	488,160 km	1/60

**Defenses:** DR 2500 (DR 1250 on weapons), PD 4, -14 to active scans, -7 to passive scans, 16 km Nuclear Damper, Meson Screen DR 2500

**Maintenance:** HT: 12, 270.9 man-hours per day, 3.2 MCr/yr

**Statistics:** EMass 28,115.3 tonnes, LMass 33,102.4 tonnes, Cost: 3,185.81 MCr (MCr4,085.81 fitted out), HP: 165,781, Size Mod: +10

**Performance:** Accel: 3.0 G (3.5 G empty, 3.0 G overloaded), Jump 4, 26,978 km/h (skim)

# Valeria-class Light Cruiser (GTL11)

The *Valeria* is a typical Solomani design, emphasizing firepower and strength over speed and crew comfort.

**Crew:** 12 bridge crew, 48 engineers, 44 gunners, 3 medics, 4 auxiliary crew, 55 frozen watch

10,000 USL, DR 8500 (DR 4000 on weapons), PD 4, Heavy Compartmentalization, 4 Large Missile Bays (Heavy), 6 Triple 97 MJ PD Laser Turrets, 6 Single 870 MJ Laser Turrets, 2 29 GJ Particle Bays, 1.1 TJ Spinal Meson Gun, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge and Auxiliary Basic Bridge, Advanced Communicator, Advanced Sensor, Electronic Warfare Suite, 2 Engineering, 500 Jump, 1896 Maneuver, 4,000 Fuel, 20 Utility, 10 Bunkrooms, 14 Low Berths (56 cryotubes), 3 Military Sickbays, Operating Theatre, 2 Brigs (4 prisoners), Hanger for 2 *Vixen* Armed Gigs with 1 Entrance, 3 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000
Basic Bridge	8,000,000	—	16,000,000	—
Advanced Commo	8,000,000	80,000,000	16,000,000	24,000,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	1,600,000/41	2,400,000/42	48,000/32
Basic Bridge	480,000/38	1,600,000/41	32,000/31
Advanced Sensor	16,000,000/47	16,000,000/47	1,120,000/40

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
97 MJ X-Ray Laser	Imp	31	5d x 40(2)	18,720 km	56,160 km	1/8
870 MJ X-Ray Laser	Imp	34	6d x 100(2)	56,000 km	168,000 km	1/60
29 GJ PAW Bay	Imp	34	5d x 2,700	35,040 km	105,120 km	1/60
1.1 TJ Spinal Meson Gun	Exp	38	7d x 3000(!)	195,680 km	587,040 km	1/60

**Maintenance:** HT: 12, 403.8 man-hours per day, 7.1 MCr/yr

**Statistics:** EMass 80,249.8 tonnes, LMass 88,151.9 tonnes, Cost: 7,075.37 MCr (MCr8,293.99 fitted out), HP: 263,161, Size Mod: +11

**Performance:** Accel: 2.0 G (2.1 G empty, 1.9 G overloaded), Jump 4, 27,696 km/h (skim)

# Warhound-class Light Cruiser (GTL11)

One of the smallest Solomani vessels to mount a spinal weapon, the *Warhound* is smaller than many escorts. Never intended to fight in the line of battle, it is deployed as the nucleus of independent task forces operating against supply lines.

**Crew:** 5 bridge crew, 13 engineers, 22 gunners, medic, 20 frozen watch

3,000 USL, DR 2500 (DR 1250 on weapons), PD 4, 5 Triple Sandcaster Turrets, 6 Triple 97 MJ PD Laser Turrets, 6 Single 870 MJ Laser Turrets, 530 GJ Spinal Particle Accelerator, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 120 Jump, 509 Maneuver, 900 Fuel, 1.5 Fuel Scoops, 4 Fuel Processors (28.1 hrs), 5 Utility, 4 Bunkrooms, 5 Low Berths (20 cryotubes), Sickbay, 30 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	1,600,000/41	2,400,000/42	48,000/32

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
97 MJ X-Ray Laser	Imp	31	5d x 40(2)	18,720 km	56,160 km	1/8
870 MJ X-Ray Laser	Imp	34	6d x 100(2)	56,000 km	168,000 km	1/60
530 GJ Spinal PAW	Imp	39	6d x 4000	162,720 km	488,160 km	1/60

**Maintenance:** HT: 12, 205.6 man-hours per day, 1.8 MCr/yr

**Statistics:** EMass 21,388.0 tonnes, LMass 22,340.4 tonnes, Cost: 1,834.13 MCr, HP: 117,933, Size Mod: +10

**Performance:** Accel: 2.1 G (2.2 G empty, 2.0 G overloaded), Jump 3, 20,916 km/h (skim)



# Brighton-class Battleship (GTL 12)

Dubbed “the armoured beachball from hell,” the *Brighton* is proof against all but the largest spinal weapons. Massive secondary armament and ten squadrons of front-line *Rampart* fighters make this a fearsome warship indeed.

The Imperial Navy employs squadrons of *Brighton*-class battleships in a ‘tripwire’ role in the Spinward Marches.

**Crew:** 10 bridge crew, 140 engineers, 166 gunners, 10 medics, 150 auxiliary crew, 20 auxiliary support crew, 206 Marines (6 officers, 200 enlisted)

50,000 USL, DR 50000 (DR 8000 on weapons), PD 4, Total Compartmentalization, 18 Small Missile Bays (Heavy), 63 Single 1,313 MJ Laser Turrets, 18 14 GJ Particle Bays, 2 Nuclear Dampers, 271 Meson Screens (DR 10000), 2.9 TJ Spinal Meson Gun, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge and Auxiliary Basic Bridge, 4 Engineering, 2500 Jump, 11500 Maneuver, 20,000 Fuel, 2 Workshops, 100 Utility, 249 Staterooms, Marine Barracks (3 Staterooms, 50 Bunkrooms), 2 Briefing Rooms (holds 20), Weapons Locker (3.6 tonnes capacity), 2 Gyms, Shooting

Range, 10 Sickbays, Hanger for 100 *Rampart* Fighters with 5 Entrances & 1 Launch Tube, Hanger for 20 *Citadel* Heavy Fighters with 1 Entrance & 1 Launch Tube, Hanger for 5 Gigs with 1 Entrance, 472.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000
Basic Bridge	8,000,000	—	16,000,000	16,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	1,600,000/41	3,200,000/43	480,000/38
Basic Bridge	480,000/38	2,400,000/42	160,000/35

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
1,313 MJ X-Ray Laser	Imp	34	6d x 150(2)	75,200 km	225,600 km	1/60
14 GJ PAW Bay	Imp	33	5d x 2,250	26,720 km	80,160 km	1/60
2.9 TJ Spinal Meson Gun	Exp	40	6d x 6000(!)	354,560 km	1,063,680 km	1/60

**Maintenance:** HT: 10, 841.4 man-hours per day, 30.7 MCr/yr

**Statistics:** EMass 614,071.8 tonnes, LMass 660,883.0 tonnes, Cost: 30,725.81 MCr (MCr35,512.66 fitted out), HP: 769,489, Size Mod: +12

**Performance:** Accel: 1.6 G (1.7 G empty, 1.6 G overloaded), Jump 4, 33,893 km/h (skim)

# Defiance-class Light Cruiser (GTL 12)

A common light cruiser, the *Defiance*-class has been in service with the Imperial Navy for many years. Although it has a high jump rating and decent legs, its light armour and minimal command staff make the *Defiance* unsuitable for independent operations during wartime. The Imperial Navy frequently assigns *Defiance*-class cruisers to anti-piracy patrol: their squadron of ten *Rampart* fighters and a *Kraki* Assault Cutter make them ideal ships for piracy suppression.

**Crew:** 7 bridge crew, 27 engineers, 34 gunners, 2 medics, 13 auxiliary crew, 37 Marines (officer, 36 enlisted)

10,000 USL, DR 2500 (DR 1250 on weapons), PD 4, 8 Small Missile Bays (4 Lights, 4 Heavys), 5 Triple 102 MJ PD Laser Turrets, 570 GJ Spinal Meson Gun, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 600 Jump, 2072 Maneuver, 5,000 Fuel, 3.5 Fuel Scoops, 20 Fuel Processors (31.3 hrs), 20 Utility, 42 Staterooms, Marine Barracks (Stateroom, 9 Bunkrooms), Briefing Room (holds

10), 2 Battledress Racks (40 stored), Weapons Locker (1.8 tonnes capacity), Gym, 2 Sickbays, Hanger for 10 *Rampart* Fighters with 1 Entrance, Hanger for *Kraki* Assault Cutter with 1 Entrance, 65 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	1,600,000/41	3,200,000/43	480,000/38

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
102 MJ X-Ray Laser	Imp	31	5d x 50(2)	20,960 km	62,880 km	1/8
570 GJ Spinal Meson Gun	Exp	38	7d x 3000(!)	156,800 km	470,400 km	1/60

**Maintenance:** HT: 12, 342.9 man-hours per day, 5.1 MCr/yr

**Statistics:** EMass 33,789.5 tonnes, LMass 43,821.5 tonnes, Cost: 5,103.22 MCr (MCr6,235.37 fitted out), HP: 263,161, Size Mod: +11

**Performance:** Accel: 4.3 G (5.6 G empty, 4.2 G overloaded), Jump 5, 36,878 km/h (skim)

# Flamboyant Monkey-class Frontier Cruiser (GTL 12)

A multi-mission warship, the *Flamboyant Monkey* class is designed for extended patrols and deep force projection. Heavily armoured and carrying an impressive fighter load, *Monkeys* have been involved in virtually every type of mission. Crews behind the claw take particular pleasure in ‘talking grunt’ to Vargr, implying that even a human forbearer is better than a modern Vargr.

**Crew:** 15 bridge crew, 75 engineers, 115 gunners, 6 medics, 297 auxiliary crew, 30 auxiliary support crew, 269 frozen watch, 125 Marines (5 officers, 120 enlisted)

50,000 USL, DR 5200 (DR 2600 on weapons), PD 4, 6 Triple Missile Turrets (Light), 10 Triple Sandcaster Turrets, 80 Triple 405 MJ Laser Turrets, 10 Triple 102 MJ PD Laser Turrets, 100 Single 1,313 MJ Laser Turrets, 24 14 GJ Particle Bays, 4 Nuclear Dampers, 66 Meson Screens (DR 2000), 870 GJ Spinal Meson Gun, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge and Auxiliary Basic Bridge, Information Centre, Computer Centre (complexity 10), Enhanced Communicator, Advanced Sensor, Electronic Warfare Suite, Engineering, 3000 Jump, 4500 Maneuver, 25,000 Fuel, 200 Fuel Processors (15.6 hrs), Workshop, 100 Utility, 270 Staterooms, 68 Low Berths (272 cryotubes), Marine Barracks (3 Staterooms, 30 Bunkrooms), 2 Briefing Rooms (holds 20), 6 Battledress Racks (120 stored), Weapons Locker (3.6 tonnes capacity), 2 Gyms, Shooting Range, 6

Sickbays, Operating Theatre, Hanger for 150 *Rampart* Fighters with 2 Entrances & 1 Launch Tube, Hanger for 20 *Citadel* Heavy Fighters with 1 Entrance & 1 Launch Tube, Hanger for 30 *Fortress* Assault Fighters with 1 Entrance & 1 Launch Tube, Hanger for 5 *Tralsa* Gigs with 1 Entrance, 4 Bays for *Baboon* Scoopships, 169 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000
Basic Bridge	8,000,000	—	16,000,000	16,000
Enhanced Commo	8,000,000	80,000,000	16,000,000	3,200,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	1,600,000/41	3,200,000/43	480,000/38
Basic Bridge	480,000/38	2,400,000/42	160,000/35
Advanced Sensor	16,000,000/47	24,000,000/48	1,120,000/40

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
405 MJ X-Ray Laser	Imp	33	5d x 100(2)	41,653 km	124,960 km	1/60
102 MJ X-Ray Laser	Imp	31	5d x 50(2)	20,960 km	62,880 km	1/8
1,313 MJ X-Ray Laser	Imp	34	6d x 150(2)	75,200 km	225,600 km	1/60
14 GJ PAW Bay	Imp	33	5d x 2,250	26,720 km	80,160 km	1/60
870 GJ Spinal Meson Gun	Exp	38	6d x 4000(!)	193,120 km	579,360 km	1/60

**Maintenance:** HT: 12, 676.5 man-hours per day, 19.9 MCr/yr

**Statistics:** EMass 131,100.4 tonnes, LMass 208,864.6 tonnes, Cost: 19,862.04 MCr (MCr25,012.11 fitted out), HP: 769,489, Size Mod: +12

**Performance:** Accel: 2.0 G (3.1 G empty, 1.9 G overloaded), Jump 5, 22,314 km/h (skim)

# Haritti-class Battlecruiser (GTL 12)

The *Haritti*-class battlecruiser is almost exclusively found in Corridor Sector, where small squadrons conduct unending sweeps against Vargr corsairs and raiders. Fast, heavily stealthed, and armoured against turret weapons, even a single ship can make short work of a corsair band, while a squadron has the firepower to demolish a raider base.

**Crew:** 10 bridge crew, 44 engineers, 45 gunners, 2 medics, 14 auxiliary crew, 57 frozen watch, 45 Marines (officer, 44 enlisted)

10,000 USL, DR 5200 (DR 2600 on weapons), PD 4, Total Compartmentalization, 6 Small Missile Bays (Heavy), 25 Triple 405 MJ Laser Turrets, 2 Nuclear Dampers, 47 Meson Screens (DR 5000), 570 GJ Spinal Meson Gun, Radical Stealth, Radical Emission Cloaking, Hardened Command Bridge, Engineering, 400 Jump, 4000 Maneuver, 3,000 Fuel, 2.5 Fuel Scoops, 10 Fuel Processors (37.5 hrs), 20 Utility, 58 Staterooms, 15 Low Berths (60 cryotubes), Marine Barracks

(Stateroom, 11 Bunkrooms), Briefing Room (holds 10), Battledress Rack (20 stored), Weapons Locker (1.8 tonnes capacity), Gym, Shooting Range, 2 Sickbays, 6 Bays for *Citadel* Heavy Fighters, 1 Bay for Gig, 34.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	1,600,000/41	3,200,000/43	480,000/38

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
405 MJ X-Ray Laser	Imp	33	5d x 100(2)	41,653 km	124,960 km	1/60
570 GJ Spinal Meson Gun	Exp	38	7d x 3000(!)	156,800 km	470,400 km	1/60

**Maintenance:** HT: 12, 371.1 man-hours per day, 6.0 MCr/yr

**Statistics:** EMass 49,880.1 tonnes, LMass 58,529.9 tonnes, Cost: 5,976.51 MCr (MCr7,079.82 fitted out), HP: 263,161, Size Mod: +11

**Performance:** Accel: 6.2 G (7.3 G empty, 6.1 G overloaded), Jump 3, 51,346 km/h (skim)

# Solon-class Battlecruiser (GTL12)

Massively armed and armoured, the *Solon*-class battlecruiser can overwhelm opponents up to twice its size. In addition to its own armament, the battlecruiser carries a squadron of *Citadel*-class heavy fighters for close support. Four *Murka*-class combat shuttles carry its company of Imperial Marines, allowing for pinpoint raids as well as overwhelming bombardments.

**Crew:** 20 bridge crew, 30 engineers, 42 gunners, 2 medics, 28 auxiliary crew, 61 frozen watch, 125 Marines (5 officers, 120 enlisted)

10,000 USL, DR 10000 (DR 5000 on weapons), PD 4, 5 Single 1,313 MJ Laser Turrets, 8 13 GJ Meson Bays, 2 Nuclear Dampers, 44 Meson Screens (DR 5000), 570 GJ Spinal Meson Gun, Radical Stealth, Radical Emission Cloaking, Hardened Command Bridge and Auxiliary Basic Bridge, Information Centre, Enhanced Communicator, Advanced Sensor, Electronic Warfare Suite, Engineering, 400 Jump, 2600 Maneuver, 3,000 Fuel, 2.5 Fuel Scoops, 15 Fuel Processors (25.0 hrs), 20 Utility, 61 Staterooms, 16 Low Berths (64 cryotubes), Marine Barracks (3 Staterooms, 30 Bunkrooms), 4 Briefing Rooms (holds 40), 6 Battledress

Racks (120 stored), Weapons Locker (3.6 tonnes capacity), 4 Gyms, Shooting Range, 2 Military Sickbays, Operating Theatre, 3 Brigs (6 prisoners), Safe (11.3 m<sup>3</sup> capacity), Hanger for 10 *Citadel* Heavy Fighters with 1 Entrance, 4 Bays for *Murka* Combat Shuttles, 423 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000
Basic Bridge	8,000,000	—	16,000,000	16,000
Enhanced Commo	8,000,000	80,000,000	16,000,000	3,200,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	1,600,000/41	3,200,000/43	480,000/38
Basic Bridge	480,000/38	2,400,000/42	160,000/35
Advanced Sensor	16,000,000/47	16,000,000/47	1,120,000/40

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
1,313 MJ X-Ray Laser	Imp	34	6d x 150(2)	75,200 km	225,600 km	1/60
13 GJ Meson Gun	Exp	30	6d x 1,500(!)	23,408 km	70,224 km	1/60
570 GJ Spinal Meson Gun	Exp	38	7d x 3000(!)	156,800 km	470,400 km	1/60

**Maintenance:** HT: 12, 354.2 man-hours per day, 5.4 MCr/yr

**Statistics:** EMass 62,094.2 tonnes, LMass 71,836.9 tonnes, Cost: 5,445.37 MCr (MCr5,826.39 fitted out), HP: 263,161, Size Mod: +11

**Performance:** Accel: 3.3 G (3.8 G empty, 3.0 G overloaded), Jump 3, 39,339 km/h (skim)

---

---

# Naval Auxiliaries

---

When the average civilian thinks of the navy, they think of warships: destroyers, cruisers, battleships, and the like. Admirals know better.

An interstellar navy, like any technological force, is helpless without its logistical tail: hoards of transports, tankers, and special purpose craft far outnumbering the actual warships.

---

## *Birkenhead*-class Troopship (GTL10)

Transporting an entire division at once, the *Birkenhead* is a thin-skinned ship not intended for the line of battle. The Solomani Confederation uses this class to transport large ground units between established fronts, although 16 *Dieppe*-class landers give the *Birkenhead* some capability for hostile landings. The armament is strictly defensive.

Troops are valuable enough that a troopship of this size travels nowhere without an escort. The *Birkenhead* and her sister ships are vulnerable enough that they are almost never used within a subsector of the front lines unless escorted by several cruiser squadrons.

Players are unlikely to encounter a *Birkenhead* in the course of their travels, unless they are in the Confederation Army and assigned to one. In the Solomani Sphere, encounters of a battle squadron on a transfer or transport mission could, at the referee's discretion, be a *Birkenhead*-class troopship with its escort.

**Crew:** 8 bridge crew, 53 engineers, 12 gunners, 10 medics, 74 auxiliary crew, 20,300 Marines (300 officers, 20000 enlisted)

20,000 USL, DR 100, PD 4, 10 Triple Sandcaster Turrets, 20 Triple 90 MJ PD Laser Turrets, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 800 Jump, 1245 Maneuver, 6,000 Fuel, 40 Utility, 13 Bunkrooms, Marine Barracks (1,325 Bunkrooms), 20 Gyms, 2 Shooting Ranges, 10 Sickbays, Hanger for 16 *Dieppe* Assault Landers with 4 Entrances, Hanger for 16 *Batoche* Regimental Landers with 4 Entrances, Hanger for 10 *Rorke* Cargo Lighters with 2 Entrances, 687 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>		
<i>Command Bridge</i>	8,000,000	—	16,000,000	160,000		
<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>			
<i>Command Bridge</i>	720,000/39	2,400,000/42	48,000/32			
<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
<i>90 MJ X-Ray Laser</i>	Imp	30	5d x 30(2)	16,480 km	49,440 km	1/8

**Maintenance:** HT: 12, 296.3 man-hours per day, 3.8 MCr/yr

**Statistics:** EMass 16,923.5 tonnes, LMass 43,776.4 tonnes, Cost: 3,811.77 MCr (MCr4,321.43 fitted out), HP: 417,743, Size Mod: +12

**Performance:** Accel: 1.0 G (2.7 G empty, 0.8 G overloaded), Jump 3, 2,791 km/h (skim)

---

## *Corannis*-class Dropship (GTL10)

Small and maneuverable, the *Corannis*-class dropship transports a platoon of elite Solomani Marine drop troops into combat. Carrying enough capsules for two drops and an armoured launch for retrieval, the *Corannis* can deliver its troops precisely on target for a swift commando raid or decapitation strike. This approach represents a new flexibility in Solomani doctrine, which once emphasized large set-piece battles. Imperial Naval Intelligence theorizes that this change is a result of the Solomani Rim War, but firm evidence is lacking.

**Crew:** 4 bridge crew, 4 engineers, 4 gunners, medic, 1 auxiliary crew, 32 Marines (officer, 31 enlisted)

400 USL, DR 1300 (DR 650 on weapons), PD 4, Total Compartmentalization, Triple Missile Turret (Heavy), Triple Sandcaster Turret, Triple 90 MJ PD Laser Turret, Single 810 MJ Laser Turret, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 16 Jump, 200 Maneuver, 120 Fuel, 0.5 Fuel Scoops, Fuel Processor (15.0 hrs), 1 Utility, 2 Bunkrooms, Marine Barracks (2 Bunkrooms),

3 Briefing Rooms (holds 30), Drop Capsule Launcher (240 per turn, 64 stored), 2 Battledress Racks (40 stored), Weapons Locker (1.8 tonnes capacity), Sickbay, 1 Bay for *Sarta* Armoured Launch, 13 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>		
<i>Command Bridge</i>	8,000,000	—	16,000,000	160,000		
<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>			
<i>Command Bridge</i>	720,000/39	2,400,000/42	48,000/32			
<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
<i>90 MJ X-Ray Laser</i>	Imp	30	5d x 30(2)	16,480 km	49,440 km	1/8
<i>810 MJ X-Ray Laser</i>	Imp	33	6d x 75(2)	40,000 km	120,000 km	1/60

**Defenses:** DR 1300 (DR 650 on weapons), PD 4, -6 to active scans, -3 to passive scans

**Maintenance:** HT: 12, 57.3 man-hours per day, 0.1 MCr/yr

**Statistics:** EMass 2,292.5 tonnes, LMass 2,534.7 tonnes, Cost: 142.62 MCr (MCr154.56 fitted out), HP: 30,779, Size Mod: +8

**Performance:** Accel: 2.9 G (3.2 G empty, 2.6 G overloaded), Jump 3, 18,359 km/h (skim)

---

## Firal-class Tanker (GTL10)

There are times when a fleet needs greater strategic mobility than provided by its jump capability. Fleet tankers, such as the *Firal* class, provide that mobility by providing enough fuel for an extra jump. The *Firal* can make two 3 parsec jumps and still provide 1800 tons of fuel to other ships. It also carries 100 *Prenai* scoopships: enough to refuel in two passes.

**Crew:** 3 bridge crew, 42 engineers, 200 auxiliary crew

10,000 USL, DR 100, PD 4, Basic Stealth, Basic Emission Cloaking, Hardened Basic Bridge, Engineering, 720 Jump, 773 Maneuver, 7,800 Fuel, 78 Fuel Processors (12.5 hrs), 20 Utility, 123 Staterooms, 100 Cradles for *Prenai* Scoopships, No Cargo Hold

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

**Defenses:** DR 100, PD 4, -6 to active scans, -3 to passive scans

**Maintenance:** HT: 12, 294.3 man-hours per day, 3.8 MCr/yr

**Statistics:** EMass 9,364.4 tonnes, LMass 29,300.2 tonnes, Cost: 3,758.77 MCr (MCr5,157.77 fitted out), HP: 263,161, Size Mod: +11

**Performance:** Accel: 1.0 G (3.0 G empty), Jump 3

## M'gee-class Maintenance Tender (GTL10)

Ships on station need maintenance; after a battle, ships need repairs. The *M'gee*-class maintenance tender fills both these functions for the Solomani Navy, with shops, stores, and crew to fix any damage that doesn't require a shipyard.

**Crew:** 3 bridge crew, 26 engineers, 60 technicians

17,000 DSP (13,243-dton subhull), DR 100 (DR 100 on subhull), PD 4, Basic Bridge, Engineering, 510 Jump, 300 Maneuver, 3,400 Fuel, 100 Workshops, Shipyard, 27 Utility, 45 Staterooms, 329.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Basic Bridge	480,000/38	1,600,000/41	32,000/31	

**Maintenance:** HT: 12, 228.3 man-hours per day, 2.3 MCr/yr

**Statistics:** EMass 7,606.4 tonnes, LMass 12,184.5 tonnes, Cost: 2,261.33 MCr, HP: 374,848, Size Mod: +11

**Performance:** Accel: 0.9 G (1.4 G empty, 0.6 G overloaded), Jump 2

## Polesta-class Troopship (GTL10)

Although too obsolete to be used in a major war, the Imperial Navy still maintains the *Polesta*-class Troopship to quell internal disturbances. Capable of carrying a regiment of Imperial Marines and delivering them to a hot landing zone, the *Polesta* is still a valuable part of the Imperial Fleet.

**Crew:** 6 bridge crew, 23 engineers, 32 gunners, 5 medics, 30 auxiliary crew, 500 Marines (10 officers, 490 enlisted)

5,000 USL, DR 500 (DR 250 on weapons), PD 4, Total Compartmentalization, 20 Triple Missile Turrets (Heavy), 10 Triple Sandcaster Turrets, 20 Triple 90 MJ PD Laser Turrets, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 200 Jump, 900 Maneuver, 1,500 Fuel, 10 Utility, 49 Staterooms, Marine Barracks (5 Staterooms, 123 Bunkrooms), 5 Sickbays, Hanger for 10 *Barlax* Assault Landers with 2 Entrances, 21 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000
Sensor Range/Scan (km)	PESA	AESA	Radscanner	
Command Bridge	720,000/39	2,400,000/42	48,000/32	

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	16,480 km	49,440 km	1/8

**Defenses:** DR 500 (DR 250 on weapons), PD 4, -6 to active scans, -3 to passive scans

**Maintenance:** HT: 12, 161.9 man-hours per day, 1.1 MCr/yr

**Statistics:** EMass 8,418.6 tonnes, LMass 20,991.6 tonnes, Cost: 1,137.34 MCr (MCr1,558.54 fitted out), HP: 165,781, Size Mod: +10

**Performance:** Accel: 1.6 G (3.9 G empty, 1.5 G overloaded), Jump 3, 11,453 km/h (skim)

## Drauna-class Relief Vessel (GTL12)

Many naval ships are posted for long periods to hardship stations: isolated systems with little action and no recreational facilities. Rather than a picket flotilla, the Imperial Navy will send a relief vessel loaded with recreational activities and staffed with professional entertainers.

**Crew:** 3 bridge crew, engineer, 3 gunners, 10 stewards, 5 medics, 500 entertainers, 8 other crew

2,000 USL, DR 100, PD 4, 2 Triple Sandcaster Turrets, 2 Triple 102 MJ PD Laser Turrets, Basic Bridge, Engineering, 60 Jump, 40 Maneuver, 400 Fuel, 4 Utility, 266 Staterooms, 11 Exercise Rooms, 5 Halls seating 500 people, 3 Theatres

seating 300 people, 3 Stages, 2 Holoventure Zones, Swimming Pool (1000 s.f. total), 5 Sickbays, 113 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	16,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	2,400,000/42	160,000/35

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
102 MJ X-Ray Laser	Imp	31	5d x 50(2)	20,960 km	62,880 km	1/8

**Maintenance:** HT: 12, 82.1 man-hours per day, 0.3 MCr/yr

**Statistics:** EMass 1,242.3 tonnes, LMass 2,348.8 tonnes, Cost: 292.35 MCr, HP: 90,000, Size Mod: +10

**Performance:** Accel: 1.5 G (2.9 G empty, 0.8 G overloaded), Jump 2, 5,854 km/h (skim)

## Ftenrik-class Fleet Transport (GTL12)

A massive freighter with moderate armour and defensive weaponry, the Imperial Navy never deploys a *Ftenrik*-class fleet transport without a strong escort squadron.

**Crew:** 5 bridge crew, 10 engineers, 10 gunners

10,000 USL, DR 500 (DR 250 on weapons), PD 4, Total Compartmentalization, 5 Triple Sandcaster Turrets, 5 Triple 102 MJ PD Laser Turrets, Nuclear Damper, Basic Stealth, Basic Emission Cloaking, Hardened Basic Bridge, Engineering, 400 Jump, 513 Maneuver, 3,000 Fuel, 20 Utility, 13 Staterooms, 6,000.5 Cargo

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	2,400,000/42	160,000/35

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
102 MJ X-Ray Laser	Imp	31	5d x 50(2)	20,960 km	62,880 km	1/8

**Defenses:** DR 500 (DR 250 on weapons), PD 4, -8 to active scans, -4 to passive scans, 16 km Nuclear Damper

**Maintenance:** HT: 12, 220.8 man-hours per day, 2.1 MCr/yr

**Statistics:** EMass 6,330.9 tonnes, LMass 36,264.1 tonnes, Cost: 2,115.67 MCr, HP: 263,161, Size Mod: +11

**Performance:** Accel: 1.3 G (7.3 G empty, 0.3 G overloaded), Jump 3, 9,734 km/h (skim)

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	16,000

## Monfraki-class Dropship (GTL12)

Carrying a platoon of Imperial Marine drop troops, with sufficient drop capsules for two assaults, *Monfraki*-class dropships are almost invariably deployed for commando operations.

**Crew:** 4 bridge crew, 2 engineers, 3 gunners, medic, 2 auxiliary crew, 33 Marines (officer, 32 enlisted)

400 USL, DR 2000 (DR 1000 on weapons), PD 4, Total Compartmentalization, Triple Missile Turret (Light), Triple Sandcaster Turret, 2 Triple 405 MJ Laser Turrets, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 20 Jump, 95 Maneuver, 160 Fuel, 1 Fuel Scoop, Fuel Processor (20.0 hrs), 1 Utility, 7 Staterooms, Marine Barracks (Stateroom, 8 Bunkrooms), 3 Briefing Rooms (holds 30), Drop Capsule Launcher (240 per turn, 64 stored), 2 Battledress Racks (40 stored), Weapons Locker (1.8

tonnes capacity), Sickbay, 1 Bay for *Murka* Combat Shuttle, 4.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	1,600,000/41	3,200,000/43	480,000/38

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
405 MJ X-Ray Laser	Imp	33	5d x 100(2)	41,653 km	124,960 km	1/60

**Defenses:** DR 2000 (DR 1000 on weapons), PD 4, -8 to active scans, -4 to passive scans

**Maintenance:** HT: 12, 64.8 man-hours per day, 0.2 MCr/yr

**Statistics:** EMass 1,539.0 tonnes, LMass 1,913.6 tonnes, Cost: 182.29 MCr (MCr200.77 fitted out), HP: 30,779, Size Mod: +8

**Performance:** Accel: 4.5 G (5.6 G empty, 4.3 G overloaded), Jump 4, 21,876 km/h (skim)

# Traskon-class Assault Carrier (GTL 12)

Carrying a company of Marines, the *Traskon* is capable of delivering them under fire using its four *Murka* combat shuttles. While its short legs mean that it requires an escort, its high jump gives the *Traskon* strategy flexibility—a quality necessary for the current Imperial doctrine of flexible response.

**Crew:** 5 bridge crew, engineer, 14 gunners, 8 auxiliary crew, 123 Marines (3 officers, 120 enlisted)

1,200 USL, DR 2000 (DR 1000 on weapons), PD 4, Heavy Compartmentalization, 2 Triple Missile Turrets (Light), 2 Triple Sandcaster Turrets, 4 Triple 405 MJ Laser Turrets, 4 Triple 102 MJ PD Laser Turrets, Nuclear Damper, 6 Meson Screens, Basic Stealth, Basic Emission Cloaking, Hardened Basic Bridge, Engineering, 60 Jump, 50 Maneuver, 480 Fuel, 3 Utility, 14 Staterooms, Marine Barracks (2 Staterooms, 30 Bunkrooms), 3 Briefing Rooms (holds 30), 6 Battledress Racks (120 stored), Weapons Locker (1.8 tonnes capacity),

Hanger for 4 *Murka* Combat Shuttles with 1 Entrance, 150.5 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>		
<i>Basic Bridge</i>	8,000,000	—	16,000,000	16,000		
<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>			
<i>Basic Bridge</i>	480,000/38	2,400,000/42	160,000/35			
<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
<i>405 MJ X-Ray Laser</i>	Imp	33	5d x 100(2)	41,653 km	124,960 km	1/60
<i>102 MJ X-Ray Laser</i>	Imp	31	5d x 50(2)	20,960 km	62,880 km	1/8

**Defenses:** DR 2000 (DR 1000 on weapons), PD 4, -8 to active scans, -4 to passive scans, 16 km Nuclear Damper, Meson Screen DR 2000

**Maintenance:** HT: 12, 91.7 man-hours per day, 0.4 MCr/yr

**Statistics:** EMass 2,796.6 tonnes, LMass 4,683.8 tonnes, Cost: 364.58 MCr (MCr427.21 fitted out), HP: 64,024, Size Mod: +9

**Performance:** Accel: 1.0 G (1.6 G empty, 0.6 G overloaded), Jump 4

# Monitors & System Defense Boats

The Imperial Navy needs jump-capable warships, but a planetary navy can concentrate on firepower. Without the vast space consumed by jump fuel, a system defense boat can defeat a starship up to twice its displacement.

Monitors and system defense boats are usually associated with planetary navies, although interstellar navies also use them to protect major bases and depots.

## Dervish-class System Defense Boat (GTL9)

Outmatched by the Vilani Imperium, the outnumbered Terrans built a host of special-purpose vessels to defend their colonies from attack. *Dervish*-class system defense boats were deployed around terra, Alpha Centauri, Procyon, and Barnard's Star.

**Crew:** 3 bridge crew, 3 engineers, 2 gunners

400 SL, DR 2000 (DR 1000 on weapons), PD 4, Total Compartmentalization, Triple Missile Turret (Light), 3 Single 303 MJ Laser Turrets, Basic Stealth, Basic Emission Cloaking, Hardened Basic Bridge, Enhanced Sensor, Engineering, 175 Fusion Rocket, 120 Water (0.7 hrs), 2 Utility, Bunkroom, 4 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	240,000/36	1,600,000/41	32,000/31
Enhanced Sensor	1,600,000/41	3,200,000/43	72,000/33

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
303 MJ Rainbow Laser	Imp	33	5d x 55	12,800 km	24,000 km	1/60

**Defenses:** DR 2000 (DR 1000 on weapons), PD 4, -5 to active scans, -2 to passive scans

**Maintenance:** HT: 11, 78.8 man-hours per day, 0.3 MCr/yr

**Statistics:** EMass 3,336.1 tonnes, LMass 3,387.7 tonnes, Cost: 269.70 MCr (MCr278.31 fitted out), HP: 30,779, Size Mod: +8

**Performance:** Accel: 3.7 G (3.8 G empty, 3.7 G overloaded), 10,645 km/h (atm), 30,109 km/h (skim)

## Mayskyu-class System Defense Boat (GTL9)

While limited by low technology, the Droyne are far from helpless. System defense boats such as the *Mayskyu* patrol many Droyne worlds, on guard against those who regard the Droyne as weak pastoralists.

The crew roster lists positions, not crewmembers. As with most Droyne ships, tasks are allocated somewhat differently to human norms.

**Crew:** 4 bridge crew, 6 engineers, 3 gunners, 1 medic

600 SL, DR 8000 (DR 1000 on weapons), PD 4, 2 Triple Missile Turrets (Heavy), 4 Single 303 MJ Laser Turrets, Basic Stealth, Basic Emission Cloaking, Hardened Basic Bridge, Enhanced Communicator, Enhanced Sensor, Electronic

Warfare Suite, Engineering, 360 Fusion Rocket, 50 Water (53.6 hrs), 4 Utility, 3 Nests, 1 Sickbay, 9.5 Cargo

Communicator Range	Radio	Maser	Laser	Meson
Basic Bridge:	8,000,000 km	—	16,000,000 km	—
Enhanced Commo:	1,600,000 km	16,000,000 km	3,200,000 km	—

Sensor Range/Scan	PESA	AESA	Radscanner
Basic Bridge:	480,000 km/38	1,600,000 km/41	32,000 km/31
Enhanced Sensor:	1,600,000 km/41	3,200,000 km/43	72,000 km/33

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
303 MJ Rainbow Laser	Imp	33	5d x 55	8,000 km	24,000 km	1/60

**Statistics:** EMass 15,497.9 tonnes, LMass 15,602.2 tonnes, Cost: 568.52 MCr (MCr586.52 fitted out), HP: 40,332, Size Mod: +9

**Performance:** Accel: 1.7 G (1.7 G empty, 1.7 G overloaded)



# Verdamt-class System Defense Boat (GTL9)

The *Verdamt* is a typical low-tech heavy system defense boat. Heavily armoured and lumbering, it engages its targets with a medium spinal particle accelerator as well as four batteries of heavy missiles.

**Crew:** 8 bridge crew, 59 engineers, 64 gunners, 5 medics, 68 frozen watch

10,000 USL, DR 8000 (DR 1000 on weapons), PD 4, Heavy Compartmentalization, 4 Large Missile Bays (Heavy), 10 Triple 40 MJ PD Laser Turrets, 920 GJ Spinal Particle Accelerator, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 3500 Fusion

Rocket, 500 Water (535.7 hrs), 54 Utility, 12 Bunkrooms, 17 Low Berths, 5 Military Sickbays, 82 Cargo

<i>Communicator Range</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>		
<i>Command Bridge:</i>	8,000,000 km	—	16,000,000 km	160,000 km		
<i>Sensor Range/Scan</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>			
<i>Command Bridge:</i>	720,000 km/39	2,400,000 km/42	48,000 km/32			
<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
40 MJ Rainbow Laser	Imp	30	5d x 20	14,560 km	43,680 km	1/15
920 GJ Spinal PAW	Imp	38	5d x 4000	181,920 km	545,760 km	1/60

**Statistics:** EMass 133,176.5 tonnes, LMass 137,629.8 tonnes, Cost: 12,758.32 MCr (MCr13,958.32 fitted out), HP: 263,161, Size Mod: +11

**Performance:** Accel: 1.8 G (1.9 G empty, 1.8 G overloaded)

# Avoram-class System Defense Boat (GTL11)

Moderately fast and heavily armoured, the *Avoram*-class System Defense Boat is a common sight in the Solomani Confederation.

**Crew:** 5 bridge crew, 12 engineers, 6 gunners

600 USL, DR 15000 (DR 4000 on weapons), PD 4, Total Compartmentalization, 6 Single 870 MJ Laser Turrets, Nuclear Damper, Radical Stealth, Radical Emission Cloaking, Hardened Basic Bridge, Enhanced Sensor, Engineering, 570 Maneuver, 2 Utility, 3 Bunkrooms, 1.5 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Basic Bridge</i>	8,000,000	—	16,000,000	—

<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>
<i>Basic Bridge</i>	480,000/38	1,600,000/41	32,000/31
<i>Enhanced Sensor</i>	7,200,000/45	7,200,000/45	720,000/39

<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
870 MJ X-Ray Laser	Imp	34	6d x 100(2)	89,600 km	168,000 km	1/60

**Defenses:** DR 15000 (DR 4000 on weapons), PD 4, -14 to active scans, -7 to passive scans, 16 km Nuclear Damper

**Maintenance:** HT: 8, 120.0 man-hours per day, 0.6 MCr/yr

**Statistics:** EMass 13,862.0 tonnes, LMass 13,868.8 tonnes, Cost: 625.26 MCr, HP: 40,332, Size Mod: +9

**Performance:** Accel: 3.7 G (3.7 G empty, 3.7 G overloaded), 44,963 km/h (skim)

# Bølgebryter-class System Defense Monitor (GTL10)

A midsize system defense vessel, the *Bølgebryter* class is the latest addition to the Navy of Sacnoth. Although Sacnoth seceded from the Sword Worlds Confederation in the aftermath of the Fifth Frontier War, Confederation loyalists are reputedly smuggling plans and critical components to Narsil and other worlds. Imperial Naval Intelligence refuses to comment on the rumours, while Sacnoth flatly denies them.

**Crew:** 10 bridge crew, 21 engineers, 28 gunners, 2 medics, 21 Marines (officer, 20 enlisted)

3,000 USL, DR 4200 (DR 2000 on weapons), PD 4, Total Compartmentalization, Small Missile Bay (Heavy), 5 Triple 90 MJ PD Laser Turrets, Nuclear Damper, 8 Meson Screens (DR 2000), 570 GJ Spinal Particle Accelerator, Radical Stealth, Radical Emission Cloaking, Hardened Command Bridge and Auxiliary Basic Bridge, 3 Engineering, 1250 Maneuver, Workshop, 6 Utility, 6 Staterooms, 14 Bunkrooms,

Marine Barracks (Stateroom, 5 Bunkrooms), 2 Military Sickbays, 43 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Command Bridge</i>	8,000,000	—	16,000,000	160,000
<i>Basic Bridge</i>	8,000,000	—	16,000,000	—

<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>
<i>Command Bridge</i>	720,000/39	2,400,000/42	48,000/32
<i>Basic Bridge</i>	480,000/38	1,600,000/41	32,000/31

<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
90 MJ X-Ray Laser	Imp	30	5d x 30(2)	16,480 km	49,440 km	1/8
570 GJ Spinal PAW	Imp	38	7d x 3000	156,800 km	470,400 km	1/60

**Maintenance:** HT: 11, 194.8 man-hours per day, 1.6 MCr/yr

**Statistics:** EMass 33,500.2 tonnes, LMass 34,205.4 tonnes, Cost: 1,646.20 MCr (MCr1,781.20 fitted out), HP: 117,933, Size Mod: +10

**Performance:** Accel: 1.3 G (1.4 G empty, 1.3 G overloaded), 15,113 km/h (skim)

## Irumskla-class Defense Platform (GTL 10)

*Irumskla* platforms orbit many major worlds as a last line of defense against invasion. Virtually impregnable, several platforms acting in concert can saturate near orbital with missile fire, resupplying themselves from their magazines.

**Crew:** 3 bridge crew, 8 engineers, 14 gunners, medic, 13 frozen watch

600 USL, DR 50000 (DR 2000 on weapons), PD 4, Total Compartmentalization, 6 Triple Missile Turrets (Heavy), 48 Magazines, Nuclear Damper, 8 Meson Screens (DR 5000), Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Enhanced Sensor, Electronic Warfare Suite,

Engineering, 450 Maneuver, 2 Utility, 13 Staterooms, 4 Low Berths (16 cryotubes), Sickbay, 14 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Command Bridge</i>	8,000,000	—	16,000,000	160,000

<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>
<i>Command Bridge</i>	720,000/39	2,400,000/42	48,000/32
<i>Enhanced Sensor</i>	3,200,000/43	7,200,000/45	320,000/37

**Maintenance:** HT: 6, 152.2 man-hours per day, 1.0 MCr/yr

**Statistics:** EMass 63,373.0 tonnes, LMass 63,620.2 tonnes, Cost: 1,005.24 MCr (MCr1,053.84 fitted out), HP: 40,332, Size Mod: +9

**Performance:** Accel: 0.3 G (0.3 G empty, 0.3 G overloaded)

## Joritz-class System Defense Boat (GTL 10)

A compromise between armour and maneuverability, the *Joritz* has adequate amounts of both.

**Crew:** 4 bridge crew, 5 engineers, 3 gunners

400 SL, DR 1300 (DR 650 on weapons), PD 4, Triple Missile Turret (Light), 2 Triple 250 MJ Laser Turrets, Single 810 MJ Laser Turret, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 281 Maneuver, 1 Utility, 7 Staterooms

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Command Bridge</i>	8,000,000	—	16,000,000	160,000

<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>
<i>Command Bridge</i>	720,000/39	2,400,000/42	48,000/32

<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
<i>250 MJ X-Ray Laser</i>	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60
<i>810 MJ X-Ray Laser</i>	Imp	33	6d x 75(2)	40,000 km	120,000 km	1/60

**Maintenance:** HT: 12, 45.4 man-hours per day, 0.1 MCr/yr

**Statistics:** EMass 2,325.2 tonnes, LMass 2,358.6 tonnes, Cost: 89.57 MCr (MCr98.43 fitted out), HP: 30,779, Size Mod: +8

**Performance:** Accel: 4.3 G (4.4 G empty), 9,538 km/h (atm), 26,978 km/h (skim)

## Megalith-class Battle Station (GTL 10)

The Imperial Navy needs starships to patrol the spacelanes and carry the fight to the enemy, but individual worlds need firepower more than they need jump-capable ships. Some worlds opt for large numbers of small ships, others for fewer but larger ships. The *Megalith* class is typical of these large defense monitors. Incredibly tough armour protects a massive arsenal, while twenty squadrons of *Iramda* fighters and ten squadrons of *Jumo* heavy fighters provide adequate patrol coverage.

**Crew:** 10 bridge crew, 1371 engineers, 282 gunners, 16 medics, 300 auxiliary crew, 840 frozen watch, 130 troops

100000-ton USL Hull, DR 10000, PD 4, Total compartmentalization, 100 Turrets with 3 lasers each, 50 Missile Bays, 40 Particle Beam Bays, Spinal Particle Beam, Hardened Command Bridge, Engineering, 73600 Maneuver, 990 Staterooms, 9 Bunkrooms (144 personnel), 220 Low Berths (holds 880 cryotubes), 200 Utility, 15 Spacedocks (200

*Iramda* Fighters, 100 *Jumo* Heavy Fighters), 15 Sickbays, 1960 cargo

**Communicators:** Radio 3 million km, Laser 6 million km, Meson 0.1 million km

**Sensors:** PESA 80000 km, AESA 240000 km, Radscanner 6400 km

**300 360-MJ Lasers:** Imp, Acc 32, Dmg 6dx50(2), 1/2D Rng 32720 km, MxRng 98610 km, FP 4

**40 Particle Beam Bays:** Imp, Acc 33, Dmg 6dx1500, Rng 23400 km, MxRng 70220 km, FP 63

**Spinal Particle Beam:** Imp, Acc 36, Dmg 6dx10000, Rng 78080 km, MxRng 234240 km, FP 424

**Note:** all weapons have SS 30, RoF 1/60

**Statistics:** EMass 574531.6 tonnes, LMass 639287.4 tonnes, Cost MCr 18016.7, HP 2212500

**Performance:** Accel 4.2 G (4.6 G empty, 4.0 G overloaded), Jump 0, Air Speed 960 km/h

# Miiriimak-class Monitor (GTL 10)

Built for survivable, close-in fighting, the *Miiriimak* is obsolete by Imperial standards. Short legs and no meson screens make it a sitting target for even the smallest modern Imperial cruiser.

**Crew:** 8 bridge crew, 22 engineers, 24 gunners, medic, 10 Marines (10 enlisted)

3,000 USL, DR 10000 (DR 2000 on weapons), PD 4, Total Compartmentalization, 5 Triple 250 MJ Laser Turrets, 10 Single 810 MJ Laser Turrets, Nuclear Damper, 570 GJ Spinal Particle Accelerator, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 1300 Maneuver, 6 Utility, 28 Staterooms, Marine Barracks (5 Staterooms), Military Sickbay, 22.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson		
Command Bridge	8,000,000	—	16,000,000	160,000		
Sensor Range/Scan (km)	PESA	AESA	Radscanner			
Command Bridge	720,000/39	2,400,000/42	48,000/32			
Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60
810 MJ X-Ray Laser	Imp	33	6d x 75(2)	40,000 km	120,000 km	1/60
570 GJ Spinal PAW	Imp	38	7d x 3000	156,800 km	470,400 km	1/60

**Maintenance:** HT: 9, 204.6 man-hours per day, 1.8 MCr/yr

**Statistics:** EMass 55,142.7 tonnes, LMass 55,244.7 tonnes, Cost: 1,817.31 MCr, HP: 117,933, Size Mod: +10

**Performance:** Accel: 0.9 G (0.9 G empty, 0.8 G overloaded)

# Nova's Roar-class System Defense Boat (GTL 10)

Unlike many system defense boats, the *Nova's Roar* class is not streamlined. Rather than hiding in oceans and gas giants, they are deployed in obvious patrols as a deterrent, or hidden in asteroid swarms as a second-strike force.

**Crew:** pilot, 10 engineers, 9 gunners, medic, 10 auxiliary crew  
800 USL, DR 1000 (DR 500 on weapons), PD 4, Heavy Compartmentalization, 4 Triple Missile Turrets (Light), 4 Triple 250 MJ Laser Turrets, Nuclear Damper, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 600 Maneuver, 2 Utility, 16 Staterooms, Military Sickbay, 10 Bays for *Iramda* Fighters, 8.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson		
Command Bridge	8,000,000	—	16,000,000	160,000		
Sensor Range/Scan (km)	PESA	AESA	Radscanner			
Command Bridge	720,000/39	2,400,000/42	48,000/32			
Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60

**Maintenance:** HT: 12, 61.7 man-hours per day, 0.2 MCr/yr

**Statistics:** EMass 3,746.4 tonnes, LMass 4,452.7 tonnes, Cost: 165.39 MCr (MCr252.31 fitted out), HP: 48,859, Size Mod: +9

**Performance:** Accel: 4.9 G (5.8 G empty, 4.7 G overloaded), 27,429 km/h (skim)

---

# Stunnenge-class Stealth Monitor (GTL 10)

The Third Frontier War caught the Imperial Navy flat-footed and unprepared, its ships poorly dispersed and its logistics a tangled mess. The Zhodani thrust towards Rhylanor came dangerously close to succeeding. Herein hangs a tale...

In the Battle of Porozlo (980) the Zhodani captured an excellent forward base for the Siege of Rhylanor (980-986). Possessing naval facilities and a gas giant, Porozlo is only one parsec away from Rhylanor, allowing Zhodani warships to jump in, raid, attack, mount blockade patrols, and still be able to jump back when outmatched.

While the Imperial Navy was officially tasked with defending Rhylanor, the local population was not willing to trust the Navy's competence, especially as the Navy's priority was its own bases. In a thousand desperate skirmishes Rhylanor system defense forces battled the Zhodani invaders: defending outlying asteroid settlements, convoying vital supplies, harassing and ambushing task forces—tying up so many enemy warships that the rest of the Zhodani offensive faltered and they made peace.

In 985 the Zhodani launched a major assault on the trailing Trojan cluster, intending to establish an in-system base from which to assault Rhylanor itself. Local defense forces had anticipated this move and deployed stealth monitors in both Trojan clusters, tasked with ambushing and delaying Zhodani forces long enough for fleet assets to arrive. By sheer fluke, when the Zhodani task force emerged from jump space it was surrounding the *Stunnenge* at point-blank range. In the crew's own words:

LT ENKLIA: Close emergence, sir. Big. Two more... three... Astra, sir! They're right on top of us!

CAPTAIN PETROS: Sound Battle Stations. Scramble all fighters. Signal Fleet. What are we facing?

ENKLIA: Sir. Two Zhodani battle squadrons with many escorts. Possibly an assault squadron.

LT MARCON: Jamming, sir. Trying countermeasures.

PETROS: Guns, target battleships alpha and gamma. Flight, target support vessels.

AFT BATTERY: Scratch Zho alpha. Shifting to delta.

CMDR CHANDRY: Their last wave saturated our counterbattery. Missiles impacting in 30 seconds!

PETROS: Attention all hands, this is Captain Petros. This is it, time to earn our pay. Gunnery captains: choose your own targets and fire at will. No surrender, no retreat!

CHANDRY: Kali, we've lost the port batteries. No contact with the aft sections.

MARCON: Transmitter destroyed, sir. I don't think our signal reached Fleet.

CHANDRY: Aft batteries still firing. Lost contact with Engineering.

MAJOR WHITTAKER: Commandos! Mindrippers just ap...

PETROS: We're next, gentlemen. It's been an honour to serve with you. Think free!

After two boarding attempts were repulsed, the *Stunnenge* was vaporized by the concentrated fire of the Zhodani battle squadron. There were no survivors.

Rhylanor remained free.

*Editor's Note: This entry contradicts the official history of the Third Frontier War as published by the Imperial Navy. While many historians have wondered how the bridge records for a ship lost with all hands were recovered, no Rhylanor historian has yet dared question these events. Such is the power of local myth-making.*

Crew: 4 bridge crew, 66 engineers, 38 gunners, 3 medics, 35 auxiliary crew, 120 troops

10000-ton PL Hull, DR 4200, PD 4, Total compartmentalization, 10 Turrets with 3 lasers each, 10 Turrets with 3 sandcasters each, 8 Particle Beam Bays, Spinal Particle Beam, Radical stealth, Radical emission cloaking, Hardened Command Bridge, Engineering, 4000 Maneuver, 73 Staterooms, 8 Bunkrooms (128 personnel), 20 Utility, 2 Spacedocks (35 *Jumo* Heavy Fighters), Hall seating 100 people, Theatre seating 100 people, Swimming Pool, 2 Sickbays, 59 cargo

*Communicators:* Radio 3 million km, Laser 6 million km, Meson 0.1 million km

*Sensors:* PESA 80000 km, AESA 240000 km, Radscanner 6400 km

*30 360-MJ Lasers:* Imp, Acc 32, Dmg 6dx50(2), 1/2D Rng 32720 km, MxRng 98610 km, FP 4

*8 Particle Beam Bays:* Imp, Acc 33, Dmg 6dx1500, Rng 23400 km, MxRng 70220 km, FP 63

*Spinal Particle Beam:* Imp, Acc 36, Dmg 6dx10000, Rng 78080 km, MxRng 234240 km, FP 424

*Note: all weapons have SS 30, RoF 1/60*

**Statistics:** EMass 273585.9 tonnes, LMass 292764.5 tonnes, Cost MCr 2456.1, HP 357000

**Performance:** Accel 0.5 G (0.5 G empty, 0.5 G overloaded), Jump 0, Air Speed 0 km/h

# Victrix-class Monitor (GTL 11)

Armed with the Solomani Confederation's heaviest meson gun, well-screened, and massively armoured, the *Victrix* is a common monitor within the Solomani Sphere. It is usually deployed near gas giants and other stationary assets, relying on radical screening to escape detection until its guns are within range.

**Crew:** 5 bridge crew, 97 engineers, 104 gunners, 5 medics, 74 auxiliary crew

15,000 USL, DR 55000 (DR 4000 on weapons), PD 4, Total Compartmentalization, 6 Large Missile Bays (Heavy), 9 Single 870 MJ Laser Turrets, 32 Nuclear Dampers, 152 Meson Screens, 3.1 TJ Spinal Meson Gun, Radical Stealth, Radical Emission Cloaking, Hardened Command Bridge and Auxiliary Basic Bridge, Engineering, 4850 Maneuver, Workshop, 30 Utility, 23 Bunkrooms, 5 Military Sickbays, Hanger for 16 *Hun* Light Fighters with 1 Entrance, Hanger for 12 *Tartar* Heavy Fighters with 1 Entrance, Hanger for 2 *Estevan* Cutters with 1 Entrance, 162.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000
Basic Bridge	8,000,000	—	16,000,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	1,600,000/41	2,400,000/42	48,000/32
Basic Bridge	480,000/38	1,600,000/41	32,000/31

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
870 MJ X-Ray Laser	Imp	34	6d x 100(2)	89,600 km	168,000 km	1/60
3.1 TJ Spinal Meson Gun	Exp	40	6d x 5000(!)	534,784 km	1,002,720 km	1/60

**Defenses:** DR 55000 (DR 4000 on weapons), PD 4, -14 to active scans, -7 to passive scans, 56 km Nuclear Damper, Meson Screen DR 10000

**Maintenance:** HT: 7, 628.4 man-hours per day, 17.1 MCr/yr

**Statistics:** EMass 447,825.7 tonnes, LMass 461,342.7 tonnes, Cost: 17,137.24 MCr (MCr19,512.04 fitted out), HP: 344,839, Size Mod: +11

**Performance:** Accel: 1.0 G (1.0 G empty, 0.9 G overloaded)

# Gefros-class System Defense Boat (GTL 12)

Fast and deadly, squadrons of *Gefros* system defense boats lurk in many systems in the Spinward Marches, ready to defend their worlds against any aggressor.

**Crew:** 6 bridge crew, 6 engineers, 8 gunners, medic

800 SL, DR 6000 (DR 3000 on weapons), PD 4, Total Compartmentalization, 4 Triple Missile Turrets (Light), 4 Triple 405 MJ Laser Turrets, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 550 Maneuver, 2 Utility, 11 Staterooms, Sickbay, 29 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	1,600,000/41	3,200,000/43	480,000/38

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
405 MJ X-Ray Laser	Imp	33	5d x 100(2)	41,653 km	124,960 km	1/60

**Maintenance:** HT: 12, 100.8 man-hours per day, 0.4 MCr/yr

**Statistics:** EMass 6,080.5 tonnes, LMass 6,345.9 tonnes, Cost: 440.62 MCr (MCr463.25 fitted out), HP: 48,859, Size Mod: +9

**Performance:** Accel: 7.9 G (8.2 G empty, 7.3 G overloaded), 16,460 km/h (atm), 46,558 km/h (skim)

# Irbak-class System Defense Boat (GTL 12)

An upgraded version of the *Joritz* class, the *Irbak* has better armour and acceleration than its progenitor.

**Crew:** 4 bridge crew, 3 engineers, 3 gunners

400 SL, DR 8000 (DR 4000 on weapons), PD 4, Triple Missile Turret (Light), 2 Triple 405 MJ Laser Turrets, Single 1,313 MJ Laser Turret, Basic Stealth, Basic Emission Cloaking, Hardened Command Bridge, Engineering, 281 Maneuver, 1 Utility, 6 Staterooms, 4 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Bridge	8,000,000	—	16,000,000	160,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Bridge	1,600,000/41	3,200,000/43	480,000/38

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
405 MJ X-Ray Laser	Imp	33	5d x 100(2)	41,653 km	124,960 km	1/60
1,313 MJ X-Ray Laser	Imp	34	6d x 150(2)	75,200 km	225,600 km	1/60

**Maintenance:** HT: 10, 75.9 man-hours per day, 0.3 MCr/yr

**Statistics:** EMass 4,361.8 tonnes, LMass 4,413.4 tonnes, Cost: 250.02 MCr (MCr255.68 fitted out), HP: 30,779, Size Mod: +8

**Performance:** Accel: 5.8 G (5.8 G empty, 5.7 G overloaded), 15,081 km/h (atm), 42,657 km/h (skim)

---

# Rochelle-class Monitor (GTL12)

One of many small monitors stationed throughout the Glisten Belt, the *Rochelle* is a typical planetoid warship. Cheap, massively armoured, and virtually immobile, planetoid monitors are the anvil against which mobile system defense boats smash an invading fleet.

*Crew:* 5 bridge crew, 3 engineers, 22 gunners, 2 medics, 10 troops

2000-ton PL Hull, DR 10000, PD 4, Total compartmentalization, 10 Turrets with 3 missile racks each, 10 Turrets with 3 lasers each, Spinal Meson Gun, Meson Screen (DR4105), Nuclear Damper (16 km range), Hardened Command Bridge, Engineering, 350 Maneuver, 16 Staterooms, Bunkroom (16 personnel), 4 Utility, Sickbay, 21 cargo

*Communicators:* Radio 3 million km, Laser 6 million km, Meson 0.1 million km

*Sensors:* PESA 160000 km, AESA 320000 km, Radscanner 6400 km

*30 405-MJ Lasers:* Imp, Acc 33, Dmg 5dx100(2), 1/2D Rng 41630 km, MxRng 124900 km, FP 7

*Spinal Meson Gun:* Exp, Acc 36, Dmg 6dx10000(!), Rng 78080 km, MxRng 234240 km, FP 4243

*Note: all weapons have SS 30, RoF 1/60*

**Statistics:** EMass 210278.5 tonnes, LMass 210375.0 tonnes, Cost MCr 1155.9, HP 114000

**Performance:** Accel 0.2 G (0.2 G empty, 0.2 G overloaded), Jump 0, Air Speed 0 km/h

# Fighters

Too lightly armed to be effective against capital ships, fighters are still deadly to civilian shipping and naval auxiliaries.

Fighters are also useful in piracy suppression: a single squadron can cover a large volume of space.

## Elding-class Light Fighter (GTL9)

A break with tradition, the *Elding* class fighter is one of the most agile in Sword Worlds service. Imperial Naval Intelligence believes that the design was inspired by the performance of Imperial fighters during the Fifth Frontier War, particularly the *Rampart*-class.

**Crew:** pilot

20-ton USL Hull, DR 100, PD 4, 3 Fixed-Mount Lasers, Basic stealth, Basic emission cloaking, Hardened Cockpit, 8 Fusion Rocket, 8 Rocket Fuel (0.6 hours), no cargo

**Communicators:** Radio 0.3 million km, Laser 0.6 million km  
**Sensors:** PESA 16000 km, AESA 80000 km, Radscanner 1600 km

**3 102-MJ Lasers:** Imp, Acc 32, Dmg 8dx20, 1/2D Rng 16360 km, MxRng 65450 km, FP 2, SS 30, RoF 1/60

**Statistics:** EMass 258.1 tonnes, LMass 258.1 tonnes, Cost MCr 17.8, HP 4500

**Performance:** Accel 4.7 G (4.7 G empty, 4.7 G overloaded), Jump 0, Air Speed 960 km/h

## Fellbane-class Orbital Defense Fighter (GTL9)

Imperial propaganda makes much of “slow-moving, dense” Sword Worlders but their characteristic naval architecture is the result of the Imperium's vast technological lead. Outraged by Imperial weapons, Sword World ships must be prepared to survive several volleys of fire before closing to within range of their own weapons; the resulting mass severely lowers their maneuverability. Unable to force a battle in open space, Sword World tactics rely on forcing the Imperial Navy to assault specific targets, thus lowering their strategic advantage.

Extremely well-armoured, the *Fellbane* is the ultimate expression of this philosophy. Able to survive even point-blank hits by Imperial turret weapons, squadrons of *Fellbanes* are deployed in orbit where they can husband their limited fuel while inflicting punishing damage on the assaulting ships.

**Crew:** pilot, gunner

20-ton USL Hull, DR 4200, PD 4, Turret with 3 lasers, Basic stealth, Basic emission cloaking, Hardened Cockpit, 9 Fusion Rocket (0.6 hours), no cargo

**Communicators:** Radio 0.3 million km, Laser 0.6 million km  
**Sensors:** PESA 16000 km, AESA 80000 km, Radscanner 1600 km

**3 102-MJ Lasers:** Imp, Acc 32, Dmg 8dx20, 1/2D Rng 16360 km, MxRng 65450 km, FP 2, SS 30, RoF 1/60

**Statistics:** EMass 1349.9 tonnes, LMass 1349.9 tonnes, Cost MCr 33.3, HP 5700

**Performance:** Accel 1.0 G (1.0 G empty, 1.0 G overloaded), Air Speed 960 km/h

## Fury-class Fighter (GTL9)

One of the most famous fighters of the Terran Federation, the *Fury* passed into legend during the Second Battle of Barnard's Star. Outnumbered and outgunned, the agile fighters wove through static Vilani formations, causing havoc out of proportion to their numbers and distracting the Vilani long enough for the main fleet to engage.

**Crew:** pilot, gunner

20 USL, DR 100, PD 4, Triple 101 MJ Laser Turret, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 5 Fusion Rocket, 13 Water (2.8 hrs), No Cargo Hold

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	72,000/33	720,000/39	16,000/29

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
101 MJ Rainbow Laser	Imp	31	8d x 20	36,864 km	69,120 km	1/60

**Defenses:** DR 100, PD 4, -5 to active scans, -2 to passive scans

**Maintenance:** HT: 12, 18.8 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 62.4 tonnes, LMass 62.4 tonnes, Cost: 15.36 MCr, HP: 4,177, Size Mod: +6

**Performance:** Accel: 5.8 G, 11,911 km/h (skim)

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

# Hecate-class Light Fighter (GTL9)

Sleek and lightning-fast, the *Hecate* fighter was popular with reporters but of very little use in actual combat. While fast, it sported but a single laser and no armour—outclassed in both atmospheric and space combat, its operational record was poor and the *Hecate* was relegated to propaganda duties within a few years of its deployment.

**Crew:** pilot

30 SL (Radical), DR 100, PD 4, Fixed 101 MJ Laser, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 5 Fusion Rocket, 14 Water (3.0 hrs), 0.3 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	72,000/33	720,000/39	16,000/29

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
101 MJ Rainbow Laser	Imp	31	8d x 20	36,864 km	69,120 km	1/60

**Defenses:** DR 100, PD 4, -5 to active scans, -2 to passive scans

**Maintenance:** HT: 12, 18.4 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 47.3 tonnes, LMass 48.7 tonnes, Cost: 14.72 MCr, HP: 5,473, Size Mod: +6

**Performance:** Accel: 7.5 G (7.7 G empty, 6.7 G overloaded), 12,975 km/h (atm), 12,975 km/h (skim)

# Helm-class Fighter (GTL9)

Imperial propaganda makes much of “slow-moving, dense” Sword Worlders but their characteristic naval architecture is the result of the Imperium's vast technological lead. Outranged by Imperial weapons, Sword World ships must be prepared to survive several volleys of fire before closing to within range of their own weapons; the resulting mass severely lowers their maneuverability. Unable to force a battle in open space, Sword World tactics rely on forcing the Imperial Navy to assault specific targets, thus lowering their strategic advantage.

The *Helm*-class fighter is a common one in the Sword Worlds. While not very fast, it can shrug off Imperial turret weapons at long range, greatly increasing its survivability. Like most Sword Worlds warships, the *Helm* uses fusion rockets rather than reactionless thrusters, trading limited endurance and radioactive exhaust for better performance.

**Crew:** pilot, gunner

40-ton USL Hull, DR 2500, PD 4, Turret with 3 lasers, Basic stealth, Basic emission cloaking, Hardened Cockpit, 11 Fusion Rocket, 27 Rocket Fuel (1.5 hours), no cargo

**Communicators:** Radio 0.3 million km, Laser 0.6 million km

**Sensors:** PESA 16000 km, AESA 80000 km, Radscanner 1600 km

**3 102-MJ Lasers:** Imp, Acc 32, Dmg 8dx20, 1/2D Rng 16360 km, MxRng 65450 km, FP 2, SS 30, RoF 1/60

**Statistics:** EMass 1532.0 tonnes, LMass 1532.0 tonnes, Cost MCr 34.9, HP 8700

**Performance:** Accel 1.1 G (1.1 G empty, 1.1 G overloaded), Jump 0, Air Speed 960 km/h

# Huata-class Fighter (GTL9)

One of the early fighters in the Interstellar Wars, the *Huata* continued in use as a second-tier aerospace fighter for centuries.

**Crew:** 1 bridge crew

20 SL, DR 200 (DR 100 on weapons), PD 4, 2 Fixed 303 MJ Lasers, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 4 Fusion Rocket, 5 Water (1.3 hrs)

Communicator Range	Radio	Maser	Laser	Meson
Cockpit	800,000 km	—	1,600,000 km	—

Sensor Range/Scan	PESA	AESA	Radscanner
Cockpit	72,000 km/33	720,000 km/39	16,000 km/29

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
303 MJ Rainbow Laser	Imp	33	5d x 55	8000 km	24,000 km	1/60

**Statistics:** EMass 96.7 tonnes, LMass 96.7 tonnes, Cost: 17.65 MCr, HP: 4,177, HT: 12, Size Mod: +6

**Performance:** Accel: 3.0 G, 4,696 km/h (atmospheric), 13,285 km/h (skimming)



## Mjolnir-class Heavy Fighter (GTL9)

A fighter from the early days of the Terran Federation, before the secret of efficient reactionless thrusters was scavanged from Vilani wrecks.

**Crew:** pilot, engineer

80 USL, DR 2500, PD 4, 2 Fixed Light Missile Racks, 3 Fixed 303 MJ Lasers, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 43 Fusion Rocket, 25 Water (0.6 hrs), No Cargo Hold

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	72,000/33	720,000/39	16,000/29

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
303 MJ Rainbow Laser	Imp	33	5d x 55	12,800 km	24,000 km	1/60

**Defenses:** DR 2500, PD 4, -5 to active scans, -2 to passive scans

**Maintenance:** HT: 9, 40.9 man-hours per day, 0.1 MCr/yr

**Statistics:** EMass 1,335.6 tonnes, LMass 1,335.6 tonnes, Cost: 72.48 MCr, HP: 10,526, Size Mod: +7

**Performance:** Accel: 2.3 G, 20,751 km/h (skim)

## Angbar-class Heavy Fighter (GTL10)

Slow and massively armoured, the *Angbar* class heavy fighter is an archetypical Sword Worlds design. Heavy fighters are usually deployed in over-strength squadrons, where their survivability and numbers make the most difference. *Angbar*-equipped squadrons usually launch a barrage of missiles at long distance, then close while the enemy is occupied with defensive anti-missile fire and attack with their twin lasers.

**Crew:** pilot

20-ton USL Hull, DR 3000, PD 4, Fixed-Mount Missile Rack, 2 Fixed-Mount Lasers, Basic stealth, Basic emission cloaking, Hardened Cockpit, 16 Maneuver, no cargo

**Communicators:** Radio 0.8 million km, Laser 1.6 million km  
**Sensors:** PESA 16000 km, AESA 80000 km, Radscanner 1600 km

2 360-MJ Lasers: Imp, Acc 32, Dmg 6dx50(2), 1/2D Rng 32726 km, MxRng 98618 km, FP 4, SS 30, RoF 1/60

**Statistics:** EMass 499.7 tonnes, LMass 499.7 tonnes, Cost MCr 13.2, HP 4500

**Performance:** Accel 1.2 G (1.2 G empty, 1.2 G overloaded), Jump 0, Air Speed 960 km/h

## Bayonet-class Assault Fighter (GTL10)

Designed for close-combat, the *Bayonet*-class assault fighter has not been a great success. While its armour is sufficient against long-range attacks by Imperial warships, at close range the fighter is easily destroyed before it can close to within the point-blank range required by its plasma guns.

**Crew:** pilot, engineer, gunner

50 USL, DR 2500 (DR 1250 on weapons), PD 4, Double 422 MJ Plasma Turret, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 48 Maneuver

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	160,000/35	720,000/39	16,000/29

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
422 MJ Plasma Gun	Spcl	28	6d x 272	4,267 km	12,800 km	1/60

**Maintenance:** HT: 9, 22.4 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 789.5 tonnes, LMass 789.5 tonnes, Cost: 21.81 MCr, HP: 7,694, Size Mod: +6

**Performance:** Accel: 2.2 G, 16,488 km/h (skim)

## Burtoine-class Escort Fighter (GTL10)

Originally designed as a medium fighter for convoy escort duty, the *Burtoine* can be found filling many roles for the Solomani Navy. While not fast compared to Imperial fighters, it is fast enough to guard a merchant convoy, yet armoured enough to fight most commerce raiders and privateers.

**Crew:** pilot, engineer

30 USL, DR 1200, PD 4, Fixed Light Missile Rack, 2 Fixed 250 MJ Lasers, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 26 Maneuver

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	160,000/35	720,000/39	16,000/29

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60

**Maintenance:** HT: 11, 16.5 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 315.2 tonnes, LMass 315.2 tonnes, Cost: 11.82 MCr, HP: 5,473, Size Mod: +6

**Performance:** Accel: 3.0 G, 17,072 km/h (skim)

## Firefly-class Light Fighter (GTL 10)

Little more than an engine wrapped around a laser, the *Firefly* was a standard light fighter for most of the Rule of Man.

Crew: pilot, engineer

10 USL, DR 100, PD 4, Fixed 250 MJ Laser, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 8 Maneuver, No Cargo Hold

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	160,000/35	720,000/39	16,000/29

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	43,605 km	81,760 km	1/60

**Defenses:** DR 100, PD 4, -6 to active scans, -3 to passive scans

**Maintenance:** HT: 12, 11.0 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 47.1 tonnes, LMass 47.1 tonnes, Cost: 5.21 MCr, HP: 2,631, Size Mod: +5

**Performance:** Accel: 6.2 G, 15,318 km/h (skim)

## Gnat-class Light Fighter (GTL 10)

Small, maneuverable, and cheap, the *Gnat* is typically found defending small asteroid settlements.

Crew: pilot, engineer

10 USL, DR 100, PD 4, Fixed 250 MJ Laser, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 8 Maneuver

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	160,000/35	720,000/39	16,000/29

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60

**Maintenance:** HT: 12, 11.0 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 47.1 tonnes, LMass 47.1 tonnes, Cost: 5.21 MCr, HP: 2,631, Size Mod: +5

**Performance:** Accel: 6.2 G, 15,318 km/h (skim)

## Hobbes-class Heavy Fighter (GTL 10)

“She’s slower than a pig in molasses, but by God is she mean!” Sporting two heavy lasers and a missile rack, a flight of *Hobbes* fighters can tangle with a small escort—and win.

Crew: pilot, engineer

50 USL, DR 2500, PD 4, Fixed Light Missile Rack, 2 Fixed 810 MJ Lasers, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 42 Maneuver, No Cargo Hold

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	160,000/35	720,000/39	16,000/29

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
810 MJ X-Ray Laser	Imp	33	6d x 75(2)	64,000 km	120,000 km	1/60

**Defenses:** DR 2500, PD 4, -6 to active scans, -3 to passive scans

**Maintenance:** HT: 9, 23.3 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 784.7 tonnes, LMass 784.7 tonnes, Cost: 23.51 MCr, HP: 7,694, Size Mod: +6

**Performance:** Accel: 1.9 G, 15,619 km/h (skim)

## Hyena-class Medium Fighter (GTL 10)

Lightly armoured but fast, stealthed, and heavily armed, the *Hyena* was a common medium fighter during the Rule of Man.

Crew: pilot, engineer

30 USL, DR 100, PD 4, Fixed Light Missile Rack, Fixed 810 MJ Laser, Radical Stealth, Radical Emission Cloaking, Hardened Cockpit, 25 Maneuver, No Cargo Hold

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	160,000/35	720,000/39	16,000/29

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
810 MJ X-Ray Laser	Imp	33	6d x 75(2)	64,000 km	120,000 km	1/60

**Defenses:** DR 100, PD 4, -12 to active scans, -6 to passive scans

**Maintenance:** HT: 12, 18.7 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 141.8 tonnes, LMass 141.8 tonnes, Cost: 15.24 MCr, HP: 5,473, Size Mod: +6

**Performance:** Accel: 6.4 G, 18,844 km/h (skim)

---

## Imp-class Patrol Fighter (GTL 10)

Found only on *Dartmouth*-class patrol frigates, *Imp* fighters perform patrol sweeps in concert with their parent ship.

Crew: pilot, engineer

20 SL, DR 200, PD 4, 3 Fixed Light Missile Racks, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 12 Maneuver

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	160,000/35	720,000/39	16,000/29

**Maintenance:** HT: 12, 11.5 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 106.0 tonnes, LMass 106.0 tonnes, Cost: 5.71 MCr, HP: 4,177, Size Mod: +6

**Performance:** Accel: 4.1 G, 5,752 km/h (atm), 16,270 km/h (skim)

---

## Jumo-class Heavy Fighter (GTL 10)

An early heavy fighter, the *Jumo* has been relegated to planetary navies and accredited mercenary organizations. Heavy armour makes for a survivable, if slow, fighter—a popular trait with fighter pilots!

Crew: pilot, engineer

50 SL, DR 1300, PD 4, 3 Fixed 250 MJ Lasers, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 36 Maneuver

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	160,000/35	720,000/39	16,000/29

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60

**Maintenance:** HT: 11, 19.4 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 447.7 tonnes, LMass 447.7 tonnes, Cost: 16.26 MCr, HP: 7,694, Size Mod: +6

**Performance:** Accel: 2.9 G, 7,341 km/h (atm), 20,764 km/h (skim)

---

## Langsdale-class Attack Fighter (GTL 10)

Moderately armoured, fast, and well-armed, the Solomani Confederation Navy deploys its *Langsdale* attack fighters in oversize squadrons. Usual tactics call for a barrage of missiles launched at long range to cover the squadron while it closes for the kill with its lasers.

Crew: pilot, engineer

30 USL, DR 300, PD 4, Fixed Light Missile Rack, 2 Fixed 250 MJ Lasers, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 26 Maneuver

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	160,000/35	720,000/39	16,000/29

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60

**Maintenance:** HT: 12, 15.1 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 166.3 tonnes, LMass 166.3 tonnes, Cost: 9.85 MCr, HP: 5,473, Size Mod: +6

**Performance:** Accel: 5.7 G, 18,989 km/h (skim)

---

## Midge-class Light Fighter (GTL 10)

Small, maneuverable, and cheap, the *Midge* is typically found defending small asteroid settlements.

Crew: pilot, engineer

10 USL, DR 100, PD 4, Fixed 250 MJ Laser, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 8 Maneuver

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	160,000/35	720,000/39	16,000/29

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60

**Maintenance:** HT: 12, 11.0 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 47.1 tonnes, LMass 47.1 tonnes, Cost: 5.21 MCr, HP: 2,631, Size Mod: +5

**Performance:** Accel: 6.2 G, 15,318 km/h (skim)

## Olmeka-class Heavy Fighter (GTL 10)

The *Olmeka* sacrifices acceleration for armour. Past orbit these fighters are outclassed, but in atmosphere and close orbit their survivability makes them extremely dangerous to invading forces.

**Crew:** pilot, engineer

80 SL, DR 5000, PD 4, 3 Fixed 250 MJ Lasers, Fixed 810 MJ Laser, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 57 Maneuver

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner			
Cockpit	160,000/35	720,000/39	16,000/29			
Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60
810 MJ X-Ray Laser	Imp	33	6d x 75(2)	40,000 km	120,000 km	1/60

**Maintenance:** HT: 7, 30.3 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 1,828.9 tonnes, LMass 1,828.9 tonnes, Cost: 39.88 MCr, HP: 10,526, Size Mod: +7

**Performance:** Accel: 1.1 G, 7,898 km/h (atm), 22,339 km/h (skim)

## Steadfast-class Medium Fighter (GTL 10)

A compromise between protection and maneuverability, the *Steadfast* is a common Solomani design.

**Crew:** pilot, engineer

40 USL, DR 100, PD 4, Fixed Light Missile Rack, 2 Fixed 250 MJ Lasers, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 36 Maneuver

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner			
Cockpit	160,000/35	720,000/39	16,000/29			
Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60

**Maintenance:** HT: 12, 16.1 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 168.5 tonnes, LMass 168.5 tonnes, Cost: 11.22 MCr, HP: 6,631, Size Mod: +6

**Performance:** Accel: 7.7 G, 20,874 km/h (skim)

## Trikon-class Aerospace Fighter (GTL 10)

Resembling a cross between a heavy fighter and a light tank, the *Trikon* is commonly deployed as an aerospace defense fighter in the Solomani Confederation. Its slow acceleration matters less than its high speed in an atmospheric fight, while its heavy armour can shrug off most laser hits with ease.

**Crew:** pilot, engineer, gunner

20 SL, DR 3000 (DR 1500 on weapons), PD 4, Double 422 MJ Plasma Turret, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 14 Maneuver

Communicator Range (km)	Radio	Maser	Laser	Meson		
Cockpit	800,000	—	1,600,000	—		
Sensor Range/Scan (km)	PESA	AESA	Radscanner			
Cockpit	160,000/35	720,000/39	16,000/29			
Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
422 MJ Plasma Gun	Spcl	28	6d x 272	4,267 km	12,800 km	1/60

**Maintenance:** HT: 7, 17.7 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 487.8 tonnes, LMass 487.8 tonnes, Cost: 13.59 MCr, HP: 4,177, Size Mod: +6

**Performance:** Accel: 1.0 G, 5,476 km/h (atm), 15,489 km/h (skim)

## Vampire-class Strike Fighter (GTL 10)

Fast and armed with a heavy laser, the *Vampire* was designed for hit-and-run raids. Its light armour makes it unsuitable for the line of battle, but it is ideal for first strikes.

**Crew:** pilot, engineer

50 USL, DR 200, PD 4, Fixed Light Missile Rack, 2 Fixed 810 MJ Lasers, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 42 Maneuver, No Cargo Hold

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner			
Cockpit	160,000/35	720,000/39	16,000/29			
Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
810 MJ X-Ray Laser	Imp	33	6d x 75(2)	64,000 km	120,000 km	1/60

**Defenses:** DR 200, PD 4, -6 to active scans, -3 to passive scans

**Maintenance:** HT: 12, 19.5 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 249.6 tonnes, LMass 249.6 tonnes, Cost: 16.43 MCr, HP: 7,694, Size Mod: +6

**Performance:** Accel: 6.1 G, 20,508 km/h (skim)

## Hun-class Light Fighter (GTL 11)

After the Solomani Rim War, the Solomani Navy started development of a new fighter: faster and more maneuverable than anything that the Imperial Navy had. The result was the *Hun*, with over 10G of acceleration at full throttle.

**Crew:** pilot, engineer, gunner

10 USL, DR 100, PD 4, Triple 390 MJ Laser Turret, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 8 Maneuver

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>		
<i>Cockpit</i>	800,000	—	1,600,000	—		
<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>			
<i>Cockpit</i>	240,000/36	720,000/39	16,000/29			
<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
<i>390 MJ X-Ray Laser</i>	Imp	32	8d x 50(2)	37,440 km	112,320 km	1/60

**Maintenance:** HT: 12, 16.2 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 63.1 tonnes, LMass 63.1 tonnes, Cost: 11.40 MCr, HP: 2,631, Size Mod: +5

**Performance:** Accel: 11.5 G, 20,957 km/h (skim)

## Joqlsha'-class Fighter (GTL 11)

The Zhodani Consulate maintains its most advanced ships as a reserve, ready to respond to any aggression. The *Joqlsha'* is one of the Consulate's most advanced fighters. Improved thrusters let a small fighter carry enough armour to thwart Imperial turret weaponry at long range, while still providing enough thrust for a respectable acceleration.

**Crew:** pilot, engineer, gunner

20 SL, DR 2200 (DR 1100 on weapons), PD 4, Triple 390 MJ Laser Turret, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit with Psionic Switches, 14 Maneuver

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>		
<i>Cockpit</i>	800,000	—	1,600,000	—		
<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>			
<i>Cockpit</i>	240,000/36	720,000/39	16,000/29			
<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
<i>390 MJ X-Ray Laser</i>	Imp	32	8d x 50(2)	37,440 km	112,320 km	1/60

**Maintenance:** HT: 9, 20.5 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 269.8 tonnes, LMass 269.8 tonnes, Cost: 18.21 MCr, HP: 4,177, Size Mod: +6

**Performance:** Accel: 4.7 G, 8,659 km/h (atm), 24,491 km/h (skim)

## Luzon-class Aerospace Fighter (GTL 11)

*Luzon*-class aerospace fighters are capable of fighting in both space and atmosphere. They are often found attached to Solomani Marine units in a close-support role.

**Crew:** pilot, engineer, gunner

30 SL, DR 3000 (DR 1500 on weapons), PD 4, Triple 390 MJ Laser Turret, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 22 Maneuver

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Cockpit</i>	800,000	—	1,600,000	—

<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>			
<i>Cockpit</i>	240,000/36	720,000/39	16,000/29			
<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
<i>390 MJ X-Ray Laser</i>	Imp	32	8d x 50(2)	37,440 km	112,320 km	1/60

**Maintenance:** HT: 9, 24.2 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 439.6 tonnes, LMass 439.6 tonnes, Cost: 25.48 MCr, HP: 5,473, Size Mod: +6

**Performance:** Accel: 4.5 G, 9,743 km/h (atm), 27,558 km/h (skim)

## Tartar-class Heavy Fighter (GTL 11)

Well-armoured and lightning fast, the Solomani Confederation Navy often deploys the *Tartar* as a forward screen for slower ships.

**Crew:** pilot, engineer

40 USL, DR 2500, PD 4, Fixed 870 MJ Laser, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 36 Maneuver, No Cargo Hold

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Cockpit</i>	800,000	—	1,600,000	—

<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>			
<i>Cockpit</i>	240,000/36	720,000/39	16,000/29			
<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
<i>870 MJ X-Ray Laser</i>	Imp	34	6d x 100(2)	89,600 km	168,000 km	1/60

**Defenses:** DR 2500, PD 4, -7 to active scans, -3 to passive scans

**Maintenance:** HT: 11, 27.1 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 466.9 tonnes, LMass 466.9 tonnes, Cost: 31.98 MCr, HP: 6,631, Size Mod: +6

**Performance:** Accel: 7.0 G, 32,740 km/h (skim)

## Tezhmacht-class Fighter (GTL11)

Well armoured, radically stealthed, equipped with a heavy laser, and having high acceleration, the Tezhmacht Fighter is used by Zhodani Strike Forces for deep penetration strikes against precision targets.

**Crew:** pilot, engineer

30 SL, DR 2250 (+250 vs non-KE), PD 4, Fixed 870 MJ Laser, Radical Stealth, Radical Emission Cloaking, Hardened Cockpit with Psionic Switches, 20 Maneuver, No Cargo Hold

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	240,000/36	720,000/39	16,000/29

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
870 MJ X-Ray Laser	Imp	34	6d x 100(2)	89,600 km	168,000 km	1/60

**Defenses:** DR 2250 (+250 vs non-KE), PD 4, -14 to active scans, -7 to passive scans

**Maintenance:** HT: 10, 25.5 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 335.2 tonnes, LMass 335.2 tonnes, Cost: 28.27 MCr, HP: 21,895, Size Mod: +6

**Performance:** Accel: 5.4 G, 10,257 km/h (atm), 29,013 km/h (skim)

## Vengeance-class Heavy Fighter (GTL11)

While not especially maneuverable, the *Vengeance* heavy fighter can shrug off hits from turret weapons, making it a persistent threat to larger ships. A single turret mounts a heavy laser while a fixed missile rack allows the gunner to launch a distracting barrage to cover an attack run.

**Crew:** pilot, engineer, gunner

50 USL, DR 5500 (+250 vs non-KE, DR 2750 on weapons), PD 4, Fixed Light Missile Rack, Single 870 MJ Laser Turret, Basic Stealth, Basic Emission Cloaking, Hardened Command Cockpit, 45 Maneuver, 0.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Command Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Command Cockpit	1,600,000/41	2,400,000/42	48,000/32

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
870 MJ X-Ray Laser	Imp	34	6d x 100(2)	89,600 km	168,000 km	1/60

**Defenses:** DR 5500 (+250 vs non-KE, DR 2750 on weapons), PD 4, -7 to active scans, -3 to passive scans

**Maintenance:** HT: 8, 35.5 man-hours per day, 0.1 MCr/yr

**Statistics:** EMass 1,052.7 tonnes, LMass 1,055.0 tonnes, Cost: 54.81 MCr, HP: 7,694, Size Mod: +6

**Performance:** Accel: 3.9 G (3.9 G empty, 3.8 G overloaded), 29,399 km/h (skim)

## Banshee-class Light Fighter (GTL12)

Fast, cheap, and hard-hitting, the *Banshee* is popular with mercenary units needing a state-of-the-art fighter for aerospace defense. Its light armour make the *Banshee* a vulnerable fighter, placing a premium on defensive flying by its pilot—for this reason *Banshees* are usually deployed in squadrons and are almost never committed against defended targets.

**Crew:** pilot

10 SL, DR 300, PD 4, 3 Fixed 405 MJ Lasers, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 4 Maneuver

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	320,000/37	1,120,000/40	32,000/31

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
405 MJ X-Ray Laser	Imp	33	5d x 100(2)	41,653 km	124,960 km	1/60

**Maintenance:** HT: 12, 13.3 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 51.3 tonnes, LMass 51.3 tonnes, Cost: 7.69 MCr, HP: 2,631, Size Mod: +5

**Performance:** Accel: 7.1 G, 6,616 km/h (atm), 18,713 km/h (skim)

# Citadel-class Heavy Fighter (GTL12)

The Imperial Navy's primary heavy fighter, the *Citadel* class combines massive armour with high acceleration and three full-powered lasers. While too large and heavy for most light starships, battleships and major fleets are frequently escorted by several squadrons of *Citadel* fighters.

**Crew:** pilot, engineer

50 SL, DR 3000, PD 4, 3 Fixed 405 MJ Lasers, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 36 Maneuver

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	320,000/37	1,120,000/40	32,000/31

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
405 MJ X-Ray Laser	Imp	33	5d x 100(2)	41,653 km	124,960 km	1/60

**Maintenance:** HT: 11, 27.6 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 440.1 tonnes, LMass 440.1 tonnes, Cost: 32.97 MCr, HP: 7,694, Size Mod: +6

**Performance:** Accel: 7.4 G, 11,607 km/h (atm), 32,831 km/h (skim)

# Fortress-class Assault Fighter (GTL12)

For close-in fighting, nothing tops the Imperial Navy's *Fortress*-class assault fighter. Armoured to resist point-blank shots by turret weaponry, accelerating at an incredible 7G, and armed with dual fusion guns, the *Fortress* is capable of precision strikes against even the largest enemy warships.

**Crew:** pilot, engineer, gunner

80 USL, DR 5200 (DR 2600 on weapons), PD 4, Double 690 MJ Fusion Turret, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 78 Maneuver

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	320,000/37	1,120,000/40	32,000/31

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
690 MJ Fusion Gun	Spcl	29	6d x 410	5,866 km	17,600 km	1/60

**Maintenance:** HT: 10, 39.7 man-hours per day, 0.1 MCr/yr

**Statistics:** EMass 1,018.7 tonnes, LMass 1,018.7 tonnes, Cost: 68.29 MCr, HP: 10,526, Size Mod: +7

**Performance:** Accel: 6.9 G, 36,219 km/h (skim)

# Gheilfa-class Aerospace Fighter (GTL12)

Lightning fast and heavily armoured, Ling Standard Products bills *Gheilfa* aerospace fighters as the ultimate air-superiority weapon. While military hobbyists debate whether the *Gheilfa* is a fast tank or a heavy fighter, LSP steers clear of the question, leaving deployment to the purchaser.

Instellarms has sold several wings of *Gheilfa* fighters to accredited mercenary units, while many worlds in the Spinward Marches have purchased wings to bolster their own defenses.

**Crew:** pilot, engineer, gunner

20 SL, DR 4200 (DR 2100 on weapons), PD 4, Double 690 MJ Fusion Turret, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 14 Maneuver

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	320,000/37	1,120,000/40	32,000/31

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
690 MJ Fusion Gun	Spcl	29	6d x 410	5,866 km	17,600 km	1/60

**Maintenance:** HT: 8, 21.5 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 325.6 tonnes, LMass 325.6 tonnes, Cost: 20.05 MCr, HP: 4,177, Size Mod: +6

**Performance:** Accel: 3.9 G, 8,659 km/h (atm), 24,491 km/h (skim)

# Uruq-class Medium Fighter (GTL 12)

Fast, well-armed, and well-armoured, the *Uruq* is popular with pilots. Many worlds needing multi-function aerospace fighters buy *Uruqs*, so players may encounter them virtually anywhere in the Imperium.

**Crew:** pilot, engineer

20 SL, DR 2000, PD 4, Fixed Light Missile Rack, 2 Fixed 405 MJ Lasers, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 12 Maneuver

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	320,000/37	1,120,000/40	32,000/31

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
405 MJ X-Ray Laser	Imp	33	5d x 100(2)	41,653 km	124,960 km	1/60

**Maintenance:** HT: 11, 17.8 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 177.4 tonnes, LMass 177.4 tonnes, Cost: 13.72 MCr, HP: 4,177, Size Mod: +6

**Performance:** Accel: 6.1 G, 9,095 km/h (atm), 25,726 km/h (skim)

# Wylbur-class Ultra-Heavy Fighter (GTL 12)

Designed as a space-capable ground support fighter, the *Wylbur* class is only found with Imperial Marine units. Although the *Wylbur* is pricy—costing almost as much as a small escort starship—it is virtually invulnerable to anything short of a spinal weapon, making it an extremely popular fighter with its crews.

**Crew:** pilot, engineer, 5 gunners

80 SL, DR 10000 (DR 5000 on weapons), PD 4, Total Compartmentalization, Double 690 MJ Fusion Turret, Nuclear Damper, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 61 Maneuver

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	320,000/37	1,120,000/40	32,000/31

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
690 MJ Fusion Gun	Spcl	29	6d x 410	5,866 km	17,600 km	1/60

**Maintenance:** HT: 8, 40.3 man-hours per day, 0.1 MCr/yr

**Statistics:** EMass 1,612.7 tonnes, LMass 1,612.7 tonnes, Cost: 70.34 MCr, HP: 10,526, Size Mod: +7

**Performance:** Accel: 3.4 G, 12,239 km/h (atm), 34,619 km/h (skim)



---

---

# Small Craft

---

While starships are the focus of attention in most Traveller campaigns, without a bevy of small craft interstellar commerce and warfare would grind to a halt.

From simple gigs to armoured assault landers, from cargo shuttles to fuel skimmers, these are the small craft that fill the skies of a Traveller universe.

---

## Chiang-class Launch (GTL9)

A small boat used in the early days of the Terran Federation.

**Crew:** pilot

**Passengers:** 11 independent passengers

10 SL, DR 100, PD 4, Hardened Cockpit, 1 Fusion Rocket, 1 Water (1.1 hrs), Passenger Couch (11 seats), 4 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Cockpit</i>	800,000	—	1,600,000	—

<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>
<i>Cockpit</i>	72,000/33	720,000/39	16,000/29

**Maintenance:** HT: 12, 10.9 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 19.9 tonnes, LMass 38.0 tonnes, Cost: 5.20 MCr, HP: 2,631, Size Mod: +5

**Performance:** Accel: 1.9 G (3.6 G empty, 0.7 G overloaded), 2,958 km/h (atm), 8,369 km/h (skim)

---

## Christoff-class Shuttle (GTL9)

Low-tech starships are rarely streamlined. Instead, they rely on specialized interface craft like the *Christoff* to ferry their passengers and cargo to and from the surface.

The *Christoff* carries only 30 minutes of fuel. More is unnecessary: the craft boosts to orbit on its rockets, then glides back to the surface for a dead-stick landing.

**Crew:** 1 bridge crew, 1 engineer

**Passengers:** 22 high passengers

80 SL, DR 100, PD 4, Cockpit, 8 Fusion Rocket, 4 Water (0.5 hrs), 2 Passenger Couches (22 seats), 49 Cargo

<i>Communicator Range</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Cockpit:</i>	800,000 km	—	1,600,000 km	—

<i>Sensor Range/Scan</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>
<i>Cockpit:</i>	72,000 km/33	720,000 km/39	16,000 km/29

**Statistics:** EMass 68.6 tonnes, LMass 290.8 tonnes, Cost: 12.27 MCr, HP: 10,526, HT: 12, Size Mod: +7

**Performance:** Accel: 2.0 G (8.5 G empty, 0.5 G overloaded), 4,184 km/h (atm), 11,835 km/h (skimming)

---

## Comrade Hudson-class Friendship Lander (GTL9)

Officially an unarmed landing craft, the *Comrade Hudson* is none-the-less formidably armed. What few records remain from the Interstellar Wars indicate that the class was designed as an academic exercise, and never actually built.

**Crew:** pilot

30-ton SL Hull, DR 5300, PD 4, Basic stealth, Basic emission cloaking, Hardened Cockpit, 14 Bomb Racks (0.9 hours), Orion Drive (1 kton, 10.0 BPS), Passenger Couch (holds 12 people), 5 cargo

**Communicators:** Radio 0.3 million km, Laser 0.6 million km  
**Sensors:** PESA 16000 km, AESA 80000 km, Radscanner 1600 km

**1 kton Orion Bomb:** Dmg 12dx2000000

**Statistics:** EMass 1681.2 tonnes, LMass 1703.9 tonnes, Cost MCr 24.0, HP 6000

**Performance:** Accel 1.1 G (1.1 G empty, 1.0 G overloaded), Jump 0, Air Speed 9798 km/h

---

## Hudson-class Lander (GTL9)

During the Interstellar Wars, the Terran Federation was initially outclassed by Vilani technology. Any means of redressing the balance were exploited, resulting in many old ideas being dusted off and tried. The *Hudson*-class lander was intended to deliver a platoon of Marines from orbit. While capable of gliding down, standard tactics called for a *Hudson* to use its drive as a weapon whenever necessary.

**Crew:** pilot

80-ton SL Hull, DR 5200, PD 4, Basic stealth, Basic emission cloaking, Hardened Cockpit, 20 Bomb Racks (1.4 hours),

Orion Drive (20 kton, 5.0 BPS), 3 Passenger Couches (holds 36 people), 27.5 cargo

**Communicators:** Radio 0.3 million km, Laser 0.6 million km  
**Sensors:** PESA 16000 km, AESA 80000 km, Radscanner 1600 km

20 kton Orion Bomb: Dmg 12dx40000000

**Statistics:** EMass 3360.6 tonnes, LMass 3485.3 tonnes, Cost MCr 44.4, HP 12000

**Performance:** Accel 5.2 G (5.4 G empty, 4.6 G overloaded), Jump 0, Air Speed 21909 km/h

---

## Hudson's Revenge-class Dropship (GTL9)

One of the craziest landing craft ever designed during the Interstellar Wars, the *Hudson's Revenge* was designed land a company of Marines from orbit while simultaneously destroying all opposition. Given its total lack of aerodynamics, the *Revenge* could only land by firing thrust bombs, flattening its landing area. Perhaps due to this limitation, no known examples were built.

**Crew:** pilot

80-ton USL Hull, DR 5300, PD 4, Basic stealth, Basic emission cloaking, Hardened Cockpit, 10 Bomb Racks (0.5

hours), Orion Drive (10 kton, 10.0 BPS), 10 Passenger Couches (holds 120 people), 51.5 cargo

**Communicators:** Radio 0.3 million km, Laser 0.6 million km  
**Sensors:** PESA 16000 km, AESA 80000 km, Radscanner 1600 km

10 kton Orion Bomb: Dmg 12dx20000000

**Statistics:** EMass 3191.7 tonnes, LMass 3425.2 tonnes, Cost MCr 45.0, HP 12000

**Performance:** Accel 5.3 G (5.7 G empty, 4.2 G overloaded), Jump 0, Air Speed 960 km/h

---

## Shinzang-class Shuttle (GTL9)

A common interface craft in the Terran Federation.

**Crew:** pilot

**Passengers:** 22 independent passengers

50 SL, DR 100, PD 4, Cockpit, 3 Fusion Rocket, 4 Water (1.4 hrs), 2 Passenger Couches (22 seats), 30 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	72,000/33	720,000/39	16,000/29

**Maintenance:** HT: 12, 13.5 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 49.5 tonnes, LMass 185.6 tonnes, Cost: 7.88 MCr, HP: 7,694, Size Mod: +6

**Performance:** Accel: 1.2 G (4.4 G empty, 0.3 G overloaded), 2,997 km/h (atm), 8,477 km/h (skim)

---

## Aekguthang-class Assault Cutter (GTL10)

Small and cheap, the *Aekguthang* assault cutter carries a platoon of Vargr pirates into battle.

**Crew:** pilot

**Passengers:** 36 independent passengers

20 SL, DR 100, PD 4, Fixed 250 MJ Laser, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 5 Maneuver, 3 Passenger Couches (36 seats), 6 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	160,000/35	720,000/39	16,000/29

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60

**Maintenance:** HT: 12, 11.0 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 45.4 tonnes, LMass 72.6 tonnes, Cost: 5.21 MCr, HP: 4,177, Size Mod: +6

**Performance:** Accel: 2.5 G (4.0 G empty, 1.0 G overloaded), 3,713 km/h (atm), 10,502 km/h (skim)

---

## Astra-class Launch (GTL 10)

A militarized version of the ubiquitous *Skyskipper* launch, the *Astra* has hardened controls and basic stealthing, but is externally identical. Many Rule of Man warships carry *Astra* launches.

*Crew:* pilot

*Passengers:* 12 independent passengers

10 SL, DR 100, PD 4, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 2 Maneuver, Passenger Couch (12 seats), 4 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Cockpit</i>	800,000	—	1,600,000	—

<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>
<i>Cockpit</i>	160,000/35	720,000/39	16,000/29

*Defenses:* DR 100, PD 4, -6 to active scans, -3 to passive scans

*Maintenance:* HT: 12, 9.1 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 21.6 tonnes, LMass 39.7 tonnes, Cost: 3.56 MCr, HP: 2,631, Size Mod: +5

**Performance:** Accel: 1.8 G (3.4 G empty, 0.6 G overloaded), 2,958 km/h (atm), 8,369 km/h (skim)

## Barlax-class Assault Lander (GTL 10)

Meteoric assaults are flashy and have caught the public's attention, but most Marine landings use purpose-built assault craft like the *Barlax*. Heavily armoured and equipped with a formidable pair of plasma guns, the *Barlax* can safely deliver a reinforced platoon to a hot landing zone, then support them until the rest of the regiment arrives.

*Crew:* pilot, engineer, gunner

*Passengers:* 48 independent passengers

80 SL, DR 2500 (DR 1250 on weapons), PD 4, Double 422 MJ Plasma Turret, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 50 Maneuver, 4 Passenger Couches (48 seats), 8 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Cockpit</i>	800,000	—	1,600,000	—

<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>
<i>Cockpit</i>	160,000/35	720,000/39	16,000/29

<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
422 MJ Plasma Gun	Spcl	28	6d x 272	4,267 km	12,800 km	1/60

*Maintenance:* HT: 9, 24.4 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 1,014.2 tonnes, LMass 1,050.5 tonnes, Cost: 25.92 MCr, HP: 10,526, Size Mod: +7

**Performance:** Accel: 1.7 G (1.8 G empty, 1.5 G overloaded), 7,008 km/h (atm), 19,823 km/h (skim)

## Batoche-class Regimental Lander (GTL 10)

Many civilians erroneously assume that the *Batoche* can transport an entire regiment—its name really means that the craft is usually attached to a Marine regiment to provide organic orbital capability. Four *Batoche*-class landers can transport the entire regiment (including personal equipment, but excluding stores and heavy equipment).

The Solomani Navy makes *Batoche*-class landers available to most Marine regiments. Pilots are usually Marines. Units in the field often remove some of the couches and use the lander for resupply missions.

*Crew:* pilot

*Passengers:* 444 independent passengers

50 SL, DR 100, PD 4, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 2 Maneuver, 37 Passenger Couches (444 seats)

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Cockpit</i>	800,000	—	1,600,000	—

<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>
<i>Cockpit</i>	160,000/35	720,000/39	16,000/29

*Maintenance:* HT: 12, 10.6 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 59.1 tonnes, LMass 59.1 tonnes, Cost: 4.92 MCr, HP: 7,694, Size Mod: +6

**Performance:** Accel: 1.2 G, 1,730 km/h (atm), 4,894 km/h (skim)

# Bunter-class Gig (GTL 10)

Small and cheap, *Bunters* are ubiquitous within the Solomani Confederation.

**Crew:** pilot

**Passengers:** 24 independent passengers

20 SL, DR 100, PD 4, Cockpit, 3 Maneuver, 2 Passenger Couches (24 seats), 10 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	160,000/35	720,000/39	16,000/29

**Maintenance:** HT: 12, 9.0 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 29.8 tonnes, LMass 75.2 tonnes, Cost: 3.50 MCr, HP: 4,177, Size Mod: +6

**Performance:** Accel: 1.4 G (3.6 G empty, 0.4 G overloaded), 2,876 km/h (atm), 8,135 km/h (skim)

# Chiitaa-class Fast Launch (GTL 10)

The *Chiitaa* is a faster version of the standard launch, trading cargo space for extra thruster units.

**Crew:** pilot

**Passengers:** 12 independent passengers

10 SL, DR 100, PD 4, Cockpit, 4 Maneuver, Passenger Couch (12 seats), 2 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	160,000/35	720,000/39	16,000/29

**Maintenance:** HT: 12, 8.9 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 26.8 tonnes, LMass 35.9 tonnes, Cost: 3.46 MCr, HP: 2,631, Size Mod: +5

**Performance:** Accel: 4.0 G (5.4 G empty, 2.0 G overloaded), 4,184 km/h (atm), 11,835 km/h (skim)

# Clorthal-class Customs Cutter (GTL 10)

Designed as a customs inspection launch, the *Clorthal* is not intended to stand up to extended combat. Customs cutters are usually found stationed in orbit, where they intercept incoming starships.

**Crew:** pilot, engineer

**Passengers:** 12 independent passengers

30 SL, DR 300, PD 4, Fixed 810 MJ Laser, Hardened Cockpit, 19 Maneuver, Passenger Couch (12 seats)

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	160,000/35	720,000/39	16,000/29

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
810 MJ X-Ray Laser	Imp	33	6d x 75(2)	40,000 km	120,000 km	1/60

**Maintenance:** HT: 12, 14.8 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 141.7 tonnes, LMass 141.7 tonnes, Cost: 9.49 MCr, HP: 5,473, Size Mod: +6

**Performance:** Accel: 4.9 G, 6,323 km/h (atm), 17,885 km/h (skim)

# Dieppe-class Assault Lander (GTL 10)

Carrying a Marine platoon into action, the *Dieppe* is optimized for delivering and supplying troops under fire. Heavy armour, a twin plasma gun turret, and nine tons of cargo space make the *Dieppe* a flexible craft. Pilot and gunner are usually Marines, often part of the same company.

**Crew:** pilot, engineer, gunner

**Passengers:** 36 independent passengers

80 SL, DR 2000 (DR 1000 on weapons), PD 4, Double 422 MJ Plasma Turret, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 50 Maneuver, 3 Passenger Couches (36 seats), 9 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	160,000/35	720,000/39	16,000/29

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
422 MJ Plasma Gun	Spcl	28	6d x 272	4,267 km	12,800 km	1/60

**Maintenance:** HT: 10, 23.4 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 845.5 tonnes, LMass 886.3 tonnes, Cost: 23.69 MCr, HP: 10,526, Size Mod: +7

**Performance:** Accel: 2.0 G (2.1 G empty, 1.7 G overloaded), 7,008 km/h (atm), 19,823 km/h (skim)

---

# Falkon-class Cargo Lighter (GTL 10)

Optimized for cargo transfer, *Falkon*-class lighters are a common sight at Solomani starports.

**Crew:** pilot, engineer

80 SL, DR 100, PD 4, Cockpit, 9 Maneuver, 54 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	160,000/35	720,000/39	16,000/29

**Maintenance:** HT: 12, 10.9 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 70.4 tonnes, LMass 315.3 tonnes, Cost: 5.20 MCr, HP: 10,526, Size Mod: +7

**Performance:** Accel: 1.0 G (4.6 G empty, 0.3 G overloaded), 3,138 km/h (atm), 8,876 km/h (skim)

---

# Fromin-class Launch (GTL 10)

A common Solomani design, the *Fromin* can be encountered at almost every starport in the Confederation.

**Crew:** pilot

**Passengers:** 12 independent passengers

10 SL, DR 100, PD 4, Cockpit, 2 Maneuver, Passenger Couch (12 seats), 4 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	160,000/35	720,000/39	16,000/29

**Maintenance:** HT: 12, 8.5 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 20.6 tonnes, LMass 38.8 tonnes, Cost: 3.14 MCr, HP: 2,631, Size Mod: +5

**Performance:** Accel: 1.9 G (3.5 G empty, 0.7 G overloaded), 2,958 km/h (atm), 8,369 km/h (skim)

---

# Ibex-class Fast Shuttle (GTL 10)

Usually used in inter-satellite runs within gas giant systems, the *Ibex* is far from uncommon, although not as ubiquitous as a standard shuttle.

**Crew:** pilot, engineer

**Passengers:** 60 independent passengers

80 SL, DR 100, PD 4, Cockpit, 18 Maneuver, 5 Passenger Couches (60 seats), 40 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	160,000/35	720,000/39	16,000/29

**Maintenance:** HT: 12, 12.4 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 100.6 tonnes, LMass 282.0 tonnes, Cost: 6.68 MCr, HP: 10,526, Size Mod: +7

**Performance:** Accel: 2.3 G (6.5 G empty, 0.6 G overloaded), 4,438 km/h (atm), 12,553 km/h (skim)

---

# Kyzan-class Armed Shuttle (GTL 10)

While most orbits are safe, short runs in asteroid belts have been attacked by Vargr corsairs. For the truly paranoid, armed shuttles like the *Kyzan* class are the best way to travel.

**Crew:** pilot, engineer

**Passengers:** 36 independent passengers

80 SL, DR 100, PD 4, Fixed 250 MJ Laser, Hardened Cockpit, 10 Maneuver, 3 Passenger Couches (36 seats), 49 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	160,000/35	720,000/39	16,000/29

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
250 MJ X-Ray Laser	Imp	32	5d x 50(2)	27,253 km	81,760 km	1/60

**Maintenance:** HT: 12, 12.1 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 82.6 tonnes, LMass 304.8 tonnes, Cost: 6.35 MCr, HP: 10,526, Size Mod: +7

**Performance:** Accel: 1.2 G (4.4 G empty, 0.3 G overloaded), 3,308 km/h (atm), 9,356 km/h (skim)

---

---

# MacDonnell-class Assault Lander (GTL10)

A small, well armoured landing cutter designed to deliver a platoon of marines and their heavy equipment into a hot landing zone, the *MacDonnell* is encountered wherever Solomani Marines serve. Doctrine calls for a gravity-assisted approach while the gunner clears out a secure landing area, followed by rapid troop deployment. In highly mechanized units the lander stays with the platoon to provide fire support and mobility, in less well-equipped units it returns to orbit to pick up a second wave of troops.

**Crew:** pilot, engineer, gunner

**Passengers:** 36 independent passengers

40 SL, DR 2000 (DR 1000 on weapons), PD 4, Double 422 MJ Plasma Turret, Basic Stealth, Basic Emission Cloaking,

Hardened Cockpit, 20 Maneuver, 3 Passenger Couches (36 seats), 7 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Cockpit</i>	800,000	—	1,600,000	—

<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>
<i>Cockpit</i>	160,000/35	720,000/39	16,000/29

<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
<i>422 MJ Plasma Gun</i>	Spcl	28	6d x 272	4,267 km	12,800 km	1/60

**Maintenance:** HT: 9, 18.6 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 513.9 tonnes, LMass 545.7 tonnes, Cost: 15.07 MCr, HP: 6,631, Size Mod: +6

**Performance:** Accel: 1.3 G (1.4 G empty, 1.1 G overloaded), 5,424 km/h (atm), 15,341 km/h (skim)

---

# Prenei-class Scoopship (GTL10)

Unstreamlined ships can't refuel at gas giants without risking catastrophe. Many carry small craft like the *Prenei* scoopship to refuel for them. The fuel tankage is all 'surplus' fuel, ready to be pumped into the main ship's tanks.

**Crew:** pilot, engineer

80 SL, DR 100, PD 4, Hardened Cockpit, 13 Maneuver, 50 Fuel

<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>
<i>Cockpit</i>	160,000/35	720,000/39	16,000/29

**Maintenance:** HT: 12, 18.0 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 96.5 tonnes, LMass 141.8 tonnes, Cost: 13.99 MCr, HP: 10,526, Size Mod: +7

**Performance:** Accel: 3.3 G (4.9 G empty), 3,771 km/h (atm), 10,668 km/h (skim)

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Cockpit</i>	800,000	—	1,600,000	—

---

# Rorke-class Cargo Lighter (GTL10)

Dubbed the "flying brick" by its pilots, the *Rorke* cargo lighter is found all over the Solomani Confederation, in both civilian and Naval service. Civilian models retain the hardened electronics, both to better resist electrical storms near gas giants and to render them more useful if requisitioned by the Confederation Navy.

**Crew:** pilot

80 SL, DR 100, PD 4, Hardened Cockpit, 8 Maneuver, 55 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Cockpit</i>	800,000	—	1,600,000	—

<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>
<i>Cockpit</i>	160,000/35	720,000/39	16,000/29

**Maintenance:** HT: 12, 10.9 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 67.4 tonnes, LMass 316.9 tonnes, Cost: 5.19 MCr, HP: 10,526, Size Mod: +7

**Performance:** Accel: 0.9 G (4.3 G empty, 0.2 G overloaded), 2,958 km/h (atm), 8,369 km/h (skim)

---

# Sarta-class Armoured Launch (GTL10)

Both faster and better protected than the standard launch, the *Sarta*-class is more expensive and has a greatly-reduced payload. Standard equipment in the Solomani Navy, many have been sold as surplus—mostly to civilian concerns on the Imperial and Aslan frontiers.

**Crew:** pilot

**Passengers:** 36 independent passengers

10 SL, DR 300, PD 4, Hardened Cockpit, 4 Maneuver, 3 Passenger Couches (36 seats)

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Cockpit</i>	800,000	—	1,600,000	—

<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>
<i>Cockpit</i>	160,000/35	720,000/39	16,000/29

**Maintenance:** HT: 12, 9.4 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 43.8 tonnes, LMass 43.8 tonnes, Cost: 3.84 MCr, HP: 2,631, Size Mod: +5

**Performance:** Accel: 3.3 G, 4,184 km/h (atm), 11,835 km/h (skim)

## Skyskipper-class Launch (GTL 10)

A common Second Empire design, the *Skyskipper* was encountered at almost every starport in the Rule of Man.

**Crew:** pilot

**Passengers:** 12 independent passengers

10 SL, DR 100, PD 4, Cockpit, 2 Maneuver, Passenger Couch (12 seats), 4 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	160,000/35	720,000/39	16,000/29

**Maintenance:** HT: 12, 8.5 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 20.6 tonnes, LMass 38.8 tonnes, Cost: 3.14 MCr, HP: 2,631, Size Mod: +5

**Performance:** Accel: 1.9 G (3.5 G empty, 0.7 G overloaded), 2,958 km/h (atm), 8,369 km/h (skim)

## Xenos-class Fast Launch (GTL 10)

The *Xenos* is a fast launch, trading cargo space for extra thruster units. It was a common design during the Rule of Man.

**Crew:** pilot

**Passengers:** 12 independent passengers

10 SL, DR 100, PD 4, Cockpit, 4 Maneuver, Passenger Couch (12 seats), 2 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	160,000/35	720,000/39	16,000/29

**Maintenance:** HT: 12, 8.9 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 26.8 tonnes, LMass 35.9 tonnes, Cost: 3.46 MCr, HP: 2,631, Size Mod: +5

**Performance:** Accel: 4.0 G (5.4 G empty, 2.0 G overloaded), 4,184 km/h (atm), 11,835 km/h (skim)

## Zentak-class Runabout (GTL 10)

One of the cheapest spacecraft around, the *Zentak* is usually encountered in orbital installations, or ferrying small loads dirtside.

**Crew:** pilot

**Passengers:** 12 independent passengers

10 SL, DR 100, PD 4, Cockpit, 3 Maneuver, Passenger Couch (12 seats), 3 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	160,000/35	720,000/39	16,000/29

**Maintenance:** HT: 12, 8.7 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 23.7 tonnes, LMass 37.3 tonnes, Cost: 3.30 MCr, HP: 2,631, Size Mod: +5

**Performance:** Accel: 2.9 G (4.6 G empty, 1.2 G overloaded), 3,623 km/h (atm), 10,249 km/h (skim)

## Barlax II-class Assault Lander (GTL 11)

Meteoric assaults are flashy and have caught the public's attention, but most Marine landings use purpose-built assault craft like the *Barlax II*, a refit of the venerable *Barlax* assault lander. Heavily armoured and equipped with a formidable pair of plasma guns, the *Barlax II* can safely deliver a reinforced platoon to a hot landing zone, then support them until the rest of the regiment arrives. Upgraded drives and electronics allow it to carry more armour and still boast over twice the acceleration of the original class.

**Crew:** pilot, engineer, gunner

**Passengers:** 48 independent passengers

80 SL, DR 4200 (DR 2100 on weapons), PD 4, Double 422 MJ Plasma Turret, Basic Stealth, Basic Emission Cloaking,

Hardened Cockpit, 50 Maneuver, 4 Passenger Couches (48 seats), 8 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	240,000/36	720,000/39	16,000/29

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
422 MJ Plasma Gun	Spcl	28	6d x 272	4,267 km	12,800 km	1/60

**Maintenance:** HT: 9, 33.9 man-hours per day, 0.1 MCr/yr

**Statistics:** EMass 1,044.9 tonnes, LMass 1,081.1 tonnes, Cost: 50.01 MCr, HP: 10,526, Size Mod: +7

**Performance:** Accel: 4.2 G (4.3 G empty, 3.7 G overloaded), 11,081 km/h (atm), 31,343 km/h (skim)

# Echpoz-class Armed Gig (GTL 11)

Small, agile, and armed with counter-missile lasers, the *Echpoz* gig is a standard small craft in the Consular Navy.

**Crew:** pilot, gunner

**Passengers:** 24 independent passengers

20 USL, DR 100, PD 4, Triple 97 MJ PD Laser Turret, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit with Psionic Switches, 5 Maneuver, 2 Passenger Couches (24 seats), 11 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	240,000/36	720,000/39	16,000/29

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
97 MJ X-Ray Laser	Imp	31	5d x 40(2)	18,720 km	56,160 km	1/8

**Maintenance:** HT: 12, 13.2 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 49.7 tonnes, LMass 99.6 tonnes, Cost: 7.54 MCr, HP: 4,177, Size Mod: +6

**Performance:** Accel: 4.6 G (9.1 G empty, 1.5 G overloaded), 12,930 km/h (skim)

# Estevan-class Cutter (GTL 11)

The *Estevan*-class cutter is a small craft designed to ferry a few passengers and some cargo from surface to orbit. While designed as a naval auxiliary, many surplus cutters are in service at various starports throughout the Solomani Confederation.

**Crew:** pilot

**Passengers:** 36 independent passengers

20 SL, DR 100, PD 4, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 2 Maneuver, 3 Passenger Couches (36 seats), 10 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	240,000/36	720,000/39	16,000/29

**Maintenance:** HT: 12, 10.0 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 22.7 tonnes, LMass 68.1 tonnes, Cost: 4.32 MCr, HP: 4,177, Size Mod: +6

**Performance:** Accel: 2.7 G (8.0 G empty, 0.7 G overloaded), 3,713 km/h (atm), 10,502 km/h (skim)

# Marstrom-class Launch (GTL 11)

A simple civilian move-all, the *Marstrom* is common on unstreamlined passenger liners.

**Crew:** pilot, steward

**Passengers:** 48 passengers

20 SL, DR 100, PD 4, Cockpit, 1 Maneuver, 4 Passenger Couches (48 seats), 10 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	240,000/36	720,000/39	16,000/29

**Maintenance:** HT: 12, 8.5 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 18.0 tonnes, LMass 63.4 tonnes, Cost: 3.11 MCr, HP: 4,177, Size Mod: +6

**Performance:** Accel: 1.4 G (5.0 G empty, 0.4 G overloaded), 2,625 km/h (atm), 7,426 km/h (skim)

# Quero-class Assault Lander (GTL 11)

An older Imperial design, *Quero*-class landers are frequently seen in mercenary units.

**Crew:** pilot, engineer

**Passengers:** 36 independent passengers

40 SL, DR 2300, PD 4, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 16 Maneuver, 3 Passenger Couches (36 seats), 12 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	240,000/36	720,000/39	16,000/29

**Maintenance:** HT: 10, 20.0 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 344.5 tonnes, LMass 398.9 tonnes, Cost: 17.43 MCr, HP: 6,631, Size Mod: +6

**Performance:** Accel: 3.6 G (4.2 G empty, 2.4 G overloaded), 8,336 km/h (atm), 23,577 km/h (skim)



## Shebzhinj-class Launch (GTL11)

One of the most common launches in the Zhodani Consulate, the *Shebzhinj* is found in both military and civilian service.

**Crew:** pilot

**Passengers:** 12 independent passengers

10 SL, DR 100, PD 4, Hardened Cockpit with Psionic Switches, 1 Maneuver, Passenger Couch (12 seats), 5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	240,000/36	720,000/39	16,000/29

**Maintenance:** HT: 12, 8.5 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 13.7 tonnes, LMass 36.4 tonnes, Cost: 3.10 MCr, HP: 2,631, Size Mod: +5

**Performance:** Accel: 2.5 G (6.6 G empty, 0.7 G overloaded), 3,308 km/h (atm), 9,356 km/h (skim)

## Vixen-class Armed Gig (GTL11)

Small, maneuverable, and lightly armed, the *Vixen* is a standard auxiliary in the Solomani Confederation Navy.

**Crew:** pilot, gunner

**Passengers:** 24 independent passengers

20 SL, DR 100, PD 4, Triple 390 MJ Laser Turret, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 4 Maneuver, 2 Passenger Couches (24 seats), 8 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	240,000/36	720,000/39	16,000/29

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
390 MJ X-Ray Laser	Imp	32	8d x 50(2)	37,440 km	112,320 km	1/60

**Maintenance:** HT: 12, 14.6 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 53.2 tonnes, LMass 89.5 tonnes, Cost: 9.31 MCr, HP: 4,177, Size Mod: +6

**Performance:** Accel: 4.1 G (6.8 G empty, 1.5 G overloaded), 4,628 km/h (atm), 13,091 km/h (skim)

## Baboon-class Scoopship (GTL12)

Little more than a large fuel tank with engines, the *Baboon*-class scoopship is designed to provide gas giant refueling capability to capital ships that are unable to do so themselves. It is also used to refuel ship in enemy territory, when risking a capital ship within a gas giant is considered tactically unsound.

**Crew:** 2 bridge crew, 1 engineer

400 SL, DR 200, PD 4, Basic Stealth, Basic Emission Cloaking, Hardened Basic Bridge, Engineering, 20 Maneuver, 287 Fuel, 1 Utility, 2 Staterooms, 0.5 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Basic Bridge	8,000,000	—	16,000,000	16,000

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Basic Bridge	480,000/38	2,400,000/42	160,000/35

**Maintenance:** HT: 12, 40.7 man-hours per day, 0.1 MCr/yr

**Statistics:** EMass 270.4 tonnes, LMass 533.0 tonnes, Cost: 71.98 MCr, HP: 30,779, Size Mod: +8

**Performance:** Accel: 3.4 G (6.7 G empty, 3.3 G overloaded), 4,325 km/h (atm), 12,235 km/h (skim)

## Barlax III-class Assault Lander (GTL12)

Meteoric assaults are flashy and have caught the public's attention, but most Marine landings use purpose-built assault craft like the *Barlax III*, the latest refit of the venerable *Barlax* assault lander. Heavily armoured and equipped with a formidable pair of fusion guns, the *Barlax III* can safely deliver a reinforced platoon to a hot landing zone, then support them until the rest of the regiment arrives. Upgraded drives and electronics allow it to carry more armour and still boast over three times the acceleration of the original class.

**Crew:** pilot, engineer, gunner

**Passengers:** 48 independent passengers

80 SL, DR 4200 (DR 2100 on weapons), PD 4, Double 690 MJ Fusion Turret, Basic Stealth, Basic Emission Cloaking,

Hardened Cockpit, 50 Maneuver, 4 Passenger Couches (48 seats), 8 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	320,000/37	1,120,000/40	32,000/31

Weapon	Type	Acc	Damage	1/2D Rng	Max Rng	RoF
690 MJ Fusion Gun	Spcl	29	6d x 410	5,866 km	17,600 km	1/60

**Maintenance:** HT: 10, 33.6 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 783.8 tonnes, LMass 820.1 tonnes, Cost: 48.89 MCr, HP: 10,526, Size Mod: +7

**Performance:** Accel: 5.5 G (5.8 G empty, 4.7 G overloaded), 11,081 km/h (atm), 31,343 km/h (skim)

# Berry-class Extraction Cutter (GTL12)

Sometimes invasions go tragically wrong. For pulling troops out of tight situations, the *Berry*-class extraction cutter is ideal. Well armed and armoured, fast, highly stealthed—it can pull a beleaguered platoon out of almost any tight situation. Unofficially, the Imperial Marines have dubbed it the “bugout buggy”.

The *Berry*-class Extraction Cutter’s lack of cargo space is a consequence of the original design specification, which called for the extraction of troops under fire. While leaving behind heavy equipment is expensive, the Imperial Marines are more concerned about their troops: equipment is cheaper than trained soldiers. While this philosophy is often justified in terms of morale, the real reason is much simpler: Marines *never* leave a fellow Marine behind.

*Crew:* pilot, engineer, gunner

*Passengers:* 36 independent passengers

50 SL, DR 4200 (DR 2100 on weapons), PD 4, Triple 102 MJ PD Laser Turret, Radical Stealth, Radical Emission Cloaking, Hardened Cockpit, 33 Maneuver, 3 Passenger Couches (36 seats), Basic Evacuation Bay

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>		
<i>Cockpit</i>	800,000	—	1,600,000	—		
<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>			
<i>Cockpit</i>	320,000/37	1,120,000/40	32,000/31			
<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
<i>102 MJ X-Ray Laser</i>	Imp	31	5d x 50(2)	20,960 km	62,880 km	1/8

*Maintenance:* HT: 10, 30.4 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 569.1 tonnes, LMass 569.1 tonnes, Cost: 40.13 MCr, HP: 7,694, Size Mod: +6

**Performance:** Accel: 5.3 G, 10,336 km/h (atm), 29,236 km/h (skim)

# Dsarpa-class Fast Shuttle (GTL12)

Usually used on inter-satellite runs within gas giant systems, the *Dsarpa* is far from uncommon, although it is not as ubiquitous as a standard shuttle.

*Crew:* pilot, engineer

*Passengers:* 60 independent passengers

80 SL, DR 100, PD 4, Cockpit, 18 Maneuver, 5 Passenger Couches (60 seats), 40 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Cockpit</i>	800,000	—	1,600,000	—

<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>
<i>Cockpit</i>	320,000/37	1,120,000/40	32,000/31

*Maintenance:* HT: 12, 18.6 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 87.1 tonnes, LMass 268.5 tonnes, Cost: 15.05 MCr, HP: 10,526, Size Mod: +7

**Performance:** Accel: 6.1 G (18.7 G empty, 1.6 G overloaded), 7,017 km/h (atm), 19,848 km/h (skim)

# Dumont-class Assault Lander (GTL12)

A small landing cutter designed to deliver a heavily-equipped platoon under fire, the *Dumont* class is popular with mercenary units. Heavy armour, impressive fire support capability, and good acceleration make it ideal for commando and striker missions.

*Crew:* pilot, engineer, gunner

*Passengers:* 36 independent passengers

40 SL, DR 4200 (DR 2100 on weapons), PD 4, Double 690 MJ Fusion Turret, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 20 Maneuver, 3 Passenger Couches (36 seats), 7 Cargo

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>		
<i>Cockpit</i>	800,000	—	1,600,000	—		
<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>			
<i>Cockpit</i>	320,000/37	1,120,000/40	32,000/31			
<i>Weapon</i>	<i>Type</i>	<i>Acc</i>	<i>Damage</i>	<i>1/2D Rng</i>	<i>Max Rng</i>	<i>RoF</i>
<i>690 MJ Fusion Gun</i>	Spcl	29	6d x 410	5,866 km	17,600 km	1/60

*Maintenance:* HT: 9, 24.5 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 474.5 tonnes, LMass 506.2 tonnes, Cost: 26.06 MCr, HP: 6,631, Size Mod: +6

**Performance:** Accel: 3.6 G (3.8 G empty, 2.9 G overloaded), 8,576 km/h (atm), 24,257 km/h (skim)

## Kraki-class Assault Cutter (GTL12)

Designed to deliver troops and munitions in a hurry, the *Kraki* relies on speed and stealth rather than armour. Its 13 ton hold can be slung with acceleration hammocks to accommodate infantry, or used to transport an AFV.

**Crew:** pilot

30 SL, DR 100, PD 4, Radical Stealth, Radical Emission Cloaking, Hardened Cockpit, 10 Maneuver, 13 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	320,000/37	1,120,000/40	32,000/31

**Maintenance:** HT: 12, 18.6 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 52.3 tonnes, LMass 111.2 tonnes, Cost: 14.95 MCr, HP: 5,473, Size Mod: +6

**Performance:** Accel: 8.2 G (17.4 G empty, 2.6 G overloaded), 7,253 km/h (atm), 20,515 km/h (skim)

## Murka-class Combat Shuttle (GTL12)

A favourite of mercenary organizations, the *Murka* is a fast, stealthy, and protected way of delivering a platoon of troops into a hot landing zone.

**Crew:** pilot, engineer

**Passengers:** 36 independent passengers

30 SL, DR 1000, PD 4, 3 Fixed Light Missile Racks, Basic Stealth, Basic Emission Cloaking, Hardened Cockpit, 13 Maneuver, 3 Passenger Couches (36 seats), 4 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	320,000/37	1,120,000/40	32,000/31

**Maintenance:** HT: 12, 17.2 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 157.4 tonnes, LMass 175.6 tonnes, Cost: 12.83 MCr, HP: 5,473, Size Mod: +6

**Performance:** Accel: 6.7 G (7.5 G empty, 4.8 G overloaded), 8,270 km/h (atm), 23,391 km/h (skim)

## Oskra-class Shuttle (GTL12)

The *Oskra* can be found at many starports, performing yeoman service transporting high-priority passengers and cargo between surface and orbit.

**Crew:** pilot, engineer

**Passengers:** 48 independent passengers

80 SL, DR 100, PD 4, Cockpit, 18 Maneuver, 4 Passenger Couches (48 seats), 41 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	320,000/37	1,120,000/40	32,000/31

**Maintenance:** HT: 12, 18.6 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 86.8 tonnes, LMass 272.7 tonnes, Cost: 15.04 MCr, HP: 10,526, Size Mod: +7

**Performance:** Accel: 6.0 G (18.8 G empty, 1.6 G overloaded), 7,017 km/h (atm), 19,848 km/h (skim)

## Tralsa-class Gig (GTL12)

A GTL12 version of the common GTL10 design, *Tralsa*-class gigs' high-efficiency thrusters give them both more cargo space and a higher acceleration than their more common cousins.

**Crew:** pilot

**Passengers:** 24 passengers

20 SL, DR 100, PD 4, Cockpit, 2 Maneuver, 2 Passenger Couches (24 seats), 11 Cargo

Communicator Range (km)	Radio	Maser	Laser	Meson
Cockpit	800,000	—	1,600,000	—

Sensor Range/Scan (km)	PESA	AESA	Radscanner
Cockpit	320,000/37	1,120,000/40	32,000/31

**Maintenance:** HT: 12, 9.6 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 18.5 tonnes, LMass 68.4 tonnes, Cost: 4.02 MCr, HP: 4,177, Size Mod: +6

**Performance:** Accel: 2.7 G (9.8 G empty, 0.7 G overloaded), 3,713 km/h (atm), 10,502 km/h (skim)

---

# Yarrow-class Scoopship (GTL 12)

Unstreamlined ships can't refuel at gas giants without risking catastrophe. Many carry small craft like the *Yarrow* scoopship to refuel for them. The fuel tankage is all 'surplus' fuel, ready to be pumped into the main ship's tanks.

*Crew:* pilot

80 SL, DR 100, PD 4, Hardened Cockpit, 3 Maneuver, 60 Fuel

<i>Communicator Range (km)</i>	<i>Radio</i>	<i>Maser</i>	<i>Laser</i>	<i>Meson</i>
<i>Cockpit</i>	800,000	—	1,600,000	—

<i>Sensor Range/Scan (km)</i>	<i>PESA</i>	<i>AESA</i>	<i>Radscanner</i>
<i>Cockpit</i>	320,000/37	1,120,000/40	32,000/31

*Maintenance:* HT: 12, 18.6 man-hours per day, 0.0 MCr/yr

**Statistics:** EMass 47.5 tonnes, LMass 101.9 tonnes, Cost: 15.01 MCr, HP: 10,526, Size Mod: +7

**Performance:** Accel: 2.7 G (5.7 G empty), 2,864 km/h (atm), 8,103 km/h (skim)

# Appendix A: Encounter Tables

## Step 1

Roll on the **Starship Type** table to determine the general encounter type.

## Step 2

Roll twice on the specific **Encounter** table to determine ship type and mission.

## Step 3

Choose a specific ship (or ships) for the encounter. The index has every ship in this book grouped by type to make this easier for you.

## Common Sense

If a particular combination of ship and mission is silly, change it!

## Starship Type

### Roll Type

3-	Naval/Scout
4	No encounter
5	No encounter
6	No encounter
7	Non-starship
8	Predetermined
9	Merchant
10	Merchant
11	Merchant
12	Merchant
13	Merchant
14	Civilian
15	Civilian
16	Non-starship
17	Non-starship
18+	Naval/Scout

### DMS:

Starport A, +2
Starport B, +1
Starport D, -1
Starport E, -2
Starport X, -6
Base present, +3
High population, +2

## Naval Encounters

Roll	Ship	Mission
2	Shuttle	Distres
4	Shuttle	Transpor
5	Support	Escort
6	Carrie	Escort
7	Escort	Patrol
8	Escort	Transfe
9	Courie	Maneuver
10	Patrol	Patrol
11	Patrol	Patrol
12	Light	Courie
13	Escort	Patrol
14	Cruise	Transfe
15	Cruise	Maneuver
16	Battle	Maneuver
17	Battleshi	Transpor
18	Flotill	Privateerin

## Merchant Encounters

Roll	Ship	Mission
2	Huge	Distres
4	Large	Smuadlin
5	Sub	Smuadlin
6	Sub	Trade
7	Non-	Trade
8	Liner	Trade
9	Freighte	Trade &
10	Free	Trade &
11	Freighte	Trade &
12	Free	Transpor
13	Liner	Transpor
14	Free	Transpor
15	Sub	Transpor
16	Large	Transpor
17	Large	Transpor
18	Huge	Pirac

## Scout Encounters

Roll	Ship	Mission
2	Xboat	Distres
4	Courie	Smuadlin
5	Courie	Escort
6	Courie	Escort
7	Scout	Patrol/surve
8	Scout	Transfe
9	Support	Courie
10	Support	Courie
11	Scout	Transpor
12	Scout	Courie
13	Survev	Transfe
14	Survev	Transfe
15	Survev	Patrol/surve
16	Survev	Patrol/surve
17	Cruise	Patrol/surve
18	Cruise	Privateerin

## X-Route Encounters

Roll	Ship	Mission
2	Scout/Courie	Distres
4	Scout/Courie	Transpor
5	Scout/Courie	Transpor
6	Scout/Courie	Courie
7	Non-	Courie
8	Non-	Courie
9	Xboat	Courie
10	Xboat	Comm
11	Xboat	Comm
12	Xboat	Comm
13	Xboat	Comm
14	Xboat	Comm
15	Xboat	Comm
16	Xboat	Comm
17	Xboat &	Transpor
18	Xboat &	Pirac

## Civilian Encounters

Roll	Ship	Mission
2	Liner	Distres
4	Yacht	Smuadlin
5	Non-	Courie
6	Yacht	Charte
7	Sacker	Charte
8	Detached	Transfe
9	Courie	Smuadlin
10	Courie	Charte
11	Sacker	Transpor
12	Detached	Courie
13	Safari	Busines
14	Yacht	Busines
15	Merc	Busines
16	Lab	Pleasure
17	Merc	Transpor
18	Lab	Pirac

## Nonstarship Encounters

Roll	Ship	Mission
2	Bulk	Distres
4	Small	Smuadlin
5	Small	Courie
6	Small	Courie
7	Non-	Charter/Esco
8	Non-	Charter/Esco
9	Fighter	Charter/Esco
10	Shuttle	Transpor/Patr
11	Shuttle	Transpor/Patr
12	Small	Transpor/Patr
13	Repair/Tu	Transpor/Patr
14	Repair/Tu	Transfe
15	Repair/Tu	Transpor/Patr
16	SNB	Transpor/Patr
17	SNB	Transpor/Patr
18	SNB	Pirac

---

---

# Appendix B: New Modules

---

---

The *GURPS Traveller* rules contain rules for designing starships at GURPS tech levels 10 and 12, while those who own *GURPS Vehicles* can design starships from scratch.

*GURPS Vehicles* is a complicated book, and various players have expressed a wish that the standard modules were available at more tech levels. In an effort to help those players, we present the following modules.

---

## Hulls and Armour

The costs presented in *GURPS Traveller* hold for hulls at other tech levels. Lower tech hulls mass more than high tech hulls: multiply the GTL12 mass by the multiplier on the following table.

<i>Tech Level</i>	<i>Mass Multiplier</i>	<i>DR</i>
8	x 4	8000
9	x 3	13333
10	x 2	20000
11	x 1.5	33333
12	x 1	50000
13	x 1	80000

Armour gets more effective as tech level increases. Calculate armour as explained in the *GURPS Traveller* rules, but use the DR values from the above table.

---

## Engineering Modules

Fusion is introduced at GTL9, and is very bulky. A GTL9 engineering module has the following stats:

---

Volume: 3.5 spaces  
Mass: 12.51 stons  
Cost: 5.01 MCr

---

Fusion plants at GTL11 and above are identical, thus the values given for the GTL12 module apply for GTL11 and GTL13 as well.

Fusion power is unavailable at GTL8, and expensive and bulky at GTL9. Fission reactors are a reasonable alternative. Fission-based engineering modules have the following stats:

---

### GTL8

Volume: 1.5 spaces  
Mass: 4.6 stons  
Cost: 0.414 MCr

### GTL9

Volume: 1 space  
Mass: 3.1 stons  
Cost: 0.054 MCr

### GTL10+

Volume: 1 space  
Mass: 3.1 stons  
Cost: 0.027 MCr

---

Note that a fission engineering module cannot be used with many normal modules, because GURPS Traveller modules include a 'slice' of the power plant. Instead, use the fission modules provided in this appendix. This limitation does not apply to modules without a significant power plant slice, such as hold modules.

At GTL9 the only difference between fission and fusion 'slices' is that fission slices are Cr60 per kilowatt cheaper. Thus, using a standard GTL9 fusion-powered module will result in a slight overestimation of the cost of the equivalent fission-powered module.

---

## Drive Modules

Jump drive is introduced at GTL9. It is incredibly bulky and requires a lot of crew. A GTL9 jump module has the following stats:

---

Volume: 2 spaces  
Mass: 5 stons  
Cost: 5 MCr  
Crew: 0.1 per module

---

Fusion plants at GTL11 and above are identical, as are jump drive components, thus the values given for the GTL12 jump drive module apply for GTL11 and GTL13 jump drive modules as well.

Maximum jump numbers at each tech level are given in the *GURPS Traveller* rules. Remember that you can't exceed these limits!

A GTL9 reactionless thruster module has the following stats:

---

Trust produced: 5 tons
Volume: 1 space
Mass: 4 stons
Cost: 1.45 MCr
Crew: 0.1 per module

---

As with jump drives, there is no difference between GTL11 and GTL12 thrusters.

## Orion Drive Modules

Also called nuclear pulse drives, Orion thrusters work by detonating a nuclear bomb under a large hemispherical baseplate. The plate, with the rest of the ship mounted on *large* shock absorbers, is thrust forwards. Orion drives are large, uncomfortable, and anything but subtle—but they work.

Orion engines are rarely encountered in the Traveller universe, because of the early advent of reactionless thrusters. However, they can provide low-tech planets with a nasty surprise for intruders: the bombs themselves are dangerous at close range, while they can also be used to trigger nuclear-pumped x-ray lasers. The effective thrust of an Orion drive is dependent on two factors: the yield of the propellant bombs, and the pulse rate (the number of bombs exploded per second).

$$\text{thrust} = 200 \text{ tons} \times \text{yield} \times \text{pulse rate}$$

An Orion drive consists of a baseplate module, plus a variable number of shock absorber and bomb delivery modules.

### Baseplate Module

Every Orion drive requires one of these.

---

Volume: 2 spaces
Mass: 50 stons
Cost: $0.1 \text{ MCr} \times \sqrt{\text{BPS}}$

---

### Bomb Delivery Module

Every Orion drive requires at least one of these. Multiple modules can be used to give higher pulse rates, up to a maximum rate of 10 bombs per second.

---

Volume: 0.5 spaces	
Mass: 12.5 stons	
Cost: $0.25 \text{ MCr} \times \sqrt{\text{BPS}}$	
Maximum output:	
GTL7	2.5
GTL8	5
GTL9+	10

---

### Shock Absorber Module

Every Orion drive requires at least one of these. Install one shock absorber module for every kiloton yield of the drive bombs.

---

	GTL7	GTL8	GTL9+
Volume (spaces):	2	1	0.5
Mass (stons):	50	25	12.5
Cost (MCr):	0.1	0.05	0.025

---

*Note: multiply cost by  $\sqrt{\text{BPS}}$*

### Bomb Rack Module

An Orion drive requires bombs. Divide the number of bombs carried by the pulse rate to determine maximum time under full acceleration. (Of course, a lower pulse rate, and hence lower acceleration, is always possible.)

---

Volume: 1 space
Mass: 12.5 stons (when loaded)
Cost: 25 MCr (to load)

---

Depending on yield and tech level, each bomb rack module can store the following number of bombs.

---

Yield	GTL7	GTL8	GTL9	GTL10+
1	595	1190	2380	100000
2	568	1136	2272	50000
5	500	1000	2000	20000
10	416	833	1666	10000
20	312	625	1250	5000
50	178	357	714	2000
100	104	208	416	1000
200	56	113	227	500
500	24	48	96	200
1000	12	24	49	100
2000	6	12	24	50
5000	2	4	9	20
10000	1	2	4	10

---

# Appendix C: Design Details

## Aablan-class Freighter (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to commercial standards.

Structure	Spaces	Mass	Cost	Area	Crew
5,000-dton medium hull, std. mat.	(5,000.0)	100.2	5.5	10,267	—
DR 100 crystaliron armour	—	501.2	6.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
150 jump drive modules	150.0	544.2	465.0	—	6
400 thrusters (14,512.0 tonnes thrust)	400.0	1,233.5	64.0	—	6.7
1,000 internal jump fuel tanks	1,000.0	272.1	160.0	—	—
1,000 -dtons jump fuel	(1,000.0)	(907.0)	(0.3)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
10 utility modules	10.0	104.3	3.0	—	—
9 crew staterooms	36.0	19.6	0.1	—	—
3,400.5-dton cargo hold	3,400.5	—	—	—	—
Cargo	(3,400.5)	(15,421.3)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	5,000.0	2,786.6	708.6	10,267	14
Fitted out with full crew	5,000.0	19,114.9	708.6	10,267	16

## Aakroyss-class Merchant (GTL11)

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, standard materials(320.0)	14.0	2.5	20,519	—	—
2 turrets (DR 100)	2.0	5.5	0.3	1,600	—
DR 100 superdense armour	—	55.8	0.7	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
12 jump drive modules	12.0	43.5	36.6	—	0.2
12 thrusters (1,088.4 tonnes thrust)	12.0	43.5	7.8	—	0.2
80 internal jump fuel tanks	80.0	21.8	12.8	—	—
1 fuel processor	1.0	1.0	0.9	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple sandcaster turret	(3.0)	13.6	0.8	—	1
1 triple 97 MJ PD laser turret	(3.0)	13.3	1.3	—	1-1
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
3 nests for 18 high passengers	36.0	16.3	0.1	—	0.9
1 crew nest	12.0	5.4	0.0	—	—
160.5-dton cargo hold	160.5	—	—	—	—
Cargo	(160.5)	(727.9)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty	320.0	255.3	68.1	22,119	0
Fitted out	320.0	1,055.7	68.1	22,119	0

## Aardvark-class Trader (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to commercial standards.

Structure	Spaces	Mass	Cost	Area	Crew
300-dton medium hull, std. mat.	(240.0)	15.4	2.0	1,573	—
DR 100 crystaliron armour	—	76.8	1.0	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
6 jump drive modules	6.0	21.8	18.6	—	0.2
18 thrusters (653.0 tonnes thrust)	18.0	55.5	2.9	—	0.3
30 internal jump fuel tanks	30.0	8.2	4.8	—	—
30 -dtons jump fuel	(30.0)	(27.2)	(0.0)	—	—
1 fuel processor	1.0	1.0	0.9	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
20 Staterooms for 20 high passengers	80.0	43.5	0.2	—	1
5 low berths for 20 low passengers	2.5	9.1	1.1	—	—
3 crew staterooms	12.0	6.5	0.0	—	—
86.0-dton cargo hold	86.0	—	—	—	—
Cargo	(86.0)	(390.0)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	240.0	259.6	36.2	1,573	2
Fitted out with full crew	240.0	676.8	36.2	1,573	5

## Aekguthang-class Assault Cutter (GTL10)

*Design Parameters:* Built for Vargr crew. Designed to military standards.

Structure	Spaces	Mass	Cost	Area	Crew
20-dton medium hull, std. mat.	(16.0)	2.5	0.3	258	—
DR 100 crystaliron armour	—	12.6	0.2	—	—
Basic stealth	—	0.6	0.2	—	—
Basic emission cloaking	—	0.6	0.2	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.6	2.7	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
5 thrusters (181.4 tonnes thrust)	5.0	15.4	0.8	—	0.1
Weaponry	Spaces	Mass	Cost	Area	Crew
1 fixed 250 MJ laser	1.0	7.5	0.8	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
3 passenger couches	3.0	1.5	0.0	—	—
6.0-dton cargo hold	6.0	—	—	—	—
Cargo	(6.0)	(27.2)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	16.0	45.4	5.2	258	1
Fitted out with full crew	16.0	72.6	5.2	258	1



## Alderbaran-class Heavy Cruiser (GTL11)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited. Contains nonstandard modules (briefing room).

Structure	Spaces	Mass	Cost	Area	Crew
30,000-dton medium hull, std. mat.	(30,000.0)	248.2	18.2	33,902	—
26 turrets (DR 4000)	26.0	2,278.5	31.0	1,932	—
20 large external bays (DR 4000)	400.0	28,479.8	384.4	24,154	—
DR 10000 superdense armour	—	99,298.1	1,313.8	—	—
Heavy compartmentalization	—	24.8	0.3	—	—
Basic stealth	—	146.4	48.4	—	—
Basic emission cloaking	—	146.4	48.4	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	20.9	12.0	—	1-10
Basic bridge with hardened controls	2.5	9.3	6.2	—	0-0
1 advanced sensor	8.0	69.2	69.0	—	0-1
1 electronic warfare suite	3.0	36.6	10.5	—	2
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
1,580 jump drive modules	1,580.0	5,732.2	4,819.0	—	31.6
6,500 thrusters (589,550 tonnes)	6,500.0	23,582.0	4,225.0	—	130
12,640 internal jump fuel tanks	12,640.0	3,439.3	2,022.4	—	—
12,640 -dtons jump fuel	(12,640.0)	(11,464.5)	(4.4)	—	—
5.5 fuel scoops	5.5	2.8	0.0	—	—
100 fuel processors	100.0	99.8	85.0	—	—
2 workshops	5.0	27.2	0.1	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
26 triple 97 MJ PD laser turrets	(78.0)	345.9	32.8	—	3-26
20 large heavy missile bays	(2,000.0)	2,739.1	44.0	—	40
2.8 TJ spinal particle accelerator	7,440.0	67,318.4	4,618.0	—	76
32 nuclear damper modules	32.0	296.0	128.0	—	4
156 meson screen modules	156.0	707.5	358.8	—	4
Ordnance	Spaces	Mass	Cost	Area	Crew
30,000 ready heavy missiles	—	(20,407.5)	(6,000.0)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
Hanger for Fighters with 1 entrance	600.0	0.9	0.0	—	—
10 Luzon Aerospace Fighters	(300.0)	(4,396.0)	(254.8)	—	30
Hanger for Cutters	80.0	—	—	—	—
2 Estevan Cutters	(40.0)	(45.4)	(8.6)	—	—
Barracks	Spaces	Mass	Cost	Area	Crew
1 marine stateroom	4.0	1.8	0.0	—	—
4 marine bunkrooms	16.0	6.9	0.1	—	—
6 briefing rooms	6.0	0.1	0.0	—	—
2 weapons lockers	2.0	12.7	0.1	—	—
4 gyms	10.0	1.8	0.0	—	—
2 shooting ranges	20.0	18.1	0.3	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
60 utility modules	60.0	625.8	15.0	—	—
29 crew bunkrooms	116.0	50.0	0.5	—	—
10 sickbays	25.0	46.3	2.1	—	10
2 surgical theatres	2.0	0.7	0.2	—	—
2 brigs	2.0	12.7	0.1	—	—
153.0-dton cargo hold	153.0	—	—	—	—
Cargo	(153.0)	(693.9)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	30,000.0	235,829.8	18,293.9	59,988	165
Fitted out with full crew	30,000.0	272,837.1	24,557.3	59,988	342

## Ampi-class Express Freighter (GTL12)

*Design Parameters:* Built for Imperial human crew. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
5,000-dton medium hull, std. mat.	(5,000.0)	50.1	5.5	10,267	—
2 turrets (DR 100)	2.0	3.7	0.1	148	—
DR 100 bonded superdense armour	—	200.5	2.7	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.1	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
350 jump drive modules	350.0	1,269.8	1,067.5	—	3.5
100 thrusters (9,070.0 tonnes thrust)	100.0	362.8	65.0	—	1
3,000 internal jump fuel tanks	3,000.0	816.3	480.0	—	—
3,000 -dtons jump fuel	(3,000.0)	(2,721.0)	(1.0)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple sandcaster turret	(3.0)	13.6	0.8	—	1
1 triple 102 MJ PD laser turret	(3.0)	14.0	0.9	—	1-1
Other Modules	Spaces	Mass	Cost	Area	Crew
10 utility modules	10.0	104.3	2.5	—	—
5 low berths for 20 low passengers	2.5	9.1	1.1	—	—
8 crew staterooms	32.0	14.5	0.1	—	—
1,500.0-dton cargo hold	1,500.0	—	—	—	—
Cargo	(1,500.0)	(6,802.5)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	5,000.0	2,868.6	1,629.4	10,416	6
Fitted out with full crew	5,000.0	12,392.1	1,629.4	10,416	10

## Angbar-class Heavy Fighter (GTL10)

Structure	Spaces	Mass	Cost	Area	Crew
20-ton hull	(20.0)	2.7	0.2	278.7	0.0
Airtight sealing	0.0	0.0	0.0	0.0	0.0
Armour: DR3000, PD4	0.0	408.1	5.4	0.0	0.0
Basic stealth	0.0	0.7	0.2	0.0	0.0
Basic emission cloaking	0.0	0.7	0.2	0.0	0.0
Drive Modules	Spaces	Mass	Cost	Area	Crew
Maneuver drive (1.2G)	16.0	49.3	2.6	0.0	0.3
Weapon Modules	Spaces	Mass	Cost	Area	Crew
Missile Rack	1.0	11.8	0.0	0.0	0.0
2 360-MJ Lasers	2.0	21.8	2.1	0.0	0.0
Workspace Modules	Spaces	Mass	Cost	Area	Crew
Hardened Cockpit	1.0	4.6	2.5	0.0	1.0
Miscellaneous Items	Spaces	Mass	Cost	Area	Crew
Missiles	0.0	0.0	2.5	0.0	0.0
Totals	Spaces	Mass	Cost	Area	Crew
Fully loaded & fitted out	20.0	499.7	15.7	278.7	1.0
Unloaded with skeleton crew	20.0	499.7	13.2	278.7	1.0

## Anhk-class Merchant (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to commercial standards. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
1,200-dton medium hull, std. mat.	(960.0)	38.7	5.1	3,965	—
4 turrets (DR 100)	4.0	17.5	0.6	297	—
DR 100 crystaliron armour	—	193.6	2.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
36 jump drive modules	36.0	130.6	111.6	—	1.4
85 thrusters (3,083.8 tonnes thrust)	85.0	262.1	13.6	—	1.4
240 internal jump fuel tanks	240.0	65.3	38.4	—	—
240 -dtons jump fuel	(240.0)	(217.7)	(0.1)	—	—
1 fuel processor	1.0	1.0	0.9	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple sandcaster turret	(3.0)	13.6	0.8	—	1
2 triple 250 MJ laser turrets	(6.0)	45.3	4.9	—	1-2
1 triple 90 MJ PD laser turret	(3.0)	15.9	1.8	—	1-1
Other Modules	Spaces	Mass	Cost	Area	Crew
2 utility modules	2.0	20.9	0.6	—	—
50 Staterooms for 50 high passengers	200.0	108.8	0.6	—	2.5
7 low berths for 28 low passengers	3.5	12.7	1.5	—	—
7 crew staterooms	28.0	15.2	0.1	—	—
1 sickbay	1.0	0.7	0.2	—	1
356.0-dton cargo hold	356.0	—	—	—	—
Cargo	(356.0)	(1,614.5)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	960.0	953.4	187.5	4,262	4
Fitted out with full crew	960.0	2,785.5	187.5	4,262	13

## Ankrak-class Freighter (GTL10)

*Design Parameters:* Built for Drakaran crew. Designed to commercial standards.

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, std. mat.	(400.0)	18.6	1.0	1,906	—
DR 100 crystaliron armour	—	93.1	1.2	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
12 jump drive modules	12.0	43.5	37.2	—	0.5
41 thrusters (1,487.5 tonnes thrust)	41.0	126.4	6.6	—	0.7
80 internal jump fuel tanks	80.0	21.8	12.8	—	—
80 -dtons jump fuel	(80.0)	(72.6)	(0.0)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
3 crew staterooms	12.0	6.5	0.0	—	—
20 passageways	20.0	—	—	—	—
250.5-dton cargo hold	250.5	—	—	—	—
Cargo	(250.5)	(1,136.0)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	400.0	331.8	63.5	1,906	3
Fitted out with full crew	400.0	1,540.4	63.5	1,906	5

## Antillé-class Trader (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to commercial standards. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
300-dton medium hull, std. mat.	(240.0)	15.4	2.0	1,573	—
3 turrets (DR 100)	3.0	13.1	0.4	222	—
DR 100 crystaliron armour	—	76.8	1.0	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
9 jump drive modules	9.0	32.7	27.9	—	0.4
23 thrusters (834.4 tonnes thrust)	23.0	70.9	3.7	—	0.4
60 internal jump fuel tanks	60.0	16.3	9.6	—	—
60 -dtons jump fuel	(60.0)	(54.4)	(0.0)	—	—
1 fuel processor	1.0	1.0	0.9	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple sandcaster turret	(3.0)	13.6	0.8	—	1
1 triple 250 MJ laser turret	(3.0)	22.6	2.5	—	1-1
1 triple 90 MJ PD laser turret	(3.0)	15.9	1.8	—	1-1
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
12 Staterooms for 12 high passengers	48.0	26.1	0.1	—	0.6
3 low berths for 12 low passengers	1.5	5.4	0.7	—	—
5 crew staterooms	20.0	10.9	0.1	—	—
70.0-dton cargo hold	70.0	—	—	—	—
Cargo	(70.0)	(317.5)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	240.0	342.7	56.0	1,796	2
Fitted out with full crew	240.0	714.5	56.0	1,796	8

## Aramine-class Liner (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to commercial standards. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
1,200-dton medium hull, std. mat.	(960.0)	38.7	5.1	3,965	—
4 turrets (DR 100)	4.0	17.5	0.6	297	—
DR 100 crystaliron armour	—	193.6	2.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
48 jump drive modules	48.0	174.1	148.8	—	1.9
78 thrusters (2,829.8 tonnes thrust)	78.0	240.5	12.5	—	1.3
360 internal jump fuel tanks	360.0	98.0	57.6	—	—
360 -dtons jump fuel	(360.0)	(326.5)	(0.1)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
2 triple sandcaster turrets	(6.0)	27.2	1.5	—	2
1 triple 250 MJ laser turret	(3.0)	22.6	2.5	—	1-1
1 triple 90 MJ PD laser turret	(3.0)	15.9	1.8	—	1-1
Other Modules	Spaces	Mass	Cost	Area	Crew
2 utility modules	2.0	20.9	0.6	—	—
40 Staterooms for 40 high passengers	160.0	87.1	0.5	—	2
10 low berths for 40 low passengers	5.0	18.1	2.2	—	—
8 crew staterooms	32.0	17.4	0.1	—	—
1 sickbay	1.0	0.7	0.2	—	1
266.5-dton cargo hold	266.5	—	—	—	—
Cargo	(266.5)	(1,208.6)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	960.0	983.8	240.7	4,262	5
Fitted out with full crew	960.0	2,518.9	240.7	4,262	14

## Arasfor-class Destroyer (GTL9)

Structure	Spaces	Mass	Cost	Area	Crew
1200-ton hull	(1200.0)	68.0	2.5	4645.2	0.0
Airtight sealing	0.0	0.0	0.6	0.0	0.0
Armour: DR1000, PD4	0.0	4054.3	53.6	0.0	0.0
Heavy compartmentalization	0.0	6.8	0.1	0.0	0.0
12 turrets (36 spaces)	12.0	9.0	0.5	891.9	12.0
Basic stealth	0.0	13.5	4.5	0.0	0.0
Basic emission cloaking	0.0	13.5	4.5	0.0	0.0
<b>Drive Modules</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Engineering module	3.5	11.3	5.0	0.0	0.0
Jump drive (1 parsec)	48.0	174.1	120.0	0.0	4.8
Jump tanks	240.0	283.0	38.4	0.0	0.0
Fusion rocket (2.3G)	250.0	2828.7	312.5	0.0	0.0
Rocket fuel tank (1.3 hours)	550.0	7794.5	88.0	0.0	0.0
Fuel processor module (30.0 hours)	1.0	1.0	0.9	0.0	0.0
<b>Weapon Modules</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
12 Missile Racks	(12.0)	141.5	0.2	0.0	0.0
12 102-MJ Lasers	(12.0)	94.9	17.3	0.0	0.0
12 sandcasters	(12.0)	54.4	3.0	0.0	0.0
<b>Workspace Modules</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Hardened Command Bridge	6.0	26.9	22.3	0.0	4.0
3 utility modules	3.0	31.3	0.9	0.0	0.0
3 Vehicle Bays	63.0	136.1	4.5	0.0	0.0
Hold	11.5	0.0	0.0	0.0	0.0
<b>Accommodation Modules</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
stateroom	4.0	2.7	0.0	0.0	0.0
2 bunkrooms sleeping 32 personnel	8.0	8.7	0.0	0.0	0.0
<b>Miscellaneous Items</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Fuel	(240.0)	0.0	0.1	0.0	0.0
Cargo	(11.5)	(52.2)	0.0	0.0	0.0
Gig	(20.0)	(70.6)	(5.5)	0.0	1.0
2 <i>Elding</i> Light Fighters	(40.0)	(516.2)	(35.6)	0.0	2.0
Missiles	0.0	0.0	29.5	0.0	0.0
Sand cannisters	0.0	0.0	1.0	0.0	0.0
<b>Totals</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Fully loaded & fitted out	1200.0	16393.3	663.1	5537.0	33.0
Unloaded with skeleton crew	1200.0	15754.4	591.4	5537.0	8.0

## Arduin-class Light Cruiser (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited. Contains nonstandard modules (briefing room).

Structure	Spaces	Mass	Cost	Area	Crew
7,500-dton medium hull, std. mat.	(7,500.0)	131.4	7.2	13,454	—
20 turrets (DR 500)	20.0	377.8	5.6	1,486	—
4 large external bays (DR 500)	80.0	1,215.4	17.6	4,830	—
DR 1000 crystaliron armour	—	6,567.7	86.9	—	—
Heavy compartmentalization	—	13.1	0.1	—	—
Basic stealth	—	48.3	16.0	—	—
Basic emission cloaking	—	48.3	16.0	—	—
<b>CCCI</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
<b>Engineering</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
1 fusion engineering module	1.0	3.6	0.3	—	—
313 jump drive modules	313.0	1,135.6	970.3	—	12.5
2,150 thrusters (78,002.0 tonnes thrust)	2,150.0	6,630.2	344.0	—	35.8
3,000 internal jump fuel tanks	3,000.0	816.3	480.0	—	—
3,000 -dtons jump fuel	(3,000.0)	(2,721.0)	(1.0)	—	—
2.5 fuel scoops	2.5	1.3	0.0	—	—
10 fuel processors	10.0	10.0	8.5	—	—
<b>Weaponry</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
10 triple 90 MJ PD laser turrets	(30.0)	159.2	17.7	—	1-10
10 single 810 MJ heavy laser turrets	(30.0)	251.2	27.0	—	1-10
2 large light missile bays	(200.0)	47.7	1.3	—	4
2 large heavy missile bays	(200.0)	273.9	4.4	—	4
570 GJ spinal particle accelerator	1,512.0	13,685.7	1,034.0	—	17
1 nuclear damper module	4.0	37.7	16.2	—	4
<b>Ordnance</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
16,400 ready light missiles	—	(2,231.2)	(590.4)	—	—
3,000 ready heavy missiles	—	(2,040.8)	(540.0)	—	—
<b>Auxiliaries</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Hanger for <i>Astras</i> with 1 entrance	40.0	0.9	0.0	—	—
2 <i>Astra</i> Launches	(20.0)	(43.2)	(7.1)	—	2
Hanger for <i>Fireflies</i> with 1 entrance	20.0	0.9	0.0	—	—
10 <i>Firefly</i> Light Fighters	(10.0)	(471.0)	(52.1)	—	20
Hanger for <i>Hyenas</i>	240.0	—	—	—	—
4 <i>Hyena</i> Medium Fighters	(120.0)	(567.2)	(61.0)	—	8
<b>Barracks</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
2 marine bunkrooms	8.0	8.7	0.0	—	—
1 briefing room	1.0	0.0	0.0	—	—
2 battledress racks	2.0	52.2	—	—	—
1 weapons locker	1.0	6.3	0.0	—	—
1 gym	2.5	0.5	0.0	—	—
1 shooting range	10.0	9.1	0.2	—	—
<b>Other Modules</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
15 utility modules	15.0	156.5	4.5	—	—
10 crew bunkrooms	40.0	43.5	0.2	—	—
2 sickbays	5.0	9.3	0.5	—	2
18.0-dton cargo hold	18.0	—	—	—	—
Cargo	(18.0)	(81.6)	—	—	—
<b>Totals</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Empty with skeleton crew	7,500.0	31,763.8	3,071.2	19,771	50
Fitted out with full crew	7,500.0	39,919.8	4,321.7	19,771	122

## Ariasa-class Subsidized Packet (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to commercial standards. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, std. mat.	(320.0)	9.3	2.5	1,906	—
2 turrets (DR 100)	2.0	3.7	0.2	148	—
DR 100 bonded superdense armour	—	37.2	0.5	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.1	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
20 jump drive modules	20.0	72.6	61.0	—	0.2
10 thrusters (907.0 tonnes thrust)	10.0	36.3	6.5	—	0.1
160 internal jump fuel tanks	160.0	43.5	25.6	—	—
160 -dtons jump fuel	(160.0)	(145.1)	(0.1)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple sandcaster turret	(3.0)	13.6	0.8	—	1
1 triple 102 MJ PD laser turret	(3.0)	14.0	0.9	—	1-1
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
4 Staterooms for 8 middle passengers	16.0	7.3	0.0	—	0.2
1 low berth for 4 low passengers	0.5	1.8	0.2	—	—
3 crew staterooms	12.0	5.4	0.0	—	—
95.0-dton cargo hold	95.0	—	—	—	—
Cargo	(95.0)	(430.8)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	320.0	265.0	101.8	2,054	2
Fitted out with full crew	320.0	841.0	101.8	2,054	5

## Arisha-class Subsidized Merchant (GTL11)

*Design Parameters:* Built for Imperial human crew. Designed to commercial standards. Metric measurements, turrets are not counted towards jump volume, weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, standard materials(320.0)	14.0	2.5	20,519	—	—
2 turrets (DR 100)	2.0	5.5	0.3	1,600	—
DR 100 superdense armour	—	55.8	0.7	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.2	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
8 jump drive modules	8.0	29.0	24.4	—	0.2
11 thrusters (997.7 tonnes thrust)	11.0	39.9	7.1	—	0.2
40 internal jump fuel tanks	40.0	10.9	6.4	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
2 empty turrets	(6.0)	—	—	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
20 Staterooms for 20 high passengers	80.0	36.3	0.2	—	1
3 low berths for 12 low passengers	1.5	5.4	0.7	—	—
2 crew staterooms	8.0	3.6	0.0	—	—
165.0-dton cargo hold	165.0	—	—	—	—
Cargo	(165.0)	(748.3)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty	320.0	220.8	45.9	22,119	0
Fitted out	320.0	1,005.3	45.9	22,119	0

## Armageddon-class Bombardment Cruiser (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited. Contains nonstandard modules (briefing room).

Structure	Spaces	Mass	Cost	Area	Crew
10,000-dton medium hull, std. mat.(10,000.0)	159.1	8.8	16,298	—	—
5 turrets (DR 2000)	5.0	366.5	5.0	371	—
8 large internal bays	800.0	72.6	4.0	—	—
DR 5000 crystaliron armour	—	39,781.3	526.3	—	—
Total compartmentalization	—	31.8	0.4	—	—
Radical stealth	—	81.4	134.6	—	—
Radical emission cloaking	—	81.4	134.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
2 fusion engineering modules	2.0	7.3	0.6	—	—
400 jump drive modules	400.0	1,451.2	1,240.0	—	16
3,800 thrusters (137,864.0 tonnes thrust)	3,800.0	11,718.4	608.0	—	63.3
3,000 internal jump fuel tanks	3,000.0	816.3	480.0	—	—
3,000 -dtons jump fuel	(3,000.0)	(2,721.0)	(1.0)	—	—
1 workshop	2.5	13.6	0.1	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
5 triple 90 MJ PD laser turrets	(15.0)	79.6	8.8	—	1-5
8 large heavy missile bays	(800.0)	1,095.7	17.6	—	16
570 GJ spinal particle accelerator	1,512.0	13,685.7	1,034.0	—	17
1 nuclear damper module	4.0	37.7	16.2	—	4
Ordnance	Spaces	Mass	Cost	Area	Crew
200 magazines	200.0	1,133.8	25.0	—	—
12,000 ready heavy missiles	—	(8,163.0)	(2,160.0)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
Hanger for 2 Gigs with 1 entrance	80.0	0.9	0.0	—	—
2 Gigs	(40.0)	(141.2)	(11.0)	—	2
Barracks	Spaces	Mass	Cost	Area	Crew
2 marine bunkrooms	8.0	8.7	0.0	—	—
1 briefing room	1.0	0.0	0.0	—	—
1 gym	2.5	0.5	0.0	—	—
1 shooting range	10.0	9.1	0.2	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
20 utility modules	20.0	208.6	6.0	—	—
12 crew bunkrooms	48.0	52.2	0.2	—	—
2 sickbays	2.0	1.4	0.3	—	2
98.0-dton cargo hold	98.0	—	—	—	—
Cargo	(98.0)	(444.4)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	10,000.0	70,916.4	4,263.3	16,670	81
Fitted out with full crew	10,000.0	82,386.0	6,434.3	16,670	130

## Astra-class Launch (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to military standards.

Structure	Spaces	Mass	Cost	Area	Crew
10-dton medium hull, std. mat.	(8.0)	1.6	0.2	162	—
DR 100 crystaliron armour	—	8.0	0.1	—	—
Basic stealth	—	0.4	0.1	—	—
Basic emission cloaking	—	0.4	0.1	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.6	2.7	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
2 thrusters (72.6 tonnes thrust)	2.0	6.2	0.3	—	0.0
Other Modules	Spaces	Mass	Cost	Area	Crew
1 passenger couch	1.0	0.5	0.0	—	—
4.0-dton cargo hold	4.0	—	—	—	—
Cargo	(4.0)	(18.1)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	8.0	21.6	3.6	162	1
Fitted out with full crew	8.0	39.7	3.6	162	1

## Astron-class Express Trader (GTL12)

*Design Parameters:* Built for Imperial human crew. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, std. mat.	(400.0)	9.3	1.0	1,906	—
2 turrets (DR 100)	2.0	3.7	0.1	148	—
DR 100 bonded superdense armour	—	37.2	0.5	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.1	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
20 jump drive modules	20.0	72.6	61.0	—	0.2
10 thrusters (907.0 tonnes thrust)	10.0	36.3	6.5	—	0.1
160 internal jump fuel tanks	160.0	43.5	25.6	—	—
160 -dtons jump fuel	(160.0)	(145.1)	(0.1)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
2 empty turrets	(6.0)	—	—	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
24 Staterooms for 24 passengers	96.0	43.5	0.3	—	1.2
3 low berths for 12 low passengers	1.5	5.4	0.7	—	—
4 crew staterooms	16.0	7.3	0.0	—	—
90.0-dton cargo hold	90.0	—	—	—	—
Cargo	(90.0)	(408.1)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	400.0	279.1	99.2	2,054	2
Fitted out with full crew	400.0	832.4	99.2	2,054	5

## Augustus Deo-class Fast Liner (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to commercial standards. Turrets are counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
600-dton medium hull, std. mat.	(600.0)	24.4	1.3	2,497	—
6 turrets (DR 100)	6.0	26.3	0.5	445	—
DR 100 crystaliron armour	—	121.9	1.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
25 jump drive modules	25.0	90.7	77.5	—	1
30 thrusters (1,088.4 tonnes thrust)	30.0	92.5	4.8	—	0.5
183 internal jump fuel tanks	183.0	49.8	29.3	—	—
183 -dtons jump fuel	(183.0)	(166.0)	(0.1)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
4 empty turrets	(12.0)	—	—	—	—
1 triple sandcaster turret	(3.0)	13.6	0.8	—	1
1 triple 90 MJ PD laser turret	(3.0)	15.9	1.8	—	1-1
Other Modules	Spaces	Mass	Cost	Area	Crew
2 utility modules	2.0	20.9	0.6	—	—
55 Staterooms for 55 high passengers	220.0	119.7	0.7	—	2.8
5 low berths for 20 low passengers	2.5	9.1	1.1	—	—
7 crew staterooms	28.0	15.2	0.1	—	—
1 hall	10.0	0.2	0.0	—	—
1 theatre	20.0	1.9	0.0	—	1
1 sickbay	1.0	0.7	0.2	—	1
69.0-dton cargo hold	69.0	—	—	—	—
Cargo	(69.0)	(312.9)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	600.0	614.2	124.5	2,943	3
Fitted out with full crew	600.0	1,093.1	124.5	2,943	12

## Auldwich-class Light Destroyer (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited. Contains nonstandard modules (briefing room).

Structure	Spaces	Mass	Cost	Area	Crew
2,000-dton medium hull, std. mat.	(2,000.0)	54.4	3.0	5,574	—
20 turrets (DR 650)	20.0	486.6	7.1	1,486	—
DR 1300 crystaliron armour	—	3,537.3	46.8	—	—
Total compartmentalization	—	10.9	0.1	—	—
Basic stealth	—	17.2	5.7	—	—
Basic emission cloaking	—	17.2	5.7	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
2 fusion engineering modules	2.0	7.3	0.6	—	—
60 jump drive modules	60.0	217.7	186.0	—	2.4
1,100 thrusters (39,908.0 tonnes thrust)	1,100.0	3,392.2	176.0	—	18.3
400 internal jump fuel tanks	400.0	108.8	64.0	—	—
400 -dtons jump fuel	(400.0)	(362.8)	(0.1)	—	—
1 workshop	2.5	13.6	0.1	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
8 triple light missile turrets	(24.0)	6.5	0.1	—	8
2 triple sandcaster turrets	(6.0)	27.2	1.5	—	2
4 triple 250 MJ laser turrets	(12.0)	90.6	9.8	—	1-4
6 single 810 MJ heavy laser turrets	(18.0)	150.7	16.2	—	1-6
Ordnance	Spaces	Mass	Cost	Area	Crew
1,968 ready light missiles	—	(267.7)	(70.8)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
10 bays for <i>Langsdale</i> Attack Fighters	315.0	0.5	0.0	—	—
10 <i>Langsdale</i> Attack Fighters	(300.0)	(1,663.0)	(98.5)	—	20
1 bay for Gig	21.0	0.5	0.0	—	—
1 Gig	(20.0)	(70.6)	(5.5)	—	2
Barracks	Spaces	Mass	Cost	Area	Crew
2 marine bunkrooms	8.0	8.7	0.0	—	—
1 briefing room	1.0	0.0	0.0	—	—
1 weapons locker	1.0	6.3	0.0	—	—
1 gym	2.5	0.5	0.0	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
4 utility modules	4.0	41.7	1.2	—	—
6 crew bunkrooms	24.0	26.1	0.1	—	—
1 sickbay	1.0	0.7	0.2	—	1
33.0-dton cargo hold	33.0	—	—	—	—
Cargo	(33.0)	(149.7)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	2,000.0	8,244.9	536.9	7,060	22
Fitted out with full crew	2,000.0	10,758.7	711.7	7,060	62

## Avoram-class System Defense Boat (GTL11)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
600-dton medium hull, std. mat.	(600.0)	18.3	1.3	2,497	—
6 turrets (DR 4000)	6.0	525.8	7.2	445	—
DR 15000 superdense armour	—	10,974.5	145.2	—	—
Total compartmentalization	—	3.7	0.0	—	—
Radical stealth	—	14.4	23.8	—	—
Radical emission cloaking	—	14.4	23.8	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge with hardened controls	2.5	9.3	6.2	—	1-5
1 enhanced sensor	4.0	34.6	33.2	—	0-1
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
570 thrusters (51,699.0 tonnes thrust)	570.0	2,068.0	370.5	—	11.4
Weaponry	Spaces	Mass	Cost	Area	Crew
6 single 870 MJ heavy laser turrets	(18.0)	160.5	9.4	—	1-6
1 nuclear damper module	1.0	9.3	4.0	—	4
Other Modules	Spaces	Mass	Cost	Area	Crew
2 utility modules	2.0	20.9	0.5	—	—
3 crew bunkrooms	12.0	5.2	0.1	—	—
1.5-dton cargo hold	1.5	—	—	—	—
Cargo	(1.5)	(6.8)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	600.0	13,862.0	625.3	2,943	13
Fitted out with full crew	600.0	13,868.8	625.3	2,943	23

## Baarnekki-class Fast Trader (GTL11)

*Design Parameters:* Built for Imperial human crew. Designed to commercial standards.

Structure	Spaces	Mass	Cost	Area	Crew
300-dton medium hull, std. mat.	(240.0)	11.5	2.0	16,938	—
DR 100 superdense armour	—	46.1	0.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.2	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
15 jump drive modules	15.0	54.4	45.8	—	0.3
8 thrusters (725.6 tonnes thrust)	8.0	29.0	5.2	—	0.2
120 internal jump fuel tanks	120.0	32.7	19.2	—	—
120 -dtons jump fuel	(120.0)	(108.8)	(0.0)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
3 crew staterooms	12.0	5.4	0.0	—	—
80.5-dton cargo hold	80.5	—	—	—	—
Cargo	(80.5)	(365.1)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty	240.0	199.5	76.4	16,938	0
Fitted out	240.0	673.4	76.4	16,938	0

## Baboon-class Scoopship (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards.

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, std. mat.	(320.0)	9.3	2.5	1,906	—
DR 200 bonded superdense armour	—	74.4	1.0	—	—
Basic stealth	—	4.7	1.5	—	—
Basic emission cloaking	—	4.7	1.5	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge with hardened controls	2.5	9.3	6.1	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
20 thrusters (1,814.0 tonnes thrust)	20.0	72.6	13.0	—	0.2
287 internal jump fuel tanks	287.0	78.1	45.9	—	—
287 -dtons jump fuel	(287.0)	(260.3)	(0.1)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
2 crew staterooms	8.0	3.6	0.0	—	—
0.5-dton cargo hold	0.5	—	—	—	—
Cargo	(0.5)	(2.3)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	320.0	270.4	72.0	1,906	2
Fitted out with full crew	320.0	533.0	72.0	1,906	3

## Banshee-class Light Fighter (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards.

Structure	Spaces	Mass	Cost	Area	Crew
10-dton medium hull, std. mat.	(8.0)	0.8	0.2	162	—
DR 300 bonded superdense armour	—	9.5	0.1	—	—
Basic stealth	—	0.4	0.1	—	—
Basic emission cloaking	—	0.4	0.1	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.4	2.5	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
4 thrusters (362.8 tonnes thrust)	4.0	14.5	2.6	—	0.0
Weaponry	Spaces	Mass	Cost	Area	Crew
3 fixed 405 MJ lasers	3.0	21.2	2.0	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	8.0	51.3	7.7	162	1
Fitted out with full crew	8.0	51.3	7.7	162	1

## Bargam-class Tramp Trader (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to commercial standards. Turrets are counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
200-dton medium hull, std. mat.	(160.0)	11.7	1.6	1,200	—
2 turrets (DR 100)	2.0	8.8	0.3	148	—
DR 100 crystaliron armour	—	58.6	0.8	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
4 jump drive modules	4.0	14.5	12.4	—	0.2
17 thrusters (616.8 tonnes thrust)	17.0	52.4	2.7	—	0.3
20 internal jump fuel tanks	20.0	5.4	3.2	—	—
20 -dtons jump fuel	(20.0)	(18.1)	(0.0)	—	—
1 fuel processor	1.0	1.0	0.9	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
2 empty turrets	(6.0)	—	—	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
2 Staterooms for 4 middle passengers	8.0	4.4	0.0	—	0.1
3 low berths for 12 low passengers	1.5	5.4	0.7	—	—
3 crew staterooms	12.0	6.5	0.0	—	—
90.0-dton cargo hold	90.0	—	—	—	—
Cargo	(90.0)	(408.1)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	160.0	190.7	27.1	1,349	2
Fitted out with full crew	160.0	617.0	27.1	1,349	5

## Barlax-class Assault Lander (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
80-dton medium hull, std. mat.	(64.0)	6.4	0.8	651	—
1 turret (DR 1250)	1.0	46.1	0.7	74	—
DR 2500 crystaliron armour	—	795.6	10.5	—	—
Basic stealth	—	1.8	0.6	—	—
Basic emission cloaking	—	1.8	0.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.6	2.7	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
50 thrusters (1,814.0 tonnes thrust)	50.0	154.2	8.0	—	0.8
Weaponry	Spaces	Mass	Cost	Area	Crew
1 double 422 MJ plasma gun turret	(3.0)	1.8	2.0	—	1-1
Other Modules	Spaces	Mass	Cost	Area	Crew
4 passenger couches	4.0	2.0	0.0	—	—
8.0-dton cargo hold	8.0	—	—	—	—
Cargo	(8.0)	(36.3)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	64.0	1,014.2	25.9	726	2
Fitted out with full crew	64.0	1,050.5	25.9	726	3

## Barlax II-class Assault Lander (GTL11)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
80-dton medium hull, std. mat.	(64.0)	4.8	0.8	651	—
1 turret (DR 2100)	1.0	46.3	0.7	74	—
DR 4200 superdense armour	—	802.0	10.6	—	—
Basic stealth	—	1.8	0.6	—	—
Basic emission cloaking	—	1.8	0.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	3.8	2.2	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
50 thrusters (4,535.0 tonnes thrust)	50.0	181.4	32.5	—	1
Weaponry	Spaces	Mass	Cost	Area	Crew
1 double 422 MJ plasma gun turret	(3.0)	1.8	2.0	—	1-1
Other Modules	Spaces	Mass	Cost	Area	Crew
4 passenger couches	4.0	1.3	0.0	—	—
8.0-dton cargo hold	8.0	—	—	—	—
Cargo	(8.0)	(36.3)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	64.0	1,044.9	50.0	726	2
Fitted out with full crew	64.0	1,081.1	50.0	726	3

## Barlax III-class Assault Lander (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
80-dton medium hull, std. mat.	(64.0)	3.2	0.8	651	—
1 turret (DR 2100)	1.0	30.8	0.5	74	—
DR 4200 bonded superdense armour	—	534.7	7.1	—	—
Basic stealth	—	1.8	0.6	—	—
Basic emission cloaking	—	1.8	0.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.4	2.5	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
50 thrusters (4,535.0 tonnes thrust)	50.0	181.4	32.5	—	0.5
Weaponry	Spaces	Mass	Cost	Area	Crew
1 double 690 MJ fusion gun turret	(3.0)	24.5	4.3	—	1-1
Other Modules	Spaces	Mass	Cost	Area	Crew
4 passenger couches	4.0	1.3	0.0	—	—
8.0-dton cargo hold	8.0	—	—	—	—
Cargo	(8.0)	(36.3)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	64.0	783.8	48.9	726	2
Fitted out with full crew	64.0	820.1	48.9	726	3

## Barton-class Freighter (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to commercial standards.

Structure	Spaces	Mass	Cost	Area	Crew
2,000-dton medium hull, std. mat.	(2,000.0)	54.4	3.0	5,574	—
DR 100 crystaliron armour	—	272.1	3.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
80 jump drive modules	80.0	290.2	248.0	—	3.2
75 thrusters (2,721.0 tonnes thrust)	75.0	231.3	12.0	—	1.3
600 internal jump fuel tanks	600.0	163.3	96.0	—	—
600 -dtons jump fuel	(600.0)	(544.2)	(0.2)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
4 utility modules	4.0	41.7	1.2	—	—
4 crew staterooms	16.0	8.7	0.0	—	—
1,221.5-dton cargo hold	1,221.5	—	—	—	—
Cargo	(1,221.5)	(5,539.5)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	2,000.0	1,073.2	368.2	5,574	6
Fitted out with full crew	2,000.0	7,156.9	368.2	5,574	7

## Basilos-class Pocket Cruiser (GTL11)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Turrets are counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
5,000-dton medium hull, std. mat.	(5,000.0)	75.2	5.5	10,267	—
7 turrets (DR 1250)	7.0	194.4	2.8	520	—
3 large external bays (DR 1250)	60.0	1,353.7	19.0	3,623	—
DR 2500 superdense armour	—	7,518.2	99.5	—	—
Radical stealth	—	70.3	116.3	—	—
Radical emission cloaking	—	70.3	116.3	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge with hardened controls	2.5	9.3	6.2	—	1-5
1 enhanced sensor	4.0	34.6	33.2	—	0-1
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
263 jump drive modules	263.0	954.2	802.1	—	5.3
1,100 thrusters (99,770.0 tonnes thrust)	1,100.0	3,990.8	715.0	—	22
2,101 internal jump fuel tanks	2,101.0	571.7	336.2	—	—
2,101 -dtons jump fuel	(2,101.0)	(1,905.6)	(0.7)	—	—
2.5 fuel scoops	2.5	1.3	0.0	—	—
10 fuel processors	10.0	10.0	8.5	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
7 triple 97 MJ PD laser turrets	(21.0)	93.1	8.8	—	1-7
3 large heavy missile bays	(300.0)	410.9	6.6	—	6
530 GJ spinal particle accelerator	1,388.0	12,539.3	859.0	—	15
1 nuclear damper module	1.0	9.3	4.0	—	4
19 meson screen modules	19.0	86.2	43.7	—	4
Ordnance	Spaces	Mass	Cost	Area	Crew
4,500 ready heavy missiles	—	(3,061.1)	(900.0)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
10 utility modules	10.0	104.3	2.5	—	—
6 crew bunkrooms	24.0	10.3	0.1	—	—
1 sickbay	2.5	4.6	0.2	—	1
4.5-dton cargo hold	4.5	—	—	—	—
Cargo	(4.5)	(20.4)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	5,000.0	28,115.3	3,185.8	14,410	29
Fitted out with full crew	5,000.0	33,102.4	4,085.8	14,410	64

## Batoche-class Regimental Lander (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to military standards.

Structure	Spaces	Mass	Cost	Area	Crew
50-dton medium hull, std. mat.	(40.0)	4.7	0.6	476	—
DR 100 crystaliron armour	—	23.3	0.3	—	—
Basic stealth	—	1.2	0.4	—	—
Basic emission cloaking	—	1.2	0.4	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.6	2.7	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
2 thrusters (72.6 tonnes thrust)	2.0	6.2	0.3	—	0.0
Other Modules	Spaces	Mass	Cost	Area	Crew
37 passenger couches	37.0	18.1	0.3	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	40.0	59.1	4.9	476	1
Fitted out with full crew	40.0	59.1	4.9	476	1

## Bayonet-class Assault Fighter (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
50-dton medium hull, std. mat.	(50.0)	4.7	0.3	476	—
1 turret (DR 1250)	1.0	46.1	0.6	74	—
DR 2500 crystaliron armour	—	581.6	7.7	—	—
Basic stealth	—	1.3	0.4	—	—
Basic emission cloaking	—	1.3	0.4	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.6	2.7	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
48 thrusters (1,741.4 tonnes thrust)	48.0	148.0	7.7	—	0.8
Weaponry	Spaces	Mass	Cost	Area	Crew
1 double 422 MJ plasma gun turret	(3.0)	1.8	2.0	—	1-1
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	50.0	789.5	21.8	550	2
Fitted out with full crew	50.0	789.5	21.8	550	3

## Belasmon-class Liner (GTL12)

*Design Parameters:* Built for Imperial human crew. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
600-dton medium hull, std. mat.	(480.0)	12.2	3.2	2,497	—
4 turrets (DR 100)	4.0	7.3	0.5	297	—
DR 100 bonded superdense armour	—	48.8	0.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.1	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
18 jump drive modules	18.0	65.3	54.9	—	0.2
13 thrusters (1,179.1 tonnes thrust)	13.0	47.2	8.4	—	0.1
120 internal jump fuel tanks	120.0	32.7	19.2	—	—
120 -dtons jump fuel	(120.0)	(108.8)	(0.0)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
4 empty turrets	(12.0)	—	—	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
36 Staterooms for 36 passengers	144.0	65.3	0.4	—	1.8
6 low berths for 24 low passengers	3.0	10.9	1.3	—	—
6 crew staterooms	24.0	10.9	0.1	—	—
1 sickbay	1.0	0.8	0.2	—	1
148.5-dton cargo hold	148.5	—	—	—	—
Cargo	(148.5)	(673.4)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	480.0	321.6	92.4	2,795	2
Fitted out with full crew	480.0	1,103.8	92.4	2,795	11



## Beowulf-class Greater Dreadnought (GTL9)

Structure	Spaces	Mass	Cost	Area	Crew
100000-ton hull	(100000.0)	1102.0	40.5	75251.5	0.0
Airtight sealing	0.0	0.0	14.9	0.0	0.0
Armour: DR4200, PD4	0.0	425700.5	5632.2	0.0	0.0
Total compartmentalization	0.0	220.4	2.4	0.0	0.0
80 weapon bays	4000.0	471.6	26.0	48309.6	160.0
200 turrets (600 spaces)	200.0	149.7	8.1	14864.5	200.0
Basic stealth	0.0	337.9	111.8	0.0	0.0
Basic emission cloaking	0.0	337.9	111.8	0.0	0.0
Drive Modules	Spaces	Mass	Cost	Area	Crew
Engineering module	3.5	11.3	5.0	0.0	0.0
Jump drive (2 parsecs)	6000.0	21768.0	15000.0	0.0	600.0
Jump tanks	20000.0	23582.0	3200.0	0.0	0.0
Fusion rocket (1.6G)	16000.0	181037.2	20000.0	0.0	0.0
Rocket fuel tank (1.9 hours)	50000.0	708593.8	8000.0	0.0	0.0
10 fuel processor modules (250.0 hours)	10.0	10.0	8.5	0.0	0.0
Weapon Modules	Spaces	Mass	Cost	Area	Crew
570 102-MJ Lasers	(570.0)	4508.2	820.8	0.0	0.0
30 sandcasters	(30.0)	136.1	7.5	0.0	0.0
30 Missile Bays	(1500.0)	16837.5	25.5	0.0	0.0
50 Particle Beam Bays	(2500.0)	21178.4	1140.5	0.0	0.0
Spinal Particle Beam	1513.0	13719.3	1035.0	0.0	0.0
Workspace Modules	Spaces	Mass	Cost	Area	Crew
Hardened Command Bridge	6.0	26.9	22.3	0.0	10.0
200 utility modules	200.0	2086.1	60.0	0.0	0.0
32 Vehicle Bays	1344.0	2902.4	96.0	0.0	0.0
Hold	423.5	0.0	0.0	0.0	0.0
Accommodation Modules	Spaces	Mass	Cost	Area	Crew
stateroom	4.0	2.7	0.0	0.0	0.0
65 bunkrooms sleeping 1040 personnel	260.0	283.0	1.2	0.0	0.0
Low berths for 288 cryotubes	36.0	130.6	15.8	0.0	0.0
Miscellaneous Items	Spaces	Mass	Cost	Area	Crew
Fuel	(20000.0)	0.0	7.0	0.0	0.0
Cargo	(423.5)	(1920.6)	0.0	0.0	0.0
32 Helm Fighters	(1280.0)	(49024.0)	(1116.8)	0.0	64.0
Missiles	0.0	0.0	3642.9	0.0	0.0
Sand cannisters	0.0	0.0	2.4	0.0	0.0
Totals	Spaces	Mass	Cost	Area	Crew
Fully loaded & fitted out	100000.0	1476078.0	52164.6	138425.5	1036.0
Unloaded with skeleton crew	100000.0	1425133.4	47395.5	138425.5	610.0

## Bercovia-class Express Liner (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to commercial standards.

Structure	Spaces	Mass	Cost	Area	Crew
800-dton medium hull, std. mat.	(800.0)	29.5	1.6	3,026	—
DR 100 crystaliron armour	—	147.7	2.0	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
32 jump drive modules	32.0	116.1	99.2	—	1.3
74 thrusters (2,684.7 tonnes thrust)	74.0	228.2	11.8	—	1.2
240 internal jump fuel tanks	240.0	65.3	38.4	—	—
240 -dtons jump fuel	(240.0)	(217.7)	(0.1)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
2 utility modules	2.0	20.9	0.6	—	—
20 Staterooms for 20 high passengers	80.0	43.5	0.2	—	1
5 low berths for 20 low passengers	2.5	9.1	1.1	—	—
4 crew staterooms	16.0	8.7	0.0	—	—
350.0-dton cargo hold	350.0	—	—	—	—
Cargo	(350.0)	(1,587.3)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	800.0	680.5	159.3	3,026	4
Fitted out with full crew	800.0	2,485.4	159.3	3,026	7

## Bergen-class Freighter (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to commercial standards.

Structure	Spaces	Mass	Cost	Area	Crew
1,200-dton medium hull, std. mat.	(1,200.0)	38.7	2.1	3,965	—
DR 100 crystaliron armour	—	193.6	2.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
25 jump drive modules	25.0	90.7	77.5	—	1
50 thrusters (1,814.0 tonnes thrust)	50.0	154.2	8.0	—	0.8
122 internal jump fuel tanks	122.0	33.2	19.5	—	—
122 -dtons jump fuel	(122.0)	(110.7)	(0.0)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
1 cradle for Gig	1.0	5.7	0.3	—	—
1 Gig	(20.0)	(70.6)	(5.5)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
3 utility modules	3.0	31.3	0.9	—	—
3 crew staterooms	12.0	6.5	0.0	—	—
983.5-dton cargo hold	983.5	—	—	—	—
Cargo	(983.5)	(4,460.2)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	1,200.0	565.3	115.2	3,965	3
Fitted out with full crew	1,200.0	5,206.7	120.7	3,965	5

## Berghoff-class Missile Boat (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
600-dton medium hull, std. mat.	(600.0)	24.4	1.3	2,497	—
6 turrets (DR 125)	6.0	31.7	0.6	445	—
DR 250 crystaliron armour	—	304.8	4.0	—	—
Basic stealth	—	7.2	2.4	—	—
Basic emission cloaking	—	7.2	2.4	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
24 jump drive modules	24.0	87.1	74.4	—	1.0
362 thrusters (13,133.4 tonnes thrust)	362.0	1,116.3	57.9	—	6.0
180 internal jump fuel tanks	180.0	49.0	28.8	—	—
180 -dtons jump fuel	(180.0)	(163.3)	(0.1)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
6 triple light missile turrets	(18.0)	4.9	0.1	—	6
Ordnance	Spaces	Mass	Cost	Area	Crew
12 magazines	12.0	68.0	1.5	—	—
1,476 ready light missiles	—	(200.8)	(53.1)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
2 utility modules	2.0	20.9	0.6	—	—
2 crew bunkrooms	8.0	8.7	0.0	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	600.0	1,755.5	187.0	2,943	8
Fitted out with full crew	600.0	2,119.6	240.2	2,943	17

## Berry-class Extraction Cutter (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Weapon armour is limited.

<b>Structure</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
50-dton medium hull, std. mat.	(40.0)	2.3	0.6	476	—
1 turret (DR 2100)	1.0	30.8	0.5	74	—
DR 4200 bonded superdense armour	—	390.8	5.2	—	—
Radical stealth	—	2.7	4.4	—	—
Radical emission cloaking	—	2.7	4.4	—	—
<b>CCCI</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Cockpit with hardened controls	1.0	4.4	2.5	—	1-2
<b>Engineering</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
33 thrusters (2,993.1 tonnes thrust)	33.0	119.7	21.4	—	0.3
<b>Weaponry</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
1 triple 102 MJ PD laser turret	(3.0)	14.0	0.9	—	1-1
<b>Other Modules</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
3 passenger couches	3.0	1.0	0.0	—	—
1 evacuation bay	2.0	0.5	0.1	—	—
<b>Totals</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Empty with skeleton crew	40.0	569.1	40.1	550	2
Fitted out with full crew	40.0	569.1	40.1	550	3

## Bharapar-class Subsidized Merchant (GTL10)

*Design Parameters:* Built for Imperial human crew. Turrets are not counted towards jump volume.

<b>Structure</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
400-dton medium hull, std. mat.	(320.0)	18.6	2.5	1,906	—
2 turrets (DR 100)	2.0	8.8	0.3	148	—
DR 100 crystaliron armour	—	93.1	1.2	—	—
<b>CCCI</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Basic bridge	2.5	7.8	4.0	—	1-5
<b>Engineering</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
1 fusion engineering module	1.0	3.6	0.3	—	—
12 jump drive modules	12.0	43.5	37.2	—	0.5
31 thrusters (1,124.7 tonnes thrust)	31.0	95.6	5.0	—	0.5
80 internal jump fuel tanks	80.0	21.8	12.8	—	—
80 -dtons jump fuel	(80.0)	(72.6)	(0.0)	—	—
<b>Weaponry</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
2 empty turrets	(6.0)	—	—	—	—
<b>Other Modules</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
1 utility module	1.0	10.4	0.3	—	—
12 Staterooms for 12 passengers	48.0	26.1	0.1	—	0.6
4 crew staterooms	16.0	8.7	0.0	—	—
126.5-dton cargo hold	126.5	—	—	—	—
Cargo	(126.5)	(573.7)	—	—	—
<b>Totals</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Empty with skeleton crew	320.0	338.0	63.8	2,054	2
Fitted out with full crew	320.0	984.2	63.8	2,054	4

## Bilanos-class Patrol Frigate (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

<b>Structure</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
300-dton medium hull, std. mat.	(300.0)	7.7	0.8	1,573	—
3 turrets (DR 400)	3.0	18.5	0.4	222	—
DR 800 bonded superdense armour	—	245.8	3.3	—	—
Radical stealth	—	8.8	14.5	—	—
Radical emission cloaking	—	8.8	14.5	—	—
<b>CCCI</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Command bridge with hardened controls	5.0	20.1	11.8	—	1-10
<b>Engineering</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
1 fusion engineering module	1.0	3.3	0.2	—	—
16 jump drive modules	16.0	58.0	48.8	—	0.2
9 thrusters (816.3 tonnes thrust)	9.0	32.7	5.8	—	0.1
248 internal jump fuel tanks	248.0	67.5	39.7	—	—
248 -dtons jump fuel	(248.0)	(224.9)	(0.1)	—	—
<b>Weaponry</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
1 triple light missile turret	(3.0)	0.8	0.0	—	1
1 triple sandcaster turret	(3.0)	13.6	0.8	—	1
1 triple 405 MJ laser turret	(3.0)	21.2	2.0	—	1-1
<b>Ordnance</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
246 ready light missiles	—	(33.5)	(5.7)	—	—
<b>Auxiliaries</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
1 cradle for Launch	0.5	2.8	0.1	—	—
1 Launch	(10.0)	(29.7)	(3.6)	—	—
<b>Other Modules</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
1 utility module	1.0	10.4	0.3	—	—
4 crew staterooms	16.0	7.3	0.0	—	—
0.5-dton cargo hold	0.5	—	—	—	—
Cargo	(0.5)	(2.3)	—	—	—
<b>Totals</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Empty with skeleton crew	300.0	527.3	143.0	1,796	2
Fitted out with full crew	300.0	817.7	152.2	1,796	7

## Birkenhead-class Troopship (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
20,000-dton medium hull, std. mat.(20,000.0)		252.6	13.9	25,872	—
30 turrets (DR 100)	30.0	131.3	2.7	2,229	—
DR 100 crystaliron armour	—	1,263.0	16.7	—	—
Basic stealth	—	68.6	22.7	—	—
Basic emission cloaking	—	68.6	22.7	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
800 jump drive modules	800.0	2,902.4	2,480.0	—	32
1,245 thrusters (45,168.6 tonnes thrust)	1,245.0	3,839.3	199.2	—	20.8
6,000 internal jump fuel tanks	6,000.0	1,632.6	960.0	—	—
6,000 -dtons jump fuel	(6,000.0)	(5,442.0)	(2.1)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
10 triple sandcaster turrets	(30.0)	136.1	7.5	—	10
20 triple 90 MJ PD laser turrets	(60.0)	318.4	35.4	—	2-20
Auxiliaries	Spaces	Mass	Cost	Area	Crew
Hanger for 16 Dieppes with 4 entrances	2,560.0	3.6	0.0	—	—
16 Dieppe Assault Landers	(1,280.0)	(14,180.8)	(379.0)	—	48
Hanger for 16 Batoches with 4 entrances	1,600.0	3.6	0.0	—	—
16 Batoche Regimental Landers	(800.0)	(945.6)	(78.7)	—	16
Hanger for 10 Rorkes with 2 entrances	1,600.0	1.8	0.0	—	—
10 Rorke Cargo Lighters	(800.0)	(3,169.0)	(51.9)	—	10
Barracks	Spaces	Mass	Cost	Area	Crew
1,325 marine bunkrooms	5,300.0	5,768.5	23.8	—	—
20 gyms	50.0	9.1	0.0	—	—
2 shooting ranges	20.0	18.1	0.3	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
40 utility modules	40.0	417.2	12.0	—	—
13 crew bunkrooms	52.0	56.6	0.2	—	—
10 sickbays	10.0	6.8	1.6	—	10
687.0-dton cargo hold	687.0	—	—	—	—
Cargo	(687.0)	(3,115.5)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	20,000.0	16,923.5	3,811.8	28,101	54
Fitted out with full crew	20,000.0	43,776.4	4,321.4	28,101	157

## Bliaprlinzh-class Strike Destroyer (GTL11)

*Design Parameters:* Built for Zhodani human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited. Contains nonstandard modules (briefing room).

Structure	Spaces	Mass	Cost	Area	Crew
4,000-dton medium hull, std. mat. (4,000.0)		64.8	4.8	8,848	—
10 turrets (DR 1500)	10.0	332.1	4.7	743	—
3 large internal bays	300.0	27.2	1.5	—	—
DR 3000 superdense armour	—	7,774.8	102.9	—	—
Radical stealth	—	46.8	77.4	—	—
Radical emission cloaking	—	46.8	77.4	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge w. hrd. cntrl and psi switches	2.5	9.3	6.3	—	1-5
1 advanced communicator	7.0	84.5	3.3	—	0-1
1 advanced sensor	8.0	69.2	69.0	—	0-1
1 electronic warfare suite	3.0	36.6	10.5	—	2
Engineering	Spaces	Mass	Cost	Area	Crew
2 fusion engineering modules	2.0	6.5	0.3	—	—
200 jump drive modules	200.0	725.6	610.0	—	4
1,500 thrusters (136,050.0 tonnes thrust)	1,500.0	5,442.0	975.0	—	30
1,600 internal jump fuel tanks	1,600.0	435.4	256.0	—	—
1,600 -dtons jump fuel	(1,600.0)	(1,451.2)	(0.6)	—	—
2 fuel scoops	2.0	1.0	0.0	—	—
20 fuel processors	20.0	20.0	17.0	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
10 triple 97 MJ PD laser turrets	(30.0)	133.1	12.6	—	1-10
3 large heavy missile bays	(300.0)	410.9	6.6	—	6
Ordnance	Spaces	Mass	Cost	Area	Crew
4,500 ready heavy missiles	—	(3,061.1)	(900.0)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
Hanger for 2 Echpozhd Armed Gigs	80.0	—	—	—	—
2 Echpozhd Armed Gigs	(40.0)	(199.2)	(15.0)	—	4
Barracks	Spaces	Mass	Cost	Area	Crew
1 marine stateroom	4.0	1.8	0.0	—	—
10 marine bunkrooms	40.0	17.2	0.2	—	—
2 briefing rooms	2.0	0.0	0.0	—	—
1 drop capsule launcher	1.0	10.9	0.2	—	1
4 drop capsule racks	4.0	61.2	—	—	—
3 battledress racks	3.0	78.2	—	—	—
1 weapons locker	1.0	6.3	0.0	—	—
1 gym	2.5	0.5	0.0	—	—
1 shooting range	10.0	9.1	0.2	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
8 utility modules	8.0	83.4	2.0	—	—
27 crew staterooms	108.0	49.0	0.3	—	—
7 crew low berths	3.5	12.7	1.5	—	—
2 sickbays	2.0	1.5	0.4	—	2
76.5-dton cargo hold	76.5	—	—	—	—
Cargo	(76.5)	(346.9)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	4,000.0	15,998.6	2,240.1	9,591	37
Fitted out with full crew	4,000.0	21,057.0	3,155.1	9,591	78

## Borodin-class Trader (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to commercial standards. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
200-dton medium hull, std. mat.	(160.0)	11.7	1.6	1,200	—
2 turrets (DR 100)	2.0	8.8	0.3	148	—
DR 100 crystaliron armour	—	58.6	0.8	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
4 jump drive modules	4.0	14.5	12.4	—	0.2
14 thrusters (507.9 tonnes thrust)	14.0	43.2	2.2	—	0.2
20 internal jump fuel tanks	20.0	5.4	3.2	—	—
20 -dtons jump fuel	(20.0)	(18.1)	(0.0)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
2 empty turrets	(6.0)	—	—	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
10 Staterooms for 10 high passengers	40.0	21.8	0.1	—	0.5
3 low berths for 12 low passengers	1.5	5.4	0.7	—	—
3 crew staterooms	12.0	6.5	0.0	—	—
62.0-dton cargo hold	62.0	—	—	—	—
Cargo	(62.0)	(281.2)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	160.0	197.8	25.9	1,349	2
Fitted out with full crew	160.0	497.1	25.9	1,349	5

## Bopamo-class Light Carrier (GTL9)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. All quantities in metric units. Turrets are counted towards jump volume. Contains playtest modules (low tech).

Structure	Spaces	Mass	Cost	Area	Crew
3,000-dton medium hull, std. mat.	(3,000.0)	107.0	3.9	7,304	—
4 turrets (DR 100)	4.0	26.3	0.5	297	—
DR 100 durasteel armour	—	107.0	1.4	—	—
1 x 381-dton medium subhull, std. materials(381.0)	27.0	1.0	(1,845)	—	—
DR 100 durasteel armour	—	135.1	1.8	—	—
10 airlocks	1.0	2.3	0.0	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	6.0	26.9	19.3	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	3.0	11.7	5.0	—	—
151 jump drive modules	302.0	1,095.7	755.0	—	30.2
500 fusion rockets (36,280 tonnes)	500.0	1,814.0	400.0	—	8.3
1,005 internal jump fuel tanks	1,005.0	273.5	160.8	—	—
1,005 -dtons jump fuel	(1,005.0)	(911.5)	(0.4)	—	—
1,000 water fuel tanks	1,000.0	22.7	170.0	—	—
Water (as reaction mass)	(1,000.0)	(13,605.0)	(0.3)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
4 triple 40 MJ PD laser turrets	(12.0)	61.4	17.6	—	1-4
Auxiliaries	Spaces	Mass	Cost	Area	Crew
100 cradles for <i>Huata</i> Fighters	77.5	439.3	19.4	—	—
100 <i>Huata</i> Fighters	(2,000.0)	(8,770.7)	(1,760.0)	—	100
2 cradles for <i>Chiang</i> Launches	0.5	2.8	0.1	—	—
2 <i>Chiang</i> Launches	(20.0)	(36.1)	(10.4)	—	2
Other Modules	Spaces	Mass	Cost	Area	Crew
3 utility modules	3.0	16.9	2.3	—	—
13 crew bunkrooms	65.0	57.8	0.7	—	—
2 sickbays	5.0	9.3	0.5	—	2
28.0-dton cargo hold	28.0	—	—	—	—
Cargo	(28.0)	(127.0)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	3,000.0	2,785.3	1,559.3	7,601	40
Fitted out with full crew	3,000.0	12,630.6	3,329.7	7,601	155

## Bralonné Mobile University (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to private standards.

Structure	Spaces	Mass	Cost	Area	Crew
8,000-dton medium hull, std. mat.	(8,000.0)	68.6	7.6	14,045	—
DR 100 bonded superdense armour	—	54.9	0.7	—	—
10 x 528-dton med. subhulls, std. mat.(5,285.0)	112.0	12.4	(22,953)	—	—
DR 100 bonded superdense armour	—	448.2	5.9	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.1	—	1-5
Basic bridge	2.5	6.6	3.1	—	0-0
2 centres containing 16 cplx 10 computers	2.0	21.8	60.0	—	—
1 enhanced communicator	1.0	14.8	0.7	—	0-1
1 advanced sensor	8.0	69.2	69.0	—	0-1
2 survey modules	8.0	9.8	15.3	—	8-16
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
320 jump drive modules	320.0	1,161.0	976.0	—	3.2
50 thrusters (4,535.0 tonnes thrust)	50.0	181.4	32.5	—	0.5
2,400 internal jump fuel tanks	2,400.0	653.0	384.0	—	—
2,400 -dtons jump fuel	(2,400.0)	(2,176.8)	(0.8)	—	—
1 workshop	2.5	13.6	0.1	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
Hanger for 2 Launchs with 1 entrance	80.0	0.9	0.0	—	—
2 Launchs	(40.0)	(141.3)	(11.0)	—	4
Hanger for 2 Ship's Boats	120.0	—	—	—	—
2 Ship's Boats	(60.0)	(176.1)	(18.4)	—	4
Other Modules	Spaces	Mass	Cost	Area	Crew
11 utility modules	11.0	114.7	2.8	—	—
40 Staterooms for 40 professors	160.0	72.6	0.5	—	2
1,000 staterooms for 2,000 students	4,000.0	1,814.0	12.0	—	—
21 crew staterooms	84.0	38.1	0.3	—	—
10 exercise rooms	25.0	4.5	0.0	—	—
20 halls	200.0	3.6	0.1	—	—
2 theatres	40.0	3.8	0.0	—	2
2 stages	32.0	0.9	0.0	—	—
2 swimming pools	50.0	12.7	0.3	—	2
Water	—	185.0	—	—	—
5 sickbays	5.0	3.9	1.0	—	5
2 surgical theatres	2.0	0.7	0.2	—	—
4 brigs	4.0	25.4	0.1	—	—
2 safes	2.0	12.7	0.1	—	—
5 standard labs	22.5	46.7	5.3	—	5-10
2 isolabs	45.0	181.9	20.1	—	2-10
1 physics lab	5.0	9.3	1.0	—	1-2
1 simulation lab	7.5	10.2	1.6	—	1-1
1 computer lab	3.5	2.5	450.0	—	1-2
304.0-dton cargo hold	304.0	—	—	—	—
Cargo	(304.0)	(1,378.6)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	8,000.0	5,184.0	2,065.8	14,045	13
Fitted out with full crew	8,000.0	9,241.8	2,095.1	14,045	42

## Brass Goat Filibuster (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to private standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
300-dton medium hull, std. mat.	(240.0)	15.4	2.0	1,573	—
3 turrets (DR 150)	3.0	18.6	0.5	222	—
DR 300 crystaliron armour	—	230.5	3.0	—	—
Heavy compartmentalization	—	1.5	0.0	—	—
Basic stealth	—	4.4	1.5	—	—
Basic emission cloaking	—	4.4	1.5	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
12 jump drive modules	12.0	43.5	37.2	—	0.5
50 thrusters (1,814.0 tonnes thrust)	50.0	154.2	8.0	—	0.8
90 internal jump fuel tanks	90.0	24.5	14.4	—	—
90 -dtons jump fuel	(90.0)	(81.6)	(0.0)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple light missile turret	(3.0)	0.8	0.0	—	1
1 triple sandcaster turret	(3.0)	13.6	0.8	—	1
1 triple 250 MJ laser turret	(3.0)	22.6	2.5	—	1-1
Ordnance	Spaces	Mass	Cost	Area	Crew
246 ready light missiles	—	(33.5)	(8.9)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
2 low berths for 8 low passengers	1.0	3.6	0.4	—	—
10 crew staterooms	40.0	21.8	0.1	—	—
35.0-dton cargo hold	35.0	—	—	—	—
Cargo	(35.0)	(158.7)	—	—	—
2-dton smuggler's hold	2.0	—	0.0	—	—
Concealed cargo	(2.0)	(9.1)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	240.0	595.1	85.1	1,796	3
Fitted out with full crew	240.0	878.0	94.0	1,796	10

## Braydikor-class Trader (GTL10)

*Design Parameters:* Built for Drakaran crew. Designed to commercial standards. Turrets are counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
300-dton medium hull, std. mat.	(240.0)	15.4	2.0	1,573	—
3 turrets (DR 100)	3.0	13.1	0.4	222	—
DR 100 crystaliron armour	—	76.8	1.0	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
10 jump drive modules	10.0	36.3	31.0	—	0.4
21 thrusters (761.9 tonnes thrust)	21.0	64.8	3.4	—	0.4
61 internal jump fuel tanks	61.0	16.6	9.8	—	—
61 -dtons jump fuel	(61.0)	(55.3)	(0.0)	—	—
1 fuel processor	1.0	1.0	0.9	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple sandcaster turret	(3.0)	13.6	0.8	—	1
1 triple 250 MJ laser turret	(3.0)	22.6	2.5	—	1-1
1 triple 90 MJ PD laser turret	(3.0)	15.9	1.8	—	1-1
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
12 staterooms for 12 ind. passengers	48.0	26.1	0.1	—	—
3 crew staterooms	12.0	6.5	0.0	—	—
12 passageways	12.0	—	—	—	—
79.5-dton cargo hold	79.5	—	—	—	—
Cargo	(79.5)	(360.5)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	240.0	330.6	58.2	1,796	2
Fitted out with full crew	240.0	746.5	58.2	1,796	5

## Brighton-class Battleship (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited. Contains nonstandard modules (briefing room).

Structure	Spaces	Mass	Cost	Area	Crew
50,000-dton medium hull, std. mat.	(50,000.0)	232.6	25.6	47,657	—
63 turrets (DR 8000)	63.0	7,337.6	99.4	4,682	—
36 small internal bays	1,800.0	212.2	11.7	—	—
DR 50000 bonded superdense armour	—	465,284.6	6,155.9	—	—
Total compartmentalization	—	46.5	0.5	—	—
Basic stealth	—	127.7	42.3	—	—
Basic emission cloaking	—	127.7	42.3	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	20.1	11.8	—	1-10
Basic bridge with hardened controls	2.5	9.3	6.1	—	0-0
Engineering	Spaces	Mass	Cost	Area	Crew
4 fusion engineering modules	4.0	13.1	0.6	—	—
2,500 jump drive modules	2,500.0	9,070.0	7,625.0	—	25
11,500 thrusters (1,043,050.0 tonnes thrust)	11,500.0	41,722.07	475.0	—	115
20,000 internal jump fuel tanks	20,000.0	5,442.0	3,200.0	—	—
20,000 -dtons jump fuel	(20,000.0)	(18,140.0)	(7.0)	—	—
2 workshops	5.0	27.2	0.1	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
63 single 1,313 MJ heavy laser turrets	(189.0)	1,434.2	132.9	—	7-63
18 small missile bays	(900.0)	1,235.9	19.8	—	36
18 14 GJ particle bays	(900.0)	8,489.5	419.4	—	36
2.9 TJ spinal meson gun	7,730.0	69,931.5	4,788.0	—	79
2 nuclear damper modules	2.0	18.5	8.0	—	4
271 meson screen modules	271.0	1,229.0	623.3	—	4
Ordnance	Spaces	Mass	Cost	Area	Crew
13,500 ready heavy missiles	—	(9,183.4)	(2,700.0)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
Rampart Hanger (5 ent. & 1 launch)	2,018.0	78.0	1.8	—	10
100 Rampart Fighters	(1,000.0)	(8,190.0)	(1,400.0)	—	100
Citadel Hanger (1 ent. & 1 launch)	2,090.0	364.6	5.0	—	10
20 Citadel Heavy Fighters	(1,000.0)	(8,802.0)	(659.4)	—	40
Hanger for 5 Gigs with 1 entrance	200.0	0.9	0.0	—	—
5 Gigs	(100.0)	(353.0)	(27.4)	—	10
Barracks	Spaces	Mass	Cost	Area	Crew
3 marine staterooms	12.0	5.4	0.0	—	—
50 marine bunkrooms	200.0	86.2	0.9	—	—
2 briefing rooms	2.0	0.0	0.0	—	—
2 weapons lockers	2.0	12.7	0.1	—	—
2 gyms	5.0	0.9	0.0	—	—
1 shooting range	10.0	9.1	0.2	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
100 utility modules	100.0	1,043.1	25.0	—	—
249 crew staterooms	996.0	451.7	3.0	—	—
10 sickbays	10.0	7.7	2.1	—	10
472.5-dton cargo hold	472.5	—	—	—	—
Cargo	(472.5)	(2,142.8)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	50,000.0	614,071.8	30,725.8	52,339	141
Fitted out with full crew	50,000.0	660,883.0	35,512.7	52,339	496

## Brildan-class Heavy Destroyer (GTL11)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Turrets are counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
5,000-dton medium hull, std. mat.	(5,000.0)	75.2	5.5	10,267	—
20 turrets (DR 4000)	20.0	1,752.7	23.9	1,486	—
3 large internal bays	300.0	27.2	1.5	—	—
DR 15000 superdense armour	—	45,109.1	596.8	—	—
Heavy compartmentalization	—	7.5	0.1	—	—
Basic stealth	—	28.7	9.5	—	—
Basic emission cloaking	—	28.7	9.5	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	20.9	12.0	—	1-10
1 advanced communicator	7.0	84.5	3.3	—	0-1
1 advanced sensor	8.0	69.2	69.0	—	0-1
1 electronic warfare suite	3.0	36.6	10.5	—	2
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
202 jump drive modules	202.0	732.9	616.1	—	4.0
2,600 thrusters (235,820.0 tonnes)	2,600.0	9,432.8	1,690.0	—	52
1,512 internal jump fuel tanks	1,512.0	411.4	241.9	—	—
1,512 -dtons jump fuel	(1,512.0)	(1,371.4)	(0.5)	—	—
2 fuel scoops	2.0	1.0	0.0	—	—
9 fuel processors	9.0	9.0	7.7	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
5 triple 390 MJ laser turrets	(15.0)	102.3	17.3	—	1-5
5 triple 97 MJ PD laser turrets	(15.0)	66.5	6.3	—	1-5
10 single 870 MJ heavy laser turrets	(30.0)	267.6	15.7	—	1-10
2 large heavy missile bays	(200.0)	273.9	4.4	—	4
1 29 GJ particle bay	(100.0)	958.7	53.0	—	2
1 nuclear damper module	1.0	9.3	4.0	—	4
Ordnance	Spaces	Mass	Cost	Area	Crew
30 magazines	30.0	170.1	3.8	—	—
3,000 ready heavy missiles	—	(2,040.8)	(600.0)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
Hanger for 1 Ship's Boat with 1 entrance	60.0	0.9	0.0	—	—
1 Ship's Boat	(30.0)	(88.1)	(9.2)	—	2
Other Modules	Spaces	Mass	Cost	Area	Crew
10 utility modules	10.0	104.3	2.5	—	—
41 crew staterooms	164.0	74.4	0.5	—	—
11 crew low berths	5.5	20.0	2.4	—	—
3 sickbays	7.5	13.9	0.6	—	3
1 armoury	1.0	6.3	0.0	—	—
52.0-dton cargo hold	52.0	—	—	—	—
Cargo	(52.0)	(235.8)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	5,000.0	59,898.8	3,407.9	11,753	59
Fitted out with full crew	5,000.0	63,634.8	4,017.0	11,753	123

## Bunter-class Gig (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to private standards.

Structure	Spaces	Mass	Cost	Area	Crew
20-dton medium hull, std. mat.	(16.0)	2.5	0.3	258	—
DR 100 crystaliron armour	—	12.6	0.2	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit	1.0	4.4	2.5	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
3 thrusters (108.8 tonnes thrust)	3.0	9.3	0.5	—	0.1
Other Modules	Spaces	Mass	Cost	Area	Crew
2 passenger couches	2.0	1.0	0.0	—	—
10.0-dton cargo hold	10.0	—	—	—	—
Cargo	(10.0)	(45.3)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	16.0	29.8	3.5	258	1
Fitted out with full crew	16.0	75.2	3.5	258	1

## Burtoine-class Escort Fighter (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to military standards.

Structure	Spaces	Mass	Cost	Area	Crew
30-dton medium hull, std. mat.	(30.0)	3.3	0.2	339	—
DR 1200 crystaliron armour	—	198.6	2.6	—	—
Basic stealth	—	0.8	0.3	—	—
Basic emission cloaking	—	0.8	0.3	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.6	2.7	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
26 thrusters (943.3 tonnes thrust)	26.0	80.2	4.2	—	0.4
Weaponry	Spaces	Mass	Cost	Area	Crew
1 fixed light missile rack	1.0	11.8	0.0	—	—
2 fixed 250 MJ lasers	2.0	15.1	1.6	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	30.0	315.2	11.8	339	2
Fitted out with full crew	30.0	315.2	11.8	339	2

## Bølgebryter-class System Defense Monitor (GTL10)

*Design Parameters:* Built for Sword Worlder human crew. Designed to military standards. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
3,000-dton medium hull, std. mat.	(3,000.0)	71.3	3.9	7,304	—
5 turrets (DR 2000)	5.0	366.5	5.0	371	—
1 small internal bay	50.0	5.9	0.3	—	—
DR 4200 crystaliron armour	—	14,975.2	198.1	—	—
Total compartmentalization	—	14.3	0.2	—	—
Radical stealth	—	37.5	62.0	—	—
Radical emission cloaking	—	37.5	62.0	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
Basic bridge with hardened controls	2.5	10.5	7.0	—	0-0
Engineering	Spaces	Mass	Cost	Area	Crew
3 fusion engineering modules	3.0	10.9	1.0	—	—
1,250 thrusters (45,350.0 tonnes thrust)	1,250.0	3,854.8	200.0	—	20.8
1 workshop	2.5	13.6	0.1	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
5 triple 90 MJ PD laser turrets	(15.0)	79.6	8.8	—	1-5
1 small missile bay	(50.0)	68.7	1.1	—	2
570 GJ spinal particle accelerator	1,512.0	13,685.7	1,034.0	—	17
1 nuclear damper module	4.0	37.7	16.2	—	4
8 meson screen modules	8.0	39.2	31.2	—	4
Ordnance	Spaces	Mass	Cost	Area	Crew
750 ready heavy missiles	—	(510.2)	(135.0)	—	—
Barracks	Spaces	Mass	Cost	Area	Crew
1 marine stateroom	4.0	2.2	0.0	—	—
5 marine bunkrooms	20.0	21.8	0.1	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
6 utility modules	6.0	62.6	1.8	—	—
6 crew staterooms	24.0	13.1	0.1	—	—
14 crew bunkrooms	56.0	61.0	0.3	—	—
2 sickbays	5.0	9.3	0.5	—	2
43.0-dton cargo hold	43.0	—	—	—	—
Cargo	(43.0)	(195.0)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	3,000.0	33,500.2	1,646.2	7,675	22
Fitted out with full crew	3,000.0	34,205.4	1,781.2	7,675	61

## Cadiz-class Fast Destroyer (GTL11)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Turrets are counted towards jump volume. Weapon armour is limited. Contains nonstandard modules (briefing room).

Structure	Spaces	Mass	Cost	Area	Crew
4,000-dton medium hull, std. mat.	(4,000.0)	64.8	4.8	8,848	—
10 turrets (DR 2500)	10.0	549.8	7.6	743	—
3 large internal bays	300.0	27.2	1.5	—	—
DR 5000 superdense armour	—	12,958.0	171.4	—	—
Basic stealth	—	23.4	7.7	—	—
Basic emission cloaking	—	23.4	7.7	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	20.9	12.0	—	1-10
1 enhanced communicator	1.0	13.1	1.1	—	0-1
1 enhanced sensor	4.0	34.6	33.2	—	0-1
1 electronic warfare suite	3.0	36.6	10.5	—	2
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
201 jump drive modules	201.0	729.2	613.0	—	4.0
1,600 thrusters (145,120.0 tonnes thrust)	1,600.0	5,804.8	1,040.0	—	32
1,608 internal jump fuel tanks	1,608.0	437.5	257.3	—	—
1,608 -dtons jump fuel	(1,608.0)	(1,458.5)	(0.6)	—	—
2 fuel scoops	2.0	1.0	0.0	—	—
10 fuel processors	10.0	10.0	8.5	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
3 triple 390 MJ laser turrets	(9.0)	61.4	10.3	—	1-3
3 triple 97 MJ PD laser turrets	(9.0)	39.9	3.8	—	1-3
4 single 870 MJ heavy laser turrets	(12.0)	107.0	6.3	—	1-4
3 large heavy missile bays	(300.0)	410.9	6.6	—	6
Ordnance	Spaces	Mass	Cost	Area	Crew
30 magazines	30.0	170.1	3.8	—	—
4,500 ready heavy missiles	—	(3,061.1)	(900.0)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
3 bays for <i>Vixen</i> Armed Gigs	63.0	0.5	0.0	—	—
3 <i>Vixen</i> Armed Gigs	(60.0)	(268.5)	(27.9)	—	6
Barracks	Spaces	Mass	Cost	Area	Crew
3 marine bunkrooms	12.0	5.2	0.1	—	—
1 briefing room	1.0	0.0	0.0	—	—
1 drop capsule launcher	1.0	10.9	0.2	—	1
2 drop capsule racks	2.0	30.6	—	—	—
2 battledress racks	2.0	52.2	—	—	—
1 weapons locker	1.0	6.3	0.0	—	—
1 gym	2.5	0.5	0.0	—	—
1 shooting range	10.0	9.1	0.2	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
8 utility modules	8.0	83.4	2.0	—	—
6 crew bunkrooms	24.0	10.3	0.1	—	—
8 crew low berths	4.0	14.5	1.8	—	—
1 exercise room	2.5	0.5	0.0	—	—
2 sickbays	5.0	9.3	0.4	—	2
87.0-dton cargo hold	87.0	—	—	—	—
Cargo	(87.0)	(394.5)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	4,000.0	21,760.0	2,212.0	9,591	39
Fitted out with full crew	4,000.0	26,942.6	3,139.9	9,591	91

## Cairngorm-class Cluster Liner (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to commercial standards. Turrets are counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
1,200-dton medium hull, std. mat.	(1,200.0)	38.7	2.1	3,965	—
4 turrets (DR 100)	4.0	17.5	0.4	297	—
DR 100 crystaliron armour	—	193.6	2.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
25 jump drive modules	25.0	90.7	77.5	—	1
76 thrusters (2,757.3 tonnes thrust)	76.0	234.4	12.2	—	1.3
120 internal jump fuel tanks	120.0	32.7	19.2	—	—
120 -dtons jump fuel	(120.0)	(108.8)	(0.0)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
3 triple sandcaster turrets	(9.0)	40.8	2.3	—	3
1 triple 90 MJ PD laser turret	(3.0)	15.9	1.8	—	1-1
Other Modules	Spaces	Mass	Cost	Area	Crew
3 utility modules	3.0	31.3	0.9	—	—
150 Staterooms for 150 high passengers	600.0	326.5	1.8	—	7.5
5 low berths for 20 low passengers	2.5	9.1	1.1	—	—
11 crew staterooms	44.0	23.9	0.1	—	—
2 sickbays	2.0	1.4	0.3	—	2
320.0-dton cargo hold	320.0	—	—	—	—
Cargo	(320.0)	(1,451.2)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	1,200.0	1,067.9	126.5	4,262	4
Fitted out with full crew	1,200.0	2,627.9	126.5	4,262	21

## Cardos-class Fast Yacht (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to private standards. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, std. mat.	(320.0)	9.3	2.5	1,906	—
2 turrets (DR 100)	2.0	3.7	0.2	148	—
DR 100 bonded superdense armour	—	37.2	0.5	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.1	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
24 jump drive modules	24.0	87.1	73.2	—	0.2
41 thrusters (3,718.7 tonnes thrust)	41.0	148.7	26.6	—	0.4
200 internal jump fuel tanks	200.0	54.4	32.0	—	—
200 -dtons jump fuel	(200.0)	(181.4)	(0.1)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple sandcaster turret	(3.0)	13.6	0.8	—	1
1 triple 102 MJ PD laser turret	(3.0)	14.0	0.9	—	1-1
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
6 Staterooms for 6 high passengers	24.0	10.9	0.1	—	0.3
4 crew staterooms	16.0	7.3	0.0	—	—
1 exercise room	2.5	0.5	0.0	—	—
6.0-dton cargo hold	6.0	—	—	—	—
Cargo	(6.0)	(27.2)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	320.0	407.0	140.4	2,054	2
Fitted out with full crew	320.0	615.6	140.4	2,054	7

## Chiang-class Launch (GTL9)

*Design Parameters:* Built for Solomani human crew. Designed to private standards. All quantities in metric units. Contains playtest modules (low tech).

Structure	Spaces	Mass	Cost	Area	Crew
10-dton medium hull, std. mat.	(8.0)	2.4	0.2	162	—
DR 100 durasteel armour	—	11.9	0.2	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.1	3.9	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion rocket (72.6 tonnes thrust)	1.0	3.6	0.8	—	0.0
1 water fuel tank	1.0	0.0	0.2	—	—
Water (as reaction mass)	(1.0)	(13.6)	(0.0)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 passenger couch	1.0	0.7	0.0	—	—
4.0-dton cargo hold	4.0	—	—	—	—
Cargo	(4.0)	(18.1)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	8.0	19.9	5.2	162	1
Fitted out with full crew	8.0	38.0	5.2	162	1

## Chiitaa-class Fast Launch (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to private standards.

Structure	Spaces	Mass	Cost	Area	Crew
10-dton medium hull, std. mat.	(8.0)	1.6	0.2	162	—
DR 100 crystaliron armour	—	8.0	0.1	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit	1.0	4.4	2.5	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
4 thrusters (145.1 tonnes thrust)	4.0	12.3	0.6	—	0.1
Other Modules	Spaces	Mass	Cost	Area	Crew
1 passenger couch	1.0	0.5	0.0	—	—
2.0-dton cargo hold	2.0	—	—	—	—
Cargo	(2.0)	(9.1)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	8.0	26.8	3.5	162	1
Fitted out with full crew	8.0	35.9	3.5	162	1

## Chiral-class Lab Ship (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to private standards.

Structure	Spaces	Mass	Cost	Area	Crew
100-dton medium hull, std. mat.	(80.0)	3.7	1.0	756	—
DR 100 bonded superdense armour	—	14.8	0.2	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.1	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
3 jump drive modules	3.0	10.9	9.1	—	0.0
3 thrusters (272.1 tonnes thrust)	3.0	10.9	1.9	—	0.0
20 internal jump fuel tanks	20.0	5.4	3.2	—	—
20 -dtons jump fuel	(20.0)	(18.1)	(0.0)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
2 bays for Air Rafts	0.8	0.5	0.0	—	—
2 Air Rafts	(0.8)	(10.0)	(0.1)	—	—
2 bays for Grav Sleds	3.2	0.5	0.0	—	—
2 Grav Sleds	(3.0)	(10.0)	(0.1)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
6 crew staterooms	24.0	10.9	0.1	—	—
4 standard labs	8.0	36.3	4.0	—	4-8
13.5-dton cargo hold	13.5	—	—	—	—
Cargo	(13.5)	(61.3)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	80.0	114.1	23.1	756	1
Fitted out with full crew	80.0	213.5	23.3	756	6

## Cholath-class Destroyer (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
4,000-dton medium hull, std. mat.	(3,200.0)	86.4	11.4	8,848	—
10 turrets (DR 650)	10.0	243.3	4.1	743	—
3 small internal bays	150.0	17.7	1.0	—	—
DR 1300 crystaliron armour	—	5,615.1	74.3	—	—
Total compartmentalization	—	17.3	0.2	—	—
Basic stealth	—	23.4	7.7	—	—
Basic emission cloaking	—	23.4	7.7	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
120 jump drive modules	120.0	435.4	372.0	—	4.8
1,950 thrusters (70,746.0 tonnes thrust)	1,950.0	6,013.4	312.0	—	32.5
800 internal jump fuel tanks	800.0	217.7	128.0	—	—
800 -dtons jump fuel	(800.0)	(725.6)	(0.3)	—	—
10 fuel processors	10.0	10.0	8.5	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
5 triple light missile turrets	(15.0)	4.1	0.1	—	5
5 triple 90 MJ PD laser turrets	(15.0)	79.6	8.8	—	1-5
3 13 GJ particle bays	(150.0)	1,270.7	68.4	—	6
Ordnance	Spaces	Mass	Cost	Area	Crew
1,230 ready light missiles	—	(167.3)	(44.3)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
7 utility modules	7.0	73.0	2.1	—	—
31 crew staterooms	124.0	67.5	0.4	—	—
8 crew low berths	4.0	14.5	1.8	—	—
1 sickbay	1.0	0.7	0.2	—	1
18.0-dton cargo hold	18.0	—	—	—	—
Cargo	(18.0)	(81.6)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	3,200.0	14,238.4	1,021.7	9,591	39
Fitted out with full crew	3,200.0	15,213.0	1,065.9	9,591	91

## Christoff-class Shuttle (GTL9)

*Design Parameters:* Built for Imperial human crew. Designed to private standards. Metric measurements, weapon armour is limited. Contains playtest modules (low tech).

Structure	Spaces	Mass	Cost	Area	Crew
80-dton medium hull, standard materials	(64.0)	9.5	0.8	7,017	—
DR 100 durasteel armour	—	47.7	0.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit	1.0	4.0	3.7	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
8 fusion rockets (580.5 tonnes thrust)	8.0	29.0	6.4	—	0.1
4 water fuel tanks	4.0	0.1	0.7	—	—
Water (as reaction mass)	(4.0)	54.4	0.0	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
2 passenger couches	2.0	1.4	0.0	—	—
49.0-dton cargo hold	49.0	—	—	—	—
Cargo	(49.0)	(222.2)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty	64.0	68.6	12.3	7,017	0
Fitted out	64.0	290.8	12.3	7,017	0



## Citadel-class Heavy Fighter (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards.

Structure	Spaces	Mass	Cost	Area	Crew
50-dton medium hull, std. mat.	(40.0)	2.3	0.6	476	—
DR 3000 bonded superdense armour	—	279.2	3.7	—	—
Basic stealth	—	1.2	0.4	—	—
Basic emission cloaking	—	1.2	0.4	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.4	2.5	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
36 thrusters (3,265.2 tonnes thrust)	36.0	130.6	23.4	—	0.4
Weaponry	Spaces	Mass	Cost	Area	Crew
3 fixed 405 MJ lasers	3.0	21.2	2.0	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	40.0	440.1	33.0	476	2
Fitted out with full crew	40.0	440.1	33.0	476	2

## Clorthal-class Customs Cutter (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to private standards.

Structure	Spaces	Mass	Cost	Area	Crew
30-dton medium hull, std. mat.	(24.0)	3.3	0.4	339	—
DR 300 crystaliron armour	—	49.6	0.7	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.6	2.7	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
19 thrusters (689.3 tonnes thrust)	19.0	58.6	3.0	—	0.3
Weaponry	Spaces	Mass	Cost	Area	Crew
1 fixed 810 MJ laser	3.0	25.1	2.7	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 passenger couch	1.0	0.5	0.0	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	24.0	141.7	9.5	339	2
Fitted out with full crew	24.0	141.7	9.5	339	2

## Comrade Hudson-class Friendship Lander (GTL9)

Structure	Spaces	Mass	Cost	Area	Crew
30-ton streamlined hull	(24.0)	5.4	0.5	371.6	0.0
Airtight sealing	0.0	0.0	0.0	0.0	0.0
Armour: DR5300, PD4	0.0	1442.1	19.1	0.0	0.0
Basic stealth	0.0	0.9	0.3	0.0	0.0
Basic emission cloaking	0.0	0.9	0.3	0.0	0.0
Drive Modules	Spaces	Mass	Cost	Area	Crew
Orion drive baseplate	2.0	45.3	0.3	0.0	0.0
1 bomb delivery module	0.5	11.3	0.8	0.0	0.0
1 shock absorber module	0.5	11.3	0.1	0.0	0.0
Space for 33333 1 kton bombs	14.0	158.7	0.0	0.0	0.0
Workspace Modules	Spaces	Mass	Cost	Area	Crew
Hardened Cockpit	1.0	4.6	2.5	0.0	1.0
Hold	5.0	0.0	0.0	0.0	0.0
Accommodation Modules	Spaces	Mass	Cost	Area	Crew
Passenger couches for 12 people	1.0	0.5	0.1	0.0	0.0
Miscellaneous Items	Spaces	Mass	Cost	Area	Crew
33333 1 kton bombs	(14.0)	0.0	350.0	0.0	0.0
Cargo	(5.0)	(22.7)	0.0	0.0	0.0
Totals	Spaces	Mass	Cost	Area	Crew
Fully loaded & fitted out	24.0	1703.9	374.0	371.6	1.0
Unloaded with skeleton crew	24.0	1681.2	24.0	371.6	1.0

## Congreve-class Missile Boat (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
1,200-dton medium hull, std. mat.	(1,200.0)	38.7	2.1	3,965	—
2 turrets (DR 100)	2.0	8.8	0.2	148	—
1 large internal bay	100.0	9.1	0.5	—	—
DR 120 crystaliron armour	—	232.3	3.1	—	—
Basic stealth	—	10.0	3.3	—	—
Basic emission cloaking	—	10.0	3.3	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
36 jump drive modules	36.0	130.6	111.6	—	1.4
561 thrusters (20,353.1 tonnes thrust)	561.0	1,730.0	89.8	—	9.4
480 internal jump fuel tanks	480.0	130.6	76.8	—	—
480 -dtons jump fuel	(480.0)	(435.4)	(0.2)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
2 triple 90 MJ PD laser turrets	(6.0)	31.8	3.5	—	1-2
1 large heavy missile bay	(100.0)	137.0	2.2	—	2
Ordnance	Spaces	Mass	Cost	Area	Crew
1,500 ready heavy missiles	—	(1,020.4)	(270.0)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
2 utility modules	2.0	20.9	0.6	—	—
3 crew bunkrooms	12.0	13.1	0.1	—	—
1 sickbay	1.0	0.7	0.2	—	1
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	1,200.0	2,528.8	310.2	4,113	12
Fitted out with full crew	1,200.0	3,984.6	580.2	4,113	18

## Corannis-class Dropship (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited. Contains nonstandard modules (briefing room).

<b>Structure</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
400-dton medium hull, std. mat.	(400.0)	18.6	1.0	1,906	—
4 turrets (DR 650)	4.0	97.3	1.4	297	—
DR 1300 crystaliron armour	—	1,209.7	16.0	—	—
Total compartmentalization	—	3.7	0.0	—	—
Basic stealth	—	5.4	1.8	—	—
Basic emission cloaking	—	5.4	1.8	—	—
<b>CCCI</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
<b>Engineering</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
1 fusion engineering module	1.0	3.6	0.3	—	—
16 jump drive modules	16.0	58.0	49.6	—	0.6
200 thrusters (7,256.0 tonnes thrust)	200.0	616.8	32.0	—	3.3
120 internal jump fuel tanks	120.0	32.7	19.2	—	—
120 -dtons jump fuel	(120.0)	(108.8)	(0.0)	—	—
0.5 fuel scoops	0.5	0.3	0.0	—	—
1 fuel processor	1.0	1.0	0.9	—	—
<b>Weaponry</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
1 triple heavy missile turret	(3.0)	4.1	0.1	—	1
1 triple sandcaster turret	(3.0)	13.6	0.8	—	1
1 triple 90 MJ PD laser turret	(3.0)	15.9	1.8	—	1-1
1 single 810 MJ heavy laser turret	(3.0)	25.1	2.7	—	1-1
<b>Ordnance</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
45 ready heavy missiles	—	(30.6)	(8.1)	—	—
<b>Auxiliaries</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
1 bay for <i>Sarta</i> Armoured Launch	10.5	0.5	0.0	—	—
1 <i>Sarta</i> Armoured Launch	(10.0)	(43.8)	(3.8)	—	1
<b>Barracks</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
2 marine bunkrooms	8.0	8.7	0.0	—	—
3 briefing rooms	3.0	0.1	0.0	—	—
1 drop capsule launcher	1.0	10.9	0.2	—	1
4 drop capsule racks	4.0	61.2	—	—	—
2 battledress racks	2.0	52.2	—	—	—
1 weapons locker	1.0	6.3	0.0	—	—
<b>Other Modules</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
1 utility module	1.0	10.4	0.3	—	—
2 crew bunkrooms	8.0	8.7	0.0	—	—
1 sickbay	1.0	0.7	0.2	—	1
13.0-dton cargo hold	13.0	—	—	—	—
Cargo	(13.0)	(59.0)	—	—	—
<b>Totals</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Empty with skeleton crew	400.0	2,292.5	142.6	2,203	5
Fitted out with full crew	400.0	2,534.7	154.6	2,203	14

## Curzon-class Destroyer (GTL11)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited. Contains nonstandard modules (briefing room).

<b>Structure</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
3,000-dton medium hull, std. mat.	(3,000.0)	53.5	3.9	7,304	—
10 turrets (DR 2400)	10.0	528.0	7.3	743	—
2 small internal bays	100.0	11.8	0.6	—	—
DR 4800 superdense armour	—	10,268.7	135.9	—	—
Basic stealth	—	19.6	6.5	—	—
Basic emission cloaking	—	19.6	6.5	—	—
<b>CCCI</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Command bridge with hardened controls	5.0	20.9	12.0	—	1-10
<b>Engineering</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
1 fusion engineering module	1.0	3.3	0.2	—	—
150 jump drive modules	150.0	544.2	457.5	—	3
1,150 thrusters (104,305.0 tonnes thrust)	1,150.0	4,172.2	747.5	—	23
1,200 internal jump fuel tanks	1,200.0	326.5	192.0	—	—
1,200 -dtons jump fuel	(1,200.0)	(1,088.4)	(0.4)	—	—
2 fuel scoops	2.0	1.0	0.0	—	—
10 fuel processors	10.0	10.0	8.5	—	—
<b>Weaponry</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
2 triple 97 MJ PD laser turrets	(6.0)	26.6	2.5	—	1-2
8 single 870 MJ heavy laser turrets	(24.0)	214.1	12.6	—	1-8
1 small missile bay	(50.0)	68.7	1.1	—	2
1 14 GJ particle bay	(50.0)	471.6	23.3	—	2
2 nuclear damper modules	2.0	18.5	8.0	—	4
5 meson screen modules	5.0	22.7	11.5	—	4
<b>Ordnance</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
750 ready heavy missiles	—	(510.2)	(150.0)	—	—
<b>Auxiliaries</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Hanger for 4 <i>Luzons</i> with 1 entrance	240.0	0.9	0.0	—	—
4 <i>Luzon</i> Aerospace Fighters	(120.0)	(1,758.4)	(101.9)	—	12
Hanger for 1 <i>Estevan</i> Cutter	40.0	—	—	—	—
1 <i>Estevan</i> Cutter	(20.0)	(68.1)	(4.3)	—	1
<b>Barracks</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
2 marine bunkrooms	8.0	3.4	0.0	—	—
1 briefing room	1.0	0.0	0.0	—	—
1 drop capsule launcher	1.0	10.9	0.2	—	1
2 drop capsule racks	2.0	30.6	—	—	—
2 battledress racks	2.0	52.2	—	—	—
1 weapons locker	1.0	6.3	0.0	—	—
<b>Other Modules</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
6 utility modules	6.0	62.6	1.5	—	—
6 crew bunkrooms	24.0	10.3	0.1	—	—
1 sickbay	2.5	4.6	0.2	—	1
37.5-dton cargo hold	37.5	—	—	—	—
Cargo	(37.5)	(170.1)	—	—	—
<b>Totals</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Empty with skeleton crew	3,000.0	16,983.4	1,639.5	8,047	27
Fitted out with full crew	3,000.0	20,578.5	1,895.7	8,047	60

## Cytos-class Corvette (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
600-dton medium hull, std. mat.	(480.0)	12.2	3.2	2,497	—
6 turrets (DR 2100)	6.0	185.1	3.0	445	—
DR 4200 bonded superdense armour	—	2,048.6	27.1	—	—
Total compartmentalization	—	2.4	0.0	—	—
Basic stealth	—	7.2	2.4	—	—
Basic emission cloaking	—	7.2	2.4	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	20.1	11.8	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
24 jump drive modules	24.0	87.1	73.2	—	0.2
234 thrusters (21,223.8 tonnes thrust)	234.0	849.0	152.1	—	2.3
180 internal jump fuel tanks	180.0	49.0	28.8	—	—
180 -dtons jump fuel	(180.0)	(163.3)	(0.1)	—	—
1 fuel processor	1.0	1.0	0.9	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple light missile turret	(3.0)	0.8	0.0	—	1
1 triple sandcaster turret	(3.0)	13.6	0.8	—	1
2 triple 405 MJ laser turrets	(6.0)	42.4	4.1	—	1-2
1 triple 102 MJ PD laser turret	(3.0)	14.0	0.9	—	1-1
1 single 1,313 MJ heavy laser turret	(3.0)	22.8	2.1	—	1-1
Ordnance	Spaces	Mass	Cost	Area	Crew
246 ready light missiles	—	(33.5)	(5.7)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
7 crew staterooms	28.0	12.7	0.1	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	480.0	3,388.9	313.3	2,943	4
Fitted out with full crew	480.0	3,585.6	318.9	2,943	12

## Dartmouth-class Patrol Frigate (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
200-dton medium hull, std. mat.	(200.0)	11.7	0.6	1,200	—
2 turrets (DR 650)	2.0	48.7	0.7	148	—
DR 1300 crystaliron armour	—	762.1	10.1	—	—
Basic stealth	—	3.3	1.1	—	—
Basic emission cloaking	—	3.3	1.1	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
8 jump drive modules	8.0	29.0	24.8	—	0.3
71 thrusters (2,575.9 tonnes thrust)	71.0	218.9	11.4	—	1.2
60 internal jump fuel tanks	60.0	16.3	9.6	—	—
60 -dtons jump fuel	(60.0)	(54.4)	(0.0)	—	—
0.5 fuel scoops	0.5	0.3	0.0	—	—
1 fuel processor	1.0	1.0	0.9	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple light missile turret	(3.0)	0.8	0.0	—	1
1 triple 250 MJ laser turret	(3.0)	22.6	2.5	—	1-1
Ordnance	Spaces	Mass	Cost	Area	Crew
246 ready light missiles	—	(33.5)	(8.9)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
2 bays for <i>Imp</i> Patrol Fighters	42.0	0.5	0.0	—	—
2 <i>Imp</i> Patrol Fighters	(40.0)	(212.0)	(11.4)	—	4
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
2 crew bunkrooms	8.0	8.7	0.0	—	—
0.5-dton cargo hold	0.5	—	—	—	—
Cargo	(0.5)	(2.3)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	200.0	1,163.0	76.0	1,349	3
Fitted out with full crew	200.0	1,465.1	96.2	1,349	13

## Defiance-class Light Cruiser (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited. Contains nonstandard modules (briefing room).

Structure	Spaces	Mass	Cost	Area	Crew
10,000-dton medium hull, std. mat.	(10,000.0)	79.6	8.8	16,298	—
5 turrets (DR 1250)	5.0	92.6	1.4	371	—
8 small internal bays	400.0	47.2	2.6	—	—
DR 2500 bonded superdense armour	—	7,956.3	105.3	—	—
Basic stealth	—	40.7	13.5	—	—
Basic emission cloaking	—	40.7	13.5	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	20.1	11.8	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
600 jump drive modules	600.0	2,176.8	1,830.0	—	6
2,072 thrusters (187,930.4 tonnes thrust)	2,072.0	7,517.2	1,346.8	—	20.7
5,000 internal jump fuel tanks	5,000.0	1,360.5	800.0	—	—
5,000 -dtons jump fuel	(5,000.0)	(4,535.0)	(1.8)	—	—
3.5 fuel scoops	3.5	1.8	0.0	—	—
20 fuel processors	20.0	20.0	17.0	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
5 triple 102 MJ PD laser turrets	(15.0)	70.2	4.7	—	1-5
4 small light missile bays	(200.0)	47.9	1.3	—	8
4 small missile bays	(200.0)	274.6	4.4	—	8
570 GJ spinal meson gun	1,512.0	13,675.7	936.0	—	17
Ordnance	Spaces	Mass	Cost	Area	Crew
16,400 ready light missiles	—	(2,231.2)	(377.2)	—	—
3,000 ready heavy missiles	—	(2,040.8)	(600.0)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
Hanger for 10 <i>Rampart</i> Fighters	20.0	0.9	0.0	—	—
10 <i>Rampart</i> Fighters	(100.0)	(819.0)	(140.0)	—	10
Hanger for 1 <i>Kraki</i> Assault Cutter	60.0	0.9	0.0	—	—
1 <i>Kraki</i> Assault Cutter	(30.0)	(111.2)	(14.9)	—	3
Barracks	Spaces	Mass	Cost	Area	Crew
1 marine stateroom	4.0	1.8	0.0	—	—
9 marine bunkrooms	36.0	15.5	0.2	—	—
1 briefing room	1.0	0.0	0.0	—	—
2 battledress racks	2.0	52.2	—	—	—
1 weapons locker	1.0	6.3	0.0	—	—
1 gym	2.5	0.5	0.0	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
20 utility modules	20.0	208.6	5.0	—	—
42 crew staterooms	168.0	76.2	0.5	—	—
2 sickbays	2.0	1.5	0.4	—	2
65.0-dton cargo hold	65.0	—	—	—	—
Cargo	(65.0)	(294.8)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	10,000.0	33,789.5	5,103.2	16,670	28
Fitted out with full crew	10,000.0	43,821.5	6,235.4	16,670	83

## Dervish-class System Defense Boat (GTL9)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Weapon armour is limited. Contains playtest modules (low tech).

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, std. mat.	(320.0)	27.9	2.5	1,906	—
4 turrets (DR 1000)	4.0	222.2	3.3	297	—
DR 2000 durasteel armour	—	2,791.7	36.9	—	—
Total compartmentalization	—	5.6	0.1	—	—
Basic stealth	—	5.4	1.8	—	—
Basic emission cloaking	—	5.4	1.8	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge with hardened controls	3.0	15.0	11.0	—	1-5
1 enhanced sensor	4.0	35.2	32.7	—	0-1
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	3.0	11.7	5.0	—	—
175 fusion rockets (12,698.0 tonnes)	175.0	634.9	140.0	—	2.9
120 water fuel tanks	120.0	2.7	20.4	—	—
Water (as reaction mass)	(120.0)	(1,632.6)	(0.0)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple light missile turret	(3.0)	0.8	0.0	—	1
3 single 303 MJ heavy laser turrets	(9.0)	69.9	12.8	—	1-3
Ordnance	Spaces	Mass	Cost	Area	Crew
246 ready light missiles	—	(33.5)	(8.6)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
2 utility modules	2.0	11.2	1.5	—	—
1 crew bunkroom	5.0	4.4	0.1	—	—
4.0-dton cargo hold	4.0	—	—	—	—
Cargo	(4.0)	(18.1)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	320.0	3,336.1	269.7	2,203	4
Fitted out with full crew	320.0	3,387.7	278.3	2,203	8

## Dezdinsh-class Courier (GTL11)

*Design Parameters:* Built for Zhodani human crew. Designed to private standards.

Structure	Spaces	Mass	Cost	Area	Crew
100-dton medium hull, std. mat.	(80.0)	3.7	1.0	756	—
DR 100 bonded superdense armour	—	14.8	0.2	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge with psionic switches	2.5	6.6	3.1	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
6 jump drive modules	6.0	21.8	18.3	—	0.1
3 thrusters (272.1 tonnes thrust)	3.0	10.9	1.9	—	0.0
50 internal jump fuel tanks	50.0	13.6	8.0	—	—
50 -dtons jump fuel	(50.0)	(45.3)	(0.0)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
2 staterooms for 2 independent passengers	8.0	3.6	0.0	—	—
1 low berth for 4 low passengers	0.5	1.8	0.2	—	—
1 crew stateroom	4.0	1.8	0.0	—	—
4.0-dton cargo hold	4.0	—	—	—	—
Cargo	(4.0)	(18.1)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	80.0	92.3	33.2	756	1
Fitted out with full crew	80.0	155.8	33.2	756	1

## Dieppe-class Assault Lander (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
80-dton medium hull, std. mat.	(64.0)	6.4	0.8	651	—
1 turret (DR 1000)	1.0	37.0	0.6	74	—
DR 2000 crystaliron armour	—	636.5	8.4	—	—
Basic stealth	—	1.8	0.6	—	—
Basic emission cloaking	—	1.8	0.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.6	2.7	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
50 thrusters (1,814.0 tonnes thrust)	50.0	154.2	8.0	—	0.8
Weaponry	Spaces	Mass	Cost	Area	Crew
1 double 422 MJ plasma gun turret	(3.0)	1.8	2.0	—	1-1
Other Modules	Spaces	Mass	Cost	Area	Crew
3 passenger couches	3.0	1.5	0.0	—	—
9.0-dton cargo hold	9.0	—	—	—	—
Cargo	(9.0)	(40.8)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	64.0	845.5	23.7	726	2
Fitted out with full crew	64.0	886.3	23.7	726	3

## Drachplitl-class Diplomatic Yacht (GTL11)

*Design Parameters:* Built for Zhodani human crew. Designed to private standards. Turrets are not counted towards jump volume. Contains nonstandard modules (briefing room).

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, std. mat.	(320.0)	14.0	2.5	1,906	—
2 turrets (DR 100)	2.0	5.5	0.3	148	—
DR 100 superdense armour	—	55.8	0.7	—	—
Psionic shielding	—	1.0	2.2	—	—
Electrified surface	—	2.0	0.2	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge with psionic switches	2.5	6.6	3.3	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
20 jump drive modules	20.0	72.6	61.0	—	0.4
10 thrusters (907.0 tonnes thrust)	10.0	36.3	6.5	—	0.2
160 internal jump fuel tanks	160.0	43.5	25.6	—	—
160 -dtons jump fuel	(160.0)	(145.1)	(0.1)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
2 triple 97 MJ PD laser turrets	(6.0)	26.6	2.5	—	1-2
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
4 suites for 4 noble passengers	32.0	7.3	0.2	—	4
10 Staterooms for 10 high passengers	40.0	18.1	0.1	—	0.5
6 crew staterooms	24.0	10.9	0.1	—	—
1 briefing room	1.0	0.0	0.0	—	—
1 exercise room	2.5	0.5	0.0	—	—
24.0-dton cargo hold	24.0	—	—	—	—
Cargo	(24.0)	(108.8)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	320.0	313.3	103.4	2,054	2
Fitted out with full crew	320.0	567.3	103.4	2,054	11

## Dragger-class Bulk Freighter (GTL11)

*Design Parameters:* Built for Imperial human crew. Designed to commercial standards.

Structure	Spaces	Mass	Cost	Area	Crew
20,000-dton medium hull, std. mat.(20,000.0)		189.4	13.9	25,872	—
DR 100 superdense armour	—	151.6	2.0	—	—
1 x 1,042-dton med subhull, std. mat(1,042.5)		26.4	1.9	(3,610)	—
DR 100 superdense armour	—	105.7	1.4	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.2	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
600 jump drive modules	600.0	2,176.8	1,830.0	—	12
390 thrusters (35,373.0 tonnes thrust)	390.0	1,414.9	253.5	—	7.8
4,000 internal jump fuel tanks	4,000.0	1,088.4	640.0	—	—
4,000 -dtons jump fuel	(4,000.0)	(3,628.0)	(1.4)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
3 utility modules	3.0	31.3	0.8	—	—
12 crew staterooms	48.0	21.8	0.1	—	—
1 sickbay	1.0	0.8	0.2	—	1
14,954.5-dton cargo hold	14,954.5	—	—	—	—
Cargo	(14,954.5)	(67,818.7)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	20,000.0	5,217.0	2,747.2	25,872	21
Fitted out with full crew	20,000.0	76,663.7	2,747.2	25,872	24

## Drangki-class Destroyer (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
4,000-dton medium hull, std. mat. (3,200.0)		86.4	11.4	8,848	—
10 turrets (DR 1250)	10.0	461.0	7.0	743	—
3 small internal bays	150.0	17.7	1.0	—	—
DR 2500 crystaliron armour	—	10,798.3	142.9	—	—
Heavy compartmentalization	—	8.6	0.1	—	—
Basic stealth	—	23.4	7.7	—	—
Basic emission cloaking	—	23.4	7.7	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
120 jump drive modules	120.0	435.4	372.0	—	4.8
2,000 thrusters (72,560.0 tonnes thrust)	2,000.0	6,167.6	320.0	—	33.3
800 internal jump fuel tanks	800.0	217.7	128.0	—	—
800 -dtons jump fuel	(800.0)	(725.6)	(0.3)	—	—
4 fuel processors	4.0	4.0	3.4	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
4 triple 250 MJ laser turrets	(12.0)	90.6	9.8	—	1-4
3 triple 90 MJ PD laser turrets	(9.0)	47.8	5.3	—	1-3
3 single 810 MJ heavy laser turrets	(9.0)	75.4	8.1	—	1-3
3 13 GJ particle bays	(150.0)	1,270.7	68.4	—	6
Other Modules	Spaces	Mass	Cost	Area	Crew
7 utility modules	7.0	73.0	2.1	—	—
25 crew staterooms	100.0	54.4	0.3	—	—
3.0-dton cargo hold	3.0	—	—	—	—
Cargo	(3.0)	(13.6)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	3,200.0	19,880.6	1,108.2	9,591	40
Fitted out with full crew	3,200.0	20,619.8	1,108.2	9,591	49

## Drauna-class Relief Vessel (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to private standards. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
2,000-dton medium hull, std. mat. (2,000.0)		27.2	3.0	5,574	—
4 turrets (DR 100)	4.0	7.3	0.2	297	—
DR 100 bonded superdense armour	—	108.8	1.4	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.1	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
60 jump drive modules	60.0	217.7	183.0	—	0.6
40 thrusters (3,628.0 tonnes thrust)	40.0	145.1	26.0	—	0.4
400 internal jump fuel tanks	400.0	108.8	64.0	—	—
400 -dtons jump fuel	(400.0)	(362.8)	(0.1)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
2 triple sandcaster turrets	(6.0)	27.2	1.5	—	2
2 triple 102 MJ PD laser turrets	(6.0)	28.1	1.9	—	1-2
Other Modules	Spaces	Mass	Cost	Area	Crew
4 utility modules	4.0	41.7	1.0	—	—
250 Staterooms for entertainers	1,000.0	453.5	3.0	—	10
16 crew staterooms	64.0	29.0	0.2	—	—
11 exercise rooms	27.5	5.0	0.0	—	—
5 halls	50.0	0.9	0.0	—	—
3 theatres	60.0	5.7	0.0	—	3
3 stages	48.0	1.4	0.0	—	—
2 civilian holoventure zones	60.0	6.5	2.4	—	2
1 swimming pool	61.0	14.5	0.3	—	2.5
Water	—	231.3	—	—	—
5 sickbays	5.0	3.9	1.0	—	5
113.0-dton cargo hold	113.0	—	—	—	—
Cargo	(113.0)	(512.5)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	2,000.0	1,242.3	292.4	5,871	2
Fitted out with full crew	2,000.0	2,348.8	292.4	5,871	30

## Drianjdaqr-class Destroyer (GTL11)

*Design Parameters:* Built for Zhodani human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
5,000-dton medium hull, std. mat. (5,000.0)		75.2	5.5	10,267	—
10 turrets (DR 1250)	10.0	277.7	4.0	743	—
4 small internal bays	200.0	23.6	1.3	—	—
DR 2500 superdense armour	—	7,518.2	99.5	—	—
Heavy compartmentalization	—	7.5	0.1	—	—
Basic stealth	—	26.9	8.9	—	—
Basic emission cloaking	—	26.9	8.9	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Hrd. Command bridge with psi switches	5.0	20.9	12.1	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
250 jump drive modules	250.0	907.0	762.5	—	5
1,800 thrusters (163,260.0 tonnes thrust)	1,800.0	6,530.4	1,170.0	—	36
2,000 internal jump fuel tanks	2,000.0	544.2	320.0	—	—
2,000 -dtons jump fuel	(2,000.0)	(1,814.0)	(0.7)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
3 triple 97 MJ PD laser turrets	(9.0)	39.9	3.8	—	1-3
7 single 870 MJ heavy laser turrets	(21.0)	187.3	11.0	—	1-7
4 14 GJ particle bays	(200.0)	1,886.6	93.2	—	8
Auxiliaries	Spaces	Mass	Cost	Area	Crew
20 bays for Joqlsha' Fighters	420.0	0.5	0.0	—	—
20 Joqlsha' Fighters	(400.0)	(5,396.0)	(364.2)	—	60
Other Modules	Spaces	Mass	Cost	Area	Crew
10 utility modules	10.0	104.3	2.5	—	—
59 crew staterooms	236.0	107.0	0.7	—	—
1 sickbay	1.0	0.8	0.2	—	1
67.0-dton cargo hold	67.0	—	—	—	—
Cargo	(67.0)	(303.8)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	5,000.0	18,288.0	2,504.3	11,010	42
Fitted out with full crew	5,000.0	25,801.8	2,868.5	11,010	116

## Dsarpa-class Fast Shuttle (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to private standards.

Structure	Spaces	Mass	Cost	Area	Crew
80-dton medium hull, std. mat.	(64.0)	3.2	0.8	651	—
DR 100 bonded superdense armour	—	12.7	0.2	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit	1.0	4.3	2.3	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
18 thrusters (1,632.6 tonnes thrust)	18.0	65.3	11.7	—	0.2
Other Modules	Spaces	Mass	Cost	Area	Crew
5 passenger couches	5.0	1.6	0.0	—	—
40.0-dton cargo hold	40.0	—	—	—	—
Cargo	(40.0)	(181.4)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	64.0	87.1	15.0	651	2
Fitted out with full crew	64.0	268.5	15.0	651	2

## Dumont-class Assault Lander (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
40-dton medium hull, std. mat.	(32.0)	2.0	0.5	410	—
1 turret (DR 2100)	1.0	30.8	0.5	74	—
DR 4200 bonded superdense armour	—	336.8	4.5	—	—
Basic stealth	—	1.2	0.4	—	—
Basic emission cloaking	—	1.2	0.4	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.4	2.5	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
20 thrusters (1,814.0 tonnes thrust)	20.0	72.6	13.0	—	0.2
Weaponry	Spaces	Mass	Cost	Area	Crew
1 double 690 MJ fusion gun turret	(3.0)	24.5	4.3	—	1-1
Other Modules	Spaces	Mass	Cost	Area	Crew
3 passenger couches	3.0	1.0	0.0	—	—
7.0-dton cargo hold	7.0	—	—	—	—
Cargo	(7.0)	(31.7)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	32.0	474.5	26.1	485	2
Fitted out with full crew	32.0	506.2	26.1	485	3

## Echpoz-class Armed Gig (GTL11)

*Design Parameters:* Built for Zhodani human crew. Designed to military standards.

Structure	Spaces	Mass	Cost	Area	Crew
20-dton medium hull, std. mat.	(20.0)	1.9	0.1	258	—
1 turret (DR 100)	1.0	2.7	0.1	74	—
DR 100 superdense armour	—	7.6	0.1	—	—
Basic stealth	—	0.8	0.3	—	—
Basic emission cloaking	—	0.8	0.3	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hrd controls and psi switches	1.0	3.8	2.2	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
5 thrusters (453.5 tonnes thrust)	5.0	18.1	3.3	—	0.1
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple 97 MJ PD laser turret	(3.0)	13.3	1.3	—	1-1
Other Modules	Spaces	Mass	Cost	Area	Crew
2 passenger couches	2.0	0.7	0.0	—	—
11.0-dton cargo hold	11.0	—	—	—	—
Cargo	(11.0)	(49.9)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	20.0	49.7	7.5	333	1
Fitted out with full crew	20.0	99.6	7.5	333	2

## Einkhuissen-class Express Liner (GTL9)

*Design Parameters:* Built for Sword Worlds crew. Designed to commercial standards.

Structure	Spaces	Mass	Cost	Area	Crew
300-dton medium hull, standard materials(240.0)	23.0	2.0	16,938	—	—
DR 100 durasteel armour	—	115.2	1.5	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	3.0	12.2	8.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	3.0	11.7	5.0	—	—
9 jump drive modules	18.0	65.3	45.0	—	1.8
8 fusion rockets (580.5 tonnes thrust)	8.0	29.0	6.4	—	0.1
60 internal jump fuel tanks	60.0	16.3	9.6	—	—
60 -dtons jump fuel	(60.0)	(54.4)	(0.0)	—	—
15 water fuel tanks	15.0	0.3	2.5	—	—
Water (as reaction mass)	(15.0)	(204.1)	(0.0)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
2 utility modules	2.0	11.2	1.5	—	—
20 Staterooms for 20 high passengers	80.0	43.5	0.3	—	1
3 crew staterooms	12.0	6.5	0.0	—	—
39.0-dton cargo hold	39.0	—	—	—	—
Cargo	(39.0)	(176.9)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty	240.0	311.3	82.0	16,938	0
Fitted out	240.0	542.6	82.0	16,938	0

## Ekorn-class Liner (GTL9)

*Design Parameters:* Built for Sword Worlds crew. Designed to commercial standards.

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, standard materials(320.0)	27.9	2.5	20,519	—	—
DR 100 durasteel armour	—	139.6	1.8	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	3.0	12.2	8.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	3.0	11.7	5.0	—	—
8 jump drive modules	16.0	58.0	40.0	—	1.6
10 fusion rockets (725.6 tonnes thrust)	10.0	36.3	8.0	—	0.2
40 internal jump fuel tanks	40.0	10.9	6.4	—	—
40 -dtons jump fuel	(40.0)	(36.3)	(0.0)	—	—
24 water fuel tanks	24.0	0.5	4.1	—	—
Water (as reaction mass)	(24.0)	(326.5)	(0.0)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
3 utility modules	3.0	16.9	2.3	—	—
40 Staterooms for 40 high passengers	160.0	87.1	0.6	—	2
10 low berths for 40 low passengers	5.0	18.1	2.2	—	—
4 crew staterooms	16.0	8.7	0.1	—	—
40.0-dton cargo hold	40.0	—	—	—	—
Cargo	(40.0)	(181.4)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty	320.0	399.0	81.0	20,519	0
Fitted out	320.0	616.6	81.0	20,519	0

## Elding-class Light Fighter (GTL9)

Structure	Spaces	Mass	Cost	Area	Crew
20-ton hull	(20.0)	4.1	0.2	278.7	0.0
Airtight sealing	0.0	0.0	0.0	0.0	0.0
Armour: DR100, PD4	0.0	20.4	0.3	0.0	0.0
Basic stealth	0.0	0.7	0.2	0.0	0.0
Basic emission cloaking	0.0	0.7	0.2	0.0	0.0
Drive Modules	Spaces	Mass	Cost	Area	Crew
Fusion rocket (4.7G)	8.0	90.5	10.0	0.0	0.0
Rocket fuel tank (0.6 hours)	8.0	113.4	1.3	0.0	0.0
Weapon Modules	Spaces	Mass	Cost	Area	Crew
3 102-MJ Lasers	3.0	23.7	4.3	0.0	0.0
Workspace Modules	Spaces	Mass	Cost	Area	Crew
Hardened Cockpit	1.0	4.6	2.5	0.0	1.0
Totals	Spaces	Mass	Cost	Area	Crew
Fully loaded & fitted out	20.0	258.1	17.8	278.7	1.0
Unloaded with skeleton crew	20.0	258.1	17.8	278.7	1.0

## Empress Nicole-class Cruise Liner (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to commercial standards.

Structure	Spaces	Mass	Cost	Area	Crew
3,000-dton medium hull, std. mat.	(3,000.0)	35.7	3.9	7,304	—
DR 100 bonded superdense armour	—	142.6	1.9	—	—
<b>CCCI</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Basic bridge	2.5	6.6	3.1	—	1-5
<b>Engineering</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
1 fusion engineering module	1.0	3.3	0.2	—	—
150 jump drive modules	150.0	544.2	457.5	—	1.5
61 thrusters (5,532.7 tonnes thrust)	61.0	221.3	39.6	—	0.6
1,200 internal jump fuel tanks	1,200.0	326.5	192.0	—	—
1,200 -dtons jump fuel	(1,200.0)	(1,088.4)	(0.4)	—	—
<b>Auxiliaries</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Hanger for 4 Gigs with 1 entrance	160.0	0.9	0.0	—	—
4 Gigs	(80.0)	(282.5)	(22.0)	—	8
<b>Other Modules</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
6 utility modules	6.0	62.6	1.5	—	—
10 suites for 10 noble passengers	80.0	18.1	0.6	—	10
200 Staterooms for 200 high passengers	800.0	362.8	2.4	—	10
10 low berths for 40 low passengers	5.0	18.1	2.2	—	—
24 crew staterooms	96.0	43.5	0.3	—	—
10 exercise rooms	25.0	4.5	0.0	—	—
3 halls	30.0	0.5	0.0	—	—
1 theatre	20.0	1.9	0.0	—	1
1 stage	16.0	0.5	0.0	—	—
5 civilian holoventure zones	150.0	16.3	6.0	—	5
1 swimming pool	61.0	14.5	0.3	—	2.5
Water	—	231.3	—	—	—
3 sickbays	3.0	2.3	0.6	—	3
133.5-dton cargo hold	133.5	—	—	—	—
Cargo	(133.5)	(605.4)	—	—	—
<b>Totals</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Empty with skeleton crew	3,000.0	1,826.9	712.2	7,304	4
Fitted out with full crew	3,000.0	4,034.5	734.2	7,304	48

## Enzhyiench-class Freighter (GTL11)

*Design Parameters:* Built for Zhodani human crew. Designed to commercial standards.

Structure	Spaces	Mass	Cost	Area	Crew
1,200-dton medium hull, std. mat.	(1,200.0)	29.0	2.1	3,965	—
DR 100 superdense armour	—	116.1	1.5	—	—
<b>CCCI</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Basic bridge with psionic switches	2.5	6.6	3.3	—	1-5
<b>Engineering</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
1 fusion engineering module	1.0	3.3	0.2	—	—
36 jump drive modules	36.0	130.6	109.8	—	0.7
50 thrusters (4,535.0 tonnes thrust)	50.0	181.4	32.5	—	1
240 internal jump fuel tanks	240.0	65.3	38.4	—	—
240 -dtons jump fuel	(240.0)	(217.7)	(0.1)	—	—
<b>Other Modules</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
3 utility modules	3.0	31.3	0.8	—	—
3 crew staterooms	12.0	5.4	0.0	—	—
855.5-dton cargo hold	855.5	—	—	—	—
Cargo	(855.5)	(3,879.7)	—	—	—
<b>Totals</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Empty with skeleton crew	1,200.0	569.1	188.6	3,965	3
Fitted out with full crew	1,200.0	4,666.5	188.6	3,965	5

## Estevan-class Cutter (GTL11)

*Design Parameters:* Built for Solomani human crew. Designed to military standards.

Structure	Spaces	Mass	Cost	Area	Crew
20-dton medium hull, std. mat.	(16.0)	1.9	0.3	258	—
DR 100 superdense armour	—	7.6	0.1	—	—
Basic stealth	—	0.6	0.2	—	—
Basic emission cloaking	—	0.6	0.2	—	—
<b>CCCI</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Cockpit with hardened controls	1.0	3.8	2.2	—	1-2
<b>Engineering</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
2 thrusters (181.4 tonnes thrust)	2.0	7.3	1.3	—	0.0
<b>Other Modules</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
3 passenger couches	3.0	1.0	0.0	—	—
10.0-dton cargo hold	10.0	—	—	—	—
Cargo	(10.0)	(45.3)	—	—	—
<b>Totals</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Empty with skeleton crew	16.0	22.7	4.3	258	1
Fitted out with full crew	16.0	68.1	4.3	258	1

## Étienne-class Missionary Ship (GTL10)

Structure	Spaces	Mass	Cost	Area	Crew
200-ton streamlined hull	(160.0)	13.6	1.8	1393.5	0.0
Airtight sealing	0.0	0.0	0.2	0.0	0.0
Armour: DR100, PD4	0.0	68.0	0.9	0.0	0.0
<b>Drive Modules</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Engineering module	1.0	3.7	0.3	0.0	0.0
Jump drive (2 parsecs)	6.0	21.8	18.6	0.0	0.2
Jump tanks	40.0	47.2	6.4	0.0	0.0
Maneuver drive (1.0G)	6.0	18.5	1.0	0.0	0.1
Fuel processor module (5.0 hours)	1.0	1.0	0.9	0.0	0.0
<b>Workspace Modules</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Bridge	2.5	7.8	4.0	0.0	1.0
1 utility module	1.0	10.4	0.3	0.0	0.0
2 Halls seating 200 people	20.0	0.4	0.0	0.0	0.0
2 Theatres seating 200 people	40.0	3.8	0.0	0.0	0.0
2 Stages	32.0	0.9	0.0	0.0	0.0
Sickbay	1.0	0.7	0.2	0.0	2.0
Hold	1.5	0.0	0.0	0.0	0.0
<b>Accommodation Modules</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
2 staterooms	8.0	4.4	0.0	0.0	0.0
<b>Miscellaneous Items</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Fuel	(40.0)	0.0	0.0	0.0	0.0
Cargo	(1.5)	(6.8)	0.0	0.0	0.0
<b>Totals</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Fully loaded & fitted out	160.0	208.9	34.6	1393.5	4.0
Unloaded with skeleton crew	160.0	202.1	34.5	1393.5	2.0

## Ewos-class Q-Ship (GTL11)

*Design Parameters:* Built for Imperiali human crew. Designed to private standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
600-dton medium hull, std. mat.	(600.0)	18.3	1.3	2,497	—
2 turrets (DR 2600)	2.0	114.3	1.6	148	—
DR 5200 superdense armour	—	3,804.5	50.3	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	20.9	12.0	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
18 jump drive modules	18.0	65.3	54.9	—	0.4
380 thrusters (34,466.0 tonnes thrust)	380.0	1,378.6	247.0	—	7.6
120 internal jump fuel tanks	120.0	32.7	19.2	—	—
120 -dtons jump fuel	(120.0)	(108.8)	(0.0)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
8 fixed 422 MJ plasma guns	12.0	7.3	8.0	—	—
1 triple sandcaster turret	(3.0)	13.6	0.8	—	1
1 triple 97 MJ PD laser turret	(3.0)	13.3	1.3	—	1-1
Barracks	Spaces	Mass	Cost	Area	Crew
1 marine stateroom	4.0	1.8	0.0	—	—
7 marine bunkrooms	28.0	12.1	0.1	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
2 utility modules	2.0	20.9	0.5	—	—
1 crew stateroom	4.0	1.8	0.0	—	—
3 crew bunkrooms	12.0	5.2	0.1	—	—
1 sickbay	1.0	0.8	0.2	—	1
5 brigs	5.0	31.7	0.2	—	—
6.0-dton cargo hold	6.0	—	—	—	—
Cargo	(6.0)	(27.2)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	600.0	5,546.2	397.6	2,646	9
Fitted out with full crew	600.0	5,682.3	397.6	2,646	13

## Falkon-class Cargo Lighter (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to private standards.

Structure	Spaces	Mass	Cost	Area	Crew
80-dton medium hull, std. mat.	(64.0)	6.4	0.8	651	—
DR 100 crystaliron armour	—	31.8	0.4	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit	1.0	4.4	2.5	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
9 thrusters (326.5 tonnes thrust)	9.0	27.8	1.4	—	0.2
Other Modules	Spaces	Mass	Cost	Area	Crew
54.0-dton cargo hold	54.0	—	—	—	—
Cargo	(54.0)	(244.9)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	64.0	70.4	5.2	651	2
Fitted out with full crew	64.0	315.3	5.2	651	2

## Faunel-class Yacht (GTL10)

Structure	Spaces	Mass	Cost	Area	Crew
300-ton streamlined hull	(240.0)	18.1	2.4	1858.1	0.0
Airtight sealing	0.0	0.0	0.2	0.0	0.0
Armour: DR100, PD4	0.0	94.3	1.2	0.0	0.0
1 turret (3 spaces)	1.0	0.7	0.1	74.3	1.0
Drive Modules	Spaces	Mass	Cost	Area	Crew
Engineering module	1.0	3.7	0.3	0.0	0.0
Jump drive (2 parsecs)	9.0	32.7	27.9	0.0	0.4
Jump tanks	60.0	70.7	9.6	0.0	0.0
Maneuver drive (1.3G)	19.0	58.6	3.0	0.0	0.3
Weapon Modules	Spaces	Mass	Cost	Area	Crew
Missile Rack	(1.0)	11.8	0.0	0.0	0.0
360-MJ Laser	(1.0)	10.9	1.0	0.0	0.0
1 sandcaster	(1.0)	4.5	0.3	0.0	0.0
Workspace Modules	Spaces	Mass	Cost	Area	Crew
Bridge	2.5	7.8	4.0	0.0	3.0
1 utility module	1.0	10.4	0.3	0.0	0.0
Theatre	4.0	2.0	0.0	0.0	0.0
Stage	16.0	0.5	0.0	0.0	0.0
Swimming Pool	31.0	7.7	0.2	0.0	0.0
Hold	35.5	0.0	0.0	0.0	0.0
Accommodation Modules	Spaces	Mass	Cost	Area	Crew
15 staterooms	60.0	32.7	0.2	0.0	0.0
Miscellaneous Items	Spaces	Mass	Cost	Area	Crew
Fuel	(60.0)	0.0	0.0	0.0	0.0
Cargo	(35.5)	(161.0)	0.0	0.0	0.0
Missiles	0.0	0.0	2.5	0.0	0.0
Sand cannisters	0.0	0.0	0.1	0.0	0.0
Water	0.0	(115.6)	0.0	0.0	0.0
Totals	Spaces	Mass	Cost	Area	Crew
Fully loaded & fitted out	240.0	528.2	53.5	1932.4	6.0
Unloaded with skeleton crew	240.0	367.2	50.9	1932.4	4.0

## Fedmist-class Droyne Trader (GTL10)

*Design Parameters:* Built for Droyne crew. Designed to commercial standards. Turrets are counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
200-dton medium hull, std. mat.	(160.0)	11.7	1.6	1,200	—
2 turrets (DR 100)	2.0	8.8	0.3	148	—
DR 100 crystaliron armour	—	58.6	0.8	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
4 jump drive modules	4.0	14.5	12.4	—	0.2
16 thrusters (580.5 tonnes thrust)	16.0	49.3	2.6	—	0.3
20 internal jump fuel tanks	20.0	5.4	3.2	—	—
20 -dtons jump fuel	(20.0)	(18.1)	(0.0)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple 250 MJ laser turret	(3.0)	22.6	2.5	—	1-1
1 triple 90 MJ PD laser turret	(3.0)	15.9	1.8	—	1-1
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
2 Nests for 12 high passengers	24.0	13.1	0.1	—	0.6
1 crew nest	12.0	6.5	0.0	—	—
77.5-dton cargo hold	77.5	—	—	—	—
Cargo	(77.5)	(351.5)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	160.0	228.4	29.7	1,349	2
Fitted out with full crew	160.0	598.0	29.7	1,349	5



## Fellbane-class Orbital Defense Fighter (GTL9)

Structure	Spaces	Mass	Cost	Area	Crew
20-ton hull	(20.0)	4.1	0.2	278.7	0.0
Airtight sealing	0.0	0.0	0.0	0.0	0.0
Armour: DR4200, PD4	0.0	1085.7	14.4	0.0	0.0
1 turret (3 spaces)	1.0	0.7	0.0	74.3	1.0
Basic stealth	0.0	0.9	0.3	0.0	0.0
Basic emission cloaking	0.0	0.9	0.3	0.0	0.0
<b>Drive Modules</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Fusion rocket (1.0G)	9.0	101.8	11.3	0.0	0.0
Rocket fuel tank (0.6 hours)	9.0	127.5	1.4	0.0	0.0
<b>Weapon Modules</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
3 102-MJ Lasers	(3.0)	23.7	4.3	0.0	0.0
<b>Workspace Modules</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Hardened Cockpit	1.0	4.6	2.5	0.0	1.0
<b>Totals</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Fully loaded & fitted out	20.0	1349.9	33.3	353.0	2.0
Unloaded with skeleton crew	20.0	1349.9	33.3	353.0	1.0

## Fenross-class Destroyer (GTL11)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. All quantities in metric units. Turrets are not counted towards jump volume. Weapon armour is limited. Contains nonstandard modules (briefing room).

Structure	Spaces	Mass	Cost	Area	Crew
7,500-dton medium hull, std. mat.	(7,500.0)	98.5	7.2	13,454	—
15 turrets (DR 2750)	15.0	906.3	12.5	1,114	—
6 large external bays (DR 2750)	120.0	5,891.0	80.2	7,246	—
DR 5500 superdense armour	—	21,673.6	286.8	—	—
Heavy compartmentalization	—	9.9	0.1	—	—
Basic stealth	—	53.2	17.6	—	—
Basic emission cloaking	—	53.2	17.6	—	—
<b>CCCI</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Basic bridge with hardened controls	2.5	9.3	6.2	—	1-5
1 enhanced sensor	4.0	34.6	33.2	—	0-1
<b>Engineering</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
1 fusion engineering module	1.0	3.3	0.2	—	—
399 jump drive modules	399.0	1,447.6	1,216.9	—	8.0
3,500 thrusters (317,450.0 tonnes thrust)	3,500.0	12,698.0	2,275.0	—	70
3,192 internal jump fuel tanks	3,192.0	868.5	510.7	—	—
3,192 -dtons jump fuel	(3,192.0)	(2,895.1)	(1.1)	—	—
3 fuel scoops	3.0	1.6	0.0	—	—
30 fuel processors	30.0	29.9	25.5	—	—
1 workshop	2.5	13.6	0.1	—	—
<b>Weaponry</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
5 triple 390 MJ laser turrets	(15.0)	102.3	17.3	—	1-5
5 triple 97 MJ PD laser turrets	(15.0)	66.5	6.3	—	1-5
5 single 870 MJ heavy laser turrets	(15.0)	133.8	7.9	—	1-5
6 large heavy missile bays	(600.0)	821.7	13.2	—	12
1 nuclear damper module	1.0	9.3	4.0	—	4
<b>Ordnance</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
9,000 ready heavy missiles	—	(6,122.3)	(1,800.0)	—	—
<b>Auxiliaries</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Hanger for Gigs with 1 entrance	80.0	0.9	0.0	—	—
2 Vixen Armed Gigs	(40.0)	(179.0)	(18.6)	—	4
<b>Barracks</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
3 marine bunkrooms	12.0	5.2	0.1	—	—
3 briefing rooms	3.0	0.1	0.0	—	—
2 battledress racks	2.0	52.2	—	—	—
1 weapons locker	1.0	6.3	0.0	—	—
2 gyms	5.0	0.9	0.0	—	—
1 shooting range	10.0	9.1	0.2	—	—
<b>Other Modules</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
15 utility modules	15.0	156.5	3.8	—	—
10 crew bunkrooms	40.0	17.2	0.2	—	—
2 sickbays	5.0	9.3	0.4	—	2
1 brig	1.0	6.3	0.0	—	—
56.0-dton cargo hold	56.0	—	—	—	—
Cargo	(56.0)	(254.0)	—	—	—
<b>Totals</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Empty with skeleton crew	7,500.0	45,189.7	4,543.0	21,815	79
Fitted out with full crew	7,500.0	54,640.0	6,361.6	21,815	109

## Fermouche-class Escort Frigate (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

<b>Structure</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
600-dton medium hull, std. mat.	(600.0)	24.4	1.3	2,497	—
6 turrets (DR 650)	6.0	146.0	2.1	445	—
DR 1300 crystaliron armour	—	1,585.2	21.0	—	—
Basic stealth	—	7.2	2.4	—	—
Basic emission cloaking	—	7.2	2.4	—	—
<b>CCCI</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
<b>Engineering</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
1 fusion engineering module	1.0	3.6	0.3	—	—
18 jump drive modules	18.0	65.3	55.8	—	0.7
280 thrusters (10,158.4 tonnes thrust)	280.0	863.5	44.8	—	4.7
120 internal jump fuel tanks	120.0	32.7	19.2	—	—
120 -dtons jump fuel	(120.0)	(108.8)	(0.0)	—	—
0.5 fuel scoops	0.5	0.3	0.0	—	—
1 fuel processor	1.0	1.0	0.9	—	—
<b>Weaponry</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
2 triple 250 MJ laser turrets	(6.0)	45.3	4.9	—	1-2
2 triple 90 MJ PD laser turrets	(6.0)	31.8	3.5	—	1-2
2 single 810 MJ heavy laser turrets	(6.0)	50.2	5.4	—	1-2
<b>Auxiliaries</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
4 bays for <i>Burtoine</i> Escort Fighters	126.0	0.5	0.0	—	—
4 <i>Burtoine</i> Escort Fighters	(120.0)	(1,260.8)	(47.3)	—	8
1 bay for Gig	21.0	0.5	0.0	—	—
1 Gig	(20.0)	(70.6)	(5.5)	—	2
<b>Other Modules</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
1 utility module	1.0	10.4	0.3	—	—
1 crew stateroom	4.0	2.2	0.0	—	—
2 crew bunkrooms	8.0	8.7	0.0	—	—
1 sickbay	1.0	0.7	0.2	—	1
7.5-dton cargo hold	7.5	—	—	—	—
Cargo	(7.5)	(34.0)	—	—	—
<b>Totals</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Empty with skeleton crew	600.0	2,908.2	177.1	2,943	7
Fitted out with full crew	600.0	4,382.4	229.9	2,943	25

## Firal-class Tanker (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to military standards.

<b>Structure</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
10,000-dton medium hull, std. mat.(10,000.0)	—	159.1	8.8	16,298	—
DR 100 crystaliron armour	—	795.6	10.5	—	—
Basic stealth	—	39.8	13.2	—	—
Basic emission cloaking	—	39.8	13.2	—	—
<b>CCCI</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Basic bridge with hardened controls	2.5	10.5	7.0	—	1-5
<b>Engineering</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
1 fusion engineering module	1.0	3.6	0.3	—	—
720 jump drive modules	720.0	2,612.2	2,232.0	—	28.8
773 thrusters (28,044.4 tonnes thrust)	773.0	2,383.8	123.7	—	12.9
7,800 internal jump fuel tanks	7,800.0	2,122.4	1,248.0	—	—
7,800 -dtons jump fuel	(7,800.0)	(7,074.6)	(2.7)	—	—
78 fuel processors	78.0	77.8	66.3	—	—
<b>Auxiliaries</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
100 cradles for <i>Prenai</i> Scoopship	113.5	643.4	28.4	—	—
100 <i>Prenai</i> Scoopships	(8,000.0)	(12,861.3)	(1,399.0)	—	200
<b>Other Modules</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
20 utility modules	20.0	208.6	6.0	—	—
123 crew staterooms	492.0	267.7	1.5	—	—
<b>Totals</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Empty with skeleton crew	10,000.0	9,364.4	3,758.8	16,298	43
Fitted out with full crew	10,000.0	29,300.2	5,157.8	16,298	245

## Firefly-class Light Fighter (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to military standards.

<b>Structure</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
10-dton medium hull, std. mat.	(10.0)	1.6	0.1	162	—
DR 100 crystaliron armour	—	8.0	0.1	—	—
Basic stealth	—	0.4	0.1	—	—
Basic emission cloaking	—	0.4	0.1	—	—
<b>CCCI</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Cockpit with hardened controls	1.0	4.6	2.7	—	1-2
<b>Engineering</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
8 thrusters (290.2 tonnes thrust)	8.0	24.7	1.3	—	0.1
<b>Weaponry</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
1 fixed 250 MJ laser	1.0	7.5	0.8	—	—
<b>Totals</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Empty with skeleton crew	10.0	47.1	5.2	162	2
Fitted out with full crew	10.0	47.1	5.2	162	2

## Flamboyant Monkey-class Frontier Cruiser (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited. Contains nonstandard modules (briefing room).

Structure	Spaces	Mass	Cost	Area	Crew
50,000-dton medium hull, std. mat.(50,000.0)		232.6	25.6	47,657	—
206 turrets (DR 2600)	206.0	7,849.7	111.3	15,309	—
24 small internal bays	1,200.0	141.5	7.8	—	—
DR 5200 bonded superdense armour	—	48,389.6	640.2	—	—
Basic stealth	—	153.7	50.8	—	—
Basic emission cloaking	—	153.7	50.8	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	20.1	11.8	—	1-10
Basic bridge with hardened controls	2.5	9.3	6.1	—	0-0
1 information centre	4.0	2.7	2.8	—	10-20
1 centre containing 8 cmplx 10 computers	1.0	10.9	30.0	—	—
1 enhanced communicator	1.0	14.8	0.7	—	0-1
1 advanced sensor	8.0	69.2	69.0	—	0-1
1 electronic warfare suite	3.0	36.6	10.5	—	2
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
3,000 jump drive modules	3,000.0	10,884.0	9,150.0	—	30
4,500 thrusters (408,150.0 tonnes thrust)	4,500.0	16,326.0	2,925.0	—	45
25,000 internal jump fuel tanks	25,000.0	6,802.5	4,000.0	—	—
25,000 -dtons jump fuel	(25,000.0)	(22,675.0)	(8.8)	—	—
200 fuel processors	200.0	199.5	170.0	—	—
1 workshop	2.5	13.6	0.1	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
6 triple light missile turrets	(18.0)	4.9	0.1	—	6
10 triple sandcaster turrets	(30.0)	136.1	7.5	—	10
80 triple 405 MJ laser turrets	(240.0)	1,697.9	163.2	—	8-80
10 triple 102 MJ PD laser turrets	(30.0)	140.4	9.3	—	1-10
100 single 1,313 MJ heavy laser turrets	(300.0)	2,276.6	211.0	—	10-100
24 14 GJ particle bays	(1,200.0)	11,319.4	559.2	—	48
870 GJ spinal meson gun	2,291.0	20,718.6	1,419.0	—	24
4 nuclear damper modules	4.0	37.0	16.0	—	4
66 meson screen modules	66.0	299.3	151.8	—	4
Ordnance	Spaces	Mass	Cost	Area	Crew
1,476 ready light missiles	—	(200.8)	(33.9)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
Rampart Hanger with 2 ent & 1 launch	3,018.0	75.3	1.8	—	10
150 Rampart Fighters	(1,500.0)	(12,285.0)	(2,100.0)	—	150
Citadel Hanger with 1 ent. & 1 launch	2,090.0	364.6	5.0	—	10
20 Citadel Heavy Fighters	(1,000.0)	(8,802.0)	(659.4)	—	40
Fortress Hanger with 1 ent & 1 launch	4,970.0	818.1	10.0	—	10
30 Fortress Assault Fighters	(2,400.0)	(30,561.0)	(2,048.7)	—	90
Tralsa Hanger with 1 entrance	200.0	0.9	0.0	—	—
5 Tralsa Gigs	(100.0)	(342.0)	(20.1)	—	5
4 bays for Baboon Scoopships	1,680.0	0.5	0.0	—	—
4 Baboon Scoopships	(1,600.0)	(2,132.0)	(287.9)	—	12
Barracks	Spaces	Mass	Cost	Area	Crew
3 marine staterooms	12.0	5.4	0.0	—	—
30 marine bunkrooms	120.0	51.7	0.5	—	—
2 briefing rooms	2.0	0.0	0.0	—	—
6 battledress racks	6.0	156.5	—	—	—
2 weapons lockers	2.0	12.7	0.1	—	—
2 gyms	5.0	0.9	0.0	—	—
1 shooting range	10.0	9.1	0.2	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
100 utility modules	100.0	1,043.1	25.0	—	—
270 crew staterooms	1,080.0	489.8	3.2	—	—
68 crew low berths	34.0	123.4	15.0	—	—
6 sickbays	6.0	4.6	1.3	—	6
1 surgical theatre	1.0	0.4	0.1	—	—
169.0-dton cargo hold	169.0	—	—	—	—
Cargo	(169.0)	(766.4)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	50,000.0	131,100.4	19,862.0	62,966	88
Fitted out with full crew	50,000.0	208,864.6	25,012.1	62,966	807

## Flinton-class Scout (GTL9)

*Design Parameters:* Built for Solomani human crew. Designed to private standards. All quantities in metric units. Contains playtest modules (low tech).

Structure	Spaces	Mass	Cost	Area	Crew
200-dton medium hull, std. mat.	(160.0)	17.6	1.6	1,200	—
DR 100 durasteel armour	—	87.9	1.2	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	3.0	12.2	8.0	—	1-5
1 enhanced sensor	4.0	35.2	32.7	—	0-1
1 probe launch centre	1.0	1.1	0.0	—	0-3
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	3.0	11.7	5.0	—	—
6 jump drive modules	12.0	43.5	30.0	—	1.2
10 thrusters (47.2 tonnes thrust)	10.0	38.1	14.0	—	1
40 internal jump fuel tanks	40.0	10.9	6.4	—	—
40 -dtons jump fuel	(40.0)	(36.3)	(0.0)	—	—
1 workshop	2.5	13.6	0.1	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
Hanger for 1 Vehicle with 1 entrance	4.0	0.9	0.0	—	—
1 Vehicle	(2.0)	(5.0)	—	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	5.6	0.8	—	—
9 crew staterooms	36.0	19.6	0.1	—	—
1 sickbay	1.0	0.7	0.2	—	1
1 standard lab	2.0	9.1	1.0	—	1-2
1 isolab	20.0	90.7	10.0	—	1-5
20.5-dton cargo hold	20.5	—	—	—	—
Cargo	(20.5)	(93.0)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	160.0	398.4	110.9	1,200	4
Fitted out with full crew	160.0	532.7	110.9	1,200	16

## Fornast-class Subsidized Liner (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to commercial standards. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
800-dton medium hull, std. mat.	(800.0)	29.5	1.6	3,026	—
4 turrets (DR 100)	4.0	17.5	0.4	297	—
DR 100 crystaliron armour	—	147.7	2.0	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
32 jump drive modules	32.0	116.1	99.2	—	1.3
62 thrusters (2,249.4 tonnes thrust)	62.0	191.2	9.9	—	1.0
240 internal jump fuel tanks	240.0	65.3	38.4	—	—
240 -dtons jump fuel	(240.0)	(217.7)	(0.1)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
2 triple sandcaster turrets	(6.0)	27.2	1.5	—	2
2 triple 90 MJ PD laser turrets	(6.0)	31.8	3.5	—	1-2
Auxiliaries	Spaces	Mass	Cost	Area	Crew
1 bay for Skyskipper Launch	10.5	0.5	0.0	—	—
1 Skyskipper Launch	(10.0)	(20.6)	(3.1)	—	1
Other Modules	Spaces	Mass	Cost	Area	Crew
2 utility modules	2.0	20.9	0.6	—	—
40 Staterooms for 40 high passengers	160.0	87.1	0.5	—	2
6 low berths for 24 low passengers	3.0	10.9	1.3	—	—
8 crew staterooms	32.0	17.4	0.1	—	—
1 sickbay	1.0	0.7	0.2	—	1
250.0-dton cargo hold	250.0	—	—	—	—
Cargo	(250.0)	(1,133.8)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	800.0	775.2	163.5	3,323	4
Fitted out with full crew	800.0	2,147.2	166.6	3,323	15

## Fortress-class Assault Fighter (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
80-dton medium hull, std. mat.	(80.0)	3.2	0.4	651	—
1 turret (DR 2600)	1.0	38.1	0.5	74	—
DR 5200 bonded superdense armour	—	662.0	8.8	—	—
Basic stealth	—	1.8	0.6	—	—
Basic emission cloaking	—	1.8	0.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.4	2.5	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
78 thrusters (7,074.6 tonnes thrust)	78.0	283.0	50.7	—	0.8
Weaponry	Spaces	Mass	Cost	Area	Crew
1 double 690 MJ fusion gun turret	(3.0)	24.5	4.3	—	1-1
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	80.0	1,018.7	68.3	726	2
Fitted out with full crew	80.0	1,018.7	68.3	726	3

## Frederik Magnus-class Corvette (GTL9)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Turrets are not counted towards jump volume. Contains playtest modules (low tech).

Structure	Spaces	Mass	Cost	Area	Crew
800-dton medium hull, std. mat.	(640.0)	44.3	3.9	3,026	—
8 turrets (DR 100)	8.0	52.5	1.4	594	—
DR 100 durasteel armour	—	221.6	2.9	—	—
Basic stealth	—	8.8	2.9	—	—
Basic emission cloaking	—	8.8	2.9	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge with hardened controls	3.0	15.0	11.0	—	1-5
1 enhanced sensor	4.0	35.2	32.7	—	0-1
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	3.0	11.7	5.0	—	—
24 jump drive modules	48.0	174.1	120.0	—	4.8
75 fusion rockets (5,442.0 tonnes thrust)	75.0	272.1	60.0	—	1.3
160 internal jump fuel tanks	160.0	43.5	25.6	—	—
160 -dtons jump fuel	(160.0)	(145.1)	(0.1)	—	—
300 water fuel tanks	300.0	6.8	51.0	—	—
Water (as reaction mass)	(300.0)	(4,081.5)	(0.1)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple light missile turret	(3.0)	0.8	0.0	—	1
3 triple heavy missile turrets	(9.0)	12.2	0.4	—	3
1 triple 40 MJ PD laser turret	(3.0)	15.3	4.4	—	1-1
3 single 303 MJ heavy laser turrets	(9.0)	69.9	12.8	—	1-3
Ordnance	Spaces	Mass	Cost	Area	Crew
246 ready light missiles	—	(33.5)	(8.6)	—	—
135 ready heavy missiles	—	(91.8)	(27.0)	—	—
Barracks	Spaces	Mass	Cost	Area	Crew
1 marine bunkroom	5.0	4.4	0.1	—	—
1 weapons locker	1.0	6.3	0.0	—	—
1 gym	2.5	0.5	0.0	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
4 utility modules	4.0	22.5	3.0	—	—
2 crew bunkrooms	10.0	8.9	0.1	—	—
1 sickbay	2.5	4.6	0.3	—	1
14.0-dton cargo hold	14.0	—	—	—	—
Cargo	(14.0)	(63.5)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	640.0	822.4	340.4	3,620	7
Fitted out with full crew	640.0	1,156.3	376.0	3,620	17

## Fromin-class Launch (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to private standards.

Structure	Spaces	Mass	Cost	Area	Crew
10-dton medium hull, std. mat.	(8.0)	1.6	0.2	162	—
DR 100 crystaliron armour	—	8.0	0.1	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit	1.0	4.4	2.5	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
2 thrusters (72.6 tonnes thrust)	2.0	6.2	0.3	—	0.0
Other Modules	Spaces	Mass	Cost	Area	Crew
1 passenger couch	1.0	0.5	0.0	—	—
4.0-dton cargo hold	4.0	—	—	—	—
Cargo	(4.0)	(18.1)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	8.0	20.6	3.1	162	1
Fitted out with full crew	8.0	38.8	3.1	162	1

## Ftenrik-class Fleet Transport (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
10,000-dton medium hull, std. mat.(10,000.0)	10,000.0	79.6	8.8	16,298	—
10 turrets (DR 250)	10.0	40.0	0.9	743	—
DR 500 bonded superdense armour	—	1,591.3	21.1	—	—
Total compartmentalization	—	15.9	0.2	—	—
Basic stealth	—	41.6	13.8	—	—
Basic emission cloaking	—	41.6	13.8	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge with hardened controls	2.5	9.3	6.1	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
400 jump drive modules	400.0	1,451.2	1,220.0	—	4
513 thrusters (46,529.1 tonnes thrust)	513.0	1,861.2	333.4	—	5.1
3,000 internal jump fuel tanks	3,000.0	816.3	480.0	—	—
3,000 -dtons jump fuel	(3,000.0)	(2,721.0)	(1.0)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
5 triple sandcaster turrets	(15.0)	68.0	3.8	—	5
5 triple 102 MJ PD laser turrets	(15.0)	70.2	4.7	—	1-5
1 nuclear damper module	1.0	9.3	4.0	—	4
Other Modules	Spaces	Mass	Cost	Area	Crew
20 utility modules	20.0	208.6	5.0	—	—
13 crew staterooms	52.0	23.6	0.2	—	—
6,000.5-dton cargo hold	6,000.5	—	—	—	—
Cargo	(6,000.5)	(27,212.3)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	10,000.0	6,330.9	2,115.7	17,041	11
Fitted out with full crew	10,000.0	36,264.1	2,115.7	17,041	25

## Furgal-class Blockade Runner (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to commercial standards. Turrets are counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
200-dton medium hull, std. mat.	(160.0)	5.9	1.6	12,926	—
2 turrets (DR 100)	2.0	3.7	0.2	1,600	—
DR 100 bonded superdense armour	—	23.4	0.3	—	—
Radical stealth	—	6.6	10.9	—	—
Radical emission cloaking	—	6.6	10.9	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.1	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
4 jump drive modules	4.0	14.5	12.2	—	0.0
17 thrusters (1,541.9 tonnes thrust)	17.0	61.7	11.0	—	0.2
20 internal jump fuel tanks	20.0	5.4	3.2	—	—
20 -dtons jump fuel	(20.0)	(18.1)	(0.0)	—	—
1 fuel processor	1.0	1.0	0.9	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
2 empty turrets	(6.0)	—	—	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
2 Staterooms for 4 middle passengers	8.0	3.6	0.0	—	0.1
3 low berths for 12 low passengers	1.5	5.4	0.7	—	—
3 crew staterooms	12.0	5.4	0.0	—	—
80.0-dton cargo hold	80.0	—	—	—	—
Cargo	(80.0)	(362.8)	—	—	—
10-dton smuggler's hold	10.0	—	0.1	—	—
Concealed cargo	(10.0)	(45.3)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty	160.0	163.6	55.5	14,526	0
Fitted out	160.0	589.9	55.5	14,526	0

## Fury-class Fighter (GTL9)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. All quantities in metric units. Contains playtest modules (low tech).

Structure	Spaces	Mass	Cost	Area	Crew
20-dton medium hull, std. mat.	(20.0)	3.8	0.1	258	—
1 turret (DR 100)	1.0	6.6	0.1	74	—
DR 100 durasteel armour	—	18.9	0.3	—	—
Basic stealth	—	0.8	0.3	—	—
Basic emission cloaking	—	0.8	0.3	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.1	3.9	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
5 fusion rockets (362.8 tonnes thrust)	5.0	18.1	4.0	—	0.1
13 water fuel tanks	13.0	0.3	2.2	—	—
Water (as reaction mass)	(13.0)	(176.9)	(0.0)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple 101 MJ laser turret	(3.0)	23.5	4.3	—	1-1
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	20.0	62.4	15.4	333	1
Fitted out with full crew	20.0	62.4	15.4	333	2

## Fury-class Fleet Escort (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
3,000-dton medium hull, std. mat.	(3,000.0)	35.7	3.9	7,304	—
5 turrets (DR 150)	5.0	12.8	0.3	371	—
1 small internal bay	50.0	5.9	0.3	—	—
DR 300 bonded superdense armour	—	427.9	5.7	—	—
Total compartmentalization	—	7.1	0.1	—	—
Basic stealth	—	18.7	6.2	—	—
Basic emission cloaking	—	18.7	6.2	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	20.1	11.8	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
90 jump drive modules	90.0	326.5	274.5	—	0.9
585 thrusters (53,059.5 tonnes thrust)	585.0	2,122.4	380.3	—	5.8
600 internal jump fuel tanks	600.0	163.3	96.0	—	—
600 -dtons jump fuel	(600.0)	(544.2)	(0.2)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
5 triple 405 MJ laser turrets	(15.0)	106.1	10.2	—	1-5
1 small missile bay	(50.0)	68.7	1.1	—	2
570 GJ spinal meson gun	1,512.0	13,675.7	936.0	—	17
1 nuclear damper module	1.0	9.3	4.0	—	4
1 meson screen module	1.0	4.5	2.3	—	4
Ordnance	Spaces	Mass	Cost	Area	Crew
750 ready heavy missiles	—	(510.2)	(150.0)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
1 bay for <i>Tralsa</i> Gig	21.0	0.5	0.0	—	—
1 <i>Tralsa</i> Gig	(20.0)	(68.4)	(4.0)	—	1
Other Modules	Spaces	Mass	Cost	Area	Crew
6 utility modules	6.0	62.6	1.5	—	—
23 crew staterooms	92.0	41.7	0.3	—	—
1 sickbay	1.0	0.8	0.2	—	1
30.0-dton cargo hold	30.0	—	—	—	—
Cargo	(30.0)	(136.1)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	3,000.0	17,132.2	1,741.0	7,675	8
Fitted out with full crew	3,000.0	18,391.0	1,895.1	7,675	45

## Galak-class Megafreighter (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to commercial standards.

Structure	Spaces	Mass	Cost	Area	Crew
50,000-dton medium hull, std. mat.(50,000.0)	(50,000.0)	465.3	25.6	47,657	—
DR 100 crystaliron armour	—	2,326.4	30.8	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
1,501 jump drive modules	1,501.0	5,445.6	4,653.1	—	60.0
2,370 thrusters (85,983.6 tonnes thrust)	2,370.0	7,308.6	379.2	—	39.5
10,002 internal jump fuel tanks	10,002.0	2,721.5	1,600.3	—	—
10,002 -dtons jump fuel	(10,002.0)	(9,071.8)	(3.5)	—	—
1 workshop	2.5	13.6	0.1	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
1 cradle for Launch	0.5	2.8	0.1	—	—
1 Launch	(10.0)	(32.7)	(3.6)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
100 utility modules	100.0	1,043.1	30.0	—	—
53 crew staterooms	212.0	115.4	0.6	—	—
35,808.5-dton cargo hold	35,808.5	—	—	—	—
Cargo	(35,808.5)	(162,391.5)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	50,000.0	19,453.8	6,724.2	47,657	101
Fitted out with full crew	50,000.0	190,949.8	6,727.8	47,657	105

## Garyan-class Corvette (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, std. mat.	(320.0)	9.3	2.5	1,906	—
4 turrets (DR 250)	4.0	16.0	0.6	297	—
DR 500 bonded superdense armour	—	186.1	2.5	—	—
Total compartmentalization	—	1.9	0.0	—	—
Basic stealth	—	5.4	1.8	—	—
Basic emission cloaking	—	5.4	1.8	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	20.1	11.8	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
24 jump drive modules	24.0	87.1	73.2	—	0.2
59 thrusters (5,351.3 tonnes thrust)	59.0	214.1	38.3	—	0.6
200 internal jump fuel tanks	200.0	54.4	32.0	—	—
200 -dtons jump fuel	(200.0)	(181.4)	(0.1)	—	—
1 fuel processor	1.0	1.0	0.9	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple light missile turret	(3.0)	0.8	0.0	—	1
3 triple 405 MJ laser turrets	(9.0)	63.7	6.1	—	1-3
1 nuclear damper module	1.0	9.3	4.0	—	4
Ordnance	Spaces	Mass	Cost	Area	Crew
246 ready light missiles	—	(33.5)	(5.7)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
6 crew staterooms	24.0	10.9	0.1	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	320.0	699.0	175.9	2,203	2
Fitted out with full crew	320.0	913.9	181.6	2,203	10

## Gefros-class System Defense Boat (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
800-dton medium hull, std. mat.	(640.0)	14.8	3.9	3,026	—
8 turrets (DR 3000)	8.0	351.3	5.4	594	—
DR 6000 bonded superdense armour	—	3,545.2	46.9	—	—
Total compartmentalization	—	3.0	0.0	—	—
Basic stealth	—	8.8	2.9	—	—
Basic emission cloaking	—	8.8	2.9	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	20.1	11.8	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
550 thrusters (49,885.0 tonnes thrust)	550.0	1,995.4	357.5	—	5.5
Weaponry	Spaces	Mass	Cost	Area	Crew
4 triple light missile turrets	(12.0)	3.3	0.1	—	4
4 triple 405 MJ laser turrets	(12.0)	84.9	8.2	—	1-4
Ordnance	Spaces	Mass	Cost	Area	Crew
984 ready light missiles	—	(133.9)	(22.6)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
2 utility modules	2.0	20.9	0.5	—	—
11 crew staterooms	44.0	20.0	0.1	—	—
1 sickbay	1.0	0.8	0.2	—	1
29.0-dton cargo hold	29.0	—	—	—	—
Cargo	(29.0)	(131.5)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	640.0	6,080.5	440.6	3,620	7
Fitted out with full crew	640.0	6,345.9	463.3	3,620	21

## Geist-class Deep Scout (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
100-dton medium hull, std. mat.	(100.0)	3.7	0.4	756	—
1 turret (DR 100)	1.0	1.8	0.1	74	—
DR 100 bonded superdense armour	—	14.8	0.2	—	—
Basic stealth	—	2.0	0.7	—	—
Basic emission cloaking	—	2.0	0.7	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge with hardened controls	2.5	9.3	6.1	—	1-5
1 centre containing 8 cplx 10 computers	1.0	10.9	30.0	—	—
Medium PESA array	1.5	17.1	60.0	—	—
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
7 jump drive modules	7.0	25.4	21.4	—	0.1
15 thrusters (1,360.5 tonnes thrust)	15.0	54.4	9.8	—	0.1
60 internal jump fuel tanks	60.0	16.3	9.6	—	—
60 -dtons jump fuel	(60.0)	(54.4)	(0.0)	—	—
0.5 fuel scoops	0.5	0.3	0.0	—	—
1 fuel processor	1.0	1.0	0.9	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple light missile turret	(3.0)	0.8	0.0	—	1
Ordnance	Spaces	Mass	Cost	Area	Crew
246 ready light missiles	—	(33.5)	(5.7)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
2 crew staterooms	8.0	3.6	0.0	—	—
0.5-dton cargo hold	0.5	—	—	—	—
Cargo	(0.5)	(2.3)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	100.0	177.2	140.1	830	2
Fitted out with full crew	100.0	267.3	145.8	830	3

## Gelliam-class Express Freighter (GTL11)

*Design Parameters:* Built for Imperial human crew. Designed to commercial standards.

Structure	Spaces	Mass	Cost	Area	Crew
2,000-dton medium hull, std. mat.	(2,000.0)	40.8	3.0	60,000	—
DR 100 superdense armour	—	32.7	0.4	—	—
1 x 223-dton medium subhull, std. materials(223.5)	9.5	0.7	(13,920)	—	—
DR 100 superdense armour	—	37.9	0.5	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.2	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
100 jump drive modules	100.0	362.8	305.0	—	2
100 thrusters (9,070.0 tonnes thrust)	100.0	362.8	65.0	—	2
800 internal jump fuel tanks	800.0	217.7	128.0	—	—
800 -dtons jump fuel	(800.0)	(725.6)	(0.3)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
5 crew staterooms	20.0	9.1	0.1	—	—
975.5-dton cargo hold	975.5	—	—	—	—
Cargo	(975.5)	(4,423.9)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty	2,000.0	1,093.5	506.3	60,000	0
Fitted out	2,000.0	6,243.0	506.3	60,000	0

## Gheiffa-class Aerospace Fighter (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
20-dton medium hull, std. mat.	(16.0)	1.3	0.3	258	—
1 turret (DR 2100)	1.0	30.8	0.5	74	—
DR 4200 bonded superdense armour	—	212.2	2.8	—	—
Basic stealth	—	0.8	0.3	—	—
Basic emission cloaking	—	0.8	0.3	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.4	2.5	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
14 thrusters (1,269.8 tonnes thrust)	14.0	50.8	9.1	—	0.1
Weaponry	Spaces	Mass	Cost	Area	Crew
1 double 690 MJ fusion gun turret	(3.0)	24.5	4.3	—	1-1
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	16.0	325.6	20.1	333	2
Fitted out with full crew	16.0	325.6	20.1	333	3

## Gherain-class Corvette (GTL11)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
800-dton medium hull, std. mat.	(800.0)	22.2	1.6	3,026	—
8 turrets (DR 1150)	8.0	204.8	3.0	594	—
DR 2300 superdense armour	—	2,038.5	27.0	—	—
Basic stealth	—	8.8	2.9	—	—
Basic emission cloaking	—	8.8	2.9	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	20.9	12.0	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
40 jump drive modules	40.0	145.1	122.0	—	0.8
300 thrusters (27,210.0 tonnes thrust)	300.0	1,088.4	195.0	—	6
320 internal jump fuel tanks	320.0	87.1	51.2	—	—
320 -dtons jump fuel	(320.0)	(290.2)	(0.1)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
2 triple light missile turrets	(6.0)	1.6	0.0	—	2
4 triple 390 MJ laser turrets	(12.0)	81.8	13.8	—	1-4
2 single 870 MJ heavy laser turrets	(6.0)	53.5	3.1	—	1-2
Ordnance	Spaces	Mass	Cost	Area	Crew
492 ready light missiles	—	(66.9)	(11.3)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
1 bay for <i>Quero</i> Assault Lander	42.0	0.5	0.0	—	—
1 <i>Quero</i> Assault Lander	(40.0)	(398.9)	(17.4)	—	2
Barracks	Spaces	Mass	Cost	Area	Crew
1 marine stateroom	4.0	1.8	0.0	—	—
8 marine bunkrooms	32.0	13.8	0.1	—	—
2 battledress racks	2.0	52.2	—	—	—
1 weapons locker	1.0	6.3	0.0	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
2 utility modules	2.0	20.9	0.5	—	—
10 crew staterooms	40.0	18.1	0.1	—	—
1 sickbay	1.0	0.8	0.2	—	1
2.0-dton cargo hold	2.0	—	—	—	—
Cargo	(2.0)	(9.1)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	800.0	3,879.1	435.8	3,620	8
Fitted out with full crew	800.0	4,644.3	464.5	3,620	18

## Gnat-class Light Fighter (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to military standards.

Structure	Spaces	Mass	Cost	Area	Crew
10-dton medium hull, std. mat.	(10.0)	1.6	0.1	162	—
DR 100 crystaliron armour	—	8.0	0.1	—	—
Basic stealth	—	0.4	0.1	—	—
Basic emission cloaking	—	0.4	0.1	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.6	2.7	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
8 thrusters (290.2 tonnes thrust)	8.0	24.7	1.3	—	0.1
Weaponry	Spaces	Mass	Cost	Area	Crew
1 fixed 250 MJ laser	1.0	7.5	0.8	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	10.0	47.1	5.2	162	2
Fitted out with full crew	10.0	47.1	5.2	162	2

## Gnortz-class Freighter (GTL10)

*Design Parameters:* Built for Imperial human crew. Turrets are counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
600-dton medium hull, std. mat.	(600.0)	24.4	1.3	2,497	—
1 turret (DR 100)	1.0	4.4	0.1	74	—
DR 100 crystaliron armour	—	121.9	1.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
18 jump drive modules	18.0	65.3	55.8	—	0.7
72 thrusters (2,612.2 tonnes thrust)	72.0	222.0	11.5	—	1.2
120 internal jump fuel tanks	120.0	32.7	19.2	—	—
120 -dtons jump fuel	(120.0)	(108.8)	(0.0)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 empty turret	(3.0)	—	—	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
2 crew staterooms	8.0	4.4	0.0	—	—
376.5-dton cargo hold	376.5	—	—	—	—
Cargo	(376.5)	(1,707.4)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	600.0	496.9	94.2	2,572	3
Fitted out with full crew	600.0	2,313.2	94.2	2,572	4

## Gothick-class Yacht (GTL11)

*Design Parameters:* Built for Imperial human crew. Designed to private standards. All quantities in metric units.

Structure	Spaces	Mass	Cost	Area	Crew
300-dton medium hull, std. mat.	(240.0)	11.5	2.0	1,573	—
DR 100 superdense armour	—	46.1	0.6	—	—
Liquid crystal skin	—	1.5	0.7	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.2	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
15 jump drive modules	15.0	54.4	45.8	—	0.3
5 thrusters (453.5 tonnes thrust)	5.0	18.1	3.3	—	0.1
120 internal jump fuel tanks	120.0	32.7	19.2	—	—
120 -dtons jump fuel	(120.0)	(108.8)	(0.0)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
4 suites for 4 noble passengers	32.0	7.3	0.2	—	4
6 crew staterooms	24.0	10.9	0.1	—	—
1 civilian holoventure zone	30.0	3.3	1.2	—	1
1 sickbay	1.0	0.8	0.2	—	1
8.5-dton cargo hold	8.5	—	—	—	—
Cargo	(8.5)	(38.5)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	240.0	206.9	76.9	1,573	2
Fitted out with full crew	240.0	354.2	76.9	1,573	10

## Grendel-class Lesser Dreadnought (GTL9)

Structure	Spaces	Mass	Cost	Area	Crew
50000-ton hull	(50000.0)	693.9	25.5	47380.6	0.0
Airtight sealing	0.0	0.0	8.6	0.0	0.0
Armour: DR4200, PD4	0.0	247134.8	3269.7	0.0	0.0
Total compartmentalization	0.0	138.8	1.5	0.0	0.0
30 weapon bays	1500.0	176.9	9.8	18116.1	60.0
200 turrets (600 spaces)	200.0	149.7	8.1	14864.5	200.0
Basic stealth	0.0	196.1	64.9	0.0	0.0
Basic emission cloaking	0.0	196.1	64.9	0.0	0.0
Drive Modules	Spaces	Mass	Cost	Area	Crew
Engineering module	3.5	11.3	5.0	0.0	0.0
Jump drive (2 parsecs)	3000.0	10884.0	7500.0	0.0	300.0
Jump tanks	10000.0	11791.0	1600.0	0.0	0.0
Fusion rocket (1.6G)	8000.0	90518.6	10000.0	0.0	0.0
Rocket fuel tank (1.9 hours)	25000.0	354296.9	4000.0	0.0	0.0
10 fuel processor modules (125.0 hours)	10.0	10.0	8.5	0.0	0.0
Weapon Modules	Spaces	Mass	Cost	Area	Crew
570 102-MJ Lasers	(570.0)	4508.2	820.8	0.0	0.0
30 sandcasters	(30.0)	136.1	7.5	0.0	0.0
30 Missile Bays	(1500.0)	16837.5	25.5	0.0	0.0
Spinal Particle Beam	1513.0	13719.3	1035.0	0.0	0.0
Workspace Modules	Spaces	Mass	Cost	Area	Crew
Hardened Command Bridge	6.0	26.9	22.3	0.0	10.0
100 utility modules	100.0	1043.1	30.0	0.0	0.0
8 Vehicle Bays	336.0	725.6	24.0	0.0	0.0
Hold	143.5	0.0	0.0	0.0	0.0
Accommodation Modules	Spaces	Mass	Cost	Area	Crew
stateroom	4.0	2.7	0.0	0.0	0.0
37 bunkrooms sleeping 592 personnel	148.0	161.1	0.7	0.0	0.0
Low berths for 288 cryotubes	36.0	130.6	15.8	0.0	0.0
Miscellaneous Items	Spaces	Mass	Cost	Area	Crew
Fuel	(10000.0)	0.0	3.5	0.0	0.0
Cargo	(143.5)	(650.8)	0.0	0.0	0.0
8 <i>Helm</i> Fighters	(320.0)	(12256.0)	(279.2)	0.0	16.0
Missiles	0.0	0.0	3642.9	0.0	0.0
Sand cannisters	0.0	0.0	2.4	0.0	0.0
Totals	Spaces	Mass	Cost	Area	Crew
Fully loaded & fitted out	50000.0	766395.8	28481.8	80361.1	588.0
Unloaded with skeleton crew	50000.0	753489.1	24553.8	80361.1	310.0

## Guanxou-class Light Cruiser (GTL9)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. All quantities in metric units. Turrets are counted towards jump volume. Weapon armour is limited. Contains playtest modules (low tech). Contains nonstandard modules (briefing room).

Structure	Spaces	Mass	Cost	Area	Crew
10,000-dton medium hull, std. mat.(10,000.0)		238.7	8.8	16,298	—
11 turrets (DR 500)	11.0	311.7	4.4	817	—
5 large external bays (DR 500)	100.0	2,256.2	31.8	6,038	—
DR 1000 durasteel armour	—	11,934.4	157.9	—	—
Total compartmentalization	—	47.7	0.5	—	—
Basic stealth	—	56.5	18.7	—	—
Basic emission cloaking	—	56.5	18.7	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	6.0	26.9	19.3	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	3.0	11.7	5.0	—	—
313 jump drive modules	626.0	2,271.1	1,565.0	—	62.6
2,000 fusion rockets (145,120 tonnes)	2,000.0	7,256.0	1,600.0	—	33.3
2,084 internal jump fuel tanks	2,084.0	567.1	333.4	—	—
2,084 -dtons jump fuel	(2,084.0)	(1,890.2)	(0.7)	—	—
2.5 fuel scoops	2.5	1.3	0.0	—	—
1,000 water fuel tanks	1,000.0	22.7	170.0	—	—
Water (as reaction mass)	(1,000.0)	(13,605.0)	(0.3)	—	—
1 workshop	2.5	13.6	0.1	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
3 triple 101 MJ laser turrets	(9.0)	70.4	12.8	—	1-3
8 triple 40 MJ PD laser turrets	(24.0)	122.8	35.3	—	1-8
5 large heavy missile bays	(500.0)	693.9	22.0	—	10
670 GJ spinal particle accelerator	3,911.0	24,091.7	6,151.0	—	41
Ordnance	Spaces	Mass	Cost	Area	Crew
7,500 ready heavy missiles	—	(5,101.9)	(1,500.0)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
2 bays for <i>Huata</i> Fighters	42.0	0.5	0.0	—	—
2 <i>Huata</i> Fighters	(40.0)	(193.4)	(35.3)	—	2
2 bays for <i>Chiang</i> Launches	21.0	0.5	0.0	—	—
2 <i>Chiang</i> Launches	(20.0)	(39.8)	(10.4)	—	2
Barracks	Spaces	Mass	Cost	Area	Crew
2 marine bunkrooms	10.0	8.9	0.1	—	—
1 briefing room	1.0	0.0	0.0	—	—
1 battledress rack	1.0	26.1	—	—	—
1 weapons locker	1.0	6.3	0.0	—	—
1 gym	2.5	0.5	0.0	—	—
1 shooting range	10.0	9.1	0.2	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
54 utility modules	54.0	303.7	41.0	—	—
14 crew bunkrooms	70.0	62.2	0.7	—	—
21 crew low berths	10.5	38.1	4.6	—	—
2 sickbays	5.0	9.3	0.5	—	2
26.0-dton cargo hold	26.0	—	—	—	—
Cargo	(26.0)	(117.9)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	10,000.0	44,711.0	10,201.8	23,154	97
Fitted out with full crew	10,000.0	52,054.1	11,747.5	23,154	244



## Gurrak-class Megafreighter (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to commercial standards.

<b>Structure</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
100,000-dton medium hull, std. mat.	(100,000.0)	738.6	40.7	75,650	—
DR 100 crystaliron armour	—	3,693.0	48.9	—	—
<b>CCCI</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Basic bridge	2.5	7.8	4.0	—	1-5
<b>Engineering</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
1 fusion engineering module	1.0	3.6	0.3	—	—
3,002 jump drive modules	3,002.0	10,891.3	9,306.2	—	120.1
5,000 thrusters (181,400.0 tonnes thrust)	5,000.0	15,419.0	800.0	—	83.3
20,012 internal jump fuel tanks	20,012.0	5,445.3	3,201.9	—	—
20,012 -dtons jump fuel	(20,012.0)	(18,150.9)	(7.0)	—	—
3 workshops	7.5	40.8	0.2	—	—
<b>Auxiliaries</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
2 cradles for Ship's Boat	2.0	11.3	0.5	—	—
2 Ship's Boats	(60.0)	(176.1)	(18.4)	—	—
<b>Other Modules</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
200 utility modules	200.0	2,086.1	60.0	—	—
106 crew staterooms	424.0	230.7	1.3	—	—
1 sickbay	1.0	0.7	0.2	—	1
71,348.0-dton cargo hold	71,348.0	—	—	—	—
Cargo	(71,348.0)	(323,563.2)	—	—	—
<b>Totals</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Empty with skeleton crew	100,000.0	38,568.2	13,464.1	75,650	205
Fitted out with full crew	100,000.0	380,458.4	13,482.5	75,650	210

## Gvergh-class Assault Cruiser (GTL10)

*Design Parameters:* Built for Vargr crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited. Contains nonstandard modules (briefing room).

<b>Structure</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
5,000-dton medium hull, std. mat.	(5,000.0)	100.2	5.5	10,267	—
5 turrets (DR 650)	5.0	121.7	1.8	371	—
3 small internal bays	150.0	17.7	1.0	—	—
DR 1300 crystaliron armour	—	6,515.8	86.2	—	—
Total compartmentalization	—	20.0	0.2	—	—
Basic stealth	—	26.0	8.6	—	—
Basic emission cloaking	—	26.0	8.6	—	—
<b>CCCI</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
Engineering	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
1 fusion engineering module	1.0	3.6	0.3	—	—
150 jump drive modules	150.0	544.2	465.0	—	6
1,800 thrusters (65,304.0 tonnes thrust)	1,800.0	5,550.8	288.0	—	30.0
1,000 internal jump fuel tanks	1,000.0	272.1	160.0	—	—
1,000 -dtons jump fuel	(1,000.0)	(907.0)	(0.3)	—	—
<b>Weaponry</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
5 triple 250 MJ laser turrets	(15.0)	113.2	12.3	—	1-5
3 small missile bays	(150.0)	206.0	3.3	—	6
570 GJ spinal particle accelerator	1,512.0	13,685.7	1,034.0	—	17
<b>Ordnance</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
2,250 ready heavy missiles	—	(1,530.6)	(405.0)	—	—
<b>Auxiliaries</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Aekguthang Hanger with 1 entrance	80.0	0.9	0.0	—	—
2 Aekguthang Assault Cutters	(40.0)	(145.2)	(10.4)	—	2
<b>Barracks</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
2 marine staterooms	8.0	4.4	0.0	—	—
15 marine bunkrooms	60.0	65.3	0.3	—	—
2 briefing rooms	2.0	0.0	0.0	—	—
2 weapons lockers	2.0	12.7	0.1	—	—
2 gyms	5.0	0.9	0.0	—	—
1 shooting range	10.0	9.1	0.2	—	—
<b>Other Modules</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
10 utility modules	10.0	104.3	3.0	—	—
36 crew staterooms	144.0	78.4	0.4	—	—
2 sickbays	2.0	1.4	0.3	—	2
54.0-dton cargo hold	54.0	—	—	—	—
Cargo	(54.0)	(244.9)	—	—	—
<b>Totals</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Empty with skeleton crew	5,000.0	27,502.0	2,091.7	10,638	37
Fitted out with full crew	5,000.0	30,329.6	2,507.1	10,638	70

## Gzong!xk-class Dreadnought (GTL10)

*Design Parameters:* Built for K'kree crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
100,000-dton medium hull, std. mat.(80,000.0)		738.6	97.7	75,650	—
78 turrets (DR 2000)	78.0	5,718.0	82.6	5,796	—
90 small internal bays	4,500.0	530.6	29.3	—	—
DR 30000 crystaliron armour	—	1,107,889.9	14,657.9	—	—
Radical stealth	—	397.6	657.5	—	—
Radical emission cloaking	—	397.6	657.5	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	30.0	130.1	75.6	—	1-10
Basic bridge with hardened controls	15.0	63.1	42.0	—	0-0
1 information centre	24.0	16.3	16.8	—	10-20
Engineering	Spaces	Mass	Cost	Area	Crew
3 fusion engineering modules	3.0	10.9	1.0	—	—
2,000 jump drive modules	2,000.0	7,256.0	6,200.0	—	80
42,000 thrusters (1,523,760 tonnes)	42,000.0	129,519.6	6,720.0	—	700.0
10,000 internal jump fuel tanks	10,000.0	2,721.0	1,600.0	—	—
10,000 -dtons jump fuel	(10,000.0)	(9,070.0)	(3.5)	—	—
13 workshops	32.5	176.9	0.8	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
10 triple sandcaster turrets	(30.0)	136.1	7.5	—	10
68 triple 90 MJ PD laser turrets	(204.0)	1,082.4	120.4	—	7-68
90 small missile bays	(4,500.0)	6,179.4	99.0	—	180
870 GJ spinal particle accelerator	2,291.0	20,733.1	1,567.0	—	24
4 nuclear damper modules	16.0	150.9	64.8	—	4
211 meson screen modules	211.0	1,033.4	822.9	—	4
Ordnance	Spaces	Mass	Cost	Area	Crew
67,500 ready heavy missiles	—	(45,916.9)	(12,150.0)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
140 utility modules	140.0	1,460.3	42.0	—	—
773 crew pastures	18,552.0	10,096.0	55.7	—	—
7 sickbays	42.0	28.6	6.7	—	7
65.5-dton cargo hold	65.5	—	—	—	—
Cargo	(65.5)	(297.0)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	80,000.01	296,466.4	33,624.5	81,447	791
Fitted out with full crew	80,000.01	351,750.3	45,774.5	81,447	1,546

## Haritti-class Battlecruiser (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited. Contains nonstandard modules (briefing room).

Structure	Spaces	Mass	Cost	Area	Crew
10,000-dton medium hull, std. mat.(10,000.0)		79.6	8.8	16,298	—
25 turrets (DR 2600)	25.0	952.6	13.5	1,858	—
6 small internal bays	300.0	35.4	2.0	—	—
DR 5200 bonded superdense armour	—	16,549.0	219.0	—	—
Total compartmentalization	—	15.9	0.2	—	—
Radical stealth	—	88.6	146.6	—	—
Radical emission cloaking	—	88.6	146.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	20.1	11.8	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
400 jump drive modules	400.0	1,451.2	1,220.0	—	4
4,000 thrusters (362,800.0 tonnes thrust)	4,000.0	14,512.0	2,600.0	—	40
3,000 internal jump fuel tanks	3,000.0	816.3	480.0	—	—
3,000 -dtons jump fuel	(3,000.0)	(2,721.0)	(1.0)	—	—
2.5 fuel scoops	2.5	1.3	0.0	—	—
10 fuel processors	10.0	10.0	8.5	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
25 triple 405 MJ laser turrets	(75.0)	530.6	51.0	—	3-25
6 small missile bays	(300.0)	412.0	6.6	—	12
570 GJ spinal meson gun	1,512.0	13,675.7	936.0	—	17
2 nuclear damper modules	2.0	18.5	8.0	—	4
47 meson screen modules	47.0	213.1	108.1	—	4
Ordnance	Spaces	Mass	Cost	Area	Crew
4,500 ready heavy missiles	—	(3,061.1)	(900.0)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
6 bays for <i>Citadel</i> Heavy Fighters	315.0	0.5	0.0	—	—
6 <i>Citadel</i> Heavy Fighters	(300.0)	(2,640.6)	(197.8)	—	12
1 bay for Gig	21.0	0.5	0.0	—	—
1 Gig	(20.0)	(70.6)	(5.5)	—	2
Barracks	Spaces	Mass	Cost	Area	Crew
1 marine stateroom	4.0	1.8	0.0	—	—
11 marine bunkrooms	44.0	19.0	0.2	—	—
1 briefing room	1.0	0.0	0.0	—	—
1 battledress rack	1.0	26.1	—	—	—
1 weapons locker	1.0	6.3	0.0	—	—
1 gym	2.5	0.5	0.0	—	—
1 shooting range	10.0	9.1	0.2	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
20 utility modules	20.0	208.6	5.0	—	—
58 crew staterooms	232.0	105.2	0.7	—	—
15 crew low berths	7.5	27.2	3.3	—	—
2 sickbays	2.0	1.5	0.4	—	2
34.5-dton cargo hold	34.5	—	—	—	—
Cargo	(34.5)	(156.5)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	10,000.0	49,880.1	5,976.5	18,156	45
Fitted out with full crew	10,000.0	58,529.9	7,079.8	18,156	172

## Hawk-class Destroyer Escort (GTL12)

*Note:* design spreadsheet not provided.

## Hecate-class Light Fighter (GTL9)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Contains playtest modules (low tech).

Structure	Spaces	Mass	Cost	Area	Crew
30-dton medium hull, std. mat.	(21.3)	5.0	2.2	339	—
DR 100 durasteel armour	—	24.8	0.3	—	—
Basic stealth	—	0.8	0.3	—	—
Basic emission cloaking	—	0.8	0.3	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.1	3.9	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
5 fusion rockets (362.8 tonnes thrust)	5.0	18.1	4.0	—	0.1
14 water fuel tanks	14.0	0.3	2.4	—	—
Water (as reaction mass)	(14.0)	(190.5)	(0.0)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 fixed 101 MJ laser	1.0	7.8	1.4	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
0.3-dton cargo hold	0.3	—	—	—	—
Cargo	(0.3)	(1.4)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	21.3	47.3	14.7	339	1
Fitted out with full crew	21.3	48.7	14.7	339	1

## Helm-class Fighter (GTL9)

Structure	Spaces	Mass	Cost	Area	Crew
40-ton hull	(40.0)	6.8	0.3	464.5	0.0
Airtight sealing	0.0	0.0	0.1	0.0	0.0
Armour: DR2500, PD4	0.0	986.4	13.1	0.0	0.0
1 turret (3 spaces)	1.0	0.7	0.0	74.3	1.0
Basic stealth	0.0	1.3	0.4	0.0	0.0
Basic emission cloaking	0.0	1.3	0.4	0.0	0.0
Drive Modules	Spaces	Mass	Cost	Area	Crew
Fusion rocket (1.1G)	11.0	124.5	13.8	0.0	0.0
Rocket fuel tank (1.5 hours)	27.0	382.6	4.3	0.0	0.0
Weapon Modules	Spaces	Mass	Cost	Area	Crew
3 102-MJ Lasers	(3.0)	23.7	4.3	0.0	0.0
Workspace Modules	Spaces	Mass	Cost	Area	Crew
Hardened Cockpit	1.0	4.6	2.5	0.0	1.0
Totals	Spaces	Mass	Cost	Area	Crew
Fully loaded & fitted out	40.0	1532.0	34.9	538.8	2.0
Unloaded with skeleton crew	40.0	1532.0	34.9	538.8	1.0

## Hfiatlais-class Freighter (GTL10)

*Design Parameters:* Built for Aslan crew. Designed to commercial standards. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, std. mat.	(400.0)	18.6	1.0	1,906	—
4 turrets (DR 100)	4.0	17.5	0.4	297	—
DR 100 crystaliron armour	—	93.1	1.2	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
12 jump drive modules	12.0	43.5	37.2	—	0.5
43 thrusters (1,560.0 tonnes thrust)	43.0	132.6	6.9	—	0.7
80 internal jump fuel tanks	80.0	21.8	12.8	—	—
80 -dtons jump fuel	(80.0)	(72.6)	(0.0)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
2 triple sandcaster turrets	(6.0)	27.2	1.5	—	2
2 triple 250 MJ laser turrets	(6.0)	45.3	4.9	—	1-2
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
4 crew staterooms	16.0	8.7	0.0	—	—
240.5-dton cargo hold	240.5	—	—	—	—
Cargo	(240.5)	(1,090.7)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	400.0	430.1	70.6	2,203	3
Fitted out with full crew	400.0	1,593.4	70.6	2,203	7

## Hobbes-class Heavy Fighter (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to military standards.

Structure	Spaces	Mass	Cost	Area	Crew
50-dton medium hull, std. mat.	(50.0)	4.7	0.3	476	—
DR 2500 crystaliron armour	—	581.6	7.7	—	—
Basic stealth	—	1.2	0.4	—	—
Basic emission cloaking	—	1.2	0.4	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.6	2.7	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
42 thrusters (1,523.8 tonnes thrust)	42.0	129.5	6.7	—	0.7
Weaponry	Spaces	Mass	Cost	Area	Crew
1 fixed light missile rack	1.0	11.8	0.0	—	—
2 fixed 810 MJ lasers	6.0	50.2	5.4	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	50.0	784.7	23.5	476	2
Fitted out with full crew	50.0	784.7	23.5	476	2

## Holgrim-class Fleet Destroyer (GTL10)

Structure	Spaces	Mass	Cost	Area	Crew
800-ton hull	(800.0)	36.3	2.0	3716.1	0.0
Airtight sealing	0.0	0.0	0.5	0.0	0.0
Armour: DR1300, PD4	0.0	2735.5	36.2	0.0	0.0
Total compartmentalization	0.0	7.3	0.1	0.0	0.0
8 turrets (24 spaces)	8.0	6.0	0.3	594.6	8.0
Basic stealth	0.0	10.5	3.5	0.0	0.0
Basic emission cloaking	0.0	10.5	3.5	0.0	0.0
<b>Drive Modules</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Engineering module	1.0	3.7	0.3	0.0	0.0
Jump drive (2 parsecs)	24.0	87.1	74.4	0.0	1.0
Jump tanks	160.0	188.7	25.6	0.0	0.0
Maneuver drive (3.8G)	534.0	1646.7	85.4	0.0	8.9
Fuel processor module (20.0 hours)	1.0	1.0	0.9	0.0	0.0
<b>Weapon Modules</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
6 Missile Racks	(6.0)	70.7	0.1	0.0	0.0
18 360-MJ Lasers	(18.0)	195.9	18.5	0.0	0.0
<b>Workspace Modules</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Hardened Command Bridge	5.0	21.1	15.6	0.0	8.0
2 utility modules	2.0	20.9	0.6	0.0	0.0
Hold	3.0	0.0	0.0	0.0	0.0
<b>Accommodation Modules</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
15 staterooms	60.0	32.7	0.2	0.0	0.0
Low berths for 16 cryotubes	2.0	7.3	0.9	0.0	0.0
<b>Miscellaneous Items</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Fuel	(160.0)	0.0	0.1	0.0	0.0
Cargo	(3.0)	(13.6)	0.0	0.0	0.0
Missiles	0.0	0.0	14.8	0.0	0.0
<b>Totals</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Fully loaded & fitted out	800.0	5095.4	283.6	4310.7	25.0
Unloaded with skeleton crew	800.0	5081.8	268.8	4310.7	17.0

## Hoplite-class Close Escort (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, std. mat.	(400.0)	18.6	1.0	1,906	—
4 turrets (DR 1250)	4.0	184.4	2.6	297	—
DR 2500 crystaliron armour	—	2,326.4	30.8	—	—
Total compartmentalization	—	3.7	0.0	—	—
Basic stealth	—	5.4	1.8	—	—
Basic emission cloaking	—	5.4	1.8	—	—
<b>CCCI</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
<b>Engineering</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
1 fusion engineering module	1.0	3.6	0.3	—	—
16 jump drive modules	16.0	58.0	49.6	—	0.6
240 thrusters (8,707.2 tonnes thrust)	240.0	740.1	38.4	—	4
120 internal jump fuel tanks	120.0	32.7	19.2	—	—
120 -dtons jump fuel	(120.0)	(108.8)	(0.0)	—	—
0.5 fuel scoops	0.5	0.3	0.0	—	—
1 fuel processor	1.0	1.0	0.9	—	—
<b>Weaponry</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
4 triple 250 MJ laser turrets	(12.0)	90.6	9.8	—	1-4
<b>Other Modules</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
1 utility module	1.0	10.4	0.3	—	—
2 crew bunkrooms	8.0	8.7	0.0	—	—
3.5-dton cargo hold	3.5	—	—	—	—
Cargo	(3.5)	(15.9)	—	—	—
<b>Totals</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Empty with skeleton crew	400.0	3,511.0	169.1	2,203	6
Fitted out with full crew	400.0	3,635.7	169.1	2,203	13

## Huata-class Fighter (GTL9)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Metric measurements, weapon armour is limited. Contains playtest modules (low tech).

Structure	Spaces	Mass	Cost	Area	Crew
20-dton medium hull, standard materials(16.0)	—	3.8	0.3	2,784	—
DR 200 durasteel armour	—	37.9	0.5	—	—
Basic stealth	—	0.6	0.2	—	—
Basic emission cloaking	—	0.6	0.2	—	—
<b>CCCI</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Cockpit with hardened controls	1.0	4.1	3.9	—	1-2
<b>Engineering</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
4 fusion rockets (290.2 tonnes thrust)	4.0	14.5	3.2	—	0.1
5 water fuel tanks	5.0	0.1	0.9	—	—
Water (as reaction mass)	(5.0)	68.0	0.0	—	—
<b>Weaponry</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
2 fixed 303 MJ lasers	6.0	46.6	8.5	—	—
<b>Totals</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Empty	16.0	96.7	17.7	2,784	0
Fitted out	16.0	96.7	17.7	2,784	0

## Hudson-class Lander (GTL9)

Structure	Spaces	Mass	Cost	Area	Crew
80-ton streamlined hull	(64.0)	10.9	1.0	743.2	0.0
Airtight sealing	0.0	0.0	0.1	0.0	0.0
Armour: DR5200, PD4	0.0	2829.8	37.4	0.0	0.0
Basic stealth	0.0	1.8	0.6	0.0	0.0
Basic emission cloaking	0.0	1.8	0.6	0.0	0.0
<b>Drive Modules</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Orion drive baseplate	2.0	45.3	0.2	0.0	0.0
bomb delivery module	0.5	11.3	0.6	0.0	0.0
20 shock absorber modules	10.0	226.8	1.1	0.0	0.0
Space for 25000 20 kton bombs	20.0	226.8	0.0	0.0	0.0
<b>Workspace Modules</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Hardened Cockpit	1.0	4.6	2.5	0.0	1.0
Hold	27.5	0.0	0.0	0.0	0.0
<b>Accommodation Modules</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Passenger couches for 36 people	3.0	1.5	0.2	0.0	0.0
<b>Miscellaneous Items</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
25000 20 kton bombs	(20.0)	0.0	500.0	0.0	0.0
Cargo	(27.5)	(124.7)	0.0	0.0	0.0
<b>Totals</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Fully loaded & fitted out	64.0	3485.3	544.4	743.2	2.0
Unloaded with skeleton crew	64.0	3360.6	44.4	743.2	1.0

## Hudson's Revenge-class Dropship (GTL9)

Structure	Spaces	Mass	Cost	Area	Crew
80-ton hull	(80.0)	10.9	0.4	743.2	0.0
Airtight sealing	0.0	0.0	0.1	0.0	0.0
Armour: DR5300, PD4	0.0	2884.3	38.2	0.0	0.0
Basic stealth	0.0	1.8	0.6	0.0	0.0
Basic emission cloaking	0.0	1.8	0.6	0.0	0.0
<b>Drive Modules</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Orion drive baseplate	2.0	45.3	0.3	0.0	0.0
bomb delivery module	0.5	11.3	0.8	0.0	0.0
10 shock absorber modules	5.0	113.4	0.8	0.0	0.0
Space for 16667 10 kton bombs	10.0	113.4	0.0	0.0	0.0
<b>Workspace Modules</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Hardened Cockpit	1.0	4.6	2.5	0.0	1.0
Hold	51.5	0.0	0.0	0.0	0.0
<b>Accommodation Modules</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Passenger couches for 120 people	10.0	4.9	0.7	0.0	0.0
<b>Miscellaneous Items</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
16667 10 kton bombs	(10.0)	0.0	250.0	0.0	0.0
Cargo	(51.5)	(233.6)	0.0	0.0	0.0
<b>Totals</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Fully loaded & fitted out	80.0	3425.2	295.0	743.2	1.0
Unloaded with skeleton crew	80.0	3191.7	45.0	743.2	1.0

## Hun-class Light Fighter (GTL11)

*Design Parameters:* Built for Solomani human crew. Designed to military standards.

Structure	Spaces	Mass	Cost	Area	Crew
10-dton medium hull, std. mat.	(10.0)	1.2	0.1	162	—
1 turret (DR 100)	1.0	2.7	0.1	74	—
DR 100 superdense armour	—	4.8	0.1	—	—
Basic stealth	—	0.6	0.2	—	—
Basic emission cloaking	—	0.6	0.2	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	3.8	2.2	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
8 thrusters (725.6 tonnes thrust)	8.0	29.0	5.2	—	0.2
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple 390 MJ laser turret	(3.0)	20.5	3.4	—	1-1
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	10.0	63.1	11.4	237	2
Fitted out with full crew	10.0	63.1	11.4	237	3

## Hvort-class Pocket Dreadnought (GTL10)

Structure	Spaces	Mass	Cost	Area	Crew
4000-ton hull	(4000.0)	81.6	4.5	8361.3	0.0
Airtight sealing	0.0	0.0	1.2	0.0	0.0
Armour: DR1300, PD4	0.0	7015.6	92.8	0.0	0.0
Total compartmentalization	0.0	16.3	0.2	0.0	0.0
2 weapon bays	100.0	11.8	0.6	1207.7	4.0
20 turrets (60 spaces)	20.0	15.0	0.8	1486.4	20.0
Basic stealth	0.0	27.0	8.9	0.0	0.0
Basic emission cloaking	0.0	27.0	8.9	0.0	0.0
Drive Modules	Spaces	Mass	Cost	Area	Crew
Engineering module	1.0	3.7	0.3	0.0	0.0
Jump drive (1 parsec)	80.0	290.2	248.0	0.0	3.2
Jump tanks	400.0	471.6	64.0	0.0	0.0
Maneuver drive (1.9G)	1550.0	4779.9	248.0	0.0	25.8
2 fuel processor modules (25.0 hours)	2.0	2.0	1.7	0.0	0.0
Weapon Modules	Spaces	Mass	Cost	Area	Crew
60 360-MJ Lasers	(60.0)	653.0	61.8	0.0	0.0
2 Missile Bays	(100.0)	1122.5	1.7	0.0	0.0
Spinal Particle Beam	1513.0	13719.3	1035.0	0.0	0.0
Workspace Modules	Spaces	Mass	Cost	Area	Crew
Hardened Command Bridge	5.0	21.1	15.6	0.0	10.0
8 utility modules	8.0	83.4	2.4	0.0	0.0
2 Sickbays	2.0	1.4	0.3	0.0	3.0
Hold	118.5	0.0	0.0	0.0	0.0
Accommodation Modules	Spaces	Mass	Cost	Area	Crew
49 staterooms	196.0	106.7	0.6	0.0	0.0
Low berths for 36 cryotubes	4.5	16.3	2.0	0.0	0.0
Miscellaneous Items	Spaces	Mass	Cost	Area	Crew
Fuel	(400.0)	0.0	0.1	0.0	0.0
Cargo	(118.5)	(537.4)	0.0	0.0	0.0
Missiles	0.0	0.0	242.9	0.0	0.0
Totals	Spaces	Mass	Cost	Area	Crew
Fully loaded & fitted out	4000.0	29003.0	2043.1	11055.5	88.0
Unloaded with skeleton crew	4000.0	28465.6	1800.1	11055.5	39.0

## Hyena-class Medium Fighter (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to military standards.

Structure	Spaces	Mass	Cost	Area	Crew
30-dton medium hull, std. mat.	(30.0)	3.3	0.2	339	—
DR 100 crystaliron armour	—	16.5	0.2	—	—
Radical stealth	—	1.7	2.7	—	—
Radical emission cloaking	—	1.7	2.7	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.6	2.7	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
25 thrusters (907.0 tonnes thrust)	25.0	77.1	4.0	—	0.4
Weaponry	Spaces	Mass	Cost	Area	Crew
1 fixed light missile rack	1.0	11.8	0.0	—	—
1 fixed 810 MJ laser	3.0	25.1	2.7	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	30.0	141.8	15.2	339	2
Fitted out with full crew	30.0	141.8	15.2	339	2

## Ibex-class Fast Shuttle (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to private standards.

Structure	Spaces	Mass	Cost	Area	Crew
80-dton medium hull, std. mat.	(64.0)	6.4	0.8	651	—
DR 100 crystaliron armour	—	31.8	0.4	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit	1.0	4.4	2.5	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
18 thrusters (653.0 tonnes thrust)	18.0	55.5	2.9	—	0.3
Other Modules	Spaces	Mass	Cost	Area	Crew
5 passenger couches	5.0	2.4	0.0	—	—
40.0-dton cargo hold	40.0	—	—	—	—
Cargo	(40.0)	(181.4)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	64.0	100.6	6.7	651	2
Fitted out with full crew	64.0	282.0	6.7	651	2

## Iechtekl-class Intelligence Frigate (GTL11)

*Design Parameters:* Built for Zhodani human crew. Designed to military standards. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
600-dton medium hull, std. mat.	(600.0)	18.3	1.3	2,497	—
6 turrets (DR 100)	6.0	16.4	0.4	445	—
DR 100 superdense armour	—	73.2	1.0	—	—
Radical stealth	—	14.4	23.8	—	—
Radical emission cloaking	—	14.4	23.8	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge with hrd.ctls and psi switches	2.5	9.3	6.3	—	1-5
1 centre containing 8 complexity 9 computers	1.0	10.9	30.0	—	—
1 advanced communicator	7.0	84.5	3.3	—	0-1
1 enhanced sensor	4.0	34.6	33.2	—	0-1
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
30 jump drive modules	30.0	108.8	91.5	—	0.6
20 thrusters (1,814.0 tonnes thrust)	20.0	72.6	13.0	—	0.4
480 internal jump fuel tanks	480.0	130.6	76.8	—	—
480 -dtons jump fuel	(480.0)	(435.4)	(0.2)	—	—
1 fuel scoop	1.0	0.5	0.0	—	—
3 fuel processors	3.0	3.0	2.5	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple light missile turret	(3.0)	0.8	0.0	—	1
1 triple sandcaster turret	(3.0)	13.6	0.8	—	1
4 triple 97 MJ PD laser turrets	(12.0)	53.2	5.0	—	1-4
Ordnance	Spaces	Mass	Cost	Area	Crew
246 ready light missiles	—	(33.5)	(5.7)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
2 utility modules	2.0	20.9	0.5	—	—
6 crew staterooms	24.0	10.9	0.1	—	—
2 crew low berths	1.0	3.6	0.4	—	—
1 exercise room	2.5	0.5	0.0	—	—
1 sickbay	1.0	0.8	0.2	—	1
14.0-dton cargo hold	14.0	—	—	—	—
Cargo	(14.0)	(63.5)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	600.0	699.0	314.0	2,943	2
Fitted out with full crew	600.0	1,231.3	319.6	2,943	15

## Imp-class Patrol Fighter (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to military standards.

Structure	Spaces	Mass	Cost	Area	Crew
20-dton medium hull, std. mat.	(16.0)	2.5	0.3	258	—
DR 200 crystaliron armour	—	25.3	0.3	—	—
Basic stealth	—	0.6	0.2	—	—
Basic emission cloaking	—	0.6	0.2	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.6	2.7	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
12 thrusters (435.4 tonnes thrust)	12.0	37.0	1.9	—	0.2
Weaponry	Spaces	Mass	Cost	Area	Crew
3 fixed light missile racks	3.0	35.4	0.1	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	16.0	106.0	5.7	258	2
Fitted out with full crew	16.0	106.0	5.7	258	2

## Ingham-class Missionary Ship (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to private standards.

Structure	Spaces	Mass	Cost	Area	Crew
300-dton medium hull, std. mat.	(240.0)	15.4	2.0	1,573	—
DR 100 crystaliron armour	—	76.8	1.0	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
9 jump drive modules	9.0	32.7	27.9	—	0.4
12 thrusters (435.4 tonnes thrust)	12.0	37.0	1.9	—	0.2
60 internal jump fuel tanks	60.0	16.3	9.6	—	—
60 -dtons jump fuel	(60.0)	(54.4)	(0.0)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
1 bay for Air/Raft	0.4	0.5	0.0	—	—
1 Air/Raft	(0.4)	(5.0)	(0.1)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
11 staterooms for 11 staff	44.0	23.9	0.1	—	—
2 low berths for 8 low passengers	1.0	3.6	0.4	—	—
4 crew staterooms	16.0	8.7	0.0	—	—
2 theatres	40.0	3.8	0.0	—	2
2 stages	32.0	0.9	0.0	—	—
1 sickbay	1.0	0.7	0.2	—	1
20.1-dton cargo hold	20.1	—	—	—	—
Cargo	(20.1)	(91.1)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	240.0	242.2	47.9	1,573	2
Fitted out with full crew	240.0	392.6	48.0	1,573	7

## Intrepid-class Cruiser (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited. Contains nonstandard modules (briefing room).

Structure	Spaces	Mass	Cost	Area	Crew
10,000-dton medium hull, std. mat.	(10,000.0)	159.1	8.8	16,298	—
25 turrets (DR 1000)	25.0	925.7	13.0	1,858	—
6 small internal bays	300.0	35.4	2.0	—	—
DR 2000 crystaliron armour	—	15,912.5	210.5	—	—
Total compartmentalization	—	31.8	0.4	—	—
Basic stealth	—	44.3	14.7	—	—
Basic emission cloaking	—	44.3	14.7	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
400 jump drive modules	400.0	1,451.2	1,240.0	—	16
4,200 thrusters (152,376.0 tonnes thrust)	4,200.0	12,952.0	672.0	—	70
3,000 internal jump fuel tanks	3,000.0	816.3	480.0	—	—
3,000 -dtons jump fuel	(3,000.0)	(2,721.0)	(1.0)	—	—
2.5 fuel scoops	2.5	1.3	0.0	—	—
12 fuel processors	12.0	12.0	10.2	—	—
1 workshop	2.5	13.6	0.1	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
5 triple sandcaster turrets	(15.0)	68.0	3.8	—	5
20 triple 90 MJ PD laser turrets	(60.0)	318.4	35.4	—	2-20
6 small missile bays	(300.0)	412.0	6.6	—	12
570 GJ spinal particle accelerator	1,512.0	13,685.7	1,034.0	—	17
Ordnance	Spaces	Mass	Cost	Area	Crew
4,500 ready heavy missiles	—	(3,061.1)	(810.0)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
8 bays for <i>Steadfast</i> Medium Fighters	336.0	0.5	0.0	—	—
8 <i>Steadfast</i> Medium Fighters	(320.0)	(1,348.0)	(89.8)	—	16
Barracks	Spaces	Mass	Cost	Area	Crew
3 marine bunkrooms	12.0	13.1	0.1	—	—
1 briefing room	1.0	0.0	0.0	—	—
1 weapons locker	1.0	6.3	0.0	—	—
1 gym	2.5	0.5	0.0	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
20 utility modules	20.0	208.6	6.0	—	—
3 crew staterooms	12.0	6.5	0.0	—	—
13 crew bunkrooms	52.0	56.6	0.2	—	—
19 crew low berths	9.5	34.5	4.2	—	—
2 sickbays	2.0	1.4	0.3	—	2
92.0-dton cargo hold	92.0	—	—	—	—
Cargo	(92.0)	(417.2)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	10,000.0	47,236.8	3,769.8	18,156	87
Fitted out with full crew	10,000.0	54,784.1	4,669.5	18,156	225

## Irbak-class System Defense Boat (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, std. mat.	(320.0)	9.3	2.5	1,906	—
4 turrets (DR 4000)	4.0	233.7	3.5	297	—
DR 8000 bonded superdense armour	—	2,977.8	39.4	—	—
Basic stealth	—	5.4	1.8	—	—
Basic emission cloaking	—	5.4	1.8	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	20.1	11.8	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
281 thrusters (25,486.7 tonnes thrust)	281.0	1,019.5	182.6	—	2.8
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple light missile turret	(3.0)	0.8	0.0	—	1
2 triple 405 MJ laser turrets	(6.0)	42.4	4.1	—	1-2
1 single 1,313 MJ heavy laser turret	(3.0)	22.8	2.1	—	1-1
Ordnance	Spaces	Mass	Cost	Area	Crew
246 ready light missiles	—	(33.5)	(5.7)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
6 crew staterooms	24.0	10.9	0.1	—	—
4.0-dton cargo hold	4.0	—	—	—	—
Cargo	(4.0)	(18.1)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	320.0	4,361.8	250.0	2,203	4
Fitted out with full crew	320.0	4,413.4	255.7	2,203	10

## Iridescent Poodle-class Combat Liner (GTL10)

*Design Parameters:* Built for Solomani human crew. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
800-dton medium hull, std. mat.	(800.0)	29.5	1.6	3,026	—
8 turrets (DR 100)	8.0	35.0	0.7	594	—
DR 100 crystaliron armour	—	147.7	2.0	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge with hardened controls	2.5	10.5	7.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
32 jump drive modules	32.0	116.1	99.2	—	1.3
335 thrusters (12,153.8 tonnes thrust)	335.0	1,033.1	53.6	—	5.6
240 internal jump fuel tanks	240.0	65.3	38.4	—	—
240 -dtons jump fuel	(240.0)	(217.7)	(0.1)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
8 empty turrets	(24.0)	—	—	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
1 bay for Gig	21.0	0.5	0.0	—	—
1 Gig	(20.0)	(70.6)	(5.5)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
2 utility modules	2.0	20.9	0.6	—	—
24 Staterooms for 24 passengers	96.0	52.2	0.3	—	1.2
10 crew staterooms	40.0	21.8	0.1	—	—
22.5-dton cargo hold	22.5	—	—	—	—
Cargo	(22.5)	(102.0)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	800.0	1,536.2	203.8	3,620	8
Fitted out with full crew	800.0	1,926.6	209.3	3,620	11

## Irumskla-class Defense Platform (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Weapon armour is limited.

<b>Structure</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
600-dton medium hull, std. mat.	(600.0)	24.4	1.3	2,497	—
6 turrets (DR 2000)	6.0	439.8	6.0	445	—
DR 50000 crystaliron armour	—	60,969.5	806.7	—	—
Total compartmentalization	—	4.9	0.1	—	—
Basic stealth	—	7.2	2.4	—	—
Basic emission cloaking	—	7.2	2.4	—	—
<b>CCCI</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
1 enhanced sensor	4.0	36.8	32.9	—	0-1
1 electronic warfare suite	3.0	39.6	13.0	—	2
<b>Engineering</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
1 fusion engineering module	1.0	3.6	0.3	—	—
450 thrusters (16,326.0 tonnes thrust)	450.0	1,387.7	72.0	—	7.5
<b>Weaponry</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
6 triple heavy missile turrets	(18.0)	24.5	0.4	—	6
1 nuclear damper module	4.0	37.7	16.2	—	4
8 meson screen modules	8.0	39.2	31.2	—	4
<b>Ordnance</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
48 magazines	48.0	272.1	6.0	—	—
270 ready heavy missiles	—	(183.7)	(48.6)	—	—
<b>Other Modules</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
2 utility modules	2.0	20.9	0.6	—	—
13 crew staterooms	52.0	28.3	0.2	—	—
4 crew low berths	2.0	7.3	0.9	—	—
1 sickbay	1.0	0.7	0.2	—	1
14.0-dton cargo hold	14.0	—	—	—	—
Cargo	(14.0)	(63.5)	—	—	—
<b>Totals</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Empty with skeleton crew	600.0	63,373.0	1,005.2	2,943	11
Fitted out with full crew	600.0	63,620.2	1,053.8	2,943	39

## Irushma-class Patrol Frigate (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Turrets are not counted towards jump volume.

<b>Structure</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
300-dton medium hull, std. mat.	(300.0)	7.7	0.8	1,573	—
3 turrets (DR 100)	3.0	5.5	0.2	222	—
DR 100 bonded superdense armour	—	30.7	0.4	—	—
Basic stealth	—	4.4	1.5	—	—
Basic emission cloaking	—	4.4	1.5	—	—
<b>CCCI</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Command bridge with hardened controls	5.0	20.1	11.8	—	1-10
<b>Engineering</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
1 fusion engineering module	1.0	3.3	0.2	—	—
16 jump drive modules	16.0	58.0	48.8	—	0.2
7 thrusters (634.9 tonnes thrust)	7.0	25.4	4.5	—	0.1
248 internal jump fuel tanks	248.0	67.5	39.7	—	—
248 -dtons jump fuel	(248.0)	(224.9)	(0.1)	—	—
1 fuel scoop	1.0	0.5	0.0	—	—
1 fuel processor	1.0	1.0	0.9	—	—
<b>Weaponry</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
1 triple light missile turret	(3.0)	0.8	0.0	—	1
1 triple sandcaster turret	(3.0)	13.6	0.8	—	1
1 triple 405 MJ laser turret	(3.0)	21.2	2.0	—	1-1
<b>Ordnance</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
246 ready light missiles	—	(33.5)	(5.7)	—	—
<b>Auxiliaries</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
1 cradle for Launch	0.5	2.8	0.1	—	—
1 Launch	(10.0)	(29.7)	(3.6)	—	—
<b>Other Modules</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
1 utility module	1.0	10.4	0.3	—	—
4 crew staterooms	16.0	7.3	0.0	—	—
0.5-dton cargo hold	0.5	—	—	—	—
Cargo	(0.5)	(2.3)	—	—	—
<b>Totals</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Empty with skeleton crew	300.0	284.7	113.4	1,796	2
Fitted out with full crew	300.0	575.0	122.7	1,796	7

## Jelnai-class Armed Freighter (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to commercial standards. Turrets are not counted towards jump volume.

<b>Structure</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
800-dton medium hull, std. mat.	(800.0)	29.5	1.6	3,026	—
8 turrets (DR 100)	8.0	35.0	0.7	594	—
DR 100 crystaliron armour	—	147.7	2.0	—	—
<b>CCCI</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Basic bridge with hardened controls	2.5	10.5	7.0	—	1-5
<b>Engineering</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
1 fusion engineering module	1.0	3.6	0.3	—	—
24 jump drive modules	24.0	87.1	74.4	—	1.0
100 thrusters (3,628.0 tonnes thrust)	100.0	308.4	16.0	—	1.7
160 internal jump fuel tanks	160.0	43.5	25.6	—	—
160 -dtons jump fuel	(160.0)	(145.1)	(0.1)	—	—
<b>Weaponry</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
4 triple sandcaster turrets	(12.0)	54.4	3.0	—	4
2 triple 250 MJ laser turrets	(6.0)	45.3	4.9	—	1-2
2 triple 90 MJ PD laser turrets	(6.0)	31.8	3.5	—	1-2
<b>Other Modules</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
2 utility modules	2.0	20.9	0.6	—	—
6 crew staterooms	24.0	13.1	0.1	—	—
478.5-dton cargo hold	478.5	—	—	—	—
Cargo	(478.5)	(2,170.0)	—	—	—
<b>Totals</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Empty with skeleton crew	800.0	830.9	139.7	3,620	4
Fitted out with full crew	800.0	3,146.0	139.7	3,620	11



## Jheron-class Scoutship (GTL11)

Structure	Spaces	Mass	Cost	Area	Crew
100-ton streamlined hull	(80.0)	6.8	1.2	929.0	0.0
Airtight sealing	0.0	0.0	0.1	0.0	0.0
Armour: DR100, PD4	0.0	29.4	0.4	0.0	0.0
1 turret (3 spaces)	1.0	0.4	0.1	74.3	1.0
<b>Drive Modules</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Engineering module	1.0	3.4	0.2	0.0	0.0
Jump drive (5 parsecs)	6.0	21.8	18.3	0.0	0.1
Jump tanks	50.0	59.0	8.0	0.0	0.0
Reactionless thruster (1.0G)	2.0	7.3	0.6	0.0	0.0
<b>Weapon Modules</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Missile Rack	(1.0)	11.8	0.0	0.0	0.0
390-MJ Laser	(1.0)	6.8	1.1	0.0	0.0
1 sandcaster	(1.0)	4.5	0.3	0.0	0.0
<b>Workspace Modules</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Hardened Bridge	2.5	7.0	3.7	0.0	1.0
1 utility module	1.0	10.4	0.3	0.0	0.0
Survey Module	4.0	4.9	7.6	0.0	0.0
Hold	0.5	0.0	0.0	0.0	0.0
<b>Accommodation Modules</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
3 staterooms	12.0	5.4	0.0	0.0	0.0
<b>Miscellaneous Items</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Fuel	(50.0)	0.0	0.0	0.0	0.0
Cargo	(0.5)	(2.3)	0.0	0.0	0.0
Missiles	0.0	0.0	2.5	0.0	0.0
Sand canisters	0.0	0.0	0.1	0.0	0.0
<b>Totals</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Fully loaded & fitted out	80.0	181.1	44.4	1003.4	6.0
Unloaded with skeleton crew	80.0	178.8	41.9	1003.4	1.0

## Joqlsha'-class Fighter (GTL11)

*Design Parameters:* Built for Zhodani human crew. Designed to military standards. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
20-dton medium hull, std. mat.	(16.0)	1.9	0.3	258	—
1 turret (DR 1100)	1.0	24.5	0.4	74	—
DR 2200 superdense armour	—	166.7	2.2	—	—
Basic stealth	—	0.8	0.3	—	—
Basic emission cloaking	—	0.8	0.3	—	—
<b>CCCI</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Cockpit with hrd controls and psi switches	1.0	3.8	2.2	—	1-2
<b>Engineering</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
14 thrusters (1,269.8 tonnes thrust)	14.0	50.8	9.1	—	0.3
<b>Weaponry</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
1 triple 390 MJ laser turret	(3.0)	20.5	3.4	—	1-1
<b>Totals</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Empty with skeleton crew	16.0	269.8	18.2	333	2
Fitted out with full crew	16.0	269.8	18.2	333	3

## Joritz-class System Defense Boat (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, std. mat.	(320.0)	18.6	2.5	1,906	—
4 turrets (DR 650)	4.0	97.3	1.6	297	—
DR 1300 crystaliron armour	—	1,209.7	16.0	—	—
Basic stealth	—	5.4	1.8	—	—
Basic emission cloaking	—	5.4	1.8	—	—
<b>CCCI</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
<b>Engineering</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
1 fusion engineering module	1.0	3.6	0.3	—	—
281 thrusters (10,194.7 tonnes thrust)	281.0	866.5	45.0	—	4.7
<b>Weaponry</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
1 triple light missile turret	(3.0)	0.8	0.0	—	1
2 triple 250 MJ laser turrets	(6.0)	45.3	4.9	—	1-2
1 single 810 MJ heavy laser turret	(3.0)	25.1	2.7	—	1-1
<b>Ordnance</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
246 ready light missiles	—	(33.5)	(8.9)	—	—
<b>Other Modules</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
1 utility module	1.0	10.4	0.3	—	—
7 crew staterooms	28.0	15.2	0.1	—	—
<b>Totals</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Empty with skeleton crew	320.0	2,325.2	89.6	2,203	6
Fitted out with full crew	320.0	2,358.6	98.4	2,203	12

## Jumo-class Heavy Fighter (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to military standards.

Structure	Spaces	Mass	Cost	Area	Crew
50-dton medium hull, std. mat.	(40.0)	4.7	0.6	476	—
DR 1300 crystaliron armour	—	302.4	4.0	—	—
Basic stealth	—	1.2	0.4	—	—
Basic emission cloaking	—	1.2	0.4	—	—
<b>CCCI</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Cockpit with hardened controls	1.0	4.6	2.7	—	1-2
<b>Engineering</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
36 thrusters (1,306.1 tonnes thrust)	36.0	111.0	5.8	—	0.6
<b>Weaponry</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
3 fixed 250 MJ lasers	3.0	22.6	2.5	—	—
<b>Totals</b>	<b>Spaces</b>	<b>Mass</b>	<b>Cost</b>	<b>Area</b>	<b>Crew</b>
Empty with skeleton crew	40.0	447.7	16.3	476	2
Fitted out with full crew	40.0	447.7	16.3	476	2

## Jupiter-class Frigate (GTL11)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
800-dton medium hull, std. mat.	(800.0)	22.2	1.6	3,026	—
8 turrets (DR 2500)	8.0	439.8	6.1	594	—
DR 5000 superdense armour	—	4,431.6	58.6	—	—
Total compartmentalization	—	4.4	0.0	—	—
Basic stealth	—	8.8	2.9	—	—
Basic emission cloaking	—	8.8	2.9	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	20.9	12.0	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
40 jump drive modules	40.0	145.1	122.0	—	0.8
400 thrusters (36,280.0 tonnes thrust)	400.0	1,451.2	260.0	—	8
320 internal jump fuel tanks	320.0	87.1	51.2	—	—
320 -dtons jump fuel	(320.0)	(290.2)	(0.1)	—	—
1 fuel scoop	1.0	0.5	0.0	—	—
4 fuel processors	4.0	4.0	3.4	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
4 triple light missile turrets	(12.0)	3.3	0.1	—	4
4 triple 390 MJ laser turrets	(12.0)	81.8	13.8	—	1-4
Ordnance	Spaces	Mass	Cost	Area	Crew
984 ready light missiles	—	(133.9)	(22.6)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
2 utility modules	2.0	20.9	0.5	—	—
3 crew bunkrooms	12.0	5.2	0.1	—	—
3 crew low berths	1.5	5.4	0.7	—	—
5.5-dton cargo hold	5.5	—	—	—	—
Cargo	(5.5)	(24.9)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	800.0	6,744.3	536.1	3,620	10
Fitted out with full crew	800.0	7,193.3	558.7	3,620	33

## K!kreer-class Light Cruiser (GTL10)

*Design Parameters:* Built for K'kree crew. Designed to military standards. All quantities in metric units. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
50,000-dton medium hull, std. mat.(40,000.0)	465.3	61.6	47,657	—	—
41 turrets (DR 1750)	41.0	2,633.8	38.5	3,047	—
40 large external bays (DR 1750)	800.0	41,631.3	566.0	48,308	—
DR 3500 crystaliron armour	—	81,424.8	1,077.3	—	—
Basic stealth	—	241.7	79.9	—	—
Basic emission cloaking	—	241.7	79.9	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	30.0	130.1	75.6	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
1,596 jump drive modules	1,596.0	5,790.3	4,947.6	—	63.8
7,000 thrusters (253,960.0 tonnes)	7,000.0	21,586.6	1,120.0	—	116.7
10,640 internal jump fuel tanks	10,640.0	2,895.1	1,702.4	—	—
10,640 -dtons jump fuel	(10,640.0)	(9,650.5)	(3.7)	—	—
100 fuel processors	100.0	99.8	85.0	—	—
3 workshops	7.5	40.8	0.2	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
41 triple 90 MJ PD laser turrets	(123.0)	652.6	72.6	—	5-41
40 large heavy missile bays	(4,000.0)	5,478.3	88.0	—	80
1.4 TJ spinal meson gun	3,753.0	33,959.9	7,013.0	—	39
Ordnance	Spaces	Mass	Cost	Area	Crew
60,000 ready heavy missiles	—	(40,815.0)	(10,800.0)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
80 utility modules	80.0	834.4	24.0	—	—
640 crew pastures	15,360.0	8,358.9	46.1	—	—
5 sickbays	30.0	20.4	4.8	—	5
561.5-dton cargo hold	561.5	—	—	—	—
Cargo	(561.5)	(2,546.4)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	40,000.0	206,489.4	17,082.7	99,012	182
Fitted out with full crew	40,000.0	259,501.3	27,882.7	99,012	640

## Kagarin-class Exploratory Trader (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to private standards. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
800-dton medium hull, std. mat.	(640.0)	29.5	3.9	3,026	—
8 turrets (DR 100)	8.0	35.0	1.2	594	—
DR 100 crystaliron armour	—	147.7	2.0	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge with hardened controls	2.5	10.5	7.0	—	1-5
1 enhanced sensor	4.0	36.8	32.9	—	0-1
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
24 jump drive modules	24.0	87.1	74.4	—	1.0
50 thrusters (1,814.0 tonnes thrust)	50.0	154.2	8.0	—	0.8
320 internal jump fuel tanks	320.0	87.1	51.2	—	—
320 -dtons jump fuel	(320.0)	(290.2)	(0.1)	—	—
3 fuel processors	3.0	3.0	2.5	—	—
2 workshops	5.0	27.2	0.1	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple light missile turret	(3.0)	0.8	0.0	—	1
1 triple sandcaster turret	(3.0)	13.6	0.8	—	1
2 triple 250 MJ laser turrets	(6.0)	45.3	4.9	—	1-2
2 triple 90 MJ PD laser turrets	(6.0)	31.8	3.5	—	1-2
2 single 810 MJ heavy laser turrets	(6.0)	50.2	5.4	—	1-2
Ordnance	Spaces	Mass	Cost	Area	Crew
246 ready light missiles	—	(33.5)	(8.9)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
2 bays for Xenos Fast Launches	21.0	0.5	0.0	—	—
2 Xenos Fast Launches	(20.0)	(53.6)	(6.9)	—	2
Other Modules	Spaces	Mass	Cost	Area	Crew
2 utility modules	2.0	20.9	0.6	—	—
13 crew staterooms	52.0	28.3	0.2	—	—
2 exercise rooms	5.0	0.9	0.0	—	—
1 hall	10.0	0.2	0.0	—	—
1 sickbay	1.0	0.7	0.2	—	1
1 surgical theatre	1.0	0.4	0.1	—	—
1 armoury	1.0	6.3	0.0	—	—
1 basic security module	0.5	2.4	0.9	—	—
2 standard labs	9.0	18.7	2.1	—	2-4
1 isolab	22.5	91.0	10.1	—	1-5
1 simulation lab	7.5	10.2	1.6	—	1-1
90.0-dton cargo hold	90.0	—	—	—	—
Cargo	(90.0)	(408.1)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	640.0	943.8	213.9	3,620	3
Fitted out with full crew	640.0	1,729.2	229.7	3,620	26

## Khorfooz-class Raider (GTL11)

*Design Parameters:* Built for Vargr crew. Designed to military standards. All quantities in metric units. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
800-dton medium hull, std. mat.	(640.0)	22.2	3.9	3,026	—
8 turrets (DR 1250)	8.0	222.2	3.7	594	—
DR 2500 superdense armour	—	2,215.8	29.3	—	—
Heavy compartmentalization	—	2.2	0.0	—	—
Radical stealth	—	17.7	29.2	—	—
Radical emission cloaking	—	17.7	29.2	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge with hardened controls	2.5	9.3	6.2	—	1-5
1 enhanced sensor	4.0	34.6	33.2	—	0-1
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
32 jump drive modules	32.0	116.1	97.6	—	0.6
200 thrusters (18,140.0 tonnes thrust)	200.0	725.6	130.0	—	4
240 internal jump fuel tanks	240.0	65.3	38.4	—	—
240 -dtons jump fuel	(240.0)	(217.7)	(0.1)	—	—
2 fuel processors	2.0	2.0	1.7	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
4 triple 390 MJ laser turrets	(12.0)	81.8	13.8	—	1-4
2 triple 97 MJ PD laser turrets	(6.0)	26.6	2.5	—	1-2
2 single 870 MJ heavy laser turrets	(6.0)	53.5	3.1	—	1-2
1 nuclear damper module	1.0	9.3	4.0	—	4
Barracks	Spaces	Mass	Cost	Area	Crew
1 marine stateroom	4.0	1.8	0.0	—	—
8 marine bunkrooms	32.0	13.8	0.1	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
2 utility modules	2.0	20.9	0.5	—	—
9 crew staterooms	36.0	16.3	0.1	—	—
1 brig	1.0	6.3	0.0	—	—
74.5-dton cargo hold	74.5	—	—	—	—
Cargo	(74.5)	(337.9)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	640.0	3,684.2	426.8	3,620	6
Fitted out with full crew	640.0	4,239.8	426.8	3,620	17

## Kjerre-class Freighter (GTL9)

*Design Parameters:* Built for Sword Worlder human crew. Designed to commercial standards. Turrets are counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
2,000-dton medium hull, standard materials(2,000.0)	81.6	3.0	60,000	—	—
DR 100 durasteel armour	—	408.2	5.4	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	3.0	12.2	8.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	3.0	11.7	5.0	—	—
40 jump drive modules	80.0	290.2	200.0	—	8
100 thrusters (471.6 tonnes thrust)	100.0	380.9	140.0	—	10
200 internal jump fuel tanks	200.0	54.4	32.0	—	—
200 -dtons jump fuel	(200.0)	(181.4)	(0.1)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
10 utility modules	10.0	56.2	7.6	—	—
11 crew staterooms	44.0	23.9	0.2	—	—
1,560.0-dton cargo hold	1,560.0	—	—	—	—
Cargo	(1,560.0)	(7,074.6)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty	2,000.0	1,319.5	401.2	60,000	0
Fitted out	2,000.0	8,575.5	401.2	60,000	0

## Kjerre II-class Freighter (GTL10)

*Design Parameters:* Built for Sword Worlder human crew. Designed to commercial standards. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
2,000-dton medium hull, std. mat.	(2,000.0)	54.4	3.0	5,574	—
4 turrets (DR 100)	4.0	17.5	0.4	297	—
DR 100 crystaliron armour	—	272.1	3.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
40 jump drive modules	40.0	145.1	124.0	—	1.6
100 thrusters (3,628.0 tonnes thrust)	100.0	308.4	16.0	—	1.7
200 internal jump fuel tanks	200.0	54.4	32.0	—	—
200 -dtons jump fuel	(200.0)	(181.4)	(0.1)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
2 triple sandcaster turrets	(6.0)	27.2	1.5	—	2
2 triple 250 MJ laser turrets	(6.0)	45.3	4.9	—	1-2
Other Modules	Spaces	Mass	Cost	Area	Crew
4 utility modules	4.0	41.7	1.2	—	—
7 Staterooms for 14 middle passengers	28.0	15.2	0.1	—	—
6 crew staterooms	24.0	13.1	0.1	—	—
1,596.5-dton cargo hold	1,596.5	—	—	—	—
Cargo	(1,596.5)	(7,240.1)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	2,000.0	1,005.9	191.1	5,871	5
Fitted out with full crew	2,000.0	8,427.4	191.1	5,871	10

## Klastao-class Far Trader (GTL11)

*Design Parameters:* Built for Imperial human crew. Designed to commercial standards. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
200-dton medium hull, std. mat.	(160.0)	8.8	1.6	1,200	—
2 turrets (DR 100)	2.0	5.5	0.3	148	—
DR 100 superdense armour	—	35.2	0.5	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.2	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
6 jump drive modules	6.0	21.8	18.3	—	0.1
10 thrusters (907.0 tonnes thrust)	10.0	36.3	6.5	—	0.2
40 internal jump fuel tanks	40.0	10.9	6.4	—	—
40 -dtons jump fuel	(40.0)	(36.3)	(0.0)	—	—
1 fuel processor	1.0	1.0	0.9	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
2 empty turrets	(6.0)	—	—	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
1 bay for Air/Raft	0.4	0.5	0.0	—	—
1 Air/Raft	(0.4)	(5.0)	(0.1)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
6 Staterooms for 6 high passengers	24.0	10.9	0.1	—	0.3
1 Stateroom for 2 middle passengers	4.0	1.8	0.0	—	0.0
3 low berths for 12 low passengers	1.5	5.4	0.7	—	—
3 crew staterooms	12.0	5.4	0.0	—	—
54.6-dton cargo hold	54.6	—	—	—	—
Cargo	(54.6)	(247.5)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	160.0	163.7	38.7	1,349	2
Fitted out with full crew	160.0	452.5	38.8	1,349	5

## Klepsidar-class Freighter (GTL11)

*Design Parameters:* Built for Imperial human crew. Designed to commercial standards. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
800-dton medium hull, std. mat.	(800.0)	22.2	1.6	3,026	—
2 turrets (DR 100)	2.0	5.5	0.1	148	—
DR 100 superdense armour	—	88.6	1.2	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.2	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
32 jump drive modules	32.0	116.1	97.6	—	0.6
30 thrusters (2,721.0 tonnes thrust)	30.0	108.8	19.5	—	0.6
240 internal jump fuel tanks	240.0	65.3	38.4	—	—
240 -dtons jump fuel	(240.0)	(217.7)	(0.1)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
2 empty turrets	(6.0)	—	—	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
2 utility modules	2.0	20.9	0.5	—	—
3 crew staterooms	12.0	5.4	0.0	—	—
478.5-dton cargo hold	478.5	—	—	—	—
Cargo	(478.5)	(2,170.0)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	800.0	442.7	162.3	3,174	3
Fitted out with full crew	800.0	2,830.4	162.3	3,174	4

## Knorr-class Freighter (GTL10)

*Design Parameters:* Built for Sword Worlder human crew. Designed to commercial standards.

Structure	Spaces	Mass	Cost	Area	Crew
800-dton medium hull, std. mat.	(800.0)	29.5	1.6	3,026	—
DR 100 crystaliron armour	—	147.7	2.0	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
16 jump drive modules	16.0	58.0	49.6	—	0.6
104 thrusters (3,773.1 tonnes thrust)	104.0	320.7	16.6	—	1.7
80 internal jump fuel tanks	80.0	21.8	12.8	—	—
80 -dtons jump fuel	(80.0)	(72.6)	(0.0)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
2 utility modules	2.0	20.9	0.6	—	—
3 Staterooms for 6 middle passengers	12.0	6.5	0.0	—	—
3 crew staterooms	12.0	6.5	0.0	—	—
570.5-dton cargo hold	570.5	—	—	—	—
Cargo	(570.5)	(2,587.2)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	800.0	623.1	87.6	3,026	4
Fitted out with full crew	800.0	3,282.9	87.6	3,026	5

## Knossos-class Liner (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to commercial standards. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
800-dton medium hull, std. mat.	(800.0)	29.5	1.6	3,026	—
2 turrets (DR 100)	2.0	8.8	0.2	148	—
DR 100 crystaliron armour	—	147.7	2.0	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
32 jump drive modules	32.0	116.1	99.2	—	1.3
45 thrusters (1,632.6 tonnes thrust)	45.0	138.8	7.2	—	0.8
240 internal jump fuel tanks	240.0	65.3	38.4	—	—
240 -dtons jump fuel	(240.0)	(217.7)	(0.1)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple sandcaster turret	(3.0)	13.6	0.8	—	1
1 triple 90 MJ PD laser turret	(3.0)	15.9	1.8	—	1-1
Auxiliaries	Spaces	Mass	Cost	Area	Crew
1 bay for Skyskipper Launch	10.5	0.5	0.0	—	—
1 Skyskipper Launch	(10.0)	(20.6)	(3.1)	—	1
Other Modules	Spaces	Mass	Cost	Area	Crew
2 utility modules	2.0	20.9	0.6	—	—
60 Staterooms for 60 high passengers	240.0	130.6	0.7	—	3
7 crew staterooms	28.0	15.2	0.1	—	—
2 exercise rooms	5.0	0.9	0.0	—	—
1 hall	10.0	0.2	0.0	—	—
1 theatre	20.0	1.9	0.0	—	1
1 basic security module	0.5	2.4	0.9	—	—
161.5-dton cargo hold	161.5	—	—	—	—
Cargo	(161.5)	(732.4)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	800.0	719.6	157.7	3,174	3
Fitted out with full crew	800.0	1,690.3	160.9	3,174	13

## Komar-class Free Trader (GTL12)

*Design Parameters:* Built for Imperial human crew. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
600-dton medium hull, std. mat.	(480.0)	12.2	3.2	2,497	—
6 turrets (DR 100)	6.0	11.0	0.7	445	—
DR 100 bonded superdense armour	—	48.8	0.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.1	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
18 jump drive modules	18.0	65.3	54.9	—	0.2
11 thrusters (997.7 tonnes thrust)	11.0	39.9	7.1	—	0.1
120 internal jump fuel tanks	120.0	32.7	19.2	—	—
120 -dtons jump fuel	(120.0)	(108.8)	(0.0)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
6 empty turrets	(18.0)	—	—	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
36 Staterooms for 36 passengers	144.0	65.3	0.4	—	1.8
6 low berths for 24 low passengers	3.0	10.9	1.3	—	—
15 crew staterooms	60.0	27.2	0.2	—	—
1 exercise room	2.5	0.5	0.0	—	—
1 hall	10.0	0.2	0.0	—	—
1 sickbay	1.0	0.8	0.2	—	1
100.0-dton cargo hold	100.0	—	—	—	—
Cargo	(100.0)	(453.5)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	480.0	334.9	91.5	2,943	2
Fitted out with full crew	480.0	897.2	91.5	2,943	15

## Korkii-class Destroyer (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
7,500-dton medium hull, std. mat.	(7,500.0)	131.4	7.2	13,454	—
25 turrets (DR 2000)	25.0	1,832.7	25.0	1,858	—
5 small external bays (DR 2000)	50.0	2,977.2	40.6	3,019	—
DR 5500 crystaliron armour	—	36,122.6	477.9	—	—
Heavy compartmentalization	—	13.1	0.1	—	—
Basic stealth	—	44.7	14.8	—	—
Basic emission cloaking	—	44.7	14.8	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
308 jump drive modules	308.0	1,117.4	954.8	—	12.3
4,500 thrusters (163,260.0 tonnes)	4,500.0	13,877.1	720.0	—	75.0
2,310 internal jump fuel tanks	2,310.0	628.6	369.6	—	—
2,310 -dtons jump fuel	(2,310.0)	(2,095.2)	(0.8)	—	—
2.5 fuel scoops	2.5	1.3	0.0	—	—
15 fuel processors	15.0	15.0	12.8	—	—
1 workshop	2.5	13.6	0.1	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
15 triple light missile turrets	(45.0)	12.2	0.3	—	15
5 triple 250 MJ laser turrets	(15.0)	113.2	12.3	—	1-5
5 triple 90 MJ PD laser turrets	(15.0)	79.6	8.8	—	1-5
5 13 GJ particle bays	(250.0)	2,117.8	114.0	—	10
Ordnance	Spaces	Mass	Cost	Area	Crew
3,690 ready light missiles	—	(502.0)	(132.8)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
15 utility modules	15.0	156.5	4.5	—	—
63 crew staterooms	252.0	137.1	0.8	—	—
3 sickbays	7.5	13.9	0.8	—	3
6.5-dton cargo hold	6.5	—	—	—	—
Cargo	(6.5)	(29.5)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	7,500.0	59,475.1	2,792.2	18,331	89
Fitted out with full crew	7,500.0	62,101.8	2,925.1	18,331	126

## Kosigar-class Pocket Carrier (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
4,000-dton medium hull, std. mat.	(4,000.0)	86.4	4.8	8,848	—
40 turrets (DR 900)	40.0	1,336.0	18.9	2,972	—
DR 1800 crystaliron armour	—	7,774.8	102.9	—	—
Heavy compartmentalization	—	8.6	0.1	—	—
Basic stealth	—	28.9	9.5	—	—
Basic emission cloaking	—	28.9	9.5	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
160 jump drive modules	160.0	580.5	496.0	—	6.4
850 thrusters (30,838.0 tonnes thrust)	850.0	2,621.2	136.0	—	14.2
1,200 internal jump fuel tanks	1,200.0	326.5	192.0	—	—
1,200 -dtons jump fuel	(1,200.0)	(1,088.4)	(0.4)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
10 triple light missile turrets	(30.0)	8.2	0.2	—	10
10 triple sandcaster turrets	(30.0)	136.1	7.5	—	10
20 triple 250 MJ laser turrets	(60.0)	452.8	49.2	—	2-20
Ordnance	Spaces	Mass	Cost	Area	Crew
2,460 ready light missiles	—	(334.7)	(88.6)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
<i>Olmeke</i> Hanger with 1 entrance	1,600.0	0.9	0.0	—	—
10 <i>Olmeke</i> Heavy Fighters	(800.0)	(18,289.0)	(398.8)	—	20
Other Modules	Spaces	Mass	Cost	Area	Crew
6 utility modules	6.0	62.6	1.8	—	—
33 crew staterooms	132.0	71.8	0.4	—	—
1 sickbay	1.0	0.7	0.2	—	1
5.0-dton cargo hold	5.0	—	—	—	—
Cargo	(5.0)	(22.7)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	4,000.0	13,550.0	1,041.9	11,820	22
Fitted out with full crew	4,000.0	33,284.8	1,529.2	11,820	65

## Kraki-class Assault Cutter (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards.

Structure	Spaces	Mass	Cost	Area	Crew
30-dton medium hull, std. mat.	(24.0)	1.7	0.4	339	—
DR 100 bonded superdense armour	—	6.6	0.1	—	—
Radical stealth	—	1.7	2.7	—	—
Radical emission cloaking	—	1.7	2.7	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.4	2.5	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
10 thrusters (907.0 tonnes thrust)	10.0	36.3	6.5	—	0.1
Other Modules	Spaces	Mass	Cost	Area	Crew
13.0-dton cargo hold	13.0	—	—	—	—
Cargo	(13.0)	(59.0)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	24.0	52.3	14.9	339	1
Fitted out with full crew	24.0	111.2	14.9	339	1

## Kriplezh-class Liner (GTL11)

*Design Parameters:* Built for Zhodani human crew. Designed to commercial standards.

Structure	Spaces	Mass	Cost	Area	Crew
800-dton medium hull, std. mat.	(800.0)	22.2	1.6	3,026	—
DR 100 superdense armour	—	88.6	1.2	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge with psionic switches	2.5	6.6	3.3	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
42 jump drive modules	42.0	152.4	128.1	—	0.8
16 thrusters (1,451.2 tonnes thrust)	16.0	58.0	10.4	—	0.3
336 internal jump fuel tanks	336.0	91.4	53.8	—	—
336 -dtons jump fuel	(336.0)	(304.8)	(0.1)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
1 cradle for Pinnacle	1.0	5.7	0.3	—	—
1 Pinnacle	(40.0)	(118.3)	(11.5)	—	2
Other Modules	Spaces	Mass	Cost	Area	Crew
2 utility modules	2.0	20.9	0.5	—	—
75 Staterooms for 75 high passengers	300.0	136.1	0.9	—	3.8
10 low berths for 40 low passengers	5.0	18.1	2.2	—	—
6 crew staterooms	24.0	10.9	0.1	—	—
1 sickbay	1.0	0.8	0.2	—	1
69.5-dton cargo hold	69.5	—	—	—	—
Cargo	(69.5)	(315.2)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	800.0	614.9	202.6	3,026	3
Fitted out with full crew	800.0	1,353.1	214.1	3,026	11

## Kroydon-class Droyne Cruiser (GTL10)

*Design Parameters:* Built for Droyne crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
1,200-dton medium hull, std. mat.	(1,200.0)	38.7	2.1	3,965	—
12 turrets (DR 650)	12.0	292.0	4.2	891	—
DR 1300 crystaliron armour	—	2,516.4	33.3	—	—
Basic stealth	—	11.9	3.9	—	—
Basic emission cloaking	—	11.9	3.9	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
48 jump drive modules	48.0	174.1	148.8	—	1.9
625 thrusters (22,675.0 tonnes thrust)	625.0	1,927.4	100.0	—	10.4
360 internal jump fuel tanks	360.0	98.0	57.6	—	—
360 -dtons jump fuel	(360.0)	(326.5)	(0.1)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
2 triple light missile turrets	(6.0)	1.6	0.0	—	2
6 triple 250 MJ laser turrets	(18.0)	135.8	14.8	—	1-6
2 triple 90 MJ PD laser turrets	(6.0)	31.8	3.5	—	1-2
2 single 810 MJ heavy laser turrets	(6.0)	50.2	5.4	—	1-2
Ordnance	Spaces	Mass	Cost	Area	Crew
492 ready light missiles	—	(66.9)	(17.7)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
1 bay for Gig	21.0	0.5	0.0	—	—
1 Gig	(20.0)	(70.6)	(5.5)	—	2
Other Modules	Spaces	Mass	Cost	Area	Crew
3 utility modules	3.0	31.3	0.9	—	—
4 crew nests	48.0	26.1	0.1	—	—
77.0-dton cargo hold	77.0	—	—	—	—
Cargo	(77.0)	(349.2)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	1,200.0	5,372.9	391.6	4,857	14
Fitted out with full crew	1,200.0	6,186.2	414.8	4,857	23

## Kuru-class Patrol Frigate (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, std. mat.	(400.0)	9.3	1.0	1,906	—
4 turrets (DR 250)	4.0	16.0	0.4	297	—
DR 500 bonded superdense armour	—	186.1	2.5	—	—
Basic stealth	—	5.4	1.8	—	—
Basic emission cloaking	—	5.4	1.8	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	20.1	11.8	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
24 jump drive modules	24.0	87.1	73.2	—	0.2
90 thrusters (8,163.0 tonnes thrust)	90.0	326.5	58.5	—	0.9
200 internal jump fuel tanks	200.0	54.4	32.0	—	—
200 -dtons jump fuel	(200.0)	(181.4)	(0.1)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
3 triple light missile turrets	(9.0)	2.4	0.1	—	3
1 triple 405 MJ laser turret	(3.0)	21.2	2.0	—	1-1
1 nuclear damper module	1.0	9.3	4.0	—	4
Ordnance	Spaces	Mass	Cost	Area	Crew
738 ready light missiles	—	(100.4)	(17.0)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
2 bays for Rampart Fighters	21.0	0.5	0.0	—	—
2 Rampart Fighters	(20.0)	(163.8)	(28.0)	—	2
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
10 crew staterooms	40.0	18.1	0.1	—	—
3 crew low berths	1.5	5.4	0.7	—	—
1 sickbay	1.0	0.8	0.2	—	1
10.5-dton cargo hold	10.5	—	—	—	—
Cargo	(10.5)	(47.6)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	400.0	781.8	190.4	2,203	3
Fitted out with full crew	400.0	1,275.0	235.4	2,203	28

## Kyzan-class Armed Shuttle (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to private standards.

Structure	Spaces	Mass	Cost	Area	Crew
80-dton medium hull, std. mat.	(64.0)	6.4	0.8	651	—
DR 100 crystaliron armour	—	31.8	0.4	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.6	2.7	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
10 thrusters (362.8 tonnes thrust)	10.0	30.8	1.6	—	0.2
Weaponry	Spaces	Mass	Cost	Area	Crew
1 fixed 250 MJ laser	1.0	7.5	0.8	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
3 passenger couches	3.0	1.5	0.0	—	—
49.0-dton cargo hold	49.0	—	—	—	—
Cargo	(49.0)	(222.2)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	64.0	82.6	6.4	651	2
Fitted out with full crew	64.0	304.8	6.4	651	2

## Langsdale-class Attack Fighter (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to military standards.

Structure	Spaces	Mass	Cost	Area	Crew
30-dton medium hull, std. mat.	(30.0)	3.3	0.2	339	—
DR 300 crystaliron armour	—	49.6	0.7	—	—
Basic stealth	—	0.8	0.3	—	—
Basic emission cloaking	—	0.8	0.3	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.6	2.7	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
26 thrusters (943.3 tonnes thrust)	26.0	80.2	4.2	—	0.4
Weaponry	Spaces	Mass	Cost	Area	Crew
1 fixed light missile rack	1.0	11.8	0.0	—	—
2 fixed 250 MJ lasers	2.0	15.1	1.6	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	30.0	166.3	9.9	339	2
Fitted out with full crew	30.0	166.3	9.9	339	2

## Larilla-class Yacht (GTL11)

*Design Parameters:* Built for Imperial human crew. Designed to private standards. Turrets are counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
300-dton medium hull, std. mat.	(240.0)	11.5	2.0	1,573	—
3 turrets (DR 100)	3.0	8.2	0.4	222	—
DR 100 superdense armour	—	46.1	0.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.2	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
16 jump drive modules	16.0	58.0	48.8	—	0.3
10 thrusters (907.0 tonnes thrust)	10.0	36.3	6.5	—	0.2
122 internal jump fuel tanks	122.0	33.2	19.5	—	—
122 -dtons jump fuel	(122.0)	(110.7)	(0.0)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
3 empty turrets	(9.0)	—	—	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
2 suites for 2 noble passengers	16.0	3.6	0.1	—	2
5 crew staterooms	20.0	9.1	0.1	—	—
1 exercise room	2.5	0.5	0.0	—	—
1 civilian holoventure zone	30.0	3.3	1.2	—	1
1 sickbay	1.0	0.8	0.2	—	1
15.0-dton cargo hold	15.0	—	—	—	—
Cargo	(15.0)	(68.0)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	240.0	230.9	83.0	1,796	2
Fitted out with full crew	240.0	409.5	83.0	1,796	8

## Leviathan-class Megafreighter (GTL11)

*Design Parameters:* Built for Solomani human crew. Designed to commercial standards.

Structure	Spaces	Mass	Cost	Area	Crew
100,000-dton medium hull, std. mat.(100,000.0)	—	553.9	40.7	75,650	—
DR 100 superdense armour	—	443.2	5.9	—	—
1 x 6,294-dton medium subhull, std. materials	(6,294.0)	87.6	6.4	(11,970)	—
DR 100 superdense armour	—	350.6	4.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.2	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
4,000 jump drive modules	4,000.0	14,512.0	12,200.0	—	80
2,000 thrusters (181,400.0 tonnes)	2,000.0	7,256.0	1,300.0	—	40
30,000 internal jump fuel tanks	30,000.0	8,163.0	4,800.0	—	—
30,000 -dtons jump fuel	(30,000.0)	(27,210.0)	(10.5)	—	—
2 workshops	5.0	27.2	0.1	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
13 utility modules	13.0	135.6	3.3	—	—
63 crew staterooms	252.0	114.3	0.8	—	—
5 exercise rooms	12.5	2.3	0.0	—	—
2 halls	20.0	0.4	0.0	—	—
1 sickbay	1.0	0.8	0.2	—	1
63,693.0-dton cargo hold	63,693.0	—	—	—	—
Cargo	(63,693.0)	(288,847.8)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	100,000.0	31,656.7	18,365.4	75,650	121
Fitted out with full crew	100,000.0	347,714.5	18,365.4	75,650	126

## Lorden-class Armed Courier (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, std. mat.	(320.0)	9.3	2.5	1,906	—
4 turrets (DR 100)	4.0	7.3	0.5	297	—
DR 100 bonded superdense armour	—	37.2	0.5	—	—
Basic stealth	—	5.4	1.8	—	—
Basic emission cloaking	—	5.4	1.8	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge with hardened controls	2.5	9.3	6.1	—	1-5
1 xboat communications module	12.0	125.3	3.8	—	0-1
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
28 jump drive modules	28.0	101.6	85.4	—	0.3
16 thrusters (1,451.2 tonnes thrust)	16.0	58.0	10.4	—	0.2
240 internal jump fuel tanks	240.0	65.3	38.4	—	—
240 -dtons jump fuel	(240.0)	(217.7)	(0.1)	—	—
3 fuel processors	3.0	3.0	2.5	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
2 triple light missile turrets	(6.0)	1.6	0.0	—	2
2 triple 405 MJ laser turrets	(6.0)	42.4	4.1	—	1-2
Ordnance	Spaces	Mass	Cost	Area	Crew
492 ready light missiles	—	(66.9)	(11.3)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
2 crew bunkrooms	8.0	3.4	0.0	—	—
4.5-dton cargo hold	4.5	—	—	—	—
Cargo	(4.5)	(20.4)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	320.0	488.3	158.2	2,203	2
Fitted out with full crew	320.0	793.4	169.5	2,203	6

## Luusitar-class Subsidized Liner (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to commercial standards. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
800-dton medium hull, std. mat.	(800.0)	14.8	1.6	3,026	—
4 turrets (DR 100)	4.0	7.3	0.2	297	—
DR 100 bonded superdense armour	—	59.1	0.8	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.1	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
41 jump drive modules	41.0	148.7	125.0	—	0.4
20 thrusters (1,814.0 tonnes thrust)	20.0	72.6	13.0	—	0.2
328 internal jump fuel tanks	328.0	89.2	52.5	—	—
328 -dtons jump fuel	(328.0)	(297.5)	(0.1)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
4 empty turrets	(12.0)	—	—	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
1 cradle for Gig	1.0	5.7	0.3	—	—
1 Gig	(20.0)	(70.6)	(5.5)	—	1
Other Modules	Spaces	Mass	Cost	Area	Crew
2 utility modules	2.0	20.9	0.5	—	—
50 Staterooms for 50 high passengers	200.0	90.7	0.6	—	2.5
5 low berths for 20 low passengers	2.5	9.1	1.1	—	—
4 crew staterooms	16.0	7.3	0.0	—	—
1 sickbay	1.0	0.8	0.2	—	1
181.0-dton cargo hold	181.0	—	—	—	—
Cargo	(181.0)	(820.8)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	800.0	535.9	199.1	3,323	2
Fitted out with full crew	800.0	1,724.9	204.6	3,323	7

## Luustani-class Liner (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to commercial standards. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
2,000-dton medium hull, std. mat.	(2,000.0)	27.2	3.0	5,574	—
6 turrets (DR 100)	6.0	11.0	0.4	445	—
DR 100 bonded superdense armour	—	108.8	1.4	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.1	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
100 jump drive modules	100.0	362.8	305.0	—	1
32 thrusters (2,902.4 tonnes thrust)	32.0	116.1	20.8	—	0.3
800 internal jump fuel tanks	800.0	217.7	128.0	—	—
800 -dtons jump fuel	(800.0)	(725.6)	(0.3)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
2 triple sandcaster turrets	(6.0)	27.2	1.5	—	2
2 triple 405 MJ laser turrets	(6.0)	42.4	4.1	—	1-2
2 triple 102 MJ PD laser turrets	(6.0)	28.1	1.9	—	1-2
Other Modules	Spaces	Mass	Cost	Area	Crew
4 utility modules	4.0	41.7	1.0	—	—
200 Staterooms for 200 high passengers	800.0	362.8	2.4	—	10
10 low berths for 40 low passengers	5.0	18.1	2.2	—	—
11 crew staterooms	44.0	20.0	0.1	—	—
5 exercise rooms	12.5	2.3	0.0	—	—
1 hall	10.0	0.2	0.0	—	—
1 theatre	20.0	1.9	0.0	—	1
1 stage	16.0	0.5	0.0	—	—
1 swimming pool	31.0	7.7	0.2	—	1.3
Water	—	115.6	—	—	—
2 sickbays	2.0	1.5	0.4	—	2
114.0-dton cargo hold	114.0	—	—	—	—
Cargo	(114.0)	(517.0)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	2,000.0	1,407.9	475.6	6,019	3
Fitted out with full crew	2,000.0	2,766.1	475.6	6,019	21

## Luzon-class Aerospace Fighter (GTL11)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
30-dton medium hull, std. mat.	(24.0)	2.5	0.4	339	—
1 turret (DR 1500)	1.0	33.2	0.5	74	—
DR 3000 superdense armour	—	297.9	3.9	—	—
Basic stealth	—	1.0	0.3	—	—
Basic emission cloaking	—	1.0	0.3	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	3.8	2.2	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
22 thrusters (1,995.4 tonnes thrust)	22.0	79.8	14.3	—	0.4
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple 390 MJ laser turret	(3.0)	20.5	3.4	—	1-1
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	24.0	439.6	25.5	413	2
Fitted out with full crew	24.0	439.6	25.5	413	3

## M'gee-class Maintenance Tender (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to private standards.

Structure	Spaces	Mass	Cost	Area	Crew
17,000-dton medium hull, std. mat.(17,000.0)	—	226.7	12.5	23,215	—
DR 100 crystaliron armour	—	226.7	3.0	—	—
1 x 13,243-dton med.subhull, std.mat(13,243.5)	—	191.9	10.6	(19,655)	—
DR 100 crystaliron armour	—	959.5	12.7	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
510 jump drive modules	510.0	1,850.3	1,581.0	—	20.4
300 thrusters (10,884.0 tonnes thrust)	300.0	925.1	48.0	—	5.0
3,400 internal jump fuel tanks	3,400.0	925.1	544.0	—	—
3,400 -dtons jump fuel	(3,400.0)	(3,083.8)	(1.2)	—	—
100 workshops	250.0	1,360.5	6.0	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
27 utility modules	27.0	281.6	8.1	—	—
45 crew staterooms	180.0	98.0	0.5	—	—
3 shipyards	12,000.0	549.6	30.6	—	60
329.5-dton cargo hold	329.5	—	—	—	—
Cargo	(329.5)	(1,494.3)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	17,000.0	7,606.4	2,261.3	23,215	27
Fitted out with full crew	17,000.0	12,184.5	2,261.3	23,215	89

## MacDonnell-class Assault Lander (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
40-dton medium hull, std. mat.	(32.0)	4.0	0.5	410	—
1 turret (DR 1000)	1.0	37.0	0.6	74	—
DR 2000 crystaliron armour	—	401.0	5.3	—	—
Basic stealth	—	1.2	0.4	—	—
Basic emission cloaking	—	1.2	0.4	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.6	2.7	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
20 thrusters (725.6 tonnes thrust)	20.0	61.7	3.2	—	0.3
Weaponry	Spaces	Mass	Cost	Area	Crew
1 double 422 MJ plasma gun turret	(3.0)	1.8	2.0	—	1-1
Other Modules	Spaces	Mass	Cost	Area	Crew
3 passenger couches	3.0	1.5	0.0	—	—
7.0-dton cargo hold	7.0	—	—	—	—
Cargo	(7.0)	(31.7)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	32.0	513.9	15.1	485	2
Fitted out with full crew	32.0	545.7	15.1	485	3



## Madiis-class Trader (GTL10)

*Design Parameters:* Built for Drakaran crew. Designed to commercial standards. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
300-dton medium hull, std. mat.	(240.0)	15.4	2.0	1,573	—
3 turrets (DR 100)	3.0	13.1	0.4	222	—
DR 100 crystaliron armour	—	76.8	1.0	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
9 jump drive modules	9.0	32.7	27.9	—	0.4
22 thrusters (798.2 tonnes thrust)	22.0	67.8	3.5	—	0.4
60 internal jump fuel tanks	60.0	16.3	9.6	—	—
60 -dtons jump fuel	(60.0)	(54.4)	(0.0)	—	—
1 fuel processor	1.0	1.0	0.9	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple sandcaster turret	(3.0)	13.6	0.8	—	1
1 triple 250 MJ laser turret	(3.0)	22.6	2.5	—	1-1
1 triple 90 MJ PD laser turret	(3.0)	15.9	1.8	—	1-1
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
8 staterooms for 8 ind. passengers	32.0	17.4	0.1	—	—
3 crew staterooms	12.0	6.5	0.0	—	—
12 passageways	12.0	—	—	—	—
96.5-dton cargo hold	96.5	—	—	—	—
Cargo	(96.5)	(437.6)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	240.0	321.1	55.1	1,796	2
Fitted out with full crew	240.0	813.1	55.1	1,796	5

## Maikuku-class Missile Boat (GTL9)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Metric measurements, turrets are not counted towards jump volume, weapon armour is limited. Contains playtest modules (low tech).

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, standard materials(320.0)	27.9	2.5	20,519	—	—
4 turrets (DR 100)	4.0	26.3	0.7	3,200	—
DR 100 durasteel armour	—	139.6	1.8	—	—
Basic stealth	—	5.4	1.8	—	—
Basic emission cloaking	—	5.4	1.8	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge with hardened controls	3.0	15.0	11.0	—	1-5
1 enhanced sensor	4.0	35.2	32.7	—	0-1
1 electronic warfare suite	3.0	—	—	—	2
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	3.0	11.7	5.0	—	—
12 jump drive modules	24.0	87.1	60.0	—	2.4
40 fusion rockets (2,902.4 tonnes thrust)	40.0	145.1	32.0	—	0.7
80 internal jump fuel tanks	80.0	21.8	12.8	—	—
100 water fuel tanks	100.0	2.3	17.0	—	—
Water (as reaction mass)	(100.0)	1,360.5	0.0	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
10 fixed light missile racks	10.0	117.9	0.2	—	—
10 fixed heavy missile racks	10.0	117.9	0.2	—	—
2 triple sandcaster turrets	(6.0)	27.2	1.5	—	2
2 triple 40 MJ PD laser turrets	(6.0)	30.7	8.8	—	1-2
Other Modules	Spaces	Mass	Cost	Area	Crew
3 utility modules	3.0	16.9	2.3	—	—
6 crew staterooms	24.0	13.1	0.1	—	—
2.0-dton cargo hold	2.0	—	—	—	—
Cargo	(2.0)	(9.1)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty	320.0	786.8	193.3	23,719	0
Fitted out	320.0	868.5	193.3	23,719	0

## Mallory-class Racing Yacht (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to private standards.

Structure	Spaces	Mass	Cost	Area	Crew
100-dton medium hull, std. mat.	(80.0)	3.7	1.0	756	—
DR 100 bonded superdense armour	—	14.8	0.2	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.1	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
7 jump drive modules	7.0	25.4	21.4	—	0.1
3 thrusters (272.1 tonnes thrust)	3.0	10.9	1.9	—	0.0
60 internal jump fuel tanks	60.0	16.3	9.6	—	—
60 -dtons jump fuel	(60.0)	(54.4)	(0.0)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
1 crew stateroom	4.0	1.8	0.0	—	—
1.5-dton cargo hold	1.5	—	—	—	—
Cargo	(1.5)	(6.8)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	80.0	93.2	37.6	756	1
Fitted out with full crew	80.0	154.4	37.6	756	1

## Malthus-class Lab Ship (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to private standards.

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, std. mat.	(400.0)	18.6	1.0	1,906	—
DR 100 crystaliron armour	—	93.1	1.2	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
12 jump drive modules	12.0	43.5	37.2	—	0.5
27 thrusters (979.6 tonnes thrust)	27.0	83.3	4.3	—	0.5
80 internal jump fuel tanks	80.0	21.8	12.8	—	—
80 -dtons jump fuel	(80.0)	(72.6)	(0.0)	—	—
1 workshop	2.5	13.6	0.1	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
Hanger for 2 Gigs with 1 entrance	80.0	0.9	0.0	—	—
2 Gigs	(40.0)	(141.3)	(11.0)	—	4
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
16 crew staterooms	64.0	34.8	0.2	—	—
1 sickbay	1.0	0.7	0.2	—	1
18 standard labs	81.0	168.2	18.9	—	18-36
1 isolab	22.5	91.0	10.1	—	1-5
1 physics lab	5.0	9.3	1.0	—	1-2
1 simulation lab	7.5	10.2	1.6	—	1-1
1 computer lab	3.5	2.5	450.0	—	1-2
9.5-dton cargo hold	9.5	—	—	—	—
Cargo	(9.5)	(43.1)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	400.0	613.3	543.3	1,906	2
Fitted out with full crew	400.0	870.2	554.2	1,906	30

## Maniakes-class Close Escort (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, std. mat.	(320.0)	18.6	2.5	1,906	—
4 turrets (DR 250)	4.0	39.3	0.9	297	—
DR 500 crystaliron armour	—	465.3	6.2	—	—
Total compartmentalization	—	3.7	0.0	—	—
Basic stealth	—	5.4	1.8	—	—
Basic emission cloaking	—	5.4	1.8	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
16 jump drive modules	16.0	58.0	49.6	—	0.6
160 thrusters (5,804.8 tonnes thrust)	160.0	493.4	25.6	—	2.7
120 internal jump fuel tanks	120.0	32.7	19.2	—	—
120 -dtons jump fuel	(120.0)	(108.8)	(0.0)	—	—
1 fuel processor	1.0	1.0	0.9	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
4 triple 250 MJ laser turrets	(12.0)	90.6	9.8	—	1-4
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
2 crew bunkrooms	8.0	8.7	0.0	—	—
4.0-dton cargo hold	4.0	—	—	—	—
Cargo	(4.0)	(18.1)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	320.0	1,257.8	131.4	2,203	5
Fitted out with full crew	320.0	1,384.7	131.4	2,203	12

## Marathon-class Courier (GTL9)

*Design Parameters:* Built for Solomani human crew. Designed to private standards. Turrets are not counted towards jump volume. Contains playtest modules (low tech).

Structure	Spaces	Mass	Cost	Area	Crew
100-dton medium hull, std. mat.	(100.0)	11.1	0.4	756	—
1 turret (DR 100)	1.0	6.6	0.1	74	—
DR 100 durasteel armour	—	55.4	0.7	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	3.0	12.2	8.0	—	1-5
1 enhanced communicator	1.0	17.1	0.3	—	0-1
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	3.0	11.7	5.0	—	—
3 jump drive modules	6.0	21.8	15.0	—	0.6
3 thrusters (14.1 tonnes thrust)	3.0	11.4	4.2	—	0.3
4 fusion rockets (290.2 tonnes thrust)	4.0	14.5	3.2	—	0.1
60 internal jump fuel tanks	60.0	16.3	9.6	—	—
60 -dtons jump fuel	(60.0)	(54.4)	(0.0)	—	—
10 water fuel tanks	10.0	0.2	1.7	—	—
Water (as reaction mass)	(10.0)	(136.1)	(0.0)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple 40 MJ PD laser turret	(3.0)	15.3	4.4	—	1-1
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	5.6	0.8	—	—
1 crew bunkroom	5.0	4.4	0.1	—	—
3.0-dton cargo hold	3.0	—	—	—	—
Cargo	(3.0)	(13.6)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	100.0	192.1	53.4	830	2
Fitted out with full crew	100.0	260.1	53.4	830	3

## Marstrom-class Launch (GTL11)

*Design Parameters:* Built for Imperial human crew. Designed to private standards. All quantities in metric units.

Structure	Spaces	Mass	Cost	Area	Crew
20-dton medium hull, std. mat.	(16.0)	1.9	0.3	258	—
DR 100 superdense armour	—	7.6	0.1	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit	1.0	3.6	2.0	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
1 thruster (90.7 tonnes thrust)	1.0	3.6	0.6	—	0.0
Other Modules	Spaces	Mass	Cost	Area	Crew
4 passenger couches	4.0	1.3	0.0	—	1
10.0-dton cargo hold	10.0	—	—	—	—
Cargo	(10.0)	(45.3)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	16.0	18.0	3.1	258	1
Fitted out with full crew	16.0	63.4	3.1	258	2

## Mauripo-class Subsidized Merchant (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to commercial standards. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
600-dton medium hull, std. mat.	(480.0)	12.2	3.2	2,497	—
6 turrets (DR 100)	6.0	11.0	0.7	445	—
DR 100 bonded superdense armour	—	48.8	0.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.1	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
18 jump drive modules	18.0	65.3	54.9	—	0.2
15 thrusters (1,360.5 tonnes thrust)	15.0	54.4	9.8	—	0.1
120 internal jump fuel tanks	120.0	32.7	19.2	—	—
120 -dtons jump fuel	(120.0)	(108.8)	(0.0)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
6 empty turrets	(18.0)	—	—	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
20 Staterooms for 20 high passengers	80.0	36.3	0.2	—	1
3 Staterooms for 6 middle passengers	12.0	5.4	0.0	—	0.1
3 low berths for 12 low passengers	1.5	5.4	0.7	—	—
4 crew staterooms	16.0	7.3	0.0	—	—
1 sickbay	1.0	0.8	0.2	—	1
206.0-dton cargo hold	206.0	—	—	—	—
Cargo	(206.0)	(934.2)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	480.0	299.8	93.1	2,943	2
Fitted out with full crew	480.0	1,342.9	93.1	2,943	6

## Maynard-class Interstellar Scout (GTL9)

*Design Parameters:* Built for Solomani human crew. Designed to private standards. All quantities in metric units. Turrets are not counted towards jump volume. Contains playtest modules (low tech).

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, std. mat.	(400.0)	27.9	1.0	1,906	—
1 turret (DR 100)	1.0	6.6	0.1	74	—
DR 100 durasteel armour	—	27.9	0.4	—	—
1 x 78-dton medium subhull, std. materials(78.0)	9.4	0.3	(641)	—	—
DR 100 durasteel armour	—	46.9	0.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	3.0	12.2	8.0	—	1-5
1 information centre	4.0	2.7	2.8	—	10-20
1 enhanced sensor	4.0	35.2	32.7	—	0-1
Engineering	Spaces	Mass	Cost	Area	Crew
2 fusion engineering modules	6.0	23.4	10.0	—	—
12 jump drive modules	24.0	87.1	60.0	—	2.4
5 fusion rockets (362.8 tonnes thrust)	5.0	18.1	4.0	—	0.1
240 internal jump fuel tanks	240.0	65.3	38.4	—	—
240 -dtons jump fuel	(240.0)	(217.7)	(0.1)	—	—
70 water fuel tanks	70.0	1.6	11.9	—	—
Water (as reaction mass)	(70.0)	(952.3)	(0.0)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple 40 MJ PD laser turret	(3.0)	15.3	4.4	—	1-1
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	5.6	0.8	—	—
9 crew staterooms	36.0	19.6	0.1	—	—
1 sickbay	1.0	0.7	0.2	—	1
5.0-dton cargo hold	5.0	—	—	—	—
Cargo	(5.0)	(22.7)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	400.0	391.1	175.7	1,980	14
Fitted out with full crew	400.0	631.5	175.7	1,980	16

## Mayskyu-class System Defense Boat (GTL9)

*Design Parameters:* Built for Droyne crew. Designed to military standards. Metric measurements, weapon armour is limited. Contains playtest modules (low tech).

Structure	Spaces	Mass	Cost	Area	Crew
600-dton medium hull, std.mat.	(480.0)	36.6	3.2	26,888	—
6 turrets (DR 1000)	6.0	333.3	4.9	4,800	—
DR 8000 durasteel armour	—	14,632.7	193.6	—	—
Basic stealth	—	7.2	2.4	—	—
Basic emission cloaking	—	7.2	2.4	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge with hardened controls	2.5	10.5	7.0	—	1-5
1 enhanced communicator	1.0	17.1	0.3	—	0-1
1 enhanced sensor	4.0	35.2	32.7	—	0-1
1 electronic warfare suite	3.0	—	—	—	2
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	3.0	11.7	5.0	—	—
360 fusion rockets (26,121.6 tonnes thrust)360.0	1,306.1	288.0	—	—	6
50 water fuel tanks	50.0	1.1	8.5	—	—
Water (as reaction mass)	(50.0)	680.3	0.0	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
2 triple heavy missile turrets	(6.0)	8.2	0.3	—	2
4 single 303 MJ heavy laser turrets	(12.0)	93.2	17.0	—	1-4
Ordnance	Spaces	Mass	Cost	Area	Crew
90 ready heavy missiles	—	(61.2)	(18.0)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
4 utility modules	4.0	22.5	3.0	—	—
3 crew nests	36.0	19.6	0.1	—	—
1 sickbay	1.0	0.7	0.2	—	1
9.5-dton cargo hold	9.5	—	—	—	—
Cargo	(9.5)	(43.1)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty	480.0	15,497.9	568.5	31,688	0
Fitted out	480.0	15,602.2	586.5	31,688	0

## Megalith-class Battle Station (GTL10)

Structure	Spaces	Mass	Cost	Area	Crew
100000-ton hull	(100000.0)	734.7	40.5	75251.5	0.0
Airtight sealing	0.0	0.0	14.8	0.0	0.0
Armour: DR10000, PD4	0.0	279359.0	3696.0	0.0	0.0
Total compartmentalization	0.0	146.9	1.6	0.0	0.0
90 weapon bays	4500.0	530.6	29.3	54348.3	182.0
100 turrets (300 spaces)	100.0	74.8	4.1	7432.2	100.0
Drive Modules	Spaces	Mass	Cost	Area	Crew
Engineering module	1.0	3.7	0.3	0.0	0.0
Maneuver drive (4.2G)	73600.0	226967.7	11776.0	0.0	1226.7
Weapon Modules	Spaces	Mass	Cost	Area	Crew
300 360-MJ Lasers	(300.0)	3265.2	309.0	0.0	0.0
50 Missile Bays	(2500.0)	28062.6	42.5	0.0	0.0
40 Particle Beam Bays	(2000.0)	16942.8	912.4	0.0	0.0
Spinal Particle Beam	1513.0	13719.3	1035.0	0.0	0.0
Workspace Modules	Spaces	Mass	Cost	Area	Crew
Hardened Command Bridge	5.0	21.1	15.6	0.0	10.0
200 utility modules	200.0	2086.1	60.0	0.0	0.0
15 Spacedocks	14000.0	13.6	0.1	0.0	0.0
15 Sickbays	15.0	10.2	2.4	0.0	16.0
Hold	1960.0	0.0	0.0	0.0	0.0
Accommodation Modules	Spaces	Mass	Cost	Area	Crew
990 staterooms	3960.0	2155.0	11.9	0.0	0.0
9 bunkrooms sleeping 144 personnel	36.0	39.2	0.2	0.0	0.0
Low berths for 880 cryotubes	110.0	399.1	48.4	0.0	0.0
Miscellaneous Items	Spaces	Mass	Cost	Area	Crew
Cargo	(1960.0)	(8888.6)	0.0	0.0	0.0
200 <i>Iramda</i> Fighters	(2000.0)	(10677.2)	(1030.0)	0.0	200.0
100 <i>Jumo</i> Heavy Fighters	(5000.0)	(45190.0)	(1710.0)	0.0	100.0
Missiles	0.0	0.0	6071.5	0.0	0.0
Totals	Spaces	Mass	Cost	Area	Crew
Fully loaded & fitted out	100000.0	639287.4	26828.2	137032.0	2109.0
Unloaded with skeleton crew	100000.0	574531.6	18016.7	137032.0	1381.0

## Melbourne-class Close Escort (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
1,200-dton medium hull, std. mat.	(1,200.0)	38.7	2.1	3,965	—
12 turrets (DR 2000)	12.0	879.7	12.0	891	—
DR 4000 crystaliron armour	—	7,742.6	102.4	—	—
Total compartmentalization	—	7.7	0.1	—	—
Basic stealth	—	11.9	3.9	—	—
Basic emission cloaking	—	11.9	3.9	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
36 jump drive modules	36.0	130.6	111.6	—	1.4
450 thrusters (16,326.0 tonnes thrust)	450.0	1,387.7	72.0	—	7.5
240 internal jump fuel tanks	240.0	65.3	38.4	—	—
240 -dtons jump fuel	(240.0)	(217.7)	(0.1)	—	—
1 fuel scoop	1.0	0.5	0.0	—	—
3 fuel processors	3.0	3.0	2.5	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
6 triple light missile turrets	(18.0)	4.9	0.1	—	6
6 triple 250 MJ laser turrets	(18.0)	135.8	14.8	—	1-6
4 nuclear damper modules	16.0	150.9	64.8	—	4
Ordnance	Spaces	Mass	Cost	Area	Crew
1,476 ready light missiles	—	(200.8)	(53.1)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
Jumo Hanger with 1 entrance	400.0	0.9	0.0	—	—
4 Jumo Heavy Fighters	(200.0)	(1,790.8)	(65.0)	—	8
Other Modules	Spaces	Mass	Cost	Area	Crew
3 utility modules	3.0	31.3	0.9	—	—
4 crew bunkrooms	16.0	17.4	0.1	—	—
1 sickbay	1.0	0.7	0.2	—	1
16.0-dton cargo hold	16.0	—	—	—	—
Cargo	(16.0)	(72.6)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	1,200.0	10,646.9	442.8	4,857	10
Fitted out with full crew	1,200.0	12,928.7	561.0	4,857	39

## Meredith-class Trader (GTL11)

*Design Parameters:* Built for Solomani human crew. Designed to commercial standards.

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, std. mat.	(320.0)	14.0	2.5	1,906	—
DR 100 superdense armour	—	55.8	0.7	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.2	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
12 jump drive modules	12.0	43.5	36.6	—	0.2
9 thrusters (816.3 tonnes thrust)	9.0	32.7	5.8	—	0.2
80 internal jump fuel tanks	80.0	21.8	12.8	—	—
80 -dtons jump fuel	(80.0)	(72.6)	(0.0)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
20 Staterooms for 20 high passengers	80.0	36.3	0.2	—	1
5 low berths for 20 low passengers	2.5	9.1	1.1	—	—
3 crew staterooms	12.0	5.4	0.0	—	—
120.0-dton cargo hold	120.0	—	—	—	—
Cargo	(120.0)	(544.2)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	320.0	238.9	63.4	1,906	2
Fitted out with full crew	320.0	855.6	63.4	1,906	5

## Midge-class Light Fighter (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to military standards.

Structure	Spaces	Mass	Cost	Area	Crew
10-dton medium hull, std. mat.	(10.0)	1.6	0.1	162	—
DR 100 crystaliron armour	—	8.0	0.1	—	—
Basic stealth	—	0.4	0.1	—	—
Basic emission cloaking	—	0.4	0.1	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.6	2.7	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
8 thrusters (290.2 tonnes thrust)	8.0	24.7	1.3	—	0.1
Weaponry	Spaces	Mass	Cost	Area	Crew
1 fixed 250 MJ laser	1.0	7.5	0.8	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	10.0	47.1	5.2	162	2
Fitted out with full crew	10.0	47.1	5.2	162	2

## Miirimak-class Monitor (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
3,000-dton medium hull, std. mat.	(3,000.0)	71.3	3.9	7,304	—
15 turrets (DR 2000)	15.0	1,099.6	15.0	1,114	—
DR 10000 crystaliron armour	—	35,655.2	471.7	—	—
Total compartmentalization	—	14.3	0.2	—	—
Basic stealth	—	20.5	6.8	—	—
Basic emission cloaking	—	20.5	6.8	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
1,300 thrusters (47,164 tonnes thrust)	1,300.0	4,008.9	208.0	—	21.7
Weaponry	Spaces	Mass	Cost	Area	Crew
5 triple 250 MJ laser turrets	(15.0)	113.2	12.3	—	1-5
10 single 810 MJ heavy laser turrets	(30.0)	251.2	27.0	—	1-10
570 GJ spinal particle accelerator	1,512.0	13,685.7	1,034.0	—	17
1 nuclear damper module	4.0	37.7	16.2	—	4
Barracks	Spaces	Mass	Cost	Area	Crew
5 marine staterooms	20.0	10.9	0.1	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
6 utility modules	6.0	62.6	1.8	—	—
28 crew staterooms	112.0	61.0	0.3	—	—
1 sickbay	2.5	4.6	0.3	—	1
22.5-dton cargo hold	22.5	—	—	—	—
Cargo	(22.5)	(102.0)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	3,000.0	55,142.7	1,817.3	8,418	23
Fitted out with full crew	3,000.0	55,244.7	1,817.3	8,418	55

## Miotos-class Battleship (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited. Contains nonstandard modules (briefing room).

<b>Structure</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
50,000-dton medium hull, std. mat.	(50,000.0)	465.3	25.6	47,657	—
35 turrets (DR 2000)	35.0	2,565.8	35.0	2,601	—
45 small internal bays	2,250.0	265.3	14.6	—	—
DR 20000 crystaliron armour	—	465,284.6	6,155.9	—	—
Total compartmentalization	—	93.1	1.0	—	—
Basic stealth	—	122.7	40.6	—	—
Basic emission cloaking	—	122.7	40.6	—	—
<b>CCCI</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
Basic bridge with hardened controls	2.5	10.5	7.0	—	0-0
1 enhanced communicator	1.5	18.1	2.1	—	0-1
1 advanced sensor	8.0	73.7	69.3	—	0-1
1 electronic warfare suite	3.0	39.6	13.0	—	2
<b>Engineering</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
1 fusion engineering module	1.0	3.6	0.3	—	—
2,000 jump drive modules	2,000.0	7,256.0	6,200.0	—	80
20,000 thrusters (725,600 tonnes)	20,000.0	61,676.0	3,200.0	—	333.3
15,000 internal jump fuel tanks	15,000.0	4,081.5	2,400.0	—	—
15,000 -dtons jump fuel	(15,000.0)	(13,605.0)	(5.3)	—	—
6 workshops	15.0	81.6	0.4	—	—
<b>Weaponry</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
10 triple sandcaster turrets	(30.0)	136.1	7.5	—	10
15 triple 90 MJ PD laser turrets	(45.0)	238.8	26.5	—	2-15
10 single 810 MJ heavy laser turrets	(30.0)	251.2	27.0	—	1-10
25 small missile bays	(1,250.0)	1,716.5	27.5	—	50
20 13 GJ particle bays	(1,000.0)	8,471.4	456.2	—	40
570 GJ spinal particle accelerator	1,512.0	13,685.7	1,034.0	—	17
4 nuclear damper modules	16.0	150.9	64.8	—	4
79 meson screen modules	79.0	386.9	308.1	—	4
<b>Ordnance</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
18,750 ready heavy missiles	—	(12,754.7)	(3,375.0)	—	—
<b>Auxiliaries</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Steadfast Hanger with 1 entrance	1,600.0	0.9	0.0	—	—
20 Steadfast Medium Fighters	(800.0)	(3,370.0)	(224.4)	—	40
Olmeka Hanger with 1 entrance	6,400.0	0.9	0.0	—	—
40 Olmeka Heavy Fighters	(3,200.0)	(73,156.0)	(1,595.2)	—	80
Dieppe Hanger with 1 entrance	320.0	0.9	0.0	—	—
2 Dieppe Assault Landers	(160.0)	(1,772.6)	(47.4)	—	6
<b>Barracks</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
12 marine bunkrooms	48.0	52.2	0.2	—	—
4 briefing rooms	4.0	0.1	0.0	—	—
2 battledress racks	2.0	52.2	—	—	—
2 weapons lockers	2.0	12.7	0.1	—	—
4 gyms	10.0	1.8	0.0	—	—
1 shooting range	10.0	9.1	0.2	—	—
<b>Other Modules</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
100 utility modules	100.0	1,043.1	30.0	—	—
56 crew bunkrooms	224.0	243.8	1.0	—	—
86 crew low berths	43.0	156.0	18.9	—	—
10 sickbays	10.0	6.8	1.6	—	10
2 surgical theatres	2.0	0.7	0.2	—	—
5 brigs	5.0	31.7	0.2	—	—
1 safe	1.0	6.3	0.0	—	—
291.0-dton cargo hold	291.0	—	—	—	—
Cargo	(291.0)	(1,319.7)	—	—	—
<b>Totals</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Empty with skeleton crew	50,000.0	568,838.6	20,222.1	50,258	417
Fitted out with full crew	50,000.0	674,816.6	25,464.0	50,258	1,032

## Mjolnir-class Heavy Fighter (GTL9)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Contains playtest modules (low tech).

<b>Structure</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
80-dton medium hull, std. mat.	(80.0)	9.5	0.4	651	—
DR 2500 durasteel armour	—	1,193.4	15.8	—	—
Basic stealth	—	1.6	0.5	—	—
Basic emission cloaking	—	1.6	0.5	—	—
<b>CCCI</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Cockpit with hardened controls	1.0	4.1	3.9	—	1-2
<b>Engineering</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
43 fusion rockets (3,120.1 tonnes)	43.0	156.0	34.4	—	0.7
25 water fuel tanks	25.0	0.6	4.3	—	—
Water (as reaction mass)	(25.0)	(340.1)	(0.0)	—	—
<b>Weaponry</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
2 fixed light missile racks	2.0	23.6	0.0	—	—
3 fixed 303 MJ lasers	9.0	69.9	12.8	—	—
<b>Totals</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Empty with skeleton crew	80.0	1,335.6	72.5	651	2
Fitted out with full crew	80.0	1,335.6	72.5	651	2

## Monarch-class Light Battleship (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited. Contains nonstandard modules (briefing room).

Structure	Spaces	Mass	Cost	Area	Crew
75,000-dton medium hull, std. mat.(75,000.0)		609.7	33.6	62,448	—
62 turrets (DR 2000)	62.0	4,545.1	62.1	4,607	—
60 large external bays (DR 2000)	1,200.0	71,290.2	966.0	72,462	—
DR 15000 crystaliron armour	—	457,271.5	6,049.9	—	—
Total compartmentalization	—	121.9	1.3	—	—
Radical stealth	—	681.1	1,126.4	—	—
Radical emission cloaking	—	681.1	1,126.4	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
Command bridge with hardened controls	5.0	21.7	12.6	—	0-0
1 information centre	4.0	2.7	2.8	—	10-20
1 advanced communicator	13.0	152.4	6.3	—	0-1
1 advanced sensor	8.0	73.7	69.3	—	0-1
1 electronic warfare suite	3.0	39.6	13.0	—	2
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
2,394 jump drive modules	2,394.0	8,685.4	7,421.4	—	95.8
40,000 thrusters (1,451,200 tonnes)	40,000.0	123,352.0	6,400.0	—	666.7
15,960 internal jump fuel tanks	15,960.0	4,342.7	2,553.6	—	—
15,960 -dtons jump fuel	(15,960.0)	(14,475.7)	(5.6)	—	—
6 fuel scoops	6.0	3.1	0.1	—	—
100 fuel processors	100.0	99.8	85.0	—	—
12 workshops	30.0	163.3	0.7	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
32 triple 90 MJ PD laser turrets	(96.0)	509.4	56.6	—	4-32
30 single 810 MJ heavy laser turrets	(90.0)	753.7	81.0	—	3-30
60 large heavy missile bays	(6,000.0)	8,217.4	132.0	—	120
3.4 TJ spinal meson gun	8,890.0	80,463.6	16,618.0	—	90
32 nuclear damper modules	128.0	1,207.4	518.4	—	4
1,084 meson screen modules	1,084.0	5,309.2	4,227.6	—	4
Ordnance	Spaces	Mass	Cost	Area	Crew
90,000 ready heavy missiles	—	(61,222.5)	(16,200.0)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
Hanger for <i>Hyenas</i> with 1 entrance	2,400.0	0.9	0.0	—	—
40 <i>Hyena</i> Medium Fighters	(1,200.0)	(5,672.0)	(609.6)	—	80
Hanger for <i>Fireflies</i> with 1 entrance	1,200.0	0.9	0.0	—	—
60 <i>Firefly</i> Light Fighters	(600.0)	(2,826.0)	(312.6)	—	120
Hanger for <i>Skyskippers</i> with 1 entrance	200.0	0.9	0.0	—	—
10 <i>Skyskipper</i> Launches	(100.0)	(206.0)	(31.4)	—	10
Barracks	Spaces	Mass	Cost	Area	Crew
27 marine bunkrooms	108.0	117.5	0.5	—	—
1 tactical command centre	4.0	2.7	2.8	—	—
10 briefing rooms	10.0	0.2	0.0	—	—
20 battledress racks	20.0	521.5	—	—	—
4 weapons lockers	4.0	25.4	0.1	—	—
10 gyms	25.0	4.5	0.0	—	—
4 shooting ranges	40.0	36.3	0.6	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
150 utility modules	150.0	1,564.6	45.0	—	—
101 crew bunkrooms	404.0	439.7	1.8	—	—
155 crew low berths	77.5	281.2	34.1	—	—
10 sickbays	25.0	46.3	2.6	—	10
3 surgical theatres	3.0	1.1	0.3	—	—
3 basic security modules	1.5	7.1	2.7	—	—
10 brigs	10.0	63.5	0.3	—	—
2 safes	2.0	12.7	0.1	—	—
423.0-dton cargo hold	423.0	—	—	—	—
Cargo	(423.0)	(1,918.3)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	75,000.0	771,750.0	47,667.9	139,518	776
Fitted out with full crew	75,000.0	858,070.6	64,821.5	139,518	1,857

## Monfraki-class Dropship (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited. Contains nonstandard modules (briefing room).

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, std. mat.	(400.0)	9.3	1.0	1,906	—
4 turrets (DR 1000)	4.0	59.5	0.9	297	—
DR 2000 bonded superdense armour	—	744.5	9.8	—	—
Total compartmentalization	—	1.9	0.0	—	—
Basic stealth	—	5.4	1.8	—	—
Basic emission cloaking	—	5.4	1.8	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	20.1	11.8	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
20 jump drive modules	20.0	72.6	61.0	—	0.2
95 thrusters (8,616.5 tonnes thrust)	95.0	344.7	61.7	—	0.9
160 internal jump fuel tanks	160.0	43.5	25.6	—	—
160 -dtons jump fuel	(160.0)	(145.1)	(0.1)	—	—
1 fuel scoop	1.0	0.5	0.0	—	—
1 fuel processor	1.0	1.0	0.9	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple light missile turret	(3.0)	0.8	0.0	—	1
1 triple sandcaster turret	(3.0)	13.6	0.8	—	1
2 triple 405 MJ laser turrets	(6.0)	42.4	4.1	—	1-2
Ordnance	Spaces	Mass	Cost	Area	Crew
246 ready light missiles	—	(33.5)	(5.7)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
1 bay for <i>Murka</i> Combat Shuttle	31.5	0.5	0.0	—	—
1 <i>Murka</i> Combat Shuttle	(30.0)	(175.6)	(12.8)	—	2
Barracks	Spaces	Mass	Cost	Area	Crew
1 marine stateroom	4.0	1.8	0.0	—	—
8 marine bunkrooms	32.0	13.8	0.1	—	—
3 briefing rooms	3.0	0.1	0.0	—	—
1 drop capsule launcher	1.0	10.9	0.2	—	1
4 drop capsule racks	4.0	61.2	—	—	—
2 battledress racks	2.0	52.2	—	—	—
1 weapons locker	1.0	6.3	0.0	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
7 crew staterooms	28.0	12.7	0.1	—	—
1 sickbay	1.0	0.8	0.2	—	1
4.5-dton cargo hold	4.5	—	—	—	—
Cargo	(4.5)	(20.4)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	400.0	1,539.0	182.3	2,203	3
Fitted out with full crew	400.0	1,913.6	200.8	2,203	12

## Monnin-class Freighter (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to commercial standards. Turrets are counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
2,000-dton medium hull, std. mat.	(2,000.0)	54.4	3.0	5,574	—
2 turrets (DR 100)	2.0	8.8	0.2	148	—
DR 100 crystaliron armour	—	272.1	3.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
61 jump drive modules	61.0	221.3	189.1	—	2.4
202 thrusters (7,328.6 tonnes thrust)	202.0	622.9	32.3	—	3.4
400 internal jump fuel tanks	400.0	108.8	64.0	—	—
400 -dtons jump fuel	(400.0)	(362.8)	(0.1)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple sandcaster turret	(3.0)	13.6	0.8	—	1
1 triple 90 MJ PD laser turret	(3.0)	15.9	1.8	—	1-1
Auxiliaries	Spaces	Mass	Cost	Area	Crew
1 bay for Launch	10.5	0.5	0.0	—	—
1 Launch	(10.0)	(32.7)	(3.6)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
4 utility modules	4.0	41.7	1.2	—	—
6 crew staterooms	24.0	13.1	0.1	—	—
1,293.0-dton cargo hold	1,293.0	—	—	—	—
Cargo	(1,293.0)	(5,863.8)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	2,000.0	1,384.5	300.3	5,722	7
Fitted out with full crew	2,000.0	7,643.8	303.9	5,722	11

## Moonii-class Luxury Yacht (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to private standards. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, std. mat.	(320.0)	9.3	2.5	1,906	—
2 turrets (DR 100)	2.0	3.7	0.2	148	—
DR 100 bonded superdense armour	—	37.2	0.5	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.1	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
20 jump drive modules	20.0	72.6	61.0	—	0.2
15 thrusters (1,360.5 tonnes thrust)	15.0	54.4	9.8	—	0.1
160 internal jump fuel tanks	160.0	43.5	25.6	—	—
160 -dtons jump fuel	(160.0)	(145.1)	(0.1)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple sandcaster turret	(3.0)	13.6	0.8	—	1
1 triple 102 MJ PD laser turret	(3.0)	14.0	0.9	—	1-1
Auxiliaries	Spaces	Mass	Cost	Area	Crew
1 bay for Grav Car	0.5	0.5	0.0	—	—
1 Grav Car	(0.5)	(2.0)	(0.1)	—	1
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
4 suites for 4 noble passengers	32.0	7.3	0.2	—	4
7 crew staterooms	28.0	12.7	0.1	—	—
1 exercise room	2.5	0.5	0.0	—	—
1 civilian holoventure zone	30.0	3.3	1.2	—	1
1 swimming pool	13.0	3.6	0.1	—	0.5
Water	—	46.3	—	—	—
1 sickbay	1.0	0.8	0.2	—	1
11.5-dton cargo hold	11.5	—	—	—	—
Cargo	(11.5)	(52.0)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	320.0	297.2	106.5	2,054	2
Fitted out with full crew	320.0	542.6	106.6	2,054	13

## Morag-class Ore Transport (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to commercial standards.

Structure	Spaces	Mass	Cost	Area	Crew
2,000-dton medium hull, std. mat.	(2,000.0)	54.4	3.0	5,574	—
DR 100 crystaliron armour	—	272.1	3.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
200 thrusters (7,256.0 tonnes thrust)	200.0	616.8	32.0	—	3.3
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
4 crew staterooms	16.0	8.7	0.0	—	—
1,779.5-dton cargo hold	1,779.5	—	—	—	—
Cargo	(1,779.5)	(8,070.0)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	2,000.0	973.8	43.3	5,574	5
Fitted out with full crew	2,000.0	9,043.9	43.3	5,574	7

## Morath-class Fast Courier (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to private standards.

Structure	Spaces	Mass	Cost	Area	Crew
100-dton medium hull, std. mat.	(100.0)	3.7	0.4	756	—
DR 100 bonded superdense armour	—	14.8	0.2	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.1	—	1-5
1 xboat communications module	12.0	125.3	3.8	—	0-1
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
7 jump drive modules	7.0	25.4	21.4	—	0.1
1 thruster (90.7 tonnes thrust)	1.0	3.6	0.6	—	0.0
60 internal jump fuel tanks	60.0	16.3	9.6	—	—
60 -dtons jump fuel	(60.0)	(54.4)	(0.0)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
1 stateroom for 1 independent passenger	4.0	1.8	0.0	—	—
1 low berth for 4 low passengers	0.5	1.8	0.2	—	—
1 crew stateroom	4.0	1.8	0.0	—	—
7.0-dton cargo hold	7.0	—	—	—	—
Cargo	(7.0)	(31.7)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	100.0	214.8	39.8	756	1
Fitted out with full crew	100.0	301.0	39.8	756	1

## Muirhead-class Economy Liner (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to commercial standards. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, std. mat.	(400.0)	18.6	1.0	1,906	—
4 turrets (DR 100)	4.0	17.5	0.4	297	—
DR 100 crystaliron armour	—	93.1	1.2	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
12 jump drive modules	12.0	43.5	37.2	—	0.5
25 thrusters (907.0 tonnes thrust)	25.0	77.1	4.0	—	0.4
80 internal jump fuel tanks	80.0	21.8	12.8	—	—
80 -dtons jump fuel	(80.0)	(72.6)	(0.0)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
2 triple sandcaster turrets	(6.0)	27.2	1.5	—	2
2 triple 90 MJ PD laser turrets	(6.0)	31.8	3.5	—	1-2
Auxiliaries	Spaces	Mass	Cost	Area	Crew
Hanger for 1 Gig with 1 entrance	40.0	0.9	0.0	—	—
1 Gig	(20.0)	(70.6)	(5.5)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
33 Staterooms for 65 middle passengers	132.0	71.8	0.4	—	1.3
10 low berths for 40 low passengers	5.0	18.1	2.2	—	—
5 crew staterooms	20.0	10.9	0.1	—	—
77.5-dton cargo hold	77.5	—	—	—	—
Cargo	(77.5)	(351.5)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	400.0	454.2	68.9	2,203	2
Fitted out with full crew	400.0	948.9	74.4	2,203	9

## Mullet-class Merchant Liner (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to commercial standards.

Structure	Spaces	Mass	Cost	Area	Crew
600-dton medium hull, std. mat.	(480.0)	24.4	3.2	2,497	—
DR 100 crystaliron armour	—	121.9	1.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
24 jump drive modules	24.0	87.1	74.4	—	1.0
26 thrusters (943.3 tonnes thrust)	26.0	80.2	4.2	—	0.4
180 internal jump fuel tanks	180.0	49.0	28.8	—	—
180 -dtons jump fuel	(180.0)	(163.3)	(0.1)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
40 Staterooms for 40 high passengers	160.0	87.1	0.5	—	2
4 crew staterooms	16.0	8.7	0.0	—	—
69.5-dton cargo hold	69.5	—	—	—	—
Cargo	(69.5)	(315.2)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	480.0	480.2	117.3	2,497	3
Fitted out with full crew	480.0	958.6	117.3	2,497	7

## Murbles-class Luxury Yacht (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to private standards. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
200-dton medium hull, std. mat.	(160.0)	11.7	1.6	1,200	—
2 turrets (DR 100)	2.0	8.8	0.3	148	—
DR 100 crystaliron armour	—	58.6	0.8	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
6 jump drive modules	6.0	21.8	18.6	—	0.2
11 thrusters (399.1 tonnes thrust)	11.0	33.9	1.8	—	0.2
40 internal jump fuel tanks	40.0	10.9	6.4	—	—
40 -dtons jump fuel	(40.0)	(36.3)	(0.0)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple sandcaster turret	(3.0)	13.6	0.8	—	1
1 triple 90 MJ PD laser turret	(3.0)	15.9	1.8	—	1-1
Auxiliaries	Spaces	Mass	Cost	Area	Crew
1 bay for Air/Raft	0.2	0.5	0.0	—	—
1 Air/Raft	(0.2)	(7.3)	(0.1)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
2 suites for 2 noble passengers	16.0	4.4	0.1	—	2
6 Staterooms for 6 high passengers	24.0	13.1	0.1	—	0.3
5 crew staterooms	20.0	10.9	0.1	—	—
1 exercise room	2.5	0.5	0.0	—	—
1 swimming pool	13.0	3.6	0.1	—	0.5
Water	—	46.3	—	—	—
1 sickbay	1.0	0.7	0.2	—	1
19.8-dton cargo hold	19.8	—	—	—	—
Cargo	(19.8)	(89.7)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	160.0	230.6	37.0	1,349	2
Fitted out with full crew	160.0	410.1	37.1	1,349	9

## Murka-class Combat Shuttle (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards.

Structure	Spaces	Mass	Cost	Area	Crew
30-dton medium hull, std. mat.	(24.0)	1.7	0.4	339	—
DR 1000 bonded superdense armour	—	66.2	0.9	—	—
Basic stealth	—	0.8	0.3	—	—
Basic emission cloaking	—	0.8	0.3	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.4	2.5	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
13 thrusters (1,179.1 tonnes thrust)	13.0	47.2	8.4	—	0.1
Weaponry	Spaces	Mass	Cost	Area	Crew
3 fixed light missile racks	3.0	35.4	0.1	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
3 passenger couches	3.0	1.0	0.0	—	—
4.0-dton cargo hold	4.0	—	—	—	—
Cargo	(4.0)	(18.1)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	24.0	157.4	12.8	339	2
Fitted out with full crew	24.0	175.6	12.8	339	2



## Murpak-class Freighter (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to commercial standards.

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, std. mat.	(400.0)	18.6	1.0	1,906	—
DR 100 crystaliron armour	—	93.1	1.2	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
12 jump drive modules	12.0	43.5	37.2	—	0.5
20 thrusters (725.6 tonnes thrust)	20.0	61.7	3.2	—	0.3
80 internal jump fuel tanks	80.0	21.8	12.8	—	—
80 -dtons jump fuel	(80.0)	(72.6)	(0.0)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
2 crew staterooms	8.0	4.4	0.0	—	—
275.5-dton cargo hold	275.5	—	—	—	—
Cargo	(275.5)	(1,249.4)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	400.0	264.9	60.1	1,906	2
Fitted out with full crew	400.0	1,586.8	60.1	1,906	3

## Murphy-class Freighter (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to commercial standards.

Structure	Spaces	Mass	Cost	Area	Crew
3,000-dton medium hull, std. mat.	(3,000.0)	71.3	3.9	7,304	—
DR 100 crystaliron armour	—	71.3	0.9	—	—
1 x 213-dton medium subhull, std. materials(213.5)	12.2	0.7	(1,254)	—	—
DR 100 crystaliron armour	—	61.2	0.8	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
90 jump drive modules	90.0	326.5	279.0	—	3.6
100 thrusters (3,628.0 tonnes thrust)	100.0	308.4	16.0	—	1.7
600 internal jump fuel tanks	600.0	163.3	96.0	—	—
600 -dtons jump fuel	(600.0)	(544.2)	(0.2)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
5 crew staterooms	20.0	10.9	0.1	—	—
2,185.5-dton cargo hold	2,185.5	—	—	—	—
Cargo	(2,185.5)	(9,911.2)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	3,000.0	1,047.0	402.0	7,304	7
Fitted out with full crew	3,000.0	11,502.4	402.0	7,304	9

## Nahiin-class Trader (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to commercial standards. Turrets are counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
200-dton medium hull, std. mat.	(160.0)	11.7	1.6	1,200	—
2 turrets (DR 100)	2.0	8.8	0.3	148	—
DR 100 crystaliron armour	—	58.6	0.8	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
4 jump drive modules	4.0	14.5	12.4	—	0.2
15 thrusters (544.2 tonnes thrust)	15.0	46.3	2.4	—	0.3
20 internal jump fuel tanks	20.0	5.4	3.2	—	—
20 -dtons jump fuel	(20.0)	(18.1)	(0.0)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
2 empty turrets	(6.0)	—	—	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
12 Staterooms for 12 high passengers	48.0	26.1	0.1	—	0.6
1 Stateroom for 2 middle passengers	4.0	2.2	0.0	—	0.0
4 low berths for 16 low passengers	2.0	7.3	0.9	—	—
2 crew staterooms	8.0	4.4	0.0	—	—
52.5-dton cargo hold	52.5	—	—	—	—
Cargo	(52.5)	(238.1)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	160.0	207.1	26.3	1,349	2
Fitted out with full crew	160.0	463.3	26.3	1,349	3

## Newcombe-class Trader (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to commercial standards. All quantities in metric units.

Structure	Spaces	Mass	Cost	Area	Crew
300-dton medium hull, std. mat.	(240.0)	15.4	2.0	1,573	—
DR 100 crystaliron armour	—	76.8	1.0	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
9 jump drive modules	9.0	32.7	27.9	—	0.4
16 thrusters (580.5 tonnes thrust)	16.0	49.3	2.6	—	0.3
60 internal jump fuel tanks	60.0	16.3	9.6	—	—
60 -dtons jump fuel	(60.0)	(54.4)	(0.0)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
20 Staterooms for 20 high passengers	80.0	43.5	0.2	—	1
5 low berths for 18 low passengers	2.5	9.1	1.1	—	—
3 crew staterooms	12.0	6.5	0.0	—	—
56.0-dton cargo hold	56.0	—	—	—	—
Cargo	(56.0)	(254.0)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	240.0	271.5	49.1	1,573	2
Fitted out with full crew	240.0	579.9	49.1	1,573	5

## Nostrii-class Science Scout (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to private standards. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
100-dton medium hull, std. mat.	(80.0)	7.4	1.0	756	—
1 turret (DR 100)	1.0	4.4	0.1	74	—
DR 100 crystaliron armour	—	36.9	0.5	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
4 jump drive modules	4.0	14.5	12.4	—	0.2
7 thrusters (254.0 tonnes thrust)	7.0	21.6	1.1	—	0.1
30 internal jump fuel tanks	30.0	8.2	4.8	—	—
30 -dtons jump fuel	(30.0)	(27.2)	(0.0)	—	—
1 fuel processor	1.0	1.0	0.9	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 empty turret	(3.0)	—	—	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
Hanger for 1 Air/Raft with 1 entrance	0.8	0.9	0.0	—	—
1 Air/Raft	(0.4)	(7.0)	(0.1)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
1 stateroom for 1 independent passenger	4.0	2.2	0.0	—	—
1 low berth for 4 low passengers	0.5	1.8	0.2	—	—
4 crew staterooms	16.0	8.7	0.0	—	—
2 standard labs	4.0	18.1	2.0	—	2-4
7.2-dton cargo hold	7.2	—	—	—	—
Cargo	(7.2)	(32.7)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	80.0	147.6	27.7	830	2
Fitted out with full crew	80.0	214.4	27.7	830	4

## Nova's Roar-class System Defense Boat (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
800-dton medium hull, std. mat.	(800.0)	29.5	1.6	3,026	—
8 turrets (DR 500)	8.0	151.1	2.2	594	—
DR 1000 crystaliron armour	—	1,477.2	19.5	—	—
Heavy compartmentalization	—	3.0	0.0	—	—
Basic stealth	—	8.8	2.9	—	—
Basic emission cloaking	—	8.8	2.9	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
600 thrusters (21,768.0 tonnes thrust)	600.0	1,850.3	96.0	—	10.0
Weaponry	Spaces	Mass	Cost	Area	Crew
4 triple light missile turrets	(12.0)	3.3	0.1	—	4
4 triple 250 MJ laser turrets	(12.0)	90.6	9.8	—	1-4
1 nuclear damper module	4.0	37.7	16.2	—	4
Ordnance	Spaces	Mass	Cost	Area	Crew
984 ready light missiles	—	(133.9)	(35.4)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
10 bays for Iramda Fighters	105.0	0.5	0.0	—	—
10 Iramda Fighters	(100.0)	(533.9)	(51.5)	—	10
Other Modules	Spaces	Mass	Cost	Area	Crew
2 utility modules	2.0	20.9	0.6	—	—
16 crew staterooms	64.0	34.8	0.2	—	—
1 sickbay	2.5	4.6	0.3	—	1
8.5-dton cargo hold	8.5	—	—	—	—
Cargo	(8.5)	(38.5)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	800.0	3,746.4	165.4	3,620	11
Fitted out with full crew	800.0	4,452.7	252.3	3,620	31

## Olmeka-class Heavy Fighter (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to military standards.

Structure	Spaces	Mass	Cost	Area	Crew
80-dton medium hull, std. mat.	(64.0)	6.4	0.8	651	—
DR 5000 crystaliron armour	—	1,591.3	21.1	—	—
Basic stealth	—	1.6	0.5	—	—
Basic emission cloaking	—	1.6	0.5	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.6	2.7	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
57 thrusters (2,068.0 tonnes thrust)	57.0	175.8	9.1	—	1.0
Weaponry	Spaces	Mass	Cost	Area	Crew
3 fixed 250 MJ lasers	3.0	22.6	2.5	—	—
1 fixed 810 MJ laser	3.0	25.1	2.7	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	64.0	1,828.9	39.9	651	2
Fitted out with full crew	64.0	1,828.9	39.9	651	2

## Olythnos-class Trader (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to commercial standards. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, std. mat.	(320.0)	18.6	2.5	1,906	—
4 turrets (DR 100)	4.0	17.5	0.6	297	—
DR 100 crystaliron armour	—	93.1	1.2	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
8 jump drive modules	8.0	29.0	24.8	—	0.3
33 thrusters (1,197.2 tonnes thrust)	33.0	101.8	5.3	—	0.6
40 internal jump fuel tanks	40.0	10.9	6.4	—	—
40 -dtons jump fuel	(40.0)	(36.3)	(0.0)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
4 empty turrets	(12.0)	—	—	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
16 Staterooms for 16 high passengers	64.0	34.8	0.2	—	0.8
2 Staterooms for 4 middle passengers	8.0	4.4	0.0	—	0.1
5 low berths for 20 low passengers	2.5	9.1	1.1	—	—
3 crew staterooms	12.0	6.5	0.0	—	—
144.0-dton cargo hold	144.0	—	—	—	—
Cargo	(144.0)	(653.0)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	320.0	347.5	46.7	2,203	2
Fitted out with full crew	320.0	1,036.8	46.7	2,203	5

## Orman-class Fleet Destroyer (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
7,500-dton medium hull, std. mat.	(7,500.0)	131.4	7.2	13,454	—
5 turrets (DR 1250)	5.0	230.5	3.2	371	—
7 large external bays (DR 1250)	140.0	5,222.1	71.8	8,453	—
DR 2500 crystaliron armour	—	16,419.4	217.2	—	—
Heavy compartmentalization	—	13.1	0.1	—	—
Basic stealth	—	54.4	18.0	—	—
Basic emission cloaking	—	54.4	18.0	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
1 electronic warfare suite	3.0	39.6	13.0	—	2
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
323 jump drive modules	323.0	1,171.8	1,001.3	—	12.9
4,200 thrusters (152,376.0 tonnes)	4,200.0	12,952.0	672.0	—	70
2,418 internal jump fuel tanks	2,418.0	657.9	386.9	—	—
2,418 -dtons jump fuel	(2,418.0)	(2,193.1)	(0.8)	—	—
2.5 fuel scoops	2.5	1.3	0.0	—	—
20 fuel processors	20.0	20.0	17.0	—	—
1 workshop	2.5	13.6	0.1	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
5 triple 90 MJ PD laser turrets	(15.0)	79.6	8.8	—	1-5
7 29 GJ particle bays	(700.0)	6,710.9	371.0	—	14
1 nuclear damper module	4.0	37.7	16.2	—	4
Auxiliaries	Spaces	Mass	Cost	Area	Crew
Hanger for Fighters with 1 entrance	200.0	0.9	0.0	—	—
10 <i>Firefly</i> Light Fighters	(100.0)	(471.0)	(52.1)	—	20
Hanger for 1 <i>Skyskipper</i> Launch	20.0	—	—	—	—
1 <i>Skyskipper</i> Launch	(10.0)	(20.6)	(3.1)	—	1
Other Modules	Spaces	Mass	Cost	Area	Crew
15 utility modules	15.0	156.5	4.5	—	—
12 crew bunkrooms	48.0	52.2	0.2	—	—
93.0-dton cargo hold	93.0	—	—	—	—
Cargo	(93.0)	(421.8)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	7,500.0	44,044.5	2,839.5	22,279	86
Fitted out with full crew	7,500.0	47,151.0	2,894.7	22,279	133

## Osiron-class Destroyer (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
4,000-dton medium hull, std. mat.	(4,000.0)	43.2	4.8	8,848	—
10 turrets (DR 2500)	10.0	366.5	5.2	743	—
3 small internal bays	150.0	17.7	1.0	—	—
DR 5000 bonded superdense armour	—	8,638.6	114.3	—	—
Total compartmentalization	—	8.6	0.1	—	—
Basic stealth	—	23.4	7.7	—	—
Basic emission cloaking	—	23.4	7.7	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	20.1	11.8	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
3 fusion engineering modules	3.0	9.8	0.5	—	—
200 jump drive modules	200.0	725.6	610.0	—	2
1,586 thrusters (143,850.2 tonnes thrust)	1,586.0	5,754.0	1,030.9	—	15.9
1,600 internal jump fuel tanks	1,600.0	435.4	256.0	—	—
1,600 -dtons jump fuel	(1,600.0)	(1,451.2)	(0.6)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
5 triple light missile turrets	(15.0)	4.1	0.1	—	5
5 triple 405 MJ laser turrets	(15.0)	106.1	10.2	—	1-5
3 13 GJ meson bays	(150.0)	1,167.3	63.2	—	6
1 nuclear damper module	1.0	9.3	4.0	—	4
15 meson screen modules	15.0	68.0	34.5	—	4
Ordnance	Spaces	Mass	Cost	Area	Crew
1,230 ready light missiles	—	(167.3)	(28.3)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
4 bays for <i>Citadel</i> Heavy Fighters	210.0	0.5	0.0	—	—
4 <i>Citadel</i> Heavy Fighters	(200.0)	(1,760.4)	(131.9)	—	8
1 bay for Gig	21.0	0.5	0.0	—	—
1 Gig	(20.0)	(70.6)	(5.5)	—	2
Barracks	Spaces	Mass	Cost	Area	Crew
1 marine stateroom	4.0	1.8	0.0	—	—
8 marine bunkrooms	32.0	13.8	0.1	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
5 utility modules	5.0	52.2	1.3	—	—
29 crew staterooms	116.0	52.6	0.3	—	—
7 crew low berths	3.5	12.7	1.5	—	—
38.5-dton cargo hold	38.5	—	—	—	—
Cargo	(38.5)	(174.6)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	4,000.0	17,555.2	2,165.3	9,591	19
Fitted out with full crew	4,000.0	21,179.3	2,330.9	9,591	84

## Oskra-class Shuttle (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to private standards.

Structure	Spaces	Mass	Cost	Area	Crew
80-dton medium hull, std. mat.	(64.0)	3.2	0.8	651	—
DR 100 bonded superdense armour	—	12.7	0.2	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit	1.0	4.3	2.3	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
18 thrusters (1,632.6 tonnes thrust)	18.0	65.3	11.7	—	0.2
Other Modules	Spaces	Mass	Cost	Area	Crew
4 passenger couches	4.0	1.3	0.0	—	—
41.0-dton cargo hold	41.0	—	—	—	—
Cargo	(41.0)	(185.9)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	64.0	86.8	15.0	651	2
Fitted out with full crew	64.0	272.7	15.0	651	2

## Oskrip-class Droyne Scout (GTL10)

*Design Parameters:* Built for Droyne crew. Designed to private standards. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
100-dton medium hull, std. mat.	(80.0)	7.4	1.0	756	—
1 turret (DR 100)	1.0	4.4	0.1	74	—
DR 100 crystaliron armour	—	36.9	0.5	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
1 enhanced sensor	4.0	36.8	32.9	—	0-1
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
3 jump drive modules	3.0	10.9	9.3	—	0.1
19 thrusters (689.3 tonnes thrust)	19.0	58.6	3.0	—	0.3
20 internal jump fuel tanks	20.0	5.4	3.2	—	—
20 -dtons jump fuel	(20.0)	(18.1)	(0.0)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple 250 MJ laser turret	(3.0)	22.6	2.5	—	1-1
Auxiliaries	Spaces	Mass	Cost	Area	Crew
1 bay for Air/Raft	0.4	0.5	0.0	—	—
1 Air/Raft	(0.4)	(5.0)	(0.1)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
1 crew nest	12.0	6.5	0.0	—	—
1 standard lab	2.0	9.1	1.0	—	1-2
14.1-dton cargo hold	14.1	—	—	—	—
Cargo	(14.1)	(63.9)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	80.0	220.9	58.2	830	2
Fitted out with full crew	80.0	307.9	58.2	830	4

## Otter-class Survey Scout (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to private standards. All quantities in metric units. Turrets are counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
200-dton medium hull, std. mat.	(160.0)	11.7	1.6	1,200	—
2 turrets (DR 100)	2.0	8.8	0.3	148	—
DR 100 crystaliron armour	—	58.6	0.8	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge with hardened controls	2.5	10.5	7.0	—	1-5
1 enhanced sensor	4.0	36.8	32.9	—	0-1
1 probe launch centre	1.0	1.1	0.0	—	0-3
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
7 jump drive modules	7.0	25.4	21.7	—	0.3
20 thrusters (725.6 tonnes thrust)	20.0	61.7	3.2	—	0.3
40 internal jump fuel tanks	40.0	10.9	6.4	—	—
40 -dtons jump fuel	(40.0)	(36.3)	(0.0)	—	—
3 fuel processors	3.0	3.0	2.5	—	—
1 workshop	2.5	13.6	0.1	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
2 empty turrets	(6.0)	—	—	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
1 bay for Launch	10.5	0.5	0.0	—	—
1 Launch	(10.0)	(32.7)	(3.6)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
7 crew staterooms	28.0	13.3	0.1	—	—
1 sickbay	1.0	0.7	0.2	—	1
1 standard lab	4.5	9.3	1.0	—	1-2
32.0-dton cargo hold	32.0	—	—	—	—
Cargo	(32.0)	(145.1)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	160.0	281.8	78.4	1,349	2
Fitted out with full crew	160.0	495.9	82.0	1,349	10

## Oytrist-class Merchant (GTL10)

*Design Parameters:* Built for Droyne crew. Designed to commercial standards. Turrets are counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
300-dton medium hull, std. mat.	(240.0)	15.4	2.0	1,573	—
3 turrets (DR 100)	3.0	13.1	0.4	222	—
DR 100 crystaliron armour	—	76.8	1.0	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
10 jump drive modules	10.0	36.3	31.0	—	0.4
23 thrusters (834.4 tonnes thrust)	23.0	70.9	3.7	—	0.4
61 internal jump fuel tanks	61.0	16.6	9.8	—	—
61 -dtons jump fuel	(61.0)	(55.3)	(0.0)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
3 triple 250 MJ laser turrets	(9.0)	67.9	7.4	—	1-3
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
2 Nests for 12 high passengers	24.0	13.1	0.1	—	0.6
1 crew nest	12.0	6.5	0.0	—	—
102.5-dton cargo hold	102.5	—	—	—	—
Cargo	(102.5)	(464.8)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	240.0	338.5	60.0	1,796	2
Fitted out with full crew	240.0	858.6	60.0	1,796	6

## Pekherni Observatory (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to private standards. Metric measurements, turrets are counted towards jump volume, weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
600-dton medium hull, std.mat.	(600.0)	12.2	1.3	26,888	—
DR 100 bonded superdense armour	—	9.8	0.1	—	—
1 x 196-dton medium subhull, std.mat.(196.5)	—	5.8	0.6	(12,775)	—
DR 100 bonded superdense armour	—	23.2	0.3	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.1	—	1-5
1 centre with 8 complexity 10 computers	1.0	10.9	30.0	—	—
1 advanced sensor	8.0	69.2	69.0	—	0-1
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
42 jump drive modules	42.0	152.4	128.1	—	0.4
20 thrusters (1,814.0 tonnes thrust)	20.0	72.6	13.0	—	0.2
360 internal jump fuel tanks	360.0	98.0	57.6	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
Hanger for 1 Gig with 1 entrance	40.0	0.9	0.0	—	—
1 Gig	(20.0)	(70.6)	(5.5)	—	2
Other Modules	Spaces	Mass	Cost	Area	Crew
2 utility modules	2.0	20.9	0.5	—	—
11 crew staterooms	44.0	20.0	0.1	—	—
10 standard labs	20.0	90.7	10.0	—	10-20
2 physics labs	5.0	18.1	2.0	—	2-4
2 simulation labs	10.0	19.8	3.1	—	2-2
1 computer lab	1.0	2.3	450.0	—	1-2
43.5-dton cargo hold	43.5	—	—	—	—
Cargo	(43.5)	(197.3)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty	600.0	636.4	769.1	26,888	0
Fitted out	600.0	1,230.8	774.6	26,888	0

## Pelagros-class Luxury Liner (GTL11)

*Design Parameters:* Built for Imperial human crew. Designed to commercial standards.

Structure	Spaces	Mass	Cost	Area	Crew
2,500-dton medium hull, std. mat.	(2,500.0)	47.4	3.5	6,468	—
DR 100 superdense armour	—	189.4	2.5	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.2	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
125 jump drive modules	125.0	453.5	381.3	—	2.5
38 thrusters (3,446.6 tonnes thrust)	38.0	137.9	24.7	—	0.8
1,000 internal jump fuel tanks	1,000.0	272.1	160.0	—	—
1,000 -dtons jump fuel	(1,000.0)	(907.0)	(0.3)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
5 utility modules	5.0	52.2	1.3	—	—
10 suites for 10 noble passengers	80.0	18.1	0.6	—	10
200 Staterooms for 200 high passengers	800.0	362.8	2.4	—	10
25 low berths for 100 low passengers	12.5	45.3	5.5	—	—
19 crew staterooms	76.0	34.5	0.2	—	—
5 exercise rooms	12.5	2.3	0.0	—	—
3 halls	30.0	0.5	0.0	—	—
2 theatres	40.0	3.8	0.0	—	2
1 stage	16.0	0.5	0.0	—	—
2 civilian holoventure zones	60.0	6.5	2.4	—	2
1 swimming pool	25.0	6.3	0.1	—	1
Water	—	92.5	—	—	—
3 sickbays	3.0	2.3	0.6	—	3
1 basic security module	0.5	2.3	0.5	—	—
1 brig	1.0	6.3	0.0	—	—
2 safes	2.0	12.7	0.1	—	—
170.0-dton cargo hold	170.0	—	—	—	—
Cargo	(170.0)	(771.0)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	2,500.0	1,666.6	589.1	6,468	5
Fitted out with full crew	2,500.0	3,437.1	589.1	6,468	36

## Permain-class Freighter (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to commercial standards.

Structure	Spaces	Mass	Cost	Area	Crew
2,000-dton medium hull, std. mat.	(2,000.0)	27.2	3.0	5,574	—
DR 100 bonded superdense armour	—	108.8	1.4	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.1	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
40 jump drive modules	40.0	145.1	122.0	—	0.4
50 thrusters (4,535.0 tonnes thrust)	50.0	181.4	32.5	—	0.5
200 internal jump fuel tanks	200.0	54.4	32.0	—	—
200 -dtons jump fuel	(200.0)	(181.4)	(0.1)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
4 utility modules	4.0	41.7	1.0	—	—
3 crew staterooms	12.0	5.4	0.0	—	—
1,690.5-dton cargo hold	1,690.5	—	—	—	—
Cargo	(1,690.5)	(7,666.4)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	2,000.0	574.0	195.2	5,574	2
Fitted out with full crew	2,000.0	8,421.9	195.2	5,574	4

## Pheidippides-class Imperial Courier (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, std. mat.	(320.0)	9.3	2.5	1,906	—
4 turrets (DR 400)	4.0	24.7	0.7	297	—
DR 800 bonded superdense armour	—	297.8	3.9	—	—
Basic stealth	—	5.4	1.8	—	—
Basic emission cloaking	—	5.4	1.8	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge with hardened controls	2.5	9.3	6.1	—	1-5
1 xboat communications module	12.0	125.3	3.8	—	0-1
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
28 jump drive modules	28.0	101.6	85.4	—	0.3
12 thrusters (1,088.4 tonnes thrust)	12.0	43.5	7.8	—	0.1
240 internal jump fuel tanks	240.0	65.3	38.4	—	—
240 -dtons jump fuel	(240.0)	(217.7)	(0.1)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple light missile turret	(3.0)	0.8	0.0	—	1
1 triple sandcaster turret	(3.0)	13.6	0.8	—	1
1 triple 405 MJ laser turret	(3.0)	21.2	2.0	—	1-1
1 triple 102 MJ PD laser turret	(3.0)	14.0	0.9	—	1-1
Ordnance	Spaces	Mass	Cost	Area	Crew
246 ready light missiles	—	(33.5)	(5.7)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
2 crew bunkrooms	8.0	3.4	0.0	—	—
11.5-dton cargo hold	11.5	—	—	—	—
Cargo	(11.5)	(52.2)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	320.0	754.4	156.4	2,203	2
Fitted out with full crew	320.0	1,057.7	162.0	2,203	8

## Polesta-class Troopship (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
5,000-dton medium hull, std. mat.	(5,000.0)	100.2	5.5	10,267	—
50 turrets (DR 250)	50.0	490.9	8.1	3,716	—
DR 500 crystaliron armour	—	2,506.1	33.2	—	—
Total compartmentalization	—	20.0	0.2	—	—
Basic stealth	—	34.1	11.3	—	—
Basic emission cloaking	—	34.1	11.3	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
200 jump drive modules	200.0	725.6	620.0	—	8
900 thrusters (32,652.0 tonnes thrust)	900.0	2,775.4	144.0	—	15.0
1,500 internal jump fuel tanks	1,500.0	408.2	240.0	—	—
1,500 -dtons jump fuel	(1,500.0)	(1,360.5)	(0.5)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
20 triple heavy missile turrets	(60.0)	81.6	1.3	—	20
10 triple sandcaster turrets	(30.0)	136.1	7.5	—	10
20 triple 90 MJ PD laser turrets	(60.0)	318.4	35.4	—	2-20
Ordnance	Spaces	Mass	Cost	Area	Crew
900 ready heavy missiles	—	(612.2)	(162.0)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
Hanger for 10 <i>Barlax</i> with 2 entrances	1,600.0	1.8	0.0	—	—
10 <i>Barlax</i> Assault Landers	(800.0)	(10,505.0)	(259.2)	—	30
Barracks	Spaces	Mass	Cost	Area	Crew
5 marine staterooms	20.0	10.9	0.1	—	—
123 marine bunkrooms	492.0	535.5	2.2	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
10 utility modules	10.0	104.3	3.0	—	—
49 crew staterooms	196.0	106.7	0.6	—	—
5 sickbays	5.0	3.4	0.8	—	5
21.0-dton cargo hold	21.0	—	—	—	—
Cargo	(21.0)	(95.2)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	5,000.0	8,418.6	1,137.3	13,983	24
Fitted out with full crew	5,000.0	20,991.6	1,558.5	13,983	96

## Polo-class Merchant Scout (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to private standards. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, std. mat.	(320.0)	18.6	2.5	1,906	—
4 turrets (DR 100)	4.0	17.5	0.6	297	—
DR 100 crystaliron armour	—	93.1	1.2	—	—
Basic stealth	—	5.4	1.8	—	—
Basic emission cloaking	—	5.4	1.8	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
1 enhanced sensor	4.0	36.8	32.9	—	0-1
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
16 jump drive modules	16.0	58.0	49.6	—	0.6
30 thrusters (1,088.4 tonnes thrust)	30.0	92.5	4.8	—	0.5
120 internal jump fuel tanks	120.0	32.7	19.2	—	—
120 -dtons jump fuel	(120.0)	(108.8)	(0.0)	—	—
1 collapsible fuel bladder	1.0	9.1	0.4	—	—
1 fuel processor	1.0	1.0	0.9	—	—
1 workshop	2.5	13.6	0.1	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple light missile turret	(3.0)	0.8	0.0	—	1
1 triple sandcaster turret	(3.0)	13.6	0.8	—	1
1 triple 250 MJ laser turret	(3.0)	22.6	2.5	—	1-1
1 triple 90 MJ PD laser turret	(3.0)	15.9	1.8	—	1-1
Ordnance	Spaces	Mass	Cost	Area	Crew
246 ready light missiles	—	(33.5)	(8.9)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
1 bay for Gig	21.0	0.5	0.0	—	—
1 Gig	(20.0)	(70.6)	(5.5)	—	1
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
8 crew staterooms	32.0	17.4	0.1	—	—
1 sickbay	1.0	0.7	0.2	—	1
1 standard lab	2.0	9.1	1.0	—	1-2
81.0-dton cargo hold	81.0	—	—	—	—
Cargo	(81.0)	(367.3)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	320.0	486.0	126.5	2,203	3
Fitted out with full crew	320.0	1,066.3	140.9	2,203	14

## Porion-class Passenger Liner (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to commercial standards. All quantities in metric units.

Structure	Spaces	Mass	Cost	Area	Crew
800-dton medium hull, std. mat.	(800.0)	29.5	1.6	3,026	—
DR 100 crystaliron armour	—	147.7	2.0	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
32 jump drive modules	32.0	116.1	99.2	—	1.3
50 thrusters (1,814.0 tonnes thrust)	50.0	154.2	8.0	—	0.8
240 internal jump fuel tanks	240.0	65.3	38.4	—	—
240 -dtons jump fuel	(240.0)	(217.7)	(0.1)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
1 bay for Launch	10.5	0.5	0.0	—	—
1 Launch	(10.0)	(32.7)	(3.6)	—	1
Other Modules	Spaces	Mass	Cost	Area	Crew
2 utility modules	2.0	20.9	0.6	—	—
75 Staterooms for 75 high passengers	300.0	163.3	0.9	—	3.8
25 low berths for 100 low passengers	12.5	45.3	5.5	—	—
7 crew staterooms	28.0	15.2	0.1	—	—
3 exercise rooms	7.5	1.4	0.0	—	—
1 sickbay	1.0	0.7	0.2	—	1
113.0-dton cargo hold	113.0	—	—	—	—
Cargo	(113.0)	(512.5)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	800.0	771.5	160.8	3,026	4
Fitted out with full crew	800.0	1,534.3	164.4	3,026	12

## Prenei-class Scoopship (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to private standards.

Structure	Spaces	Mass	Cost	Area	Crew
80-dton medium hull, std. mat.	(64.0)	6.4	0.8	651	—
DR 100 crystaliron armour	—	31.8	0.4	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.6	2.7	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
13 thrusters (471.6 tonnes thrust)	13.0	40.1	2.1	—	0.2
50 internal jump fuel tanks	50.0	13.6	8.0	—	—
50 -dtons jump fuel	(50.0)	(45.3)	(0.0)	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	64.0	96.5	14.0	651	2
Fitted out with full crew	64.0	141.8	14.0	651	2

## Pugilist-class Combat Scout (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
100-dton medium hull, std. mat.	(80.0)	3.7	1.0	756	—
1 turret (DR 1000)	1.0	14.9	0.3	74	—
DR 2000 bonded superdense armour	—	295.4	3.9	—	—
Total compartmentalization	—	0.7	0.0	—	—
Basic stealth	—	2.0	0.7	—	—
Basic emission cloaking	—	2.0	0.7	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge with hardened controls	2.5	9.3	6.1	—	1-5
1 enhanced sensor	4.0	34.6	33.2	—	0-1
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
5 jump drive modules	5.0	18.1	15.3	—	0.0
16 thrusters (1,451.2 tonnes thrust)	16.0	58.0	10.4	—	0.2
40 internal jump fuel tanks	40.0	10.9	6.4	—	—
40 -dtons jump fuel	(40.0)	(36.3)	(0.0)	—	—
1 fuel processor	1.0	1.0	0.9	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple 405 MJ laser turret	(3.0)	21.2	2.0	—	1-1
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
2 crew staterooms	8.0	3.6	0.0	—	—
0.5-dton cargo hold	0.5	—	—	—	—
Cargo	(0.5)	(2.3)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	80.0	489.4	81.1	830	2
Fitted out with full crew	80.0	527.9	81.1	830	3

## Pugnacious-class Battle Cruiser (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to military standards.

Structure	Spaces	Mass	Cost	Area	Crew
10,000-dton medium hull, std. mat.(10,000.0)	159.1	8.8	16,298	—	—
7 small internal bays	350.0	41.3	2.3	—	—
DR 3000 crystaliron armour	—	23,868.8	315.8	—	—
Total compartmentalization	—	31.8	0.4	—	—
Basic stealth	—	39.8	13.2	—	—
Basic emission cloaking	—	39.8	13.2	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
2 fusion engineering modules	2.0	7.3	0.6	—	—
400 jump drive modules	400.0	1,451.2	1,240.0	—	16
3,800 thrusters (137,864.0 tonnes thrust)	3,800.0	11,718.4	608.0	—	63.3
3,000 internal jump fuel tanks	3,000.0	816.3	480.0	—	—
3,000 -dtons jump fuel	(3,000.0)	(2,721.0)	(1.0)	—	—
2.5 fuel scoops	2.5	1.3	0.0	—	—
15 fuel processors	15.0	15.0	12.8	—	—
1 workshop	2.5	13.6	0.1	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
5 small missile bays	(250.0)	343.3	5.5	—	10
2 13 GJ particle bays	(100.0)	847.1	45.6	—	4
870 GJ spinal particle accelerator	2,291.0	20,733.1	1,567.0	—	24
Ordnance	Spaces	Mass	Cost	Area	Crew
3,750 ready heavy missiles	—	(2,550.9)	(675.0)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
20 utility modules	20.0	208.6	6.0	—	—
12 crew bunkrooms	48.0	52.2	0.2	—	—
17 crew low berths	8.5	30.8	3.7	—	—
2 sickbays	2.0	1.4	0.3	—	2
53.5-dton cargo hold	53.5	—	—	—	—
Cargo	(53.5)	(242.6)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	10,000.0	60,441.9	4,336.0	16,298	81
Fitted out with full crew	10,000.0	65,956.4	5,011.0	16,298	195

## Puyan-class Frigate (GTL9)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Turrets are not counted towards jump volume. Contains playtest modules (low tech).

Structure	Spaces	Mass	Cost	Area	Crew
800-dton medium hull, std. mat.	(800.0)	44.3	1.6	3,026	—
8 turrets (DR 100)	8.0	52.5	0.9	594	—
DR 100 durasteel armour	—	221.6	2.9	—	—
Basic stealth	—	8.8	2.9	—	—
Basic emission cloaking	—	8.8	2.9	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge with hardened controls	3.0	15.0	11.0	—	1-5
1 enhanced sensor	4.0	35.2	32.7	—	0-1
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	3.0	11.7	5.0	—	—
24 jump drive modules	48.0	174.1	120.0	—	4.8
75 fusion rockets (5,442.0 tonnes)	75.0	272.1	60.0	—	1.3
320 internal jump fuel tanks	320.0	87.1	51.2	—	—
320 -dtons jump fuel	(320.0)	(290.2)	(0.1)	—	—
1 fuel scoop	1.0	0.5	0.0	—	—
300 water fuel tanks	300.0	6.8	51.0	—	—
Water (as reaction mass)	(300.0)	(4,081.5)	(0.1)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
4 triple light missile turrets	(12.0)	3.3	0.2	—	4
1 triple heavy missile turret	(3.0)	4.1	0.1	—	1
1 triple sandcaster turret	(3.0)	13.6	0.8	—	1
1 triple 101 MJ laser turret	(3.0)	23.5	4.3	—	1-1
1 triple 40 MJ PD laser turret	(3.0)	15.3	4.4	—	1-1
Ordnance	Spaces	Mass	Cost	Area	Crew
984 ready light missiles	—	(133.9)	(34.4)	—	—
45 ready heavy missiles	—	(30.6)	(9.0)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
5 utility modules	5.0	28.1	3.8	—	—
3 crew bunkrooms	15.0	13.3	0.2	—	—
1 sickbay	2.5	4.6	0.3	—	1
15.5-dton cargo hold	15.5	—	—	—	—
Cargo	(15.5)	(70.3)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	800.0	826.7	356.1	3,620	7
Fitted out with full crew	800.0	1,351.7	399.5	3,620	20

## Quero-class Assault Lander (GTL11)

*Design Parameters:* Built for Imperial human crew. Designed to military standards.

Structure	Spaces	Mass	Cost	Area	Crew
40-dton medium hull, std. mat.	(32.0)	3.0	0.5	410	—
DR 2300 superdense armour	—	276.7	3.7	—	—
Basic stealth	—	1.0	0.3	—	—
Basic emission cloaking	—	1.0	0.3	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	3.8	2.2	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
16 thrusters (1,451.2 tonnes thrust)	16.0	58.0	10.4	—	0.3
Other Modules	Spaces	Mass	Cost	Area	Crew
3 passenger couches	3.0	1.0	0.0	—	—
12.0-dton cargo hold	12.0	—	—	—	—
Cargo	(12.0)	(54.4)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	32.0	344.5	17.4	410	2
Fitted out with full crew	32.0	398.9	17.4	410	2

## Quorum Assembly Hall (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to private standards. Turrets are not counted towards jump volume. Contains nonstandard modules (briefing room).

Structure	Spaces	Mass	Cost	Area	Crew
5,000-dton medium hull, std. mat.	(5,000.0)	100.2	5.5	10,267	—
50 turrets (DR 100)	50.0	218.8	4.4	3,716	—
DR 100 crystaliron armour	—	100.2	1.3	—	—
1 x 3,313-dton medium subhull, std. materials	(3,313.5)	76.2	4.2	(7,804)	—
DR 100 crystaliron armour	—	381.0	5.0	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
200 jump drive modules	200.0	725.6	620.0	—	8
100 thrusters (3,628.0 tonnes thrust)	100.0	308.4	16.0	—	1.7
1,500 internal jump fuel tanks	1,500.0	408.2	240.0	—	—
1,500 -dtons jump fuel	(1,500.0)	(1,360.5)	(0.5)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
25 triple sandcaster turrets	(75.0)	340.1	18.8	—	25
25 triple 90 MJ PD laser turrets	(75.0)	397.9	44.2	—	3-25
Auxiliaries	Spaces	Mass	Cost	Area	Crew
Hanger for Launches with 1 entrance	500.0	0.9	0.0	—	—
25 <i>Skyskipper</i> Launches	(250.0)	(515.0)	(78.5)	—	25
Barracks	Spaces	Mass	Cost	Area	Crew
28 marine staterooms	112.0	61.0	0.3	—	—
1 tactical command centre	4.0	2.7	2.8	—	—
5 briefing rooms	5.0	0.1	0.0	—	—
1 weapons locker	1.0	6.3	0.0	—	—
2 gyms	5.0	0.9	0.0	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
7 utility modules	7.0	73.0	2.1	—	—
60 suites for 60 noble passengers	480.0	130.6	3.6	—	60
360 Staterooms for 360 high passengers	1,440.0	783.6	4.3	—	18
75 crew staterooms	300.0	163.3	0.9	—	—
24 exercise rooms	60.0	10.9	0.0	—	—
4 halls	40.0	0.7	0.0	—	—
2 theatres	40.0	3.8	0.0	—	2
1 stage	16.0	0.5	0.0	—	—
5 sickbays	5.0	3.4	0.8	—	5
2 surgical theatres	2.0	0.7	0.2	—	—
129.5-dton cargo hold	129.5	—	—	—	—
Cargo	(129.5)	(587.3)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	5,000.0	4,310.6	979.1	13,983	11
Fitted out with full crew	5,000.0	6,773.3	1,057.6	13,983	149



## Quotal-class Tramp Trader (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to commercial standards. Turrets are counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, std. mat.	(320.0)	18.6	2.5	1,906	—
4 turrets (DR 100)	4.0	17.5	0.6	297	—
DR 100 crystaliron armour	—	93.1	1.2	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
13 jump drive modules	13.0	47.2	40.3	—	0.5
30 thrusters (1,088.4 tonnes thrust)	30.0	92.5	4.8	—	0.5
81 internal jump fuel tanks	81.0	22.0	13.0	—	—
81 -dtons jump fuel	(81.0)	(73.5)	(0.0)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
2 triple sandcaster turrets	(6.0)	27.2	1.5	—	2
1 triple 250 MJ laser turret	(3.0)	22.6	2.5	—	1-1
1 triple 90 MJ PD laser turret	(3.0)	15.9	1.8	—	1-1
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
12 Staterooms for 12 high passengers	48.0	26.1	0.1	—	0.6
6 Staterooms for 12 middle passengers	24.0	13.1	0.1	—	0.2
5 low berths for 20 low passengers	2.5	9.1	1.1	—	—
5 crew staterooms	20.0	10.9	0.1	—	—
93.0-dton cargo hold	93.0	—	—	—	—
Cargo	(93.0)	(421.8)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	320.0	437.7	74.1	2,203	2
Fitted out with full crew	320.0	932.9	74.1	2,203	8

## Rikiamid-class Bulk Freighter (GTL10)

*Design Parameters:* Built for Imperial human crew. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
5,000-dton medium hull, std. mat.	(5,000.0)	100.2	5.5	10,267	—
4 turrets (DR 100)	4.0	17.5	0.4	297	—
DR 100 crystaliron armour	—	501.2	6.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
150 jump drive modules	150.0	544.2	465.0	—	6
500 thrusters (18,140.0 tonnes thrust)	500.0	1,541.9	80.0	—	8.3
1,000 internal jump fuel tanks	1,000.0	272.1	160.0	—	—
1,000 -dtons jump fuel	(1,000.0)	(907.0)	(0.3)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
4 empty turrets	(12.0)	—	—	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
10 utility modules	10.0	104.3	3.0	—	—
25 crew staterooms	100.0	54.4	0.3	—	—
3,232.5-dton cargo hold	3,232.5	—	—	—	—
Cargo	(3,232.5)	(14,659.4)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	5,000.0	3,147.3	725.1	10,564	16
Fitted out with full crew	5,000.0	18,713.7	725.1	10,564	25

## Rochelle-class Monitor (GTL12)

Structure	Spaces	Mass	Cost	Area	Crew
2000-ton planetoid hull	(2000.0)	979.6	0.0	5574.2	0.0
Tunnelling	0.0	0.0	0.2	0.0	0.0
Airtight sealing	0.0	0.0	0.8	0.0	0.0
Armour: DR10000, PD4	0.0	193372.4	38.4	0.0	0.0
Total compartmentalization	1.7	195.9	0.0	0.0	0.0
20 turrets (60 spaces)	20.0	7.7	0.8	1486.4	20.0
Drive Modules	Spaces	Mass	Cost	Area	Crew
Engineering module	1.0	3.4	0.2	0.0	0.0
Maneuver drive (0.2G)	350.0	1269.8	101.5	0.0	3.5
Weapon Modules	Spaces	Mass	Cost	Area	Crew
30 Missile Racks	(30.0)	353.7	0.5	0.0	0.0
30 405-MJ Lasers	(30.0)	212.2	20.4	0.0	0.0
Spinal Meson Gun	1512.0	13712.9	939.0	0.0	0.0
Meson Screen (DR4105)	15.0	68.0	33.9	0.0	0.0
Nuclear Damper (16 km range)	1.0	9.1	4.0	0.0	0.0
Workspace Modules	Spaces	Mass	Cost	Area	Crew
Hardened Command Bridge	5.0	20.5	14.5	0.0	5.0
4 utility modules	4.0	41.7	1.0	0.0	0.0
Sickbay	1.0	0.8	0.2	0.0	2.0
Hold	21.3	0.0	0.0	0.0	0.0
Accommodation Modules	Spaces	Mass	Cost	Area	Crew
16 staterooms	64.0	29.0	0.2	0.0	0.0
bunkroom sleeping 16 personnel	4.0	1.7	0.0	0.0	0.0
Miscellaneous Items	Spaces	Mass	Cost	Area	Crew
Cargo	(21.3)	(96.5)	0.0	0.0	0.0
Missiles	0.0	0.0	50.9	0.0	0.0
Totals	Spaces	Mass	Cost	Area	Crew
Fully loaded & fitted out	2000.0	210375.0	1206.8	7060.6	42.0
Unloaded with skeleton crew	2000.0	210278.5	1155.9	7060.6	8.0

## Rori-class Asteroid Miner (GTL10)

Structure	Spaces	Mass	Cost	Area	Crew
200-ton hull	(200.0)	13.6	0.8	1393.5	0.0
Airtight sealing	0.0	0.0	0.2	0.0	0.0
Armour: DR100, PD4	0.0	75.3	1.0	0.0	0.0
2 turrets	2.0	1.5	0.1	148.6	2.0
Drive Modules	Spaces	Mass	Cost	Area	Crew
Engineering module	1.0	3.7	0.3	0.0	0.0
Jump drive (2 parsecs)	6.0	21.8	18.6	0.0	0.2
Jump tanks	40.0	47.2	6.4	0.0	0.0
Collapsible Tank (60 tons)	0.5	4.5	0.2	0.0	0.0
Maneuver drive (0.2G)	5.0	15.4	0.8	0.0	0.1
Fuel processor module (5.0 hours)	1.0	1.0	0.9	0.0	0.0
Workspace Modules	Spaces	Mass	Cost	Area	Crew
Bridge	2.5	7.8	4.0	0.0	1.0
1 utility module	1.0	10.4	0.3	0.0	0.0
Smelter	1.0	5.7	0.0	0.0	0.0
Hold	124.0	0.0	0.0	0.0	0.0
Accommodation Modules	Spaces	Mass	Cost	Area	Crew
4 staterooms	16.0	8.7	0.0	0.0	0.0
Low berths for 4 cryotubes	0.5	1.8	0.2	0.0	0.0
Miscellaneous Items	Spaces	Mass	Cost	Area	Crew
Fuel	(40.0)	0.0	0.0	0.0	0.0
Cargo	(124.0)	(562.3)	0.0	0.0	0.0
Totals	Spaces	Mass	Cost	Area	Crew
Fully loaded & fitted out	200.0	776.2	33.6	1542.2	4.0
Unloaded with skeleton crew	200.0	213.9	33.6	1542.2	2.0

## Rorke-class Cargo Lighter (GTL10)

Design Parameters: Built for Solomani human crew.

Structure	Spaces	Mass	Cost	Area	Crew
80-dton medium hull, std. mat.	(64.0)	6.4	0.8	651	—
DR 100 crystaliron armour	—	31.8	0.4	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.6	2.7	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
8 thrusters (290.2 tonnes thrust)	8.0	24.7	1.3	—	0.1
Other Modules	Spaces	Mass	Cost	Area	Crew
55.0-dton cargo hold	55.0	—	—	—	—
Cargo	(55.0)	(249.4)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	64.0	67.4	5.2	651	2
Fitted out with full crew	64.0	316.9	5.2	651	1

## S-XL -class Long Range Scout (GTL12)

Structure	Spaces	Mass	Cost	Area	Crew
100-ton streamlined hull	(80.0)	4.5	1.2	929.0	0.0
Airtight sealing	0.0	0.0	0.1	0.0	0.0
Armour: DR100, PD4	0.0	19.6	0.3	0.0	0.0
1 turret (3 spaces)	1.0	0.4	0.1	74.3	1.0
Basic stealth	0.0	2.4	0.8	0.0	0.0
Basic emission cloaking	0.0	2.4	0.8	0.0	0.0
Drive Modules	Spaces	Mass	Cost	Area	Crew
Engineering module	1.0	3.4	0.2	0.0	0.0
Jump drive (6 parsecs)	7.0	25.4	21.4	0.0	0.1
Jump tanks	60.0	70.7	9.6	0.0	0.0
Reactionless thruster (1.5G)	3.0	10.9	0.9	0.0	0.0
Weapon Modules	Spaces	Mass	Cost	Area	Crew
Missile Rack	(1.0)	11.8	0.0	0.0	0.0
405-MJ Laser	(1.0)	7.1	0.7	0.0	0.0
1 sandcaster	(1.0)	4.5	0.3	0.0	0.0
Workspace Modules	Spaces	Mass	Cost	Area	Crew
Hardened Bridge	2.5	7.0	3.7	0.0	1.0
1 utility module	1.0	10.4	0.3	0.0	0.0
Hold	0.5	0.0	0.0	0.0	0.0
Accommodation Modules	Spaces	Mass	Cost	Area	Crew
stateroom	4.0	1.8	0.0	0.0	0.0
Miscellaneous Items	Spaces	Mass	Cost	Area	Crew
Fuel	(60.0)	0.0	0.0	0.0	0.0
Cargo	(0.5)	(2.3)	0.0	0.0	0.0
Missiles	0.0	0.0	1.7	0.0	0.0
Sand cannisters	0.0	0.0	0.1	0.0	0.0
Totals	Spaces	Mass	Cost	Area	Crew
Fully loaded & fitted out	80.0	184.7	42.0	1003.4	1.0
Unloaded with skeleton crew	80.0	182.4	40.2	1003.4	1.0

## S'donath-class Fast Courier (GTL12)

Design Parameters: Built for Imperial human crew. Designed to private standards.

Structure	Spaces	Mass	Cost	Area	Crew
100-dton medium hull, std. mat.	(100.0)	3.7	0.4	756	—
DR 100 bonded superdense armour	—	14.8	0.2	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.1	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
7 jump drive modules	7.0	25.4	21.4	—	0.1
1 thruster (90.7 tonnes thrust)	1.0	3.6	0.6	—	0.0
60 internal jump fuel tanks	60.0	16.3	9.6	—	—
60 -dtons jump fuel	(60.0)	(54.4)	(0.0)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
1 stateroom for 1 independent passenger	4.0	1.8	0.0	—	—
1 low berth for 4 low passengers	0.5	1.8	0.2	—	—
1 crew stateroom	4.0	1.8	0.0	—	—
19.0-dton cargo hold	19.0	—	—	—	—
Cargo	(19.0)	(86.2)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	100.0	89.6	36.0	756	1
Fitted out with full crew	100.0	230.2	36.0	756	1

## Sarta-class Armoured Launch (GTL10)

Design Parameters: Built for Solomani human crew.

Structure	Spaces	Mass	Cost	Area	Crew
10-dton medium hull, std. mat.	(8.0)	1.6	0.2	162	—
DR 300 crystaliron armour	—	23.9	0.3	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.6	2.7	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
4 thrusters (145.1 tonnes thrust)	4.0	12.3	0.6	—	0.1
Other Modules	Spaces	Mass	Cost	Area	Crew
3 passenger couches	3.0	1.5	0.0	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	8.0	43.8	3.8	162	1
Fitted out with full crew	8.0	43.8	3.8	162	1

## Selanai-class Armed Liner (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to commercial standards. Turrets are counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
1,200-dton medium hull, std. mat.	(1,200.0)	19.4	2.1	3,965	—
6 turrets (DR 100)	6.0	11.0	0.4	445	—
DR 100 bonded superdense armour	—	77.4	1.0	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge	5.0	17.4	8.8	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
37 jump drive modules	37.0	134.2	112.8	—	0.4
50 thrusters (4,535.0 tonnes thrust)	50.0	181.4	32.5	—	0.5
242 internal jump fuel tanks	242.0	65.8	38.7	—	—
242 -dtons jump fuel	(242.0)	(219.5)	(0.1)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
4 triple sandcaster turrets	(12.0)	54.4	3.0	—	4
2 triple 102 MJ PD laser turrets	(6.0)	28.1	1.9	—	1-2
Auxiliaries	Spaces	Mass	Cost	Area	Crew
1 bay for <i>Tralsa</i> Gig	21.0	0.5	0.0	—	—
1 <i>Tralsa</i> Gig	(20.0)	(69.2)	(3.5)	—	1
Other Modules	Spaces	Mass	Cost	Area	Crew
3 utility modules	3.0	31.3	0.8	—	—
24 Staterooms for 24 high passengers	96.0	43.5	0.3	—	1.2
7 crew staterooms	28.0	12.7	0.1	—	—
711.0-dton cargo hold	711.0	—	—	—	—
Cargo	(711.0)	(3,224.4)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	1,200.0	680.4	202.5	4,411	2
Fitted out with full crew	1,200.0	4,193.5	206.0	4,411	12

## Selonian-class Passenger Liner (GTL11)

*Design Parameters:* Built for Imperial human crew. Designed to commercial standards. All quantities in metric units.

Structure	Spaces	Mass	Cost	Area	Crew
900-dton medium hull, std. mat.	(900.0)	24.0	1.8	3,273	—
DR 100 superdense armour	—	95.9	1.3	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.2	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
27 jump drive modules	27.0	98.0	82.3	—	0.5
30 thrusters (2,721.0 tonnes thrust)	30.0	108.8	19.5	—	0.6
180 internal jump fuel tanks	180.0	49.0	28.8	—	—
180 -dtons jump fuel	(180.0)	(163.3)	(0.1)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
Hanger for Launch with 1 entrance	40.0	0.9	0.0	—	—
1 <i>Marstrom</i> Launch	(20.0)	(18.0)	(3.1)	—	1
Other Modules	Spaces	Mass	Cost	Area	Crew
2 utility modules	2.0	20.9	0.5	—	—
50 Staterooms for 50 high passengers	200.0	90.7	0.6	—	2.5
5 low berths for 20 low passengers	2.5	9.1	1.1	—	—
5 crew staterooms	20.0	9.1	0.1	—	—
1 sickbay	1.0	0.8	0.2	—	1
394.0-dton cargo hold	394.0	—	—	—	—
Cargo	(394.0)	(1,786.8)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	900.0	516.9	139.5	3,273	3
Fitted out with full crew	900.0	2,484.9	142.6	3,273	8

## Shebzhinj-class Launch (GTL11)

*Design Parameters:* Built for Zhodani human crew. Designed to private standards.

Structure	Spaces	Mass	Cost	Area	Crew
10-dton medium hull, std. mat.	(8.0)	1.2	0.2	162	—
DR 100 superdense armour	—	4.8	0.1	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hrd. controls and psi switches	1.0	3.8	2.2	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
1 thruster (90.7 tonnes thrust)	1.0	3.6	0.6	—	0.0
Other Modules	Spaces	Mass	Cost	Area	Crew
1 passenger couch	1.0	0.3	0.0	—	—
5.0-dton cargo hold	5.0	—	—	—	—
Cargo	(5.0)	(22.7)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	8.0	13.7	3.1	162	1
Fitted out with full crew	8.0	36.4	3.1	162	1

## Shibaash-class Light Cruiser (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Metric measurements, turrets are not counted towards jump volume, weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
5,000-dton medium hull, standard materials(5,000.0)	100.2	5.5	110,520	—	—
15 turrets (DR 2000)	15.0	1,099.6	15.0	12,000	—
2 large internal bays	200.0	18.1	1.0	—	—
DR 4000 crystaliron armour	—	20,048.5	265.3	—	—
Basic stealth	—	27.8	9.2	—	—
Basic emission cloaking	—	27.8	9.2	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
200 jump drive modules	200.0	725.6	620.0	—	8
1,300 thrusters (47,164.0 tonnes thrust)	1,300.0	4,008.9	208.0	—	21.7
1,500 internal jump fuel tanks	1,500.0	408.2	240.0	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
4 triple sandcaster turrets	(12.0)	54.4	3.0	—	4
4 triple 250 MJ laser turrets	(12.0)	90.6	9.8	—	1-4
4 triple 90 MJ PD laser turrets	(12.0)	63.7	7.1	—	1-4
3 single 810 MJ heavy laser turrets	(9.0)	75.4	8.1	—	1-3
2 large heavy missile bays	(200.0)	273.9	4.4	—	4
570 GJ spinal particle accelerator	1,512.0	13,685.7	1,034.0	—	17
1 nuclear damper module	4.0	37.7	16.2	—	4
Ordnance	Spaces	Mass	Cost	Area	Crew
3,000 ready heavy missiles	—	(2,040.8)	(540.0)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
10 utility modules	10.0	104.3	3.0	—	—
36 crew staterooms	144.0	78.4	0.4	—	—
1 sickbay	1.0	0.7	0.2	—	1
108.0-dton cargo hold	108.0	—	—	—	—
Cargo	(108.0)	(489.8)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty	5,000.0	40,954.8	2,472.3	122,520	0
Fitted out	5,000.0	44,845.8	3,012.3	122,520	0

## Shinzang-class Shuttle (GTL9)

*Design Parameters:* Built for Solomani human crew. Designed to private standards. All quantities in metric units. Contains playtest modules (low tech).

Structure	Spaces	Mass	Cost	Area	Crew
50-dton medium hull, std. mat.	(40.0)	7.0	0.6	476	—
DR 100 durasteel armour	—	34.9	0.5	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit	1.0	4.0	3.7	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
3 fusion rockets (217.7 tonnes thrust)	3.0	10.9	2.4	—	0.1
4 water fuel tanks	4.0	0.1	0.7	—	—
Water (as reaction mass)	(4.0)	(54.4)	(0.0)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
2 passenger couches	2.0	1.4	0.0	—	—
30.0-dton cargo hold	30.0	—	—	—	—
Cargo	(30.0)	(136.1)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	40.0	49.5	7.9	476	1
Fitted out with full crew	40.0	185.6	7.9	476	1

## Shtiabr-class Intelligence Frigate (GTL11)

*Design Parameters:* Built for Zhodani human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
3,000-dton medium hull, std. mat.	(3,000.0)	53.5	3.9	7,304	—
10 turrets (DR 1250)	10.0	277.7	4.0	743	—
2 small internal bays	100.0	11.8	0.6	—	—
DR 2500 superdense armour	—	5,348.3	70.8	—	—
Radical stealth	—	39.3	65.0	—	—
Radical emission cloaking	—	39.3	65.0	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge with hrd cnttlls & psi switches	2.5	9.3	6.3	—	1-5
1 centre containing 8 cplx 9 computers	1.0	10.9	30.0	—	—
1 advanced sensor	8.0	69.2	69.0	—	0-1
1 electronic warfare suite	3.0	36.6	10.5	—	2
1 probe launch centre	1.0	1.1	0.0	—	0-3
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
150 jump drive modules	150.0	544.2	457.5	—	3
200 thrusters (18,140.0 tonnes thrust)	200.0	725.6	130.0	—	4
2,400 internal jump fuel tanks	2,400.0	653.0	384.0	—	—
2,400 -dtons jump fuel	(2,400.0)	(2,176.8)	(0.8)	—	—
2.5 fuel scoops	2.5	1.3	0.0	—	—
10 fuel processors	10.0	10.0	8.5	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
3 triple 97 MJ PD laser turrets	(9.0)	39.9	3.8	—	1-3
7 single 870 MJ heavy laser turrets	(21.0)	187.3	11.0	—	1-7
2 14 GJ particle bays	(100.0)	943.3	46.6	—	4
Auxiliaries	Spaces	Mass	Cost	Area	Crew
2 bays for Shebzhinj Launches	21.0	0.5	0.0	—	—
2 Shebzhinj Launches	(20.0)	(72.8)	(6.2)	—	2
Other Modules	Spaces	Mass	Cost	Area	Crew
6 utility modules	6.0	62.6	1.5	—	—
13 crew staterooms	52.0	23.6	0.2	—	—
1 sickbay	1.0	0.8	0.2	—	1
31.0-dton cargo hold	31.0	—	—	—	—
Cargo	(31.0)	(140.6)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	3,000.0	9,092.2	1,368.5	8,047	10
Fitted out with full crew	3,000.0	11,482.4	1,374.7	8,047	25

## Shtiabrisht-class Destroyer (GTL11)

*Design Parameters:* Built for Zhodani human crew. Designed to military standards. All quantities in metric units. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
8,000-dton medium hull, std. mat.	(8,000.0)	102.8	7.6	14,045	—
20 turrets (DR 2750)	20.0	1,208.5	16.7	1,486	—
6 large external bays (DR 2750)	120.0	5,891.0	80.2	7,246	—
DR 5500 superdense armour	—	22,626.4	299.4	—	—
Heavy compartmentalization	—	10.3	0.1	—	—
Radical stealth	—	111.2	183.9	—	—
Radical emission cloaking	—	111.2	183.9	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge (hrd cntls, psionic switches)	2.5	9.3	6.3	—	1-5
1 enhanced sensor	4.0	34.6	33.2	—	0-1
1 electronic warfare suite	3.0	36.6	10.5	—	2
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
340 jump drive modules	340.0	1,233.5	1,037.0	—	6.8
4,000 thrusters (362,800.0 tonnes thrust)	4,000.0	14,512.0	2,600.0	—	80
2,544 internal jump fuel tanks	2,544.0	692.2	407.0	—	—
2,544 -dtons jump fuel	(2,544.0)	(2,307.4)	(0.9)	—	—
1 workshop	2.5	13.6	0.1	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
5 triple 390 MJ laser turrets	(15.0)	102.3	17.3	—	1-5
15 triple 97 MJ PD laser turrets	(45.0)	199.6	18.9	—	2-15
6 large heavy missile bays	(600.0)	821.7	13.2	—	12
2 nuclear damper modules	2.0	18.5	8.0	—	4
Ordnance	Spaces	Mass	Cost	Area	Crew
9,000 ready heavy missiles	—	(6,122.3)	(1,800.0)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
Hanger (10 <i>Tezhmachts</i> , 1 entrance)	600.0	0.9	0.0	—	—
10 <i>Tezhmacht</i> Fighters	(300.0)	(3,352.0)	(282.7)	—	20
Other Modules	Spaces	Mass	Cost	Area	Crew
16 utility modules	16.0	166.9	4.0	—	—
69 crew staterooms	276.0	125.2	0.8	—	—
2 sickbays	5.0	9.3	0.4	—	2
64.0-dton cargo hold	64.0	—	—	—	—
Cargo	(64.0)	(290.2)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	8,000.0	48,040.9	4,928.5	22,778	90
Fitted out with full crew	8,000.0	60,112.8	7,011.2	22,778	136

## Skyskipper-class Launch (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to private standards.

Structure	Spaces	Mass	Cost	Area	Crew
10-dton medium hull, std. mat.	(8.0)	1.6	0.2	162	—
DR 100 crystaliron armour	—	8.0	0.1	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit	1.0	4.4	2.5	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
2 thrusters (72.6 tonnes thrust)	2.0	6.2	0.3	—	0.0
Other Modules	Spaces	Mass	Cost	Area	Crew
1 passenger couch	1.0	0.5	0.0	—	—
4.0-dton cargo hold	4.0	—	—	—	—
Cargo	(4.0)	(18.1)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	8.0	20.6	3.1	162	1
Fitted out with full crew	8.0	38.8	3.1	162	1

## Slakter-class Assault Cruiser (GTL9)

Structure	Spaces	Mass	Cost	Area	Crew
10000-ton hull	(10000.0)	231.3	8.5	15793.5	0.0
Airtight sealing	0.0	0.0	2.4	0.0	0.0
Armour: DR2000, PD4	0.0	32584.0	431.1	0.0	0.0
Total compartmentalization	0.0	46.3	0.5	0.0	0.0
7 weapon bays	350.0	41.3	2.3	4227.1	14.0
30 turrets (90 spaces)	30.0	22.4	1.2	2229.7	30.0
Basic stealth	0.0	54.3	18.0	0.0	0.0
Basic emission cloaking	0.0	54.3	18.0	0.0	0.0
Drive Modules	Spaces	Mass	Cost	Area	Crew
Engineering module	3.5	11.3	5.0	0.0	0.0
Jump drive (1 parsec)	400.0	1451.2	1000.0	0.0	40.0
Jump tanks	1000.0	1179.1	160.0	0.0	0.0
Fusion rocket (1.0G)	1200.0	13577.8	1500.0	0.0	0.0
Rocket fuel tank (1.4 hours)	2800.0	39681.3	448.0	0.0	0.0
5 fuel processor modules (25.0 hours)	5.0	5.0	4.3	0.0	0.0
Weapon Modules	Spaces	Mass	Cost	Area	Crew
45 102-MJ Lasers	(45.0)	355.9	64.8	0.0	0.0
45 sandcasters	(45.0)	204.1	11.3	0.0	0.0
7 Missile Bays	(350.0)	3928.8	5.9	0.0	0.0
Spinal Particle Beam	1513.0	13719.3	1035.0	0.0	0.0
Workspace Modules	Spaces	Mass	Cost	Area	Crew
Hardened Command Bridge	6.0	26.9	22.3	0.0	4.0
20 utility modules	20.0	208.6	6.0	0.0	0.0
80 Vehicle Bays	2520.0	5442.0	180.0	0.0	0.0
Hold	92.5	0.0	0.0	0.0	0.0
Accommodation Modules	Spaces	Mass	Cost	Area	Crew
stateroom	4.0	2.7	0.0	0.0	0.0
14 bunkrooms sleeping 224 personnel	56.0	61.0	0.3	0.0	0.0
Miscellaneous Items	Spaces	Mass	Cost	Area	Crew
Fuel	(1000.0)	0.0	0.3	0.0	0.0
Cargo	(92.5)	(419.5)	0.0	0.0	0.0
40 <i>Elding</i> Light Fighters	(800.0)	(10324.0)	(712.0)	0.0	40.0
40 <i>Helm</i> Fighters	(1600.0)	(61280.0)	(1396.0)	0.0	80.0
Missiles	0.0	0.0	850.0	0.0	0.0
Sand cannisters	0.0	0.0	3.6	0.0	0.0
Totals	Spaces	Mass	Cost	Area	Crew
Fully loaded & fitted out	10000.0	184912.3	7439.6	22250.3	210.0
Unloaded with skeleton crew	10000.0	112888.8	4477.6	22250.3	44.0

## Solon-class Battlecruiser (GTL 12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited. Contains nonstandard modules (briefing room).

Structure	Spaces	Mass	Cost	Area	Crew
10,000-dton medium hull, std. mat.	(10,000.0)	79.6	8.8	16,298	—
5 turrets (DR 5000)	5.0	364.7	5.0	371	—
8 small internal bays	400.0	47.2	2.6	—	—
DR 10000 bonded superdense armour	—	31,825.0	421.1	—	—
Radical stealth	—	81.4	134.6	—	—
Radical emission cloaking	—	81.4	134.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	20.1	11.8	—	1-10
Basic bridge with hardened controls	2.5	9.3	6.1	—	0-0
1 information centre	4.0	2.7	2.8	—	10-20
1 enhanced communicator	1.0	14.8	0.7	—	0-1
1 advanced sensor	8.0	69.2	69.0	—	0-1
1 electronic warfare suite	3.0	36.6	10.5	—	2
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
400 jump drive modules	400.0	1,451.2	1,220.0	—	4
2,600 thrusters (235,820.0 tonnes thrust)	2,600.0	9,432.8	1,690.0	—	26
3,000 internal jump fuel tanks	3,000.0	816.3	480.0	—	—
3,000 -dtons jump fuel	(3,000.0)	(2,721.0)	(1.0)	—	—
2.5 fuel scoops	2.5	1.3	0.0	—	—
15 fuel processors	15.0	15.0	12.8	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
5 single 1,313 MJ heavy laser turrets	(15.0)	113.8	10.5	—	1-5
8 13 GJ meson bays	(400.0)	3,112.8	168.5	—	16
570 GJ spinal meson gun	1,512.0	13,675.7	936.0	—	17
2 nuclear damper modules	2.0	18.5	8.0	—	4
44 meson screen modules	44.0	199.5	101.2	—	4
Auxiliaries	Spaces	Mass	Cost	Area	Crew
Hanger for 10 <i>Citadels</i> with 1 entrance	1,000.0	0.9	0.0	—	—
10 <i>Citadel</i> Heavy Fighters	(500.0)	(4,401.0)	(329.7)	—	20
4 bays for <i>Murka</i> Combat Shuttles	126.0	0.5	0.0	—	—
4 <i>Murka</i> Combat Shuttles	(120.0)	(702.4)	(51.3)	—	8
Barracks	Spaces	Mass	Cost	Area	Crew
3 marine staterooms	12.0	5.4	0.0	—	—
30 marine bunkrooms	120.0	51.7	0.5	—	—
4 briefing rooms	4.0	0.1	0.0	—	—
6 battledress racks	6.0	156.5	—	—	—
2 weapons lockers	2.0	12.7	0.1	—	—
4 gyms	10.0	1.8	0.0	—	—
1 shooting range	10.0	9.1	0.2	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
20 utility modules	20.0	208.6	5.0	—	—
61 crew staterooms	244.0	110.7	0.7	—	—
16 crew low berths	8.0	29.0	3.5	—	—
2 sickbays	5.0	9.3	0.4	—	2
1 surgical theatre	1.0	0.4	0.1	—	—
3 brigs	3.0	19.0	0.1	—	—
1 safe	1.0	6.3	0.0	—	—
423.0-dton cargo hold	423.0	—	—	—	—
Cargo	(423.0)	(1,918.3)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	10,000.0	62,094.2	5,445.4	16,670	43
Fitted out with full crew	10,000.0	71,836.9	5,826.4	16,670	183

## Ssaybom Exploration Cruiser (GTL 12)

Structure	Spaces	Mass	Cost	Area	Crew
5000-ton streamlined hull	(4000.0)	55.0	13.2	110000.0	0.0
Airtight sealing	0.0	0.0	1.4	0.0	0.0
Armour: DR4200, PD4	0.0	12096.0	145.2	0.0	0.0
4 weapon bays	200.0	13.0	3.1	26000.0	8.0
10 turrets (30 spaces)	10.0	4.3	1.0	8000.0	10.0
Basic stealth	0.0	36.0	10.8	0.0	0.0
Basic emission cloaking	0.0	36.0	10.8	0.0	0.0
Drive Modules	Spaces	Mass	Cost	Area	Crew
Engineering module	1.0	3.7	0.2	0.0	0.0
Jump drive (2 parsecs)	150.0	600.0	457.5	0.0	1.5
Jump tanks	1000.0	1300.0	160.0	0.0	0.0
Maneuver drive (2.2G)	800.0	3200.0	232.0	0.0	8.0
5 fuel processor modules (25.0 hours)	5.0	5.5	4.3	0.0	0.0
Weapon Modules	Spaces	Mass	Cost	Area	Crew
24 405-MJ Lasers	(24.0)	187.2	16.3	0.0	0.0
6 sandcasters	(6.0)	30.0	1.5	0.0	0.0
4 Particle Beam Bays	(200.0)	1868.0	91.2	0.0	0.0
Spinal Meson Gun	1512.0	15119.0	939.0	0.0	0.0
Meson Screen (DR4044)	28.0	140.0	63.2	0.0	0.0
Nuclear Damper (25 mile range)	8.0	80.0	32.0	0.0	0.0
Workspace Modules	Spaces	Mass	Cost	Area	Crew
Hardened Command Bridge	5.0	22.6	14.5	0.0	8.0
10 utility modules	10.0	115.0	2.5	0.0	0.0
Spacedock	40.0	1.0	0.0	0.0	0.0
Sickbay	1.0	0.9	0.2	0.0	2.0
Lab Module	2.0	10.0	1.0	0.0	5.0
Probe Module	1.0	1.2	0.0	0.0	0.0
Survey Module	4.0	5.4	7.6	0.0	0.0
Hold	111.0	0.0	0.0	0.0	0.0
Accommodation Modules	Spaces	Mass	Cost	Area	Crew
9 Droyne staterooms	108.0	54.0	0.3	0.0	0.0
bunkroom sleeping 16 personnel	4.0	1.9	0.0	0.0	0.0
Miscellaneous Items	Spaces	Mass	Cost	Area	Crew
Fuel	(1000.0)	0.0	0.3	0.0	0.0
Cargo	(111.0)	(555.0)	0.0	0.0	0.0
2 Launches	(20.0)	(72.0)	(7.2)	0.0	4.0
Sand cannisters	0.0	0.0	0.5	0.0	0.0
Probes	0.0	(3.0)	2.0	0.0	0.0
Totals	Spaces	Mass	Cost	Area	Crew
Fully loaded & fitted out	4000.0	35612.7	2219.3	144000.0	60.0
Unloaded with skeleton crew	4000.0	34985.6	2209.3	144000.0	17.0

## Steadfast-class Medium Fighter (GTL 10)

*Design Parameters:* Built for Solomani human crew. Designed to military standards.

Structure	Spaces	Mass	Cost	Area	Crew
40-dton medium hull, std. mat.	(40.0)	4.0	0.2	410	—
DR 100 crystaliron armour	—	20.0	0.3	—	—
Basic stealth	—	1.0	0.3	—	—
Basic emission cloaking	—	1.0	0.3	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.6	2.7	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
36 thrusters (1,306.1 tonnes thrust)	36.0	111.0	5.8	—	0.6
Weaponry	Spaces	Mass	Cost	Area	Crew
1 fixed light missile rack	1.0	11.8	0.0	—	—
2 fixed 250 MJ lasers	2.0	15.1	1.6	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	40.0	168.5	11.2	410	2
Fitted out with full crew	40.0	168.5	11.2	410	2

## Stromali-class Escort Destroyer (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

<b>Structure</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
2,000-dton medium hull, std. mat.	(2,000.0)	27.2	3.0	5,574	—
10 turrets (DR 2500)	10.0	366.5	5.2	743	—
1 small internal bay	50.0	5.9	0.3	—	—
DR 5000 bonded superdense armour	—	5,442.0	72.0	—	—
Total compartmentalization	—	5.4	0.1	—	—
Basic stealth	—	15.4	5.1	—	—
Basic emission cloaking	—	15.4	5.1	—	—
<b>CCCI</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Command bridge with hardened controls	5.0	20.1	11.8	—	1-10
<b>Engineering</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
1 fusion engineering module	1.0	3.3	0.2	—	—
100 jump drive modules	100.0	362.8	305.0	—	1
857 thrusters (77,729.9 tonnes thrust)	857.0	3,109.2	557.0	—	8.6
800 internal jump fuel tanks	800.0	217.7	128.0	—	—
800 -dtons jump fuel	(800.0)	(725.6)	(0.3)	—	—
<b>Weaponry</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
5 triple light missile turrets	(15.0)	4.1	0.1	—	5
5 triple 405 MJ laser turrets	(15.0)	106.1	10.2	—	1-5
1 13 GJ meson bay	(50.0)	389.1	21.1	—	2
1 nuclear damper module	1.0	9.3	4.0	—	4
4 meson screen modules	4.0	18.1	9.2	—	4
<b>Ordnance</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
1,230 ready light missiles	—	(167.3)	(28.3)	—	—
<b>Auxiliaries</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
2 bays for <i>Citadel</i> Heavy Fighters	105.0	0.5	0.0	—	—
2 <i>Citadel</i> Heavy Fighters	(100.0)	(880.2)	(65.9)	—	4
<b>Other Modules</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
3 utility modules	3.0	31.3	0.8	—	—
16 crew staterooms	64.0	29.0	0.2	—	—
<b>Totals</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Empty with skeleton crew	2,000.0	10,178.5	1,138.3	6,317	11
Fitted out with full crew	2,000.0	11,951.6	1,232.5	6,317	31

## Stunnenge-class Stealth Monitor (GTL10)

<b>Structure</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
10000-ton planetoid hull	(10000.0)	2775.4	0.0	15793.5	0.0
Tunnelling	0.0	0.0	1.0	0.0	0.0
Airtight sealing	0.0	0.0	2.4	0.0	0.0
Armour: DR4200, PD4	0.0	239611.3	171.4	0.0	0.0
Total compartmentalization	4.9	555.1	0.0	0.0	0.0
8 weapon bays	400.0	47.2	2.6	4831.0	16.0
20 turrets (60 spaces)	20.0	15.0	0.8	1486.4	20.0
Radical stealth	0.0	107.9	178.5	0.0	0.0
Radical emission cloaking	0.0	107.9	178.5	0.0	0.0
<b>Drive Modules</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Engineering module	1.0	3.7	0.3	0.0	0.0
Maneuver drive (0.5G)	4000.0	12335.2	640.0	0.0	66.7
<b>Weapon Modules</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
30 360-MJ Lasers	(30.0)	326.5	30.9	0.0	0.0
30 sandcasters	(30.0)	136.1	7.5	0.0	0.0
8 Particle Beam Bays	(400.0)	3388.6	182.5	0.0	0.0
Spinal Particle Beam	1513.0	13719.3	1035.0	0.0	0.0
<b>Workspace Modules</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Hardened Command Bridge	5.0	21.1	15.6	0.0	4.0
20 utility modules	20.0	208.6	6.0	0.0	0.0
2 Spacedocks	3500.0	1.8	0.0	0.0	0.0
Hall seating 100 people	10.0	0.2	0.0	0.0	0.0
Theatre seating 100 people	20.0	1.9	0.0	0.0	0.0
Swimming Pool	121.0	28.1	0.6	0.0	0.0
2 Sickbays	2.0	1.4	0.3	0.0	3.0
Hold	59.1	0.0	0.0	0.0	0.0
<b>Accommodation Modules</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
73 staterooms	292.0	158.9	0.9	0.0	0.0
8 bunkrooms sleeping 128 personnel	32.0	34.8	0.1	0.0	0.0
<b>Miscellaneous Items</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Cargo	(59.1)	(268.0)	0.0	0.0	0.0
35 <i>Jumo</i> Heavy Fighters	(1750.0)	(18910.5)	(640.5)	0.0	35.0
Sand cannisters	0.0	0.0	2.4	0.0	0.0
Water	0.0	(462.6)	0.0	0.0	0.0
<b>Totals</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Fully loaded & fitted out	10000.0	292764.5	3099.0	22110.9	266.0
Unloaded with skeleton crew	10000.0	273585.9	2456.1	22110.9	70.0

## Sveinheim-class Assault Carrier (GTL10)

Structure	Spaces	Mass	Cost	Area	Crew
2000-ton hull	(2000.0)	54.4	3.0	5574.2	0.0
Airtight sealing	0.0	0.0	0.8	0.0	0.0
Armour: DR500, PD4	0.0	1723.3	22.8	0.0	0.0
Total compartmentalization	0.0	10.9	0.1	0.0	0.0
20 turrets (60 spaces)	20.0	15.0	0.8	1486.4	20.0
Drive Modules	Spaces	Mass	Cost	Area	Crew
Engineering module	1.0	3.7	0.3	0.0	0.0
Jump drive (2 parsecs)	60.0	217.7	186.0	0.0	2.4
Jump tanks	400.0	471.6	64.0	0.0	0.0
Maneuver drive (1.2G)	500.0	1541.9	80.0	0.0	8.3
Weapon Modules	Spaces	Mass	Cost	Area	Crew
30 Missile Racks	(30.0)	353.7	0.5	0.0	0.0
30 360-MJ Lasers	(30.0)	326.5	30.9	0.0	0.0
Workspace Modules	Spaces	Mass	Cost	Area	Crew
Hardened Command Bridge	5.0	21.1	15.6	0.0	4.0
4 utility modules	4.0	41.7	1.2	0.0	0.0
2 Spacedocks	800.0	1.8	0.0	0.0	0.0
Sickbay	1.0	0.7	0.2	0.0	2.0
Workshop	2.5	13.6	0.1	0.0	0.0
Hold	85.5	0.0	0.0	0.0	0.0
Accommodation Modules	Spaces	Mass	Cost	Area	Crew
29 staterooms	116.0	63.1	0.3	0.0	0.0
bunkroom sleeping 16 personnel	4.0	4.4	0.0	0.0	0.0
Low berths for 8 cryotubes	1.0	3.6	0.4	0.0	0.0
Miscellaneous Items	Spaces	Mass	Cost	Area	Crew
Fuel	(400.0)	0.0	0.1	0.0	0.0
Cargo	(85.5)	(387.7)	0.0	0.0	0.0
20 Angbar Heavy Fighters	(400.0)	(9994.0)	(264.0)	0.0	20.0
Missiles	0.0	0.0	73.8	0.0	0.0
Totals	Spaces	Mass	Cost	Area	Crew
Fully loaded & fitted out	2000.0	15250.6	745.4	7060.6	69.0
Unloaded with skeleton crew	2000.0	4868.8	407.4	7060.6	15.0

## Tartar-class Heavy Fighter (GTL11)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. All quantities in metric units.

Structure	Spaces	Mass	Cost	Area	Crew
40-dton medium hull, std. mat.	(40.0)	3.0	0.2	410	—
DR 2500 superdense armour	—	300.7	4.0	—	—
Basic stealth	—	1.0	0.3	—	—
Basic emission cloaking	—	1.0	0.3	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	3.8	2.2	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
36 thrusters (3,265.2 tonnes thrust)	36.0	130.6	23.4	—	0.7
Weaponry	Spaces	Mass	Cost	Area	Crew
1 fixed 870 MJ laser	3.0	26.8	1.6	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	40.0	466.9	32.0	410	2
Fitted out with full crew	40.0	466.9	32.0	410	2

## Tch'atl-class Yacht (GTL10)

*Design Parameters:* Built for Zhodani human crew. Designed to private standards.

Structure	Spaces	Mass	Cost	Area	Crew
100-dton medium hull, std. mat.	(80.0)	7.4	1.0	756	—
DR 100 crystaliron armour	—	36.9	0.5	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge with psionic switches	2.5	7.8	4.1	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
4 jump drive modules	4.0	14.5	12.4	—	0.2
5 thrusters (181.4 tonnes thrust)	5.0	15.4	0.8	—	0.1
30 internal jump fuel tanks	30.0	8.2	4.8	—	—
30 -dtons jump fuel	(30.0)	(27.2)	(0.0)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
6 Staterooms for 6 high passengers	24.0	13.1	0.1	—	0.3
2 crew staterooms	8.0	4.4	0.0	—	—
4.5-dton cargo hold	4.5	—	—	—	—
Cargo	(4.5)	(20.4)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	80.0	121.7	24.2	756	2
Fitted out with full crew	80.0	169.3	24.2	756	3

## Tedoaraq-class Liner (GTL10)

*Design Parameters:* Built for Imperial human crew. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
600-dton medium hull, std. mat.	(480.0)	24.4	3.2	2,497	—
4 turrets (DR 100)	4.0	17.5	0.6	297	—
DR 100 crystaliron armour	—	121.9	1.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
18 jump drive modules	18.0	65.3	55.8	—	0.7
36 thrusters (1,306.1 tonnes thrust)	36.0	111.0	5.8	—	0.6
120 internal jump fuel tanks	120.0	32.7	19.2	—	—
120 -dtons jump fuel	(120.0)	(108.8)	(0.0)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
4 empty turrets	(12.0)	—	—	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
36 Staterooms for 36 passengers	144.0	78.4	0.4	—	1.8
6 low berths for 24 low passengers	3.0	10.9	1.3	—	—
6 crew staterooms	24.0	13.1	0.1	—	—
126.5-dton cargo hold	126.5	—	—	—	—
Cargo	(126.5)	(573.7)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	480.0	497.0	92.6	2,795	3
Fitted out with full crew	480.0	1,179.5	92.6	2,795	11



## Temaughi-class Corvette (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
300-dton medium hull, std. mat.	(300.0)	7.7	0.8	1,573	—
3 turrets (DR 400)	3.0	18.5	0.4	222	—
DR 800 bonded superdense armour	—	245.8	3.3	—	—
Heavy compartmentalization	—	0.8	0.0	—	—
Basic stealth	—	4.4	1.5	—	—
Basic emission cloaking	—	4.4	1.5	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	20.1	11.8	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
21 jump drive modules	21.0	76.2	64.0	—	0.2
70 thrusters (6,349.0 tonnes thrust)	70.0	254.0	45.5	—	0.7
180 internal jump fuel tanks	180.0	49.0	28.8	—	—
180 -dtons jump fuel	(180.0)	(163.3)	(0.1)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
2 triple light missile turrets	(6.0)	1.6	0.0	—	2
1 triple 405 MJ laser turret	(3.0)	21.2	2.0	—	1-1
Ordnance	Spaces	Mass	Cost	Area	Crew
492 ready light missiles	—	(66.9)	(11.3)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
4 crew staterooms	16.0	7.3	0.0	—	—
3.0-dton cargo hold	3.0	—	—	—	—
Cargo	(3.0)	(13.6)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	300.0	724.6	160.0	1,796	2
Fitted out with full crew	300.0	968.4	171.4	1,796	7

## Tête Jaune-class Survey Ship (GTL10)

Structure	Spaces	Mass	Cost	Area	Crew
300-ton hull	(300.0)	18.1	1.0	1858.1	0.0
Airtight sealing	0.0	0.0	0.2	0.0	0.0
Armour: DR100, PD4	0.0	90.7	1.2	0.0	0.0
Drive Modules	Spaces	Mass	Cost	Area	Crew
Engineering module	1.0	3.7	0.3	0.0	0.0
Jump drive (3 parsecs)	12.0	43.5	37.2	0.0	0.5
Jump tanks	90.0	106.1	14.4	0.0	0.0
Maneuver drive (1.0G)	32.0	98.7	5.1	0.0	0.5
Workspace Modules	Spaces	Mass	Cost	Area	Crew
Hardened Command Bridge	5.0	21.1	15.6	0.0	3.0
1 utility module	1.0	10.4	0.3	0.0	0.0
2 Vehicle Bays	84.0	181.4	6.0	0.0	0.0
Sickbay	1.0	0.7	0.2	0.0	2.0
2 Lab Modules	4.0	18.1	2.0	0.0	2.0
Logistics Module	5.0	27.2	0.1	0.0	0.0
Probe Module	6.0	1.1	0.0	0.0	0.0
Survey Module	4.0	4.9	7.6	0.0	0.0
Hold	35.0	0.0	0.0	0.0	0.0
Accommodation Modules	Spaces	Mass	Cost	Area	Crew
5 staterooms	20.0	10.9	0.1	0.0	0.0
Miscellaneous Items	Spaces	Mass	Cost	Area	Crew
Fuel	(90.0)	0.0	0.0	0.0	0.0
Cargo	(35.0)	(158.7)	0.0	0.0	0.0
Modular Cutter	(50.0)	(164.3)	(16.1)	0.0	1.0
ATV Cradle	(30.0)	(153.0)	(7.8)	0.0	0.0
Probes	0.0	(3.6)	2.0	0.0	0.0
Totals	Spaces	Mass	Cost	Area	Crew
Fully loaded & fitted out	300.0	1112.8	117.3	1858.1	9.0
Unloaded with skeleton crew	300.0	636.8	91.4	1858.1	4.0

## Tezhmacht-class Fighter (GTL11)

*Design Parameters:* Built for Zhodani human crew. Designed to military standards. All quantities in metric units.

Structure	Spaces	Mass	Cost	Area	Crew
30-dton extra-heavy hull, std. mat.	(24.0)	5.0	2.2	339	—
DR 2250 superdense armour	—	223.4	3.0	—	—
Thermal superconductor armour	—	0.4	0.9	—	—
Radical stealth	—	1.7	2.7	—	—
Radical emission cloaking	—	1.7	2.7	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit (hrd cntl, psionic switches)	1.0	3.8	2.2	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
20 thrusters (1,814.0 tonnes thrust)	20.0	72.6	13.0	—	0.4
Weaponry	Spaces	Mass	Cost	Area	Crew
1 fixed 870 MJ laser	3.0	26.8	1.6	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	24.0	335.2	28.3	339	2
Fitted out with full crew	24.0	335.2	28.3	339	2

## Therania-class Luxury Liner (GTL11)

*Design Parameters:* Built for Imperial human crew. Designed to commercial standards. All quantities in metric units. Contains nonstandard modules (briefing room).

Structure	Spaces	Mass	Cost	Area	Crew
10,000-dton medium hull, std. mat.(10,000.0)	—	119.3	8.8	16,298	—
DR 100 superdense armour	—	477.4	6.3	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.2	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
500 jump drive modules	500.0	1,814.0	1,525.0	—	10
250 thrusters (22,675.0 tonnes thrust)	250.0	907.0	162.5	—	5
4,000 internal jump fuel tanks	4,000.0	1,088.4	640.0	—	—
4,000 -dtons jump fuel	(4,000.0)	(3,628.0)	(1.4)	—	—
Barracks	Spaces	Mass	Cost	Area	Crew
14 marine staterooms	56.0	25.4	0.2	—	—
3 briefing rooms	3.0	0.1	0.0	—	—
1 weapons locker	1.0	6.3	0.0	—	—
2 gyms	5.0	0.9	0.0	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
20 utility modules	20.0	208.6	5.0	—	—
100 suites for 100 noble passengers	800.0	181.4	6.0	—	100
300 Staterooms for 300 high passengers	1,200.0	544.2	3.6	—	15
250 low berths for 1,000 low passengers	125.0	453.5	55.0	—	—
83 crew staterooms	332.0	150.6	1.0	—	—
20 exercise rooms	50.0	9.1	0.0	—	—
6 halls	60.0	1.1	0.0	—	—
2 theatres	40.0	3.8	0.0	—	2
3 stages	48.0	1.4	0.0	—	—
10 civilian holoventure zones	300.0	32.7	12.0	—	10
1 swimming pool	301.0	68.9	1.6	—	12.5
Water	—	1,156.4	—	—	—
5 sickbays	5.0	3.9	1.0	—	5
2 surgical theatres	2.0	0.7	0.2	—	—
1 basic security module	0.5	2.3	0.5	—	—
10 brigs	10.0	63.5	0.3	—	—
1 safe	1.0	6.3	0.0	—	—
1,887.0-dton cargo hold	1,887.0	—	—	—	—
Cargo	(1,887.0)	(8,557.5)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	10,000.0	6,180.6	2,432.5	16,298	16
Fitted out with full crew	10,000.0	19,522.6	2,432.5	16,298	165

## Thespia-class Destroyer (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
3,000-dton medium hull, std. mat.	(2,400.0)	35.7	9.4	7,304	—
10 turrets (DR 2250)	10.0	330.3	5.3	743	—
2 small internal bays	100.0	11.8	0.6	—	—
DR 4500 bonded superdense armour	—	6,417.9	84.9	—	—
Total compartmentalization	—	7.1	0.1	—	—
Basic stealth	—	19.6	6.5	—	—
Basic emission cloaking	—	19.6	6.5	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	20.1	11.8	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
150 jump drive modules	150.0	544.2	457.5	—	1.5
840 thrusters (76,188.0 tonnes thrust)	840.0	3,047.5	546.0	—	8.4
1,200 internal jump fuel tanks	1,200.0	326.5	192.0	—	—
1,200 -dtons jump fuel	(1,200.0)	(1,088.4)	(0.4)	—	—
10 fuel processors	10.0	10.0	8.5	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
3 triple 405 MJ laser turrets	(9.0)	63.7	6.1	—	1-3
4 triple 102 MJ PD laser turrets	(12.0)	56.2	3.7	—	1-4
3 single 1,313 MJ heavy laser turrets	(9.0)	68.3	6.3	—	1-3
2 13 GJ meson bays	(100.0)	778.2	42.1	—	4
1 nuclear damper module	1.0	9.3	4.0	—	4
3 meson screen modules	3.0	13.6	6.9	—	4
Other Modules	Spaces	Mass	Cost	Area	Crew
5 utility modules	5.0	52.2	1.3	—	—
16 crew staterooms	64.0	29.0	0.2	—	—
1 sickbay	1.0	0.8	0.2	—	1
10.0-dton cargo hold	10.0	—	—	—	—
Cargo	(10.0)	(45.3)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	2,400.0	11,864.8	1,400.2	8,047	11
Fitted out with full crew	2,400.0	12,998.6	1,400.2	8,047	31

## Titanic-class Resettlement Vessel (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to private standards.

Structure	Spaces	Mass	Cost	Area	Crew
5,000-dton medium hull, std. mat.	(5,000.0)	100.2	5.5	10,267	—
DR 100 crystaliron armour	—	501.2	6.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
200 jump drive modules	200.0	725.6	620.0	—	8
417 thrusters (15,128.8 tonnes thrust)	417.0	1,285.9	66.7	—	7.0
1,500 internal jump fuel tanks	1,500.0	408.2	240.0	—	—
1,500 -dtons jump fuel	(1,500.0)	(1,360.5)	(0.5)	—	—
4 fuel processors	4.0	4.0	3.4	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
Hanger for 10 Gigs with 1 entrance	400.0	0.9	0.0	—	—
10 Gigs	(200.0)	(706.4)	(54.9)	—	20
Other Modules	Spaces	Mass	Cost	Area	Crew
10 utility modules	10.0	104.3	3.0	—	—
20 Staterooms for 20 high passengers	80.0	43.5	0.2	—	1
50 Staterooms for 100 middle passengers	200.0	108.8	0.6	—	2
1,500 low berths for 6,000 low passengers	750.0	2,721.0	330.0	—	—
30 crew staterooms	120.0	65.3	0.4	—	—
10 sickbays	10.0	6.8	1.6	—	10
1 surgical theatre	1.0	0.4	0.1	—	—
10 standard labs	20.0	90.7	10.0	—	10-20
1,284.5-dton cargo hold	1,284.5	—	—	—	—
Cargo	(1,284.5)	(5,825.2)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	5,000.0	6,178.3	1,292.5	10,267	16
Fitted out with full crew	5,000.0	14,070.4	1,347.4	10,267	59

## Tlach'dev-class Destroyer (GTL12)

*Design Parameters:* Built for Zhodani human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
3,000-dton medium hull, std. mat.	(2,400.0)	35.7	9.4	7,304	—
10 turrets (DR 2500)	10.0	366.5	5.8	743	—
2 small internal bays	100.0	11.8	0.6	—	—
DR 5000 bonded superdense armour	—	7,131.0	94.3	—	—
Total compartmentalization	—	7.1	0.1	—	—
Basic stealth	—	19.6	6.5	—	—
Basic emission cloaking	—	19.6	6.5	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge w. hrd.ctls & psi switches	5.0	20.1	11.9	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
150 jump drive modules	150.0	544.2	457.5	—	1.5
850 thrusters (77,095.0 tonnes thrust)	850.0	3,083.8	552.5	—	8.5
1,200 internal jump fuel tanks	1,200.0	326.5	192.0	—	—
1,200 -dtons jump fuel	(1,200.0)	(1,088.4)	(0.4)	—	—
10 fuel processors	10.0	10.0	8.5	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
2 triple 405 MJ laser turrets	(6.0)	42.4	4.1	—	1-2
8 single 1,313 MJ heavy laser turrets	(24.0)	182.1	16.9	—	1-8
2 small missile bays	(100.0)	137.3	2.2	—	4
1 nuclear damper module	1.0	9.3	4.0	—	4
3 meson screen modules	3.0	13.6	6.9	—	4
Ordnance	Spaces	Mass	Cost	Area	Crew
1,500 ready heavy missiles	—	(1,020.4)	(300.0)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
5 utility modules	5.0	52.2	1.3	—	—
16 crew staterooms	64.0	29.0	0.2	—	—
1 sickbay	1.0	0.8	0.2	—	1
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	2,400.0	12,046.0	1,381.6	8,047	11
Fitted out with full crew	2,400.0	14,154.8	1,681.6	8,047	31

## Tolley-class Subsidized Merchant (GTL10)

*Design Parameters:* Built for Solomani human crew. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
600-dton medium hull, std. mat.	(480.0)	24.4	3.2	2,497	—
6 turrets (DR 100)	6.0	26.3	0.9	445	—
DR 100 crystaliron armour	—	121.9	1.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
18 jump drive modules	18.0	65.3	55.8	—	0.7
100 thrusters (3,628.0 tonnes thrust)	100.0	308.4	16.0	—	1.7
120 internal jump fuel tanks	120.0	32.7	19.2	—	—
120 -dtons jump fuel	(120.0)	(108.8)	(0.0)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
4 empty turrets	(12.0)	—	—	—	—
1 triple sandcaster turret	(3.0)	13.6	0.8	—	1
1 triple 90 MJ PD laser turret	(3.0)	15.9	1.8	—	1-1
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
15 Staterooms for 15 passengers	60.0	32.7	0.2	—	0.8
3 low berths for 12 low passengers	1.5	5.4	0.7	—	—
7 crew staterooms	28.0	15.2	0.1	—	—
142.0-dton cargo hold	142.0	—	—	—	—
Cargo	(142.0)	(644.0)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	480.0	683.6	104.8	2,943	4
Fitted out with full crew	480.0	1,436.4	104.8	2,943	12

## Toves-class Bulk Freighter (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to commercial standards.

Structure	Spaces	Mass	Cost	Area	Crew
10,000-dton medium hull, std. mat.(10,000.0)		79.6	8.8	16,298	—
DR 100 bonded superdense armour	—	318.3	4.2	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.1	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
200 jump drive modules	200.0	725.6	610.0	—	2
300 thrusters (27,210.0 tonnes thrust)	300.0	1,088.4	195.0	—	3
1,000 internal jump fuel tanks	1,000.0	272.1	160.0	—	—
1,000 -dtons jump fuel	(1,000.0)	(907.0)	(0.3)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
20 utility modules	20.0	208.6	5.0	—	—
8 crew staterooms	32.0	14.5	0.1	—	—
8,444.5-dton cargo hold	8,444.5	—	—	—	—
Cargo	(8,444.5)	(38,295.8)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	10,000.0	2,716.9	986.3	16,298	6
Fitted out with full crew	10,000.0	41,919.7	986.3	16,298	8

## Trabatch-class Express Liner (GTL11)

*Design Parameters:* Built for Zhodani human crew. Designed to commercial standards.

Structure	Spaces	Mass	Cost	Area	Crew
600-dton medium hull, std. mat.	(480.0)	18.3	3.2	2,497	—
DR 100 superdense armour	—	73.2	1.0	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge with psionic switches	2.5	6.6	3.3	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
30 jump drive modules	30.0	108.8	91.5	—	0.6
20 thrusters (1,814.0 tonnes thrust)	20.0	72.6	13.0	—	0.4
240 internal jump fuel tanks	240.0	65.3	38.4	—	—
240 -dtons jump fuel	(240.0)	(217.7)	(0.1)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
20 Staterooms for 20 high passengers	80.0	36.3	0.2	—	1
3 crew staterooms	12.0	5.4	0.0	—	—
1 sickbay	1.0	0.8	0.2	—	1
92.5-dton cargo hold	92.5	—	—	—	—
Cargo	(92.5)	(419.5)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	480.0	401.0	151.2	2,497	2
Fitted out with full crew	480.0	1,038.1	151.2	2,497	4

## Tralsa-class Gig (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to private standards.

Structure	Spaces	Mass	Cost	Area	Crew
20-dton medium hull, std. mat.	(16.0)	1.3	0.3	258	—
DR 100 bonded superdense armour	—	5.1	0.1	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit	1.0	4.3	2.3	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
2 thrusters (181.4 tonnes thrust)	2.0	7.3	1.3	—	0.0
Other Modules	Spaces	Mass	Cost	Area	Crew
2 passenger couches	2.0	0.7	0.0	—	—
11.0-dton cargo hold	11.0	—	—	—	—
Cargo	(11.0)	(49.9)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	16.0	18.5	4.0	258	1
Fitted out with full crew	16.0	68.4	4.0	258	1

## Traske-class Freighter (GTL9)

*Design Parameters:* Built for Sword Worlder human crew. Designed to commercial standards.

Structure	Spaces	Mass	Cost	Area	Crew
2,000-dton medium hull, std.mat.	(2,000.0)	81.6	3.0	60,000	—
DR 100 durasteel armour	—	81.6	1.1	—	—
1 x 114-dton medium subhull, std.mat.(114.0)		12.1	0.4	(8,886)	—
DR 100 durasteel armour	—	60.5	0.8	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	3.0	12.2	8.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	3.0	11.7	5.0	—	—
40 jump drive modules	80.0	290.2	200.0	—	8
50 fusion rockets (3,628.0 tonnes thrust)	50.0	181.4	40.0	—	0.8
200 internal jump fuel tanks	200.0	54.4	32.0	—	—
200 -dtons jump fuel	(200.0)	(181.4)	(0.1)	—	—
75 water fuel tanks	75.0	1.7	12.8	—	—
Water (as reaction mass)	(75.0)	(1,020.4)	(0.0)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	5.6	0.8	—	—
7 crew staterooms	28.0	15.2	0.1	—	—
1,560.0-dton cargo hold	1,560.0	—	—	—	—
Cargo	(1,560.0)	(7,074.6)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty	2,000.0	663.2	303.9	60,000	0
Fitted out	2,000.0	7,919.2	303.9	60,000	0

## Traskon-class Assault Carrier (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited. Contains nonstandard modules (briefing room).

Structure	Spaces	Mass	Cost	Area	Crew
1,200-dton medium hull, std. mat.	(1,200.0)	19.4	2.1	3,965	—
12 turrets (DR 1000)	12.0	178.6	2.8	891	—
DR 2000 bonded superdense armour	—	1,548.5	20.5	—	—
Heavy compartmentalization	—	1.9	0.0	—	—
Basic stealth	—	11.9	3.9	—	—
Basic emission cloaking	—	11.9	3.9	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge with hardened controls	2.5	9.3	6.1	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
60 jump drive modules	60.0	217.7	183.0	—	0.6
50 thrusters (4,535.0 tonnes thrust)	50.0	181.4	32.5	—	0.5
480 internal jump fuel tanks	480.0	130.6	76.8	—	—
480 -dtons jump fuel	(480.0)	(435.4)	(0.2)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
2 triple light missile turrets	(6.0)	1.6	0.0	—	2
2 triple sandcaster turrets	(6.0)	27.2	1.5	—	2
4 triple 405 MJ laser turrets	(12.0)	84.9	8.2	—	1-4
4 triple 102 MJ PD laser turrets	(12.0)	56.2	3.7	—	1-4
1 nuclear damper module	1.0	9.3	4.0	—	4
6 meson screen modules	6.0	27.2	13.8	—	4
Ordnance	Spaces	Mass	Cost	Area	Crew
492 ready light missiles	—	(66.9)	(11.3)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
Hanger for 4 <i>Murkas</i> with 1 entrance	240.0	0.9	0.0	—	—
4 <i>Murka</i> Combat Shuttles	(120.0)	(702.4)	(51.3)	—	8
Barracks	Spaces	Mass	Cost	Area	Crew
2 marine staterooms	8.0	3.6	0.0	—	—
30 marine bunkrooms	120.0	51.7	0.5	—	—
3 briefing rooms	3.0	0.1	0.0	—	—
6 battledress racks	6.0	156.5	—	—	—
1 weapons locker	1.0	6.3	0.0	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
3 utility modules	3.0	31.3	0.8	—	—
14 crew staterooms	56.0	25.4	0.2	—	—
150.5-dton cargo hold	150.5	—	—	—	—
Cargo	(150.5)	(682.5)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	1,200.0	2,796.6	364.6	4,857	2
Fitted out with full crew	1,200.0	4,683.8	427.2	4,857	28

## Trikon-class Aerospace Fighter (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
20-dton medium hull, std. mat.	(16.0)	2.5	0.3	258	—
1 turret (DR 1500)	1.0	55.2	0.8	74	—
DR 3000 crystaliron armour	—	378.9	5.0	—	—
Basic stealth	—	0.8	0.3	—	—
Basic emission cloaking	—	0.8	0.3	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.6	2.7	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
14 thrusters (507.9 tonnes thrust)	14.0	43.2	2.2	—	0.2
Weaponry	Spaces	Mass	Cost	Area	Crew
1 double 422 MJ plasma gun turret	(3.0)	1.8	2.0	—	1-1
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	16.0	487.8	13.6	333	2
Fitted out with full crew	16.0	487.8	13.6	333	3

## Triku-class Subsidized Aquatic Liner (GTL10)

Structure	Spaces	Mass	Cost	Area	Crew
400-ton streamlined hull	(320.0)	22.7	3.0	2322.6	0.0
Airtight sealing	0.0	0.0	0.3	0.0	0.0
Armour: DR100, PD4	0.0	127.9	1.7	0.0	0.0
4 turrets	4.0	3.0	0.4	297.3	4.0
Drive Modules	Spaces	Mass	Cost	Area	Crew
Engineering module	1.0	3.7	0.3	0.0	0.0
Jump drive (2 parsecs)	12.0	43.5	37.2	0.0	0.5
Jump tanks	80.0	94.3	12.8	0.0	0.0
Maneuver drive (1.1G)	42.0	129.5	6.7	0.0	0.7
Workspace Modules	Spaces	Mass	Cost	Area	Crew
Bridge	2.5	7.8	4.0	0.0	4.0
1 utility module	1.0	10.4	0.3	0.0	0.0
30 Aquatic Staterooms	30.0	450.0	15.0	0.0	3.0
Hold	115.5	0.0	0.0	0.0	0.0
Accommodation Modules	Spaces	Mass	Cost	Area	Crew
8 staterooms	32.0	17.4	0.1	0.0	0.0
Miscellaneous Items	Spaces	Mass	Cost	Area	Crew
Fuel	(80.0)	0.0	0.0	0.0	0.0
Cargo	(115.5)	(523.8)	0.0	0.0	0.0
Totals	Spaces	Mass	Cost	Area	Crew
Fully loaded & fitted out	320.0	1434.1	81.9	2619.9	12.0
Unloaded with skeleton crew	320.0	910.3	81.9	2619.9	5.0

## Tsenja-class Freighter (GTL11)

Structure	Spaces	Mass	Cost	Area	Crew
2000-ton hull	(2000.0)	40.8	3.0	5574.2	0.0
Airtight sealing	0.0	0.0	0.6	0.0	0.0
Armour: DR100, PD4	0.0	163.3	2.2	0.0	0.0
Drive Modules	Spaces	Mass	Cost	Area	Crew
Engineering module	1.0	3.4	0.2	0.0	0.0
Jump drive (2 parsecs)	60.0	217.7	183.0	0.0	0.6
Jump tanks	400.0	471.6	64.0	0.0	0.0
Reactionless thruster (1.0G)	82.0	297.5	23.8	0.0	0.8
Workspace Modules	Spaces	Mass	Cost	Area	Crew
Bridge	2.5	6.6	3.1	0.0	3.0
4 utility modules	4.0	41.7	1.0	0.0	0.0
Hold	1442.5	0.0	0.0	0.0	0.0
Accommodation Modules	Spaces	Mass	Cost	Area	Crew
2 staterooms	8.0	3.6	0.0	0.0	0.0
Miscellaneous Items	Spaces	Mass	Cost	Area	Crew
Fuel	(400.0)	0.0	0.1	0.0	0.0
Cargo	(1442.5)	(6541.7)	0.0	0.0	0.0
Totals	Spaces	Mass	Cost	Area	Crew
Fully loaded & fitted out	2000.0	7788.0	281.0	5574.2	4.0
Unloaded with skeleton crew	2000.0	1246.2	280.9	5574.2	4.0

## Tsleachdae-class Freighter (GTL10)

*Design Parameters:* Built for Zhodani human crew. Designed to commercial standards. All quantities in metric units.

Structure	Spaces	Mass	Cost	Area	Crew
2,000-dton medium hull, std. mat.	(2,000.0)	54.4	3.0	5,574	—
DR 100 crystaliron armour	—	272.1	3.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge with psionic switches	2.5	7.8	4.1	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
60 jump drive modules	60.0	217.7	186.0	—	2.4
100 thrusters (3,628.0 tonnes thrust)	100.0	308.4	16.0	—	1.7
400 internal jump fuel tanks	400.0	108.8	64.0	—	—
400 -dtons jump fuel	(400.0)	(362.8)	(0.1)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
4 utility modules	4.0	41.7	1.2	—	—
7 crew staterooms	28.0	15.2	0.1	—	—
1 exercise room	2.5	0.5	0.0	—	—
1,402.0-dton cargo hold	1,402.0	—	—	—	—
Cargo	(1,402.0)	(6,358.1)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	2,000.0	1,030.3	278.3	5,574	5
Fitted out with full crew	2,000.0	7,751.1	278.3	5,574	7

## Ubervisch-class Commerce Raider (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
600-dton medium hull, std. mat.	(600.0)	24.4	1.3	2,497	—
6 turrets (DR 250)	6.0	58.9	1.0	445	—
DR 500 crystaliron armour	—	609.7	8.1	—	—
Total compartmentalization	—	4.9	0.1	—	—
Radical stealth	—	14.4	23.8	—	—
Radical emission cloaking	—	14.4	23.8	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
24 jump drive modules	24.0	87.1	74.4	—	1.0
345 thrusters (12,516.6 tonnes thrust)	345.0	1,063.9	55.2	—	5.8
180 internal jump fuel tanks	180.0	49.0	28.8	—	—
180 -dtons jump fuel	(180.0)	(163.3)	(0.1)	—	—
1 fuel scoop	1.0	0.5	0.0	—	—
1 fuel processor	1.0	1.0	0.9	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
5 triple light missile turrets	(15.0)	4.1	0.1	—	5
1 triple 250 MJ laser turret	(3.0)	22.6	2.5	—	1-1
Ordnance	Spaces	Mass	Cost	Area	Crew
1,230 ready light missiles	—	(167.3)	(44.3)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
1 bay for Gig	21.0	0.5	0.0	—	—
1 Gig	(20.0)	(70.6)	(5.5)	—	2
Other Modules	Spaces	Mass	Cost	Area	Crew
2 utility modules	2.0	20.9	0.6	—	—
3 crew bunkrooms	12.0	13.1	0.1	—	—
2.0-dton cargo hold	2.0	—	—	—	—
Cargo	(2.0)	(9.1)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	600.0	2,014.5	233.3	2,943	8
Fitted out with full crew	600.0	2,424.8	283.1	2,943	19

## Umburko-class Subsidized Liner (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to commercial standards.

Structure	Spaces	Mass	Cost	Area	Crew
600-dton medium hull, std. mat.	(480.0)	24.4	3.2	2,497	—
DR 100 crystaliron armour	—	121.9	1.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
12 jump drive modules	12.0	43.5	37.2	—	0.5
24 thrusters (870.7 tonnes thrust)	24.0	74.0	3.8	—	0.4
60 internal jump fuel tanks	60.0	16.3	9.6	—	—
60 -dtons jump fuel	(60.0)	(54.4)	(0.0)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
80 Staterooms for 80 high passengers	320.0	174.1	1.0	—	4
4 crew staterooms	16.0	8.7	0.0	—	—
43.5-dton cargo hold	43.5	—	—	—	—
Cargo	(43.5)	(197.3)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	480.0	484.9	61.1	2,497	2
Fitted out with full crew	480.0	736.6	61.1	2,497	7

## Uramikaa-class Corvette (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
800-dton medium hull, std. mat.	(640.0)	14.8	3.9	3,026	—
8 turrets (DR 2500)	8.0	293.2	4.6	594	—
DR 5000 bonded superdense armour	—	2,954.4	39.1	—	—
Heavy compartmentalization	—	1.5	0.0	—	—
Basic stealth	—	8.8	2.9	—	—
Basic emission cloaking	—	8.8	2.9	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge with hardened controls	2.5	9.3	6.1	—	1-5
1 enhanced sensor	4.0	34.6	33.2	—	0-1
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
40 jump drive modules	40.0	145.1	122.0	—	0.4
238 thrusters (21,586.6 tonnes thrust)	238.0	863.5	154.7	—	2.4
320 internal jump fuel tanks	320.0	87.1	51.2	—	—
320 -dtons jump fuel	(320.0)	(290.2)	(0.1)	—	—
1 fuel processor	1.0	1.0	0.9	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
2 triple light missile turrets	(6.0)	1.6	0.0	—	2
3 triple 405 MJ laser turrets	(9.0)	63.7	6.1	—	1-3
3 single 1,313 MJ heavy laser turrets	(9.0)	68.3	6.3	—	1-3
Ordnance	Spaces	Mass	Cost	Area	Crew
492 ready light missiles	—	(66.9)	(11.3)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
6 crew staterooms	24.0	10.9	0.1	—	—
0.5-dton cargo hold	0.5	—	—	—	—
Cargo	(0.5)	(2.3)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	640.0	4,580.3	434.5	3,620	4
Fitted out with full crew	640.0	4,939.8	445.8	3,620	10

## Uruq-class Medium Fighter (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards.

Structure	Spaces	Mass	Cost	Area	Crew
20-dton medium hull, std. mat.	(16.0)	1.3	0.3	258	—
DR 2000 bonded superdense armour	—	101.0	1.3	—	—
Basic stealth	—	0.6	0.2	—	—
Basic emission cloaking	—	0.6	0.2	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.4	2.5	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
12 thrusters (1,088.4 tonnes thrust)	12.0	43.5	7.8	—	0.1
Weaponry	Spaces	Mass	Cost	Area	Crew
1 fixed light missile rack	1.0	11.8	0.0	—	—
2 fixed 405 MJ lasers	2.0	14.1	1.4	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	16.0	177.4	13.7	258	2
Fitted out with full crew	16.0	177.4	13.7	258	2

## Uxkoong-class Frigate (GTL10)

*Design Parameters:* Built for K'kree crew. Metric measurements, turrets are not counted towards jump volume, weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
7,500-dton medium hull, standard materials(6,000.0)	131.4	17.4	144,823	—	—
15 turrets (DR 1500)	15.0	827.5	12.3	12,000	—
6 large internal bays	600.0	54.4	3.0	—	—
DR 3000 crystaliron armour	—	19,703.2	260.7	—	—
Basic stealth	—	35.6	11.8	—	—
Basic emission cloaking	—	35.6	11.8	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	30.0	130.1	75.6	—	1-10
1 enhanced communicator	1.5	18.1	2.1	—	0-1
1 enhanced sensor	4.0	36.8	32.9	—	0-1
1 electronic warfare suite	3.0	39.6	13.0	—	2
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
300 jump drive modules	300.0	1,088.4	930.0	—	12
1,000 thrusters (36,280.0 tonnes thrust)	1,000.0	3,083.8	160.0	—	16.7
2,250 internal jump fuel tanks	2,250.0	612.2	360.0	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
5 triple 90 MJ PD laser turrets	(15.0)	79.6	8.8	—	1-5
10 single 810 MJ heavy laser turrets	(30.0)	251.2	27.0	—	1-10
4 large heavy missile bays	(400.0)	547.8	8.8	—	8
2 29 GJ particle bays	(200.0)	1,917.4	106.0	—	4
4 nuclear damper modules	16.0	150.9	64.8	—	4
38 meson screen modules	38.0	186.1	148.2	—	4
Ordnance	Spaces	Mass	Cost	Area	Crew
6,000 ready heavy missiles	—	(4,081.5)	(1,080.0)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
15 utility modules	15.0	156.5	4.5	—	—
Pasture for 0 passengers	360.0	195.9	1.1	—	—
56 crew pastures	1,344.0	731.4	4.0	—	—
22.5-dton cargo hold	22.5	—	—	—	—
Cargo	(22.5)	(102.0)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty	6,000.0	30,017.2	2,264.0	156,823	0
Fitted out	6,000.0	36,241.5	3,344.0	156,823	0

## Valeria-class Light Cruiser (GTL11)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
10,000-dton medium hull, std. mat.(10,000.0)	119.3	8.8	16,298	—	—
12 turrets (DR 4000)	12.0	1,051.6	14.3	891	—
6 large internal bays	600.0	54.4	3.0	—	—
DR 8500 superdense armour	—	40,576.9	536.8	—	—
Heavy compartmentalization	—	11.9	0.1	—	—
Basic stealth	—	42.0	13.9	—	—
Basic emission cloaking	—	42.0	13.9	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	20.9	12.0	—	1-10
Basic bridge with hardened controls	2.5	9.3	6.2	—	0-0
1 advanced communicator	7.0	84.5	3.3	—	0-1
1 advanced sensor	8.0	69.2	69.0	—	0-1
1 electronic warfare suite	3.0	36.6	10.5	—	2
Engineering	Spaces	Mass	Cost	Area	Crew
2 fusion engineering modules	2.0	6.5	0.3	—	—
500 jump drive modules	500.0	1,814.0	1,525.0	—	10
1,896 thrusters (171,967.2 tonnes thrust)	1,896.0	6,878.7	1,232.4	—	37.9
4,000 internal jump fuel tanks	4,000.0	1,088.4	640.0	—	—
4,000 -dtons jump fuel	(4,000.0)	(3,628.0)	(1.4)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
6 triple 97 MJ PD laser turrets	(18.0)	79.8	7.6	—	1-6
6 single 870 MJ heavy laser turrets	(18.0)	160.5	9.4	—	1-6
4 large heavy missile bays	(400.0)	547.8	8.8	—	8
2 29 GJ particle bays	(200.0)	1,917.4	106.0	—	4
1.1 TJ spinal meson gun	2,804.0	25,358.8	2,845.0	—	30
Ordnance	Spaces	Mass	Cost	Area	Crew
6,000 ready heavy missiles	—	(4,081.5)	(1,200.0)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
Vixen Hanger with 1 entrance	80.0	0.9	0.0	—	—
2 Vixen Armed Gigs	(40.0)	(179.0)	(18.6)	—	4
Other Modules	Spaces	Mass	Cost	Area	Crew
20 utility modules	20.0	208.6	5.0	—	—
10 crew bunkrooms	40.0	17.2	0.2	—	—
14 crew low berths	7.0	25.4	3.1	—	—
3 sickbays	7.5	13.9	0.6	—	3
1 surgical theatre	1.0	0.4	0.1	—	—
2 brigs	2.0	12.7	0.1	—	—
3.0-dton cargo hold	3.0	—	—	—	—
Cargo	(3.0)	(13.6)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	10,000.0	80,249.8	7,075.4	17,190	51
Fitted out with full crew	10,000.0	88,151.9	8,294.0	17,190	166

## Vampire-class Strike Fighter (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to military standards.

Structure	Spaces	Mass	Cost	Area	Crew
50-dton medium hull, std. mat.	(50.0)	4.7	0.3	476	—
DR 200 crystaliron armour	—	46.5	0.6	—	—
Basic stealth	—	1.2	0.4	—	—
Basic emission cloaking	—	1.2	0.4	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.6	2.7	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
42 thrusters (1,523.8 tonnes thrust)	42.0	129.5	6.7	—	0.7
Weaponry	Spaces	Mass	Cost	Area	Crew
1 fixed light missile rack	1.0	11.8	0.0	—	—
2 fixed 810 MJ lasers	6.0	50.2	5.4	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	50.0	249.6	16.4	476	2
Fitted out with full crew	50.0	249.6	16.4	476	2

## Vanderpelt-class Luxury Liner (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to commercial standards. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
1,200-dton medium hull, std. mat.	(960.0)	19.4	5.1	3,965	—
12 turrets (DR 100)	12.0	21.9	1.4	891	—
DR 100 bonded superdense armour	—	77.4	1.0	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.1	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
48 jump drive modules	48.0	174.1	146.4	—	0.5
23 thrusters (2,086.1 tonnes thrust)	23.0	83.4	14.9	—	0.2
360 internal jump fuel tanks	360.0	98.0	57.6	—	—
360 -dtons jump fuel	(360.0)	(326.5)	(0.1)	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
4 triple sandcaster turrets	(12.0)	54.4	3.0	—	4
4 triple 405 MJ laser turrets	(12.0)	84.9	8.2	—	1-4
4 triple 102 MJ PD laser turrets	(12.0)	56.2	3.7	—	1-4
Auxiliaries	Spaces	Mass	Cost	Area	Crew
Hanger for 1 Gig with 1 entrance	40.0	0.9	0.0	—	—
1 Gig	(20.0)	(70.6)	(5.5)	—	2
Other Modules	Spaces	Mass	Cost	Area	Crew
2 utility modules	2.0	20.9	0.5	—	—
4 suites for 4 noble passengers	32.0	7.3	0.2	—	4
60 Staterooms for 60 high passengers	240.0	108.8	0.7	—	3
11 crew staterooms	44.0	20.0	0.1	—	—
1 hall	10.0	0.2	0.0	—	—
1 stage	16.0	0.5	0.0	—	—
1 swimming pool	31.0	7.7	0.2	—	1.3
Water	—	115.6	—	—	—
1 sickbay	1.0	0.8	0.2	—	1
97.5-dton cargo hold	97.5	—	—	—	—
Cargo	(97.5)	(442.2)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	960.0	846.5	246.6	4,857	2
Fitted out with full crew	960.0	1,801.5	252.1	4,857	21

## Velroi-class Escort Destroyer (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
2,000-dton medium hull, std. mat.	(2,000.0)	54.4	3.0	5,574	—
20 turrets (DR 1000)	20.0	740.6	10.4	1,486	—
DR 2000 crystaliron armour	—	5,442.0	72.0	—	—
Heavy compartmentalization	—	5.4	0.1	—	—
Basic stealth	—	17.2	5.7	—	—
Basic emission cloaking	—	17.2	5.7	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
60 jump drive modules	60.0	217.7	186.0	—	2.4
950 thrusters (34,466.0 tonnes thrust)	950.0	2,929.6	152.0	—	15.8
400 internal jump fuel tanks	400.0	108.8	64.0	—	—
400 -dtons jump fuel	(400.0)	(362.8)	(0.1)	—	—
1 fuel scoop	1.0	0.5	0.0	—	—
5 fuel processors	5.0	5.0	4.3	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
5 triple light missile turrets	(15.0)	4.1	0.1	—	5
5 triple 250 MJ laser turrets	(15.0)	113.2	12.3	—	1-5
5 triple 90 MJ PD laser turrets	(15.0)	79.6	8.8	—	1-5
5 single 810 MJ heavy laser turrets	(15.0)	125.6	13.5	—	1-5
1 nuclear damper module	4.0	37.7	16.2	—	4
Ordnance	Spaces	Mass	Cost	Area	Crew
1,230 ready light missiles	—	(167.3)	(44.3)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
<i>Burtoine</i> Hanger with 1 entrance	480.0	0.9	0.0	—	—
8 <i>Burtoine</i> Escort Fighters	(240.0)	(2,521.6)	(94.6)	—	16
Hanger for 1 Gig	40.0	—	—	—	—
1 Gig	(20.0)	(70.6)	(5.5)	—	2
Other Modules	Spaces	Mass	Cost	Area	Crew
4 utility modules	4.0	41.7	1.2	—	—
6 crew bunkrooms	24.0	26.1	0.1	—	—
1 sickbay	1.0	0.7	0.2	—	1
5.0-dton cargo hold	5.0	—	—	—	—
Cargo	(5.0)	(22.7)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	2,000.0	9,993.5	568.5	7,060	20
Fitted out with full crew	2,000.0	13,138.5	712.8	7,060	55

## Vengeance-class Heavy Fighter (GTL11)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
50-dton medium hull, std. mat.	(50.0)	3.5	0.3	476	—
1 turret (DR 2750)	1.0	60.4	0.8	74	—
DR 5500 superdense armour	—	767.7	10.2	—	—
Thermal superconductor armour	—	0.7	1.5	—	—
Basic stealth	—	1.3	0.4	—	—
Basic emission cloaking	—	1.3	0.4	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command cockpit with hardened controls	2.5	15.9	10.3	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
45 thrusters (4,081.5 tonnes thrust)	45.0	163.3	29.2	—	0.9
Weaponry	Spaces	Mass	Cost	Area	Crew
1 fixed light missile rack	1.0	11.8	0.0	—	—
1 single 870 MJ heavy laser turret	(3.0)	26.8	1.6	—	1-1
Other Modules	Spaces	Mass	Cost	Area	Crew
0.5-dton cargo hold	0.5	—	—	—	—
Cargo	(0.5)	(2.3)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	50.0	1,052.7	54.8	550	2
Fitted out with full crew	50.0	1,055.0	54.8	550	3

## Verdamt-class System Defense Boat (GTL9)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Metric measurements, weapon armour is limited. Contains playtest modules (low tech).

<b>Structure</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
10,000-dton medium hull, std. mat.(10,000.0)		238.7	8.8	175,441	—
10 turrets (DR 1000)	10.0	555.4	7.6	8,000	—
4 large internal bays	400.0	36.3	2.0	—	—
DR 8000 durasteel armour	—	95,475.1	1,263.2	—	—
Heavy compartmentalization	—	23.9	0.3	—	—
Basic stealth	—	41.6	13.8	—	—
Basic emission cloaking	—	41.6	13.8	—	—
<b>CCCI</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
<b>Engineering</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
1 fusion engineering module	3.0	11.7	5.0	—	—
3,500 fusion rockets (253,960 tonnes)	3,500.0	12,698.0	2,800.0	—	58.3
500 water fuel tanks	500.0	11.3	85.0	—	—
Water (as reaction mass)	(500.0)	6,802.5	0.2	—	—
<b>Weaponry</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
10 triple 40 MJ PD laser turrets	(30.0)	153.5	44.1	—	1-10
4 large heavy missile bays	(400.0)	555.1	17.6	—	8
920 GJ spinal particle accelerator	5,365.0	33,060.1	8,438.0	—	55
<b>Ordnance</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
6,000 ready heavy missiles	—	(4,081.5)	(1,200.0)	—	—
<b>Other Modules</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
54 utility modules	54.0	303.7	41.0	—	—
12 crew bunkrooms	60.0	53.3	0.6	—	—
17 crew low berths	8.5	30.8	3.7	—	—
5 sickbays	12.5	23.1	1.3	—	5
82.0-dton cargo hold	82.0	—	—	—	—
Cargo	(82.0)	(371.9)	—	—	—
<b>Totals</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Empty	10,000.0	133,176.5	12,758.3	183,441	0
Fitted out	10,000.0	137,629.8	13,958.3	183,441	0

## Victrix-class Monitor (GTL11)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. All quantities in metric units. Weapon armour is limited.

<b>Structure</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
15,000-dton medium hull, std. mat.(15,000.0)		156.4	11.5	21,357	—
9 turrets (DR 4000)	9.0	788.7	10.7	668	—
6 large external bays (DR 4000)	120.0	8,543.9	115.3	7,246	—
DR 55000 superdense armour	—	344,046.2	4,551.9	—	—
Total compartmentalization	—	31.3	0.3	—	—
Radical stealth	—	142.9	236.3	—	—
Radical emission cloaking	—	142.9	236.3	—	—
<b>CCCI</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Command bridge with hardened controls	5.0	20.9	12.0	—	1-10
Basic bridge with hardened controls	2.5	9.3	6.2	—	0-0
<b>Engineering</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
1 fusion engineering module	1.0	3.3	0.2	—	—
4,850 thrusters (439,895.0 tonnes)	4,850.0	17,595.8	3,152.5	—	97
1 workshop	2.5	13.6	0.1	—	—
<b>Weaponry</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
9 single 870 MJ heavy laser turrets	(27.0)	240.8	14.1	—	1-9
6 large heavy missile bays	(600.0)	821.7	13.2	—	12
3.1 TJ spinal meson gun	8,169.0	73,904.2	8,290.0	—	83
32 nuclear damper modules	32.0	296.0	128.0	—	4
152 meson screen modules	152.0	689.3	349.6	—	4
<b>Ordnance</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
9,000 ready heavy missiles	—	(6,122.3)	(1,800.0)	—	—
<b>Auxiliaries</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Hanger for <i>Huns</i> with 1 entrance	320.0	0.9	0.0	—	—
16 <i>Hun</i> Light Fighters	(160.0)	(1,009.6)	(182.4)	—	48
Hanger for <i>Tartars</i> with 1 entrance	960.0	0.9	0.0	—	—
12 <i>Tartar</i> Heavy Fighters	(480.0)	(5,602.8)	(383.8)	—	24
Hanger for <i>Estevans</i> with 1 entrance	80.0	0.9	0.0	—	—
2 <i>Estevan</i> Cutters	(40.0)	(45.4)	(8.6)	—	2
<b>Other Modules</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
30 utility modules	30.0	312.9	7.5	—	—
23 crew bunkrooms	92.0	39.6	0.4	—	—
5 sickbays	12.5	23.1	1.0	—	5
162.5-dton cargo hold	162.5	—	—	—	—
Cargo	(162.5)	(736.9)	—	—	—
<b>Totals</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Empty with skeleton crew	15,000.0	447,825.7	17,137.2	29,272	98
Fitted out with full crew	15,000.0	461,342.7	19,512.0	29,272	281



## Viodak-class Light Carrier (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
5,000-dton medium hull, std. mat.	(5,000.0)	50.1	5.5	10,267	—
30 turrets (DR 300)	30.0	141.8	3.0	2,229	—
2 small internal bays	100.0	11.8	0.6	—	—
DR 600 bonded superdense armour	—	1,202.9	15.9	—	—
Heavy compartmentalization	—	5.0	0.1	—	—
Basic stealth	—	30.5	10.1	—	—
Basic emission cloaking	—	30.5	10.1	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	20.1	11.8	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
200 jump drive modules	200.0	725.6	610.0	—	2
190 thrusters (17,233.0 tonnes thrust)	190.0	689.3	123.5	—	1.9
1,500 internal jump fuel tanks	1,500.0	408.2	240.0	—	—
1,500 -dtons jump fuel	(1,500.0)	(1,360.5)	(0.5)	—	—
2 fuel scoops	2.0	1.0	0.0	—	—
15 fuel processors	15.0	15.0	12.8	—	—
2 workshops	5.0	27.2	0.1	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
10 triple sandcaster turrets	(30.0)	136.1	7.5	—	10
20 triple 102 MJ PD laser turrets	(60.0)	280.8	18.6	—	2-20
2 small light missile bays	(100.0)	23.9	0.6	—	4
1 nuclear damper module	1.0	9.3	4.0	—	4
4 meson screen modules	4.0	18.1	9.2	—	4
Ordnance	Spaces	Mass	Cost	Area	Crew
8,200 ready light missiles	—	(1,115.6)	(188.6)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
Rampart Hanger with ent. & launcher	2,018.0	74.4	1.8	—	10
100 Rampart Fighters	(1,000.0)	(8,190.0)	(1,400.0)	—	100
Hanger for 2 Gigs	80.0	—	—	—	—
2 Gigs	(40.0)	(141.8)	(11.0)	—	4
Barracks	Spaces	Mass	Cost	Area	Crew
6 marine staterooms	24.0	10.9	0.1	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
10 utility modules	10.0	104.3	2.5	—	—
78 crew staterooms	312.0	141.5	0.9	—	—
2 sickbays	2.0	1.5	0.4	—	2
501.0-dton cargo hold	501.0	—	—	—	—
Cargo	(501.0)	(2,272.0)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	5,000.0	4,163.1	1,089.3	12,496	5
Fitted out with full crew	5,000.0	17,243.1	2,688.9	12,496	155

## Vixen-class Armed Gig (GTL11)

*Design Parameters:* Built for Solomani human crew. Designed to military standards.

Structure	Spaces	Mass	Cost	Area	Crew
20-dton medium hull, std. mat.	(16.0)	1.9	0.3	258	—
1 turret (DR 100)	1.0	2.7	0.1	74	—
DR 100 superdense armour	—	7.6	0.1	—	—
Basic stealth	—	0.8	0.3	—	—
Basic emission cloaking	—	0.8	0.3	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	3.8	2.2	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
4 thrusters (362.8 tonnes thrust)	4.0	14.5	2.6	—	0.1
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple 390 MJ laser turret	(3.0)	20.5	3.4	—	1-1
Other Modules	Spaces	Mass	Cost	Area	Crew
2 passenger couches	2.0	0.7	0.0	—	—
8.0-dton cargo hold	8.0	—	—	—	—
Cargo	(8.0)	(36.3)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	16.0	53.2	9.3	333	1
Fitted out with full crew	16.0	89.5	9.3	333	2

## Vloshr-class Frontier Trader (GTL10)

*Design Parameters:* Built for Zhodani human crew. Designed to commercial standards. Metric measurements, turrets are counted towards jump volume, weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
300-dton medium hull, standard materials(240.0)	15.4	2.0	16,938	—	—
3 turrets (DR 100)	3.0	13.1	0.4	2,400	—
DR 100 crystaliron armour	—	76.8	1.0	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge with psionic switches	2.5	7.8	4.1	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
10 jump drive modules	10.0	36.3	31.0	—	0.4
19 thrusters (689.3 tonnes thrust)	19.0	58.6	3.0	—	0.3
61 internal jump fuel tanks	61.0	16.6	9.8	—	—
1 fuel processor	1.0	1.0	0.9	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple sandcaster turret	(3.0)	13.6	0.8	—	1
2 triple 90 MJ PD laser turrets	(6.0)	31.8	3.5	—	1-2
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
15 Staterooms for 15 high passengers	60.0	32.7	0.2	—	0.8
2 self-contained habitats	8.0	5.4	0.0	—	—
3 crew staterooms	12.0	6.5	0.0	—	—
69.5-dton cargo hold	69.5	—	—	—	—
Cargo	(69.5)	(315.2)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty	240.0	324.3	57.3	19,338	0
Fitted out	240.0	694.8	57.3	19,338	0

## Voidtrekker-class Rift Scout (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to private standards. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, std. mat.	(400.0)	9.3	1.0	1,906	—
4 turrets (DR 100)	4.0	7.3	0.2	297	—
DR 100 bonded superdense armour	—	37.2	0.5	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge with hardened controls	2.5	9.3	6.1	—	1-5
1 enhanced sensor	4.0	34.6	33.2	—	0-1
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
28 jump drive modules	28.0	101.6	85.4	—	0.3
8 thrusters (725.6 tonnes thrust)	8.0	29.0	5.2	—	0.1
240 internal jump fuel tanks	240.0	65.3	38.4	—	—
240 -dtons jump fuel	(240.0)	(217.7)	(0.1)	—	—
1 fuel processor	1.0	1.0	0.9	—	—
1 workshop	2.5	13.6	0.1	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
4 empty turrets	(12.0)	—	—	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
Hanger for 1 Gig with 1 entrance	40.0	0.9	0.0	—	—
1 Gig	(20.0)	(70.6)	(5.5)	—	2
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
4 staterooms for 4 independent passengers	16.0	7.3	0.0	—	—
10 crew staterooms	40.0	18.1	0.1	—	—
1 sickbay	1.0	0.8	0.2	—	1
2 standard labs	4.0	18.1	2.0	—	2-4
7.0-dton cargo hold	7.0	—	—	—	—
Cargo	(7.0)	(31.7)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	400.0	367.2	173.7	2,203	2
Fitted out with full crew	400.0	687.3	179.2	2,203	10

## von Braun-class Missile Boat (GTL 11)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
1,200-dton medium hull, std. mat.	(1,200.0)	29.0	2.1	3,965	—
2 turrets (DR 1250)	2.0	55.5	0.8	148	—
1 small internal bay	50.0	5.9	0.3	—	—
DR 2500 superdense armour	—	2,903.5	38.4	—	—
Basic stealth	—	10.0	3.3	—	—
Basic emission cloaking	—	10.0	3.3	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	20.9	12.0	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
36 jump drive modules	36.0	130.6	109.8	—	0.7
585 thrusters (53,059.5 tonnes thrust)	585.0	2,122.4	380.3	—	11.7
480 internal jump fuel tanks	480.0	130.6	76.8	—	—
480 -dtons jump fuel	(480.0)	(435.4)	(0.2)	—	—
1 fuel scoop	1.0	0.5	0.0	—	—
3 fuel processors	3.0	3.0	2.5	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
2 triple 390 MJ laser turrets	(6.0)	40.9	6.9	—	1-2
1 small missile bay	(50.0)	68.7	1.1	—	2
Ordnance	Spaces	Mass	Cost	Area	Crew
750 ready heavy missiles	—	(510.2)	(150.0)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
1 bay for <i>Hun</i> Light Fighter	10.5	0.5	0.0	—	—
1 <i>Hun</i> Light Fighter	(10.0)	(63.1)	(11.4)	—	3
Other Modules	Spaces	Mass	Cost	Area	Crew
3 utility modules	3.0	31.3	0.8	—	—
3 crew bunkrooms	12.0	5.2	0.1	—	—
1 sickbay	1.0	0.8	0.2	—	1
10.5-dton cargo hold	10.5	—	—	—	—
Cargo	(10.5)	(47.6)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	1,200.0	5,572.5	638.9	4,113	14
Fitted out with full crew	1,200.0	6,628.8	800.3	4,113	21

## Vuki-class Intruder Scout (GTL 12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
200-dton medium hull, std. mat.	(200.0)	5.9	0.6	1,200	—
2 turrets (DR 300)	2.0	9.5	0.2	148	—
DR 600 bonded superdense armour	—	140.7	1.9	—	—
Radical stealth	—	6.6	10.9	—	—
Radical emission cloaking	—	6.6	10.9	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge with hardened controls	2.5	9.3	6.1	—	1-5
Medium PESA array	1.5	17.1	60.0	—	—
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
14 jump drive modules	14.0	50.8	42.7	—	0.1
30 thrusters (2,721.0 tonnes thrust)	30.0	108.8	19.5	—	0.3
120 internal jump fuel tanks	120.0	32.7	19.2	—	—
120 -dtons jump fuel	(120.0)	(108.8)	(0.0)	—	—
0.5 fuel scoops	0.5	0.3	0.0	—	—
1 fuel processor	1.0	1.0	0.9	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
2 triple light missile turrets	(6.0)	1.6	0.0	—	2
Ordnance	Spaces	Mass	Cost	Area	Crew
492 ready light missiles	—	(66.9)	(11.3)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
4 crew staterooms	16.0	7.3	0.0	—	—
1 exercise room	2.5	0.5	0.0	—	—
8.0-dton cargo hold	8.0	—	—	—	—
Cargo	(8.0)	(36.3)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	200.0	412.2	173.3	1,349	2
Fitted out with full crew	200.0	624.2	184.7	1,349	6

## Wain-class Freighter (GTL 10)

*Design Parameters:* Built for Sword Worlder human crew. Designed to commercial standards.

Structure	Spaces	Mass	Cost	Area	Crew
800-dton medium hull, std. mat.	(640.0)	29.5	3.9	3,026	—
DR 100 crystaliron armour	—	147.7	2.0	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
16 jump drive modules	16.0	58.0	49.6	—	0.6
82 thrusters (2,975.0 tonnes thrust)	82.0	252.9	13.1	—	1.4
80 internal jump fuel tanks	80.0	21.8	12.8	—	—
80 -dtons jump fuel	(80.0)	(72.6)	(0.0)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
2 utility modules	2.0	20.9	0.6	—	—
3 Staterooms for 6 middle passengers	12.0	6.5	0.0	—	—
3 low berths for 12 low passengers	1.5	5.4	0.7	—	—
3 crew staterooms	12.0	6.5	0.0	—	—
431.0-dton cargo hold	431.0	—	—	—	—
Cargo	(431.0)	(1,954.6)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	640.0	560.7	87.0	3,026	3
Fitted out with full crew	640.0	2,587.9	87.0	3,026	4

## Warhound-class Assault Carrier (GTL12)

Structure	Spaces	Mass	Cost	Area	Crew
1200-ton hull	(1200.0)	22.7	2.5	4645.2	0.0
Airtight sealing	0.0	0.0	0.6	0.0	0.0
Armour: DR2000, PD4	0.0	1831.4	24.2	0.0	0.0
12 turrets	12.0	4.6	0.5	891.9	12.0
Drive Modules	Spaces	Mass	Cost	Area	Crew
Engineering module	1.0	3.4	0.2	0.0	0.0
Jump drive (4 parsecs)	85.0	308.4	259.3	0.0	0.9
Jump tanks	480.0	566.0	76.8	0.0	0.0
Maneuver drive (3.0G)	308.0	1117.4	89.3	0.0	3.1
Fuel processor module (60.0 hours)	1.0	1.0	0.9	0.0	0.0
Weapon Modules	Spaces	Mass	Cost	Area	Crew
15 Missile Racks	(5.0)	176.9	0.3	0.0	0.0
21 405-MJ Lasers	(7.0)	148.6	14.3	0.0	0.0
Meson Screen (DR2093)	6.0	27.2	13.5	0.0	0.0
Nuclear Damper (24 km range)	2.0	18.1	8.0	0.0	0.0
Workspace Modules	Spaces	Mass	Cost	Area	Crew
Hardened Command Bridge	5.0	20.5	14.5	0.0	5.0
3 utility modules	3.0	31.3	0.8	0.0	0.0
Spacedock with 1 entrances	40.0	0.9	0.0	0.0	0.0
72 External Cradles holding 4500 tons	36.0	408.1	9.0	0.0	0.0
Sickbay	1.0	0.8	0.2	0.0	2.0
Hold	72.0	0.0	0.0	0.0	0.0
Accommodation Modules	Spaces	Mass	Cost	Area	Crew
37 staterooms	148.0	67.1	0.4	0.0	0.0
Miscellaneous Items	Spaces	Mass	Cost	Area	Crew
Fuel	(480.0)	0.0	0.2	0.0	0.0
Cargo	(72.0)	(326.5)	0.0	0.0	0.0
Carried ships	(20.0)	(70.7)	(5.5)	0.0	1.0
Cradled vehicles	(500.0)	(4081.5)	(70.0)	0.0	50.0
Missiles	0.0	0.0	25.5	0.0	0.0
Totals	Spaces	Mass	Cost	Area	Crew
Fully loaded & fitted out	1200.0	9233.1	616.5	5537.0	73.0
Unloaded with skeleton crew	1200.0	4754.4	515.4	5537.0	8.0

## Warhound-class Light Cruiser (GTL11)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
3,000-dton medium hull, std. mat.	(3,000.0)	53.5	3.9	7,304	—
17 turrets (DR 1250)	17.0	472.1	6.8	1,263	—
DR 2500 superdense armour	—	5,348.3	70.8	—	—
Basic stealth	—	20.9	6.9	—	—
Basic emission cloaking	—	20.9	6.9	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	20.9	12.0	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
120 jump drive modules	120.0	435.4	366.0	—	2.4
509 thrusters (46,166.3 tonnes thrust)	509.0	1,846.7	330.8	—	10.2
900 internal jump fuel tanks	900.0	244.9	144.0	—	—
900 -dtons jump fuel	(900.0)	(816.3)	(0.3)	—	—
1.5 fuel scoops	1.5	0.8	0.0	—	—
4 fuel processors	4.0	4.0	3.4	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
5 triple sandcaster turrets	(15.0)	68.0	3.8	—	5
6 triple 97 MJ PD laser turrets	(18.0)	79.8	7.6	—	1-6
6 single 870 MJ heavy laser turrets	(18.0)	160.5	9.4	—	1-6
530 GJ spinal particle accelerator	1,388.0	12,539.3	859.0	—	15
Other Modules	Spaces	Mass	Cost	Area	Crew
5 utility modules	5.0	52.2	1.3	—	—
4 crew bunkrooms	16.0	6.9	0.1	—	—
5 crew low berths	2.5	9.1	1.1	—	—
1 sickbay	1.0	0.8	0.2	—	1
30.0-dton cargo hold	30.0	—	—	—	—
Cargo	(30.0)	(136.1)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	3,000.0	21,388.0	1,834.1	8,567	14
Fitted out with full crew	3,000.0	22,340.4	1,834.1	8,567	61

## Wilberton-class Subsidized Merchant (GTL11)

*Design Parameters:* Built for Solomani human crew. Designed to commercial standards. All quantities in metric units.

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, std. mat.	(320.0)	14.0	2.5	1,906	—
DR 100 superdense armour	—	55.8	0.7	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.2	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
8 jump drive modules	8.0	29.0	24.4	—	0.2
11 thrusters (997.7 tonnes thrust)	11.0	39.9	7.1	—	0.2
40 internal jump fuel tanks	40.0	10.9	6.4	—	—
40 -dtons jump fuel	(40.0)	(36.3)	(0.0)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
20 Staterooms for 20 high passengers	80.0	36.3	0.2	—	1
7 low berths for 28 low passengers	3.5	12.7	1.5	—	—
3 crew staterooms	12.0	5.4	0.0	—	—
1 sickbay	1.0	0.8	0.2	—	1
160.0-dton cargo hold	160.0	—	—	—	—
Cargo	(160.0)	(725.6)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	320.0	225.1	46.8	1,906	2
Fitted out with full crew	320.0	987.0	46.8	1,906	4

## Wirimethar-class Treatment Vessel (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to private standards.

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, std. mat.	(320.0)	9.3	2.5	1,906	—
DR 100 bonded superdense armour	—	37.2	0.5	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	6.6	3.1	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
20 jump drive modules	20.0	72.6	61.0	—	0.2
8 thrusters (725.6 tonnes thrust)	8.0	29.0	5.2	—	0.1
160 internal jump fuel tanks	160.0	43.5	25.6	—	—
160 -dtons jump fuel	(160.0)	(145.1)	(0.1)	—	—
1 fuel processor	1.0	1.0	0.9	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
5 low berths for 20 low passengers	2.5	9.1	1.1	—	—
12 crew staterooms	48.0	21.8	0.1	—	—
15 sickbays	15.0	11.6	3.2	—	15
3 surgical theatres	3.0	1.1	0.3	—	—
4 standard labs	8.0	36.3	4.0	—	4-8
1 isolab	20.0	90.7	10.0	—	1-5
1 simulation lab	5.0	9.9	1.5	—	1-1
25.0-dton cargo hold	25.0	—	—	—	—
Cargo	(25.0)	(113.4)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	320.0	393.3	119.4	1,906	2
Fitted out with full crew	320.0	651.8	119.4	1,906	23

## Wirlas-class Exploratory Trader (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to private standards. Turrets are not counted towards jump volume. Contains nonstandard modules (briefing room).

Structure	Spaces	Mass	Cost	Area	Crew
2,000-dton medium hull, std. mat.	(2,000.0)	54.4	3.0	5,574	—
10 turrets (DR 100)	10.0	43.8	0.9	743	—
1 small internal bay	50.0	5.9	0.3	—	—
DR 100 crystaliron armour	—	272.1	3.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
80 jump drive modules	80.0	290.2	248.0	—	3.2
392 thrusters (14,221.8 tonnes thrust)	392.0	1,208.8	62.7	—	6.5
600 internal jump fuel tanks	600.0	163.3	96.0	—	—
600 -dtons jump fuel	(600.0)	(544.2)	(0.2)	—	—
1.5 fuel scoops	1.5	0.8	0.0	—	—
5 fuel processors	5.0	5.0	4.3	—	—
1 workshop	2.5	13.6	0.1	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple light missile turret	(3.0)	0.8	0.0	—	1
2 triple sandcaster turrets	(6.0)	27.2	1.5	—	2
4 triple 250 MJ laser turrets	(12.0)	90.6	9.8	—	1-4
3 triple 90 MJ PD laser turrets	(9.0)	47.8	5.3	—	1-3
1 13 GJ particle bay	(50.0)	423.6	22.8	—	2
Ordnance	Spaces	Mass	Cost	Area	Crew
246 ready light missiles	—	(33.5)	(8.9)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
Hanger for <i>Suliaman</i> with 1 entrance	200.0	0.9	0.0	—	—
1 <i>Suliaman</i> Scout Ship	(100.0)	(314.6)	(26.4)	—	3
3 bays for Gigs	63.0	0.5	0.0	—	—
3 Gigs	(60.0)	(211.9)	(16.5)	—	3
Barracks	Spaces	Mass	Cost	Area	Crew
11 marine staterooms	44.0	23.9	0.1	—	—
1 briefing room	1.0	0.0	0.0	—	—
1 weapons locker	1.0	6.3	0.0	—	—
2 gyms	5.0	0.9	0.0	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
4 utility modules	4.0	41.7	1.2	—	—
2 low berths for 8 low passengers	1.0	3.6	0.4	—	—
20 crew staterooms	80.0	43.5	0.2	—	—
1 sickbay	1.0	0.7	0.2	—	1
8 standard labs	36.0	74.7	8.4	—	8-16
1 isolab	22.5	91.0	10.1	—	1-5
1 simulation lab	7.5	10.2	1.6	—	1-1
387.0-dton cargo hold	387.0	—	—	—	—
Cargo	(387.0)	(1,755.0)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	2,000.0	2,971.1	493.5	6,317	11
Fitted out with full crew	2,000.0	5,830.3	545.3	6,317	39

## Wolfram-class Freighter (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to commercial standards.

Structure	Spaces	Mass	Cost	Area	Crew
600-dton medium hull, std. mat.	(600.0)	24.4	1.3	2,497	—
DR 100 crystaliron armour	—	24.4	0.3	—	—
1 x 66-dton medium subhull, std. materials(66.5)	5.6	0.3	(576)	—	—
DR 100 crystaliron armour	—	28.1	0.4	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
24 jump drive modules	24.0	87.1	74.4	—	1.0
27 thrusters (979.6 tonnes thrust)	27.0	83.3	4.3	—	0.5
180 internal jump fuel tanks	180.0	49.0	28.8	—	—
180 -dtons jump fuel	(180.0)	(163.3)	(0.1)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
3 crew staterooms	12.0	6.5	0.0	—	—
352.5-dton cargo hold	352.5	—	—	—	—
Cargo	(352.5)	(1,598.6)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	600.0	330.2	114.5	2,497	3
Fitted out with full crew	600.0	2,092.1	114.5	2,497	4

## Wylbur-class Ultra-Heavy Fighter (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
80-dton medium hull, std. mat.	(64.0)	3.2	0.8	651	—
1 turret (DR 5000)	1.0	72.9	1.1	74	—
DR 10000 bonded superdense armour	—	1,273.0	16.8	—	—
Total compartmentalization	—	0.6	0.0	—	—
Basic stealth	—	1.8	0.6	—	—
Basic emission cloaking	—	1.8	0.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.4	2.5	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
61 thrusters (5,532.7 tonnes thrust)	61.0	221.3	39.6	—	0.6
Weaponry	Spaces	Mass	Cost	Area	Crew
1 double 690 MJ fusion gun turret	(3.0)	24.5	4.3	—	1-1
1 nuclear damper module	1.0	9.3	4.0	—	4
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	64.0	1,612.7	70.3	726	2
Fitted out with full crew	64.0	1,612.7	70.3	726	7

## Xeek'krir-class Freighter (GTL10)

*Design Parameters:* Built for K'kree crew. Designed to commercial standards. All quantities in metric units.

Structure	Spaces	Mass	Cost	Area	Crew
75,000-dton medium robotic hull, std. mat. (60,000.0)	609.7	161.3	62,448	—	—
DR 100 crystaliron armour	—	3,048.5	40.3	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	15.0	46.8	24.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
2,250 jump drive modules	2,250.0	8,163.0	6,975.0	—	90
3,500 thrusters (126,980.0 tonnes thrust)	3,500.0	10,793.3	560.0	—	58.3
15,000 internal jump fuel tanks	15,000.0	4,081.5	2,400.0	—	—
15,000 -dtons jump fuel	(15,000.0)	(13,605.0)	(5.3)	—	—
2 workshops	5.0	27.2	0.1	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
120 utility modules	120.0	1,251.7	36.0	—	—
948 crew pastures	22,752.0	12,381.6	68.3	—	—
4 sickbays	24.0	16.3	3.8	—	4
16,333.0-dton cargo hold	16,333.0	—	—	—	—
Cargo	(16,333.0)	(74,070.2)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	60,000.0	40,423.2	10,269.2	62,448	150
Fitted out with full crew	60,000.0	128,098.4	10,269.2	62,448	948

## Xeer'rr-class Courier (GTL10)

*Design Parameters:* Built for K'kree crew. Designed to private standards.

Structure	Spaces	Mass	Cost	Area	Crew
600-dton medium hull, std. mat. (480.0)	24.4	3.2	2,497	—	—
DR 100 crystaliron armour	—	121.9	1.6	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	15.0	46.8	24.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
24 jump drive modules	24.0	87.1	74.4	—	1.0
50 thrusters (1,814.0 tonnes thrust)	50.0	154.2	8.0	—	0.8
180 internal jump fuel tanks	180.0	49.0	28.8	—	—
180 -dtons jump fuel	(180.0)	(163.3)	(0.1)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
8 crew pastures	192.0	104.5	0.6	—	—
17.0-dton cargo hold	17.0	—	—	—	—
Cargo	(17.0)	(77.1)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	480.0	601.9	141.2	2,497	3
Fitted out with full crew	480.0	842.3	141.2	2,497	8

## Xenos-class Fast Launch (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to private standards.

Structure	Spaces	Mass	Cost	Area	Crew
10-dton medium hull, std. mat. (8.0)	1.6	0.2	162	—	—
DR 100 crystaliron armour	—	8.0	0.1	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit	1.0	4.4	2.5	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
4 thrusters (145.1 tonnes thrust)	4.0	12.3	0.6	—	0.1
Other Modules	Spaces	Mass	Cost	Area	Crew
1 passenger couch	1.0	0.5	0.0	—	—
2.0-dton cargo hold	2.0	—	—	—	—
Cargo	(2.0)	(9.1)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	8.0	26.8	3.5	162	1
Fitted out with full crew	8.0	35.9	3.5	162	1

## Xianghou-class Destroyer (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. All quantities in metric units. Turrets are not counted towards jump volume. Weapon armour is limited. Contains nonstandard modules (briefing room).

Structure	Spaces	Mass	Cost	Area	Crew
5,000-dton medium hull, std. mat. (5,000.0)	100.2	5.5	10,267	—	—
10 turrets (DR 2000)	10.0	733.1	10.0	743	—
4 large external bays (DR 2000)	80.0	4,752.7	64.4	4,830	—
DR 5500 crystaliron armour	—	27,566.7	364.7	—	—
Heavy compartmentalization	—	10.0	0.1	—	—
Basic stealth	—	38.7	12.8	—	—
Basic emission cloaking	—	38.7	12.8	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	21.7	12.6	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
3 fusion engineering modules	3.0	10.9	1.0	—	—
213 jump drive modules	213.0	772.8	660.3	—	8.5
2,500 thrusters (90,700.0 tonnes)	2,500.0	7,709.5	400.0	—	41.7
1,596 internal jump fuel tanks	1,596.0	434.3	255.4	—	—
1,596 -dtons jump fuel	(1,596.0)	(1,447.6)	(0.6)	—	—
2 fuel scoops	2.0	1.0	0.0	—	—
10 fuel processors	10.0	10.0	8.5	—	—
1 workshop	2.5	13.6	0.1	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
5 triple 250 MJ laser turrets	(15.0)	113.2	12.3	—	1-5
5 triple 90 MJ PD laser turrets	(15.0)	79.6	8.8	—	1-5
4 large heavy missile bays	(400.0)	547.8	8.8	—	8
2 nuclear damper modules	8.0	75.5	32.4	—	4
Ordnance	Spaces	Mass	Cost	Area	Crew
6,000 ready heavy missiles	—	(4,081.5)	(1,080.0)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
Hanger for <i>Steadfasts</i> with 1 entrance	320.0	0.9	0.0	—	—
4 <i>Steadfast</i> Medium Fighters	(160.0)	(674.0)	(44.9)	—	8
Hanger for 1 <i>Sarta</i> Armoured Launch	20.0	—	—	—	—
1 <i>Sarta</i> Armoured Launch	(10.0)	(43.8)	(3.8)	—	—
Barracks	Spaces	Mass	Cost	Area	Crew
1 marine stateroom	4.0	2.2	0.0	—	—
2 marine bunkrooms	8.0	8.7	0.0	—	—
1 briefing room	1.0	0.0	0.0	—	—
2 battledress racks	2.0	52.2	—	—	—
1 weapons locker	1.0	6.3	0.0	—	—
1 gym	2.5	0.5	0.0	—	—
1 shooting range	10.0	9.1	0.2	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
10 utility modules	10.0	104.3	3.0	—	—
4 crew staterooms	16.0	8.7	0.0	—	—
5 crew bunkrooms	20.0	21.8	0.1	—	—
11 crew low berths	5.5	20.0	2.4	—	—
2 sickbays	5.0	9.3	0.5	—	2
145.5-dton cargo hold	145.5	—	—	—	—
Cargo	(145.5)	(659.8)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	5,000.0	43,273.7	1,876.8	15,841	52
Fitted out with full crew	5,000.0	50,180.4	3,005.5	15,841	124

## Xing'kir-class Light Cruiser (GTL10)

*Design Parameters:* Built for K'ree crew. Designed to military standards. Metric measurements, turrets are counted towards jump volume, weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
50,000-dton medium hull, standard materials(40,000.0)	465.3	61.6	512,992	—	—
80 turrets (DR 2000)	80.0	5,864.7	84.7	64,000	—
40 small internal bays	2,000.0	235.8	13.0	—	—
DR 5200 crystaliron armour	—	120,974.0	1,600.5	—	—
Basic stealth	—	130.8	43.3	—	—
Basic emission cloaking	—	130.8	43.3	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	30.0	130.1	75.6	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
1,505 jump drive modules	1,505.0	5,460.1	4,665.5	—	60.2
8,000 thrusters (290,240.0 tonnes thrust)	8,000.0	24,670.4	1,280.0	—	133.3
10,032 internal jump fuel tanks	10,032.0	2,729.7	1,605.1	—	—
3 workshops	7.5	40.8	0.2	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
40 triple 90 MJ PD laser turrets	(120.0)	636.7	70.8	—	4-40
40 single 810 MJ heavy laser turrets	(120.0)	1,005.0	108.0	—	4-40
10 small light missile bays	(500.0)	119.7	3.2	—	20
30 small missile bays	(1,500.0)	2,059.8	33.0	—	60
2.7 TJ spinal particle accelerator	7,109.0	64,315.4	4,860.0	—	73
Ordnance	Spaces	Mass	Cost	Area	Crew
41,000 ready light missiles	—	(5,578.0)	(1,476.0)	—	—
22,500 ready heavy missiles	—	(15,305.6)	(4,050.0)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
100 utility modules	100.0	1,043.1	30.0	—	—
440 crew pastures	10,560.0	5,746.8	31.7	—	—
2 sickbays	12.0	8.2	1.9	—	2
563.5-dton cargo hold	563.5	—	—	—	—
Cargo	(563.5)	(2,555.5)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty	40,000.0	235,770.7	14,611.6	576,993	0
Fitted out	40,000.0	268,308.9	20,137.6	576,993	0

## Yarmouth-class Frontier Trader (GTL10)

*Design Parameters:* Built for Solomani human crew. Designed to commercial standards. Turrets are not counted towards jump volume.

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, std. mat.	(320.0)	18.6	2.5	1,906	—
4 turrets (DR 100)	4.0	17.5	0.6	297	—
DR 100 crystaliron armour	—	93.1	1.2	—	—
Heavy compartmentalization	—	1.9	0.0	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
12 jump drive modules	12.0	43.5	37.2	—	0.5
30 thrusters (1,088.4 tonnes thrust)	30.0	92.5	4.8	—	0.5
80 internal jump fuel tanks	80.0	21.8	12.8	—	—
80 -dtons jump fuel	(80.0)	(72.6)	(0.0)	—	—
1 fuel processor	1.0	1.0	0.9	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
2 triple sandcaster turrets	(6.0)	27.2	1.5	—	2
2 triple 250 MJ laser turrets	(6.0)	45.3	4.9	—	1-2
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
12 Staterooms for 12 high passengers	48.0	26.1	0.1	—	0.6
5 low berths for 20 low passengers	2.5	9.1	1.1	—	—
4 crew staterooms	16.0	8.7	0.0	—	—
122.0-dton cargo hold	122.0	—	—	—	—
Cargo	(122.0)	(553.3)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	320.0	428.1	72.3	2,203	2
Fitted out with full crew	320.0	1,053.9	72.3	2,203	7

## Yarrow-class Scoopship (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to private standards.

Structure	Spaces	Mass	Cost	Area	Crew
80-dton medium hull, std. mat.	(64.0)	3.2	0.8	651	—
DR 100 bonded superdense armour	—	12.7	0.2	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit with hardened controls	1.0	4.4	2.5	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
3 thrusters (272.1 tonnes thrust)	3.0	10.9	1.9	—	0.0
60 internal jump fuel tanks	60.0	16.3	9.6	—	—
60 -dtons jump fuel	(60.0)	(54.4)	(0.0)	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	64.0	47.5	15.0	651	1
Fitted out with full crew	64.0	101.9	15.0	651	1

## Yelsyn-class Frigate (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to military standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
800-dton medium hull, std. mat.	(640.0)	14.8	3.9	3,026	—
8 turrets (DR 1250)	8.0	148.1	2.7	594	—
DR 2500 bonded superdense armour	—	1,477.2	19.5	—	—
Heavy compartmentalization	—	1.5	0.0	—	—
Basic stealth	—	8.8	2.9	—	—
Basic emission cloaking	—	8.8	2.9	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Command bridge with hardened controls	5.0	20.1	11.8	—	1-10
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
40 jump drive modules	40.0	145.1	122.0	—	0.4
216 thrusters (19,591.2 tonnes thrust)	216.0	783.6	140.4	—	2.2
320 internal jump fuel tanks	320.0	87.1	51.2	—	—
320 -dtons jump fuel	(320.0)	(290.2)	(0.1)	—	—
2 fuel processors	2.0	2.0	1.7	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
4 triple light missile turrets	(12.0)	3.3	0.1	—	4
4 triple 405 MJ laser turrets	(12.0)	84.9	8.2	—	1-4
1 nuclear damper module	1.0	9.3	4.0	—	4
Ordnance	Spaces	Mass	Cost	Area	Crew
984 ready light missiles	—	(133.9)	(22.6)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
2 utility modules	2.0	20.9	0.5	—	—
10 crew staterooms	40.0	18.1	0.1	—	—
1 sickbay	1.0	0.8	0.2	—	1
4.0-dton cargo hold	4.0	—	—	—	—
Cargo	(4.0)	(18.1)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	640.0	2,837.6	372.3	3,620	4
Fitted out with full crew	640.0	3,279.9	395.0	3,620	20

## Zandrak-class Safari Ship (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to private standards.

Structure	Spaces	Mass	Cost	Area	Crew
300-dton medium hull, std. mat.	(240.0)	15.4	2.0	1,573	—
DR 100 crystaliron armour	—	76.8	1.0	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge	2.5	7.8	4.0	—	1-5
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.6	0.3	—	—
9 jump drive modules	9.0	32.7	27.9	—	0.4
30 thrusters (1,088.4 tonnes thrust)	30.0	92.5	4.8	—	0.5
60 internal jump fuel tanks	60.0	16.3	9.6	—	—
60 -dttons jump fuel	(60.0)	(54.4)	(0.0)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
2 bays for Air/Rafts	1.0	0.5	0.0	—	—
2 Air/Rafts	(1.0)	(9.1)	(0.1)	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
1 suite for 1 noble passenger	8.0	2.2	0.1	—	1
20 Staterooms for 20 high passengers	80.0	43.5	0.2	—	1
4 crew staterooms	16.0	8.7	0.0	—	—
1 exercise room	2.5	0.5	0.0	—	—
1 shooting range	10.0	9.1	0.2	—	—
8 cages	8.0	50.8	0.2	—	—
1 self-contained habitat	4.0	2.7	0.0	—	—
10.9-dton cargo hold	10.9	—	—	—	—
Cargo	(10.9)	(49.7)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	240.0	370.7	50.7	1,573	2
Fitted out with full crew	240.0	483.9	50.8	1,573	6

## Zentak-class Runabout (GTL10)

*Design Parameters:* Built for Imperial human crew. Designed to private standards.

Structure	Spaces	Mass	Cost	Area	Crew
10-dton medium hull, std. mat.	(8.0)	1.6	0.2	162	—
DR 100 crystaliron armour	—	8.0	0.1	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Cockpit	1.0	4.4	2.5	—	1-2
Engineering	Spaces	Mass	Cost	Area	Crew
3 thrusters (108.8 tonnes thrust)	3.0	9.3	0.5	—	0.1
Other Modules	Spaces	Mass	Cost	Area	Crew
1 passenger couch	1.0	0.5	0.0	—	—
3.0-dton cargo hold	3.0	—	—	—	—
Cargo	(3.0)	(13.6)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	8.0	23.7	3.3	162	1
Fitted out with full crew	8.0	37.3	3.3	162	1

## Zeramine-class Trade Pioneer (GTL12)

*Design Parameters:* Built for Imperial human crew. Designed to private standards. Turrets are not counted towards jump volume. Weapon armour is limited.

Structure	Spaces	Mass	Cost	Area	Crew
400-dton medium hull, std. mat.	(320.0)	9.3	2.5	1,906	—
4 turrets (DR 300)	4.0	18.9	0.6	297	—
DR 600 bonded superdense armour	—	223.3	3.0	—	—
Basic stealth	—	5.4	1.8	—	—
Basic emission cloaking	—	5.4	1.8	—	—
CCCI	Spaces	Mass	Cost	Area	Crew
Basic bridge with hardened controls	2.5	9.3	6.1	—	1-5
1 enhanced communicator	1.0	14.8	0.7	—	0-1
1 enhanced sensor	4.0	34.6	33.2	—	0-1
1 survey module	4.0	4.9	7.6	—	4-8
1 probe launch centre	1.0	1.1	0.0	—	0-3
Engineering	Spaces	Mass	Cost	Area	Crew
1 fusion engineering module	1.0	3.3	0.2	—	—
20 jump drive modules	20.0	72.6	61.0	—	0.2
13 thrusters (1,179.1 tonnes thrust)	13.0	47.2	8.4	—	0.1
160 internal jump fuel tanks	160.0	43.5	25.6	—	—
160 -dttons jump fuel	(160.0)	(145.1)	(0.1)	—	—
1 fuel processor	1.0	1.0	0.9	—	—
1 workshop	2.5	13.6	0.1	—	—
Weaponry	Spaces	Mass	Cost	Area	Crew
1 triple light missile turret	(3.0)	0.8	0.0	—	1
1 triple sandcaster turret	(3.0)	13.6	0.8	—	1
2 triple 405 MJ laser turrets	(6.0)	42.4	4.1	—	1-2
Ordnance	Spaces	Mass	Cost	Area	Crew
246 ready light missiles	—	(33.5)	(5.7)	—	—
Auxiliaries	Spaces	Mass	Cost	Area	Crew
1 bay for Launch	10.5	0.5	0.0	—	—
1 Launch	(10.0)	(32.7)	(3.6)	—	2
Barracks	Spaces	Mass	Cost	Area	Crew
4 marine staterooms	16.0	7.3	0.0	—	—
Other Modules	Spaces	Mass	Cost	Area	Crew
1 utility module	1.0	10.4	0.3	—	—
3 low berths for 12 low passengers	1.5	5.4	0.7	—	—
8 crew staterooms	32.0	14.5	0.1	—	—
1 sickbay	1.0	0.8	0.2	—	1
2 standard labs	4.0	18.1	2.0	—	2-4
40.0-dton cargo hold	40.0	—	—	—	—
Cargo	(40.0)	(181.4)	—	—	—
Totals	Spaces	Mass	Cost	Area	Crew
Empty with skeleton crew	320.0	622.0	161.4	2,203	6
Fitted out with full crew	320.0	1,014.7	170.7	2,203	15

## Zhdiechranj-class Liner (GTL11)

*Design Parameters:* Built for Zhodani human crew. Designed to commercial standards. Metric measurements, turrets are not counted towards jump volume, weapon armour is limited.

<b>Structure</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
700-dton medium hull, standard materials(700.0)	20.3	1.5	29,798	—	—
2 turrets (DR 100)	2.0	5.5	0.1	1,600	—
DR 100 superdense armour	—	81.1	1.1	—	—
<b>CCCI</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Basic bridge with psionic switches	2.5	7.8	4.1	—	1-5
<b>Engineering</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
1 fusion engineering module	1.0	3.3	0.2	—	—
35 jump drive modules	35.0	127.0	106.8	—	0.7
17 thrusters (1,541.9 tonnes thrust)	17.0	61.7	11.0	—	0.3
280 internal jump fuel tanks	280.0	76.2	44.8	—	—
<b>Weaponry</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
1 triple sandcaster turret	(3.0)	13.6	0.8	—	1
1 triple 97 MJ PD laser turret	(3.0)	13.3	1.3	—	1-1
<b>Other Modules</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
2 utility modules	2.0	20.9	0.5	—	—
40 staterooms for 40 high passengers	160.0	72.6	0.5	—	2
4 crew staterooms	16.0	7.3	0.0	—	—
184.5-dton cargo hold	184.5	—	—	—	—
Cargo	(184.5)	(836.7)	—	—	—
<b>Totals</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Empty	700.0	510.3	172.6	31,398	0
Fitted out	700.0	1,601.0	172.6	31,398	0

## Zhounang-class Cruiser (GTL9)

*Design Parameters:* Built for Solomani human crew. Designed to military standards. All quantities in metric units. Turrets are not counted towards jump volume. Weapon armour is limited. Contains playtest modules (low tech). Contains nonstandard modules (briefing room).

<b>Structure</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
30,000-dton medium hull, std. mat.(30,000.0)	496.5	18.2	33,902	—	—
47 turrets (DR 1000)	47.0	2,610.5	35.8	3,493	—
20 large external bays (DR 1000)	400.0	17,867.9	244.0	24,154	—
DR 2000 durasteel armour	—	49,649.0	656.9	—	—
Basic stealth	—	150.2	49.7	—	—
Basic emission cloaking	—	150.2	49.7	—	—
<b>CCCI</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Command bridge with hardened controls	6.0	26.9	19.3	—	1-10
Command bridge with hardened controls	6.0	26.9	19.3	—	0-0
<b>Engineering</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
1 fusion engineering module	3.0	11.7	5.0	—	—
948 jump drive modules	1,896.0	6,878.7	4,740.0	—	189.6
5,500 fusion rockets (399,080 tonnes)	5,500.0	19,954.0	4,400.0	—	91.7
6,320 internal jump fuel tanks	6,320.0	1,719.7	1,011.2	—	—
6,320 -dtons jump fuel	(6,320.0)	(5,732.2)	(2.2)	—	—
10,000 water fuel tanks	10,000.0	226.8	1,700.0	—	—
Water (as reaction mass)	(10,000.0)	(136,050.0)	(3.0)	—	—
4 workshops	10.0	54.4	0.2	—	—
<b>Weaponry</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
15 triple 101 MJ laser turrets	(45.0)	351.8	63.9	—	2-15
17 triple 40 MJ PD laser turrets	(51.0)	260.9	75.0	—	2-17
15 single 303 MJ heavy laser turrets	(45.0)	349.6	63.8	—	2-15
20 large heavy missile bays	(2,000.0)	2,775.4	88.0	—	40
920 GJ spinal particle accelerator	5,365.0	33,060.1	8,438.0	—	55
<b>Ordnance</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
30,000 ready heavy missiles	—	(20,407.5)	(6,000.0)	—	—
<b>Auxiliaries</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
2 bays for <i>Chiang</i> Launches	21.0	0.5	0.0	—	—
2 <i>Chiang</i> Launches	(20.0)	(39.8)	(10.4)	—	2
<b>Barracks</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
1 marine stateroom	4.0	2.2	0.0	—	—
4 marine bunkrooms	20.0	17.8	0.2	—	—
5 briefing rooms	5.0	0.1	0.0	—	—
1 battledress rack	1.0	26.1	—	—	—
1 weapons locker	1.0	6.3	0.0	—	—
2 gyms	5.0	0.9	0.0	—	—
1 shooting range	10.0	9.1	0.2	—	—
<b>Other Modules</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
162 utility modules	162.0	911.0	123.1	—	—
20 crew staterooms	80.0	43.5	0.3	—	—
23 crew bunkrooms	115.0	102.2	1.1	—	—
5 sickbays	12.5	23.1	1.3	—	5
10.5-dton cargo hold	10.5	—	—	—	—
Cargo	(10.5)	(47.6)	—	—	—
<b>Totals</b>	<i>Spaces</i>	<i>Mass</i>	<i>Cost</i>	<i>Area</i>	<i>Crew</i>
Empty with skeleton crew	30,000.0	121,801.0	21,804.2	61,549	283
Fitted out with full crew	30,000.0	148,028.1	27,814.6	61,549	400



---

---

# Index

---

## Artists

### Bont, Tom

<i>Aardvark</i> Trader .....	3
<i>Aramine</i> Liner .....	5
<i>Hawk</i> Destroyer Escort .....	69
<i>Irushma</i> Patrol Frigate .....	70

## Authors

### Bont, Tom

<i>Hawk</i> Destroyer Escort .....	69
------------------------------------	----

### Mooney, Dom

<i>S-XL</i> Long Range Scout .....	52
------------------------------------	----

## Background

### Corporations

Akerut .....	5
Bilstein Yards .....	19, 30
GSbAG .....	33
Instellarms .....	108
Ling Standard Products .....	48, 108
Meladin Lines .....	31
Nordcan Lines .....	1
Tukera Lines .....	5, 24, 30, 31

### Events

Battle of Porozlo .....	97
Cameroon Incident .....	79
Core-Marches Race .....	48
Fifth Frontier War .....	51, 52, 72, 76, 94, 100
Fourth Frontier War .....	66
Interstellar Wars .....	54, 55, 56, 57, 76, 83, 101, 110, 111
Interstellar Wars .....	35, 50, 93
Long Night .....	15
Mora Vintners' Trophy .....	29
Nth Interstellar War .....	57
Second Battle of Barnard's Star .....	100
Siege of Rhylanor .....	97
Solomani Rim War .....	58, 62, 67, 82, 89, 106
Third Frontier War .....	97

### Famous Ships

<i>Australis Deo</i> .....	6
<i>Brass Goat</i> .....	43
<i>Colossus</i> .....	46
<i>Fraser</i> .....	35
<i>Harappa</i> .....	78
<i>Ragnarok</i> .....	79
<i>Stunenge</i> .....	97
<i>Swari</i> .....	29
<i>Titanic</i> Resettlement Vessel .....	46

### Organizations

Glisten Institute of Technology .....	41
Imperial Interstellar Scout Service .....	40

Imperial Naval Intelligence .....	12, 15, 61, 80, 89, 94, 100
SolSec .....	6, 79

### People

Alpaq, Sir Edwin .....	43
Coenraads, Professor Sir John .....	48
Fitzwilliam, Sir Ennra .....	48
Khan, Captain Franklin .....	35
Kurgashii, Baron Albert .....	47
Muodray .....	53
Packer, Captain Augusta .....	79
Petros, Captain .....	97
Rao, Deepak .....	6
Spofulam, Hengabar .....	6
Takhar, Captain .....	78
Yeganagi, Lt. .....	51

### Worlds

Alpha Centauri .....	93
Barnard's Star .....	93
Beater .....	1
Cameroon .....	79
Emerald .....	52
Glisten .....	99
Gram .....	1
Narsil .....	94
Porozlo .....	97
Procyon .....	93
Rhylanor .....	97
Riverland .....	52
Ruby .....	52
Sacnoth .....	94
Terra .....	29
Terra .....	93

## Civilian Encounters

### Aslan Hierate

<i>Hfiatlais</i> Freighter .....	12
----------------------------------	----

### Droyne Worlds

<i>Aakross</i> Merchant .....	22
<i>Fedmist</i> Droyne Trader .....	10
<i>Oskrip</i> Droyne Scout .....	37
<i>Oytrist</i> Merchant .....	17

### Rule of Man

<i>Borodin</i> Trader .....	9
<i>Flinton</i> Scout .....	35
<i>Fornast</i> Subsidized Liner .....	10
<i>Kagarin</i> Exploratory Trader .....	36
<i>Knossos</i> Liner .....	14
<i>Mullet</i> Merchant Liner .....	15
<i>Murphy</i> Freighter .....	16
<i>Quorum</i> Assembly Hall .....	45
<i>Skyskipper</i> Launch .....	116
<i>Wolfram</i> Freighter .....	21
<i>Xenos</i> Fast Launch .....	116

### Solomani Confederation

<i>Aardvark</i> Trader .....	3
------------------------------	---

<i>Antillé</i> Trader .....	4
<i>Augustus Deo</i> Fast Liner .....	6
<i>Bargam</i> Tramp Trader .....	7
<i>Barton</i> Freighter .....	7
<i>Bunter</i> Gig .....	113
<i>Cairngorm</i> Cluster Liner .....	9
<i>Estevan</i> Cutter .....	117
<i>Falkon</i> Cargo Lighter .....	114
<i>Faunel</i> Yacht .....	44
<i>Fromin</i> Launch .....	114
<i>Furgal</i> Blockade Runner .....	31
<i>Galak</i> Megafreighter .....	10
<i>Gnortz</i> Freighter .....	11
<i>Ibex</i> Fast Shuttle .....	114
<i>Ingham</i> Missionary Ship .....	44
<i>Iridescent Poodle</i> Combat Liner .....	12
<i>Leviathan</i> Megafreighter .....	25
<i>Malthus</i> Lab Ship .....	36
<i>Meredith</i> Trader .....	25
<i>Monnin</i> Freighter .....	14
<i>Muirhead</i> Economy Liner .....	15
<i>Newcombe</i> Trader .....	17
<i>Olythnos</i> Trader .....	17
<i>Otter</i> Survey Scout .....	37
<i>Porion</i> Passenger Liner .....	18
<i>Rori</i> Asteroid Miner .....	45
<i>Tête Jaune</i> Survey Ship .....	39
<i>Tolley</i> Subsidized Merchant .....	19
<i>Triku</i> Subsidized Aquatic Liner .....	19
<i>Wilberton</i> Subsidized Merchant .....	28
<i>Yarmouth</i> Frontier Trader .....	22

### Sword Worlds

<i>Einkhuissen</i> Express Liner .....	1
<i>Ekorn</i> Liner .....	1
<i>Kjerre</i> Freighter .....	1
<i>Kjerre II</i> Freighter .....	13
<i>Knorr</i> Freighter .....	13
<i>Traske</i> Freighter .....	2
<i>Wain</i> Freighter .....	21

### Terran Federation

<i>Flinton</i> Scout .....	35
<i>Maynard</i> Interstellar Scout .....	35
<i>Shinzang</i> Shuttle .....	111

### Third Imperium

<i>Aablan</i> Freighter .....	2
<i>Ampi</i> Express Freighter .....	29
<i>Anhk</i> Merchant .....	4
<i>Aramine</i> Liner .....	5
<i>Ariasa</i> Subsidized Packet .....	29
<i>Arisha</i> Subsidized Merchant .....	22
<i>Astron</i> Express Trader .....	30
<i>Baarnekki</i> Fast Trader .....	23
<i>Bargam</i> Tramp Trader .....	7
<i>Belasmon</i> Liner .....	30
<i>Bercovia</i> Express Liner .....	7
<i>Bergen</i> Freighter .....	8

<i>Bharapar</i> Subsidized Merchant.....	8	<b>Vargr Extents</b>		<i>Trikon</i> Aerospace Fighter .....	105
<i>Brass Goat</i> Filibuster.....	43	<i>Furgal</i> Blockade Runner .....	31	<i>Uruq</i> Medium Fighter.....	109
<i>Cardos</i> Fast Yacht .....	48	<i>Madiis</i> Trader .....	14	<i>Verdamt</i> System Defense Boat ....	94
<i>Chiitaa</i> Fast Launch.....	113	<b>Zhodani Consulate</b>		<i>Victrix</i> Monitor .....	98
<i>Chiral</i> Lab Ship .....	40	<i>Ankrak</i> Freighter.....	4	<b>Rule of Man</b>	
<i>Dragger</i> Bulk Freighter .....	23	<i>Braydikor</i> Trader.....	9	<i>Arduin</i> Light Cruiser .....	78
<i>Dsarpa</i> Fast Shuttle .....	119	<i>Dezdinsh</i> Courier.....	40	<i>Astra</i> Launch.....	112
<i>Empress Nicole</i> Cruise Liner.....	31	<i>Drachplitl</i> Diplomatic Yacht.....	46	<i>Firefly</i> Light Fighter .....	103
<i>Étienne</i> Missionary Ship.....	43	<i>Enzhyiench</i> Freighter.....	23	<i>Hobbes</i> Heavy Fighter .....	103
<i>Furgal</i> Blockade Runner .....	31	<i>Kriaplezh</i> Liner .....	25	<i>Hyena</i> Medium Fighter .....	103
<i>Gelliam</i> Express Freighter .....	24	<i>Shebzhinj</i> Launch .....	118	<i>Monarch</i> Battleship.....	82
<i>Gnortz</i> Freighter .....	11	<i>Tch'atl</i> Yacht.....	45	<i>Orman</i> Destroyer .....	60
<i>Gothick</i> Yacht .....	47	<i>Trabatch</i> Express Liner.....	27	<i>Vampire</i> Strike Fighter.....	105
<i>Gurrak</i> Megafreighter.....	11	<i>Tslechdael</i> Freighter.....	20	<b>Solomani Confederation</b>	
<i>Ibex</i> Fast Shuttle .....	114	<i>Vloshr</i> Frontier Trader.....	20	<i>Alderbaran</i> Heavy Cruiser.....	84
<i>Jelnai</i> Armed Freighter.....	12	<i>Zhdiechranj</i> Liner.....	28	<i>Armageddon</i> Bombardment Cruiser	79
<i>Jheron</i> Scoutship .....	40	<b>Naval Forces</b>		.....	
<i>Klastao</i> Far Trader.....	24	<b>Droyne Worlds</b>		<i>Aldwich</i> Light Destroyer.....	56
<i>Klepsidar</i> Freighter.....	24	<i>Kroydon</i> Droyne Cruiser .....	59	<i>Basilos</i> Pocket Cruiser .....	84
<i>Komar</i> Free Trader .....	31	<i>Mayskyu</i> System Defense Boat ...	93	<i>Batoche</i> Regimental Lander.....	112
<i>Kyzan</i> Armed Shuttle.....	114	<i>Ssaybom</i> Exploration Cruiser .....	53	<i>Bayonet</i> Assault Fighter.....	102
<i>Larilla</i> Yacht.....	47	<b>Mercenary Units</b>		<i>Berghoff</i> Missile Boat .....	56
<i>Luusitar</i> Subsidized Liner .....	32	<i>Banshee</i> Light Fighter .....	107	<i>Birkenhead</i> Troopship.....	89
<i>Luustani</i> Liner.....	32	<i>Berry</i> Extraction Cutter .....	119	<i>Burtoine</i> Escort Fighter.....	102
<i>Mallory</i> Racing Yacht .....	48	<i>Cytos</i> Corvette.....	68	<i>Cadiz</i> Fast Destroyer.....	64
<i>Marstrom</i> Launch .....	117	<i>Dumont</i> Assault Lander.....	119	<i>Congreve</i> Missile Boat.....	57
<i>Mauripo</i> Subsidized Merchant ....	33	<i>Gheilfa</i> Aerospace Fighter .....	108	<i>Corannis</i> Dropship.....	89
<i>Moonii</i> Luxury Yacht .....	49	<i>Gherain</i> Corvette.....	66	<i>Curzon</i> Destroyer.....	64
<i>Morag</i> Ore Transport.....	15	<i>Gnat</i> Light Fighter.....	103	<i>Dartmouth</i> Patrol Frigate .....	57
<i>Morath</i> Fast Courier .....	40	<i>Jumo</i> Heavy Fighter .....	104	<i>Dieppe</i> Assault Lander.....	113
<i>Murbles</i> Luxury Yacht.....	44	<i>Kraki</i> Assault Cutter.....	120	<i>Estevan</i> Cutter.....	117
<i>Murpak</i> Freighter .....	16	<i>Midge</i> Light Fighter .....	104	<i>Fenross</i> Destroyer.....	65
<i>Nahiin</i> Trader.....	16	<i>Murka</i> Combat Shuttle .....	120	<i>Fermouche</i> Escort Frigate.....	58
<i>Nostrii</i> Science Scout.....	36	<i>Olmeka</i> Heavy Fighter .....	105	<i>Hoplite</i> Close Escort .....	58
<i>Oskra</i> Shuttle .....	120	<i>Pugilist</i> Combat Scout.....	52	<i>Hun</i> Light Fighter .....	106
<i>Pekherni</i> Observatory .....	41	<i>Quero</i> Assault Lander .....	117	<i>Imp</i> Patrol Fighter .....	104
<i>Pelagros</i> Luxury Liner .....	26	<i>Steadfast</i> Medium Fighter .....	105	<i>Intrepid</i> Cruiser.....	81
<i>Permain</i> Freighter.....	33	<i>Uruq</i> Medium Fighter .....	109	<i>Jupiter</i> Frigate.....	66
<i>Quotal</i> Tramp Trader.....	18	<b>Planetary Navy</b>		<i>Langsdale</i> Attack Fighter.....	104
<i>Rikiamid</i> Bulk Freighter .....	18	<i>Avoram</i> System Defense Boat....	94	<i>Luzon</i> Aerospace Fighter .....	106
<i>Rori</i> Asteroid Miner.....	45	<i>Banshee</i> Light Fighter .....	107	<i>M'gee</i> Maintenance Tender .....	90
<i>S'donath</i> Fast Courier .....	41	<i>Clorthal</i> Customs Cutter .....	113	<i>MacDonnell</i> Assault Lander ....	115
<i>Selanai</i> Armed Liner .....	33	<i>Drakgki</i> Destroyer .....	57	<i>Maniakes</i> Close Escort.....	60
<i>Selonian</i> Passenger Liner.....	26	<i>Gefros</i> System Defense Boat.....	98	<i>Melbourne</i> Close Escort.....	60
<i>Tedoaraq</i> Liner .....	19	<i>Gheilfa</i> Aerospace Fighter .....	108	<i>Miotos</i> Battleship .....	82
<i>Therania</i> Luxury Liner .....	27	<i>Gnat</i> Light Fighter.....	103	<i>Pugnacious</i> Battle Cruiser .....	83
<i>Toves</i> Bulk Freighter.....	34	<i>Irbak</i> System Defense Boat.....	98	<i>Rorke</i> Cargo Lighter .....	115
<i>Tralsa</i> Gig.....	120	<i>Irumskla</i> Defense Platform.....	95	<i>Sarta</i> Armoured Launch .....	115
<i>Tsenjia</i> Freighter.....	28	<i>Joritz</i> System Defense Boat .....	95	<i>Steadfast</i> Medium Fighter.....	105
<i>Umburko</i> Subsidized Liner .....	20	<i>Jumo</i> Heavy Fighter .....	104	<i>Tartar</i> Heavy Fighter .....	106
<i>Vanderpelt</i> Luxury Liner .....	34	<i>Kyzan</i> Armed Shuttle .....	114	<i>Trikon</i> Aerospace Fighter .....	105
<i>Wirimethar</i> Treatment Vessel.....	49	<i>Megalith</i> Battle Station.....	95	<i>Ubervisch</i> Commerce Raider.....	61
<i>Yarmouth</i> Frontier Trader.....	22	<i>Midge</i> Light Fighter .....	104	<i>Valeria</i> Light Cruiser .....	85
<i>Yarrow</i> Scoopship.....	121	<i>Miiriimak</i> Monitor.....	96	<i>Velroi</i> Escort Destroyer .....	62
<i>Zandrak</i> Safari Ship.....	46	<i>Nova's Roar</i> System Defense Boat	96	<i>Vengeance</i> Heavy Fighter.....	107
<i>Zentak</i> Runabout.....	116	.....	96	<i>Victrix</i> Monitor .....	98
<i>Zeramine</i> Trade Pioneer .....	42	<i>Olmeka</i> Heavy Fighter .....	105	<i>Vixen</i> Armed Gig .....	118
<b>Two Thousand Worlds</b>		<i>Rochelle</i> Monitor.....	99	<i>von Braun</i> Missile Boat .....	67
<i>Zeek'krir</i> Freighter .....	21	<i>Steadfast</i> Medium Fighter .....	105	<i>Warhound</i> Light Cruiser .....	85
<i>Xeer'rr</i> Courier .....	39	<i>Sunnenge</i> Stealth Monitor .....	97	<i>Xianghou</i> Destroyer .....	62

## Sword Worlds

<i>Angbar</i> Heavy Fighter .....	102
<i>Arasfor</i> Destroyer .....	54
<i>Beowulf</i> Greater Dreadnought .....	75
<i>Bølgebryter</i> System Defense Monitor .....	94
<i>Elding</i> Light Fighter .....	100
<i>Fellbane</i> Orbital Defense Fighter .....	100
<i>Grendel</i> Lesser Dreadnought.....	75
<i>Helm</i> Fighter .....	101
<i>Holgrim</i> Fleet Destroyer .....	58
<i>Hvort</i> Pocket Dreadnought .....	80
<i>Slakter</i> Assault Cruiser .....	76
<i>Sveinhelm</i> Assault Carrier.....	61

## Terran Federation

<i>Bopamo</i> Light Carrier .....	54
<i>Chiang</i> Launch .....	110
<i>Dervish</i> System Defense Boat .....	93
<i>Frederik Magnus</i> Corvette.....	55
<i>Fury</i> Fighter .....	100
<i>Guanxou</i> Light Cruiser .....	76
<i>Hecate</i> Light Fighter.....	101
<i>Huata</i> Fighter.....	101
<i>Hudson</i> Lander.....	111
<i>Hudson's Revenge</i> Dropship .....	111
<i>Maikuku</i> Missile Boat.....	55
<i>Marathon</i> Courier .....	50
<i>Maynard</i> Interstellar Scout .....	35
<i>Mjolnir</i> Heavy Fighter .....	102
<i>Puyan</i> Frigate.....	55
<i>Zhounang</i> Cruiser .....	77

## Third Imperium

<i>Baboon</i> Scoopship .....	118
<i>Barlax</i> Assault Lander .....	112
<i>Barlax II</i> Assault Lander .....	116
<i>Barlax III</i> Assault Lander .....	118
<i>Berry</i> Extraction Cutter .....	119
<i>Bilanos</i> Patrol Frigate .....	67
<i>Brighton</i> Battleship.....	86
<i>Brildan</i> Heavy Destroyer.....	63
<i>Cholath</i> Destroyer.....	56
<i>Citadel</i> Heavy Fighter .....	108
<i>Cytos</i> Corvette .....	68
<i>Defiance</i> Light Cruiser .....	86
<i>Drauna</i> Relief Vessel .....	91
<i>Ewos</i> Q-Ship .....	65
<i>Flamboyant Monkey</i> Frontier Cruiser.....	87
<i>Fortress</i> Assault Fighter .....	108
<i>Ftenrik</i> Fleet Transport .....	91
<i>Fury</i> Fleet Escort .....	68
<i>Garyan</i> Corvette .....	68
<i>Geist</i> Deep Scout .....	51
<i>Gherain</i> Corvette .....	66
<i>Haritti</i> Battlecruiser .....	87
<i>Hawk</i> Destroyer Escort .....	69
<i>Irushma</i> Patrol Frigate .....	70
<i>Kuru</i> Patrol Frigate .....	71
<i>Lorden</i> Armed Courier .....	51

<i>Monfraki</i> Dropship .....	91
<i>Murka</i> Combat Shuttle .....	120
<i>Osiron</i> Destroyer .....	71
<i>Pheidippides</i> Imperial Courier .....	52
<i>Polesta</i> Troopship .....	90
<i>Quero</i> Assault Lander .....	117
<i>Solon</i> Battlecruiser .....	88
<i>Stromali</i> Escort Destroyer .....	71
<i>S-XL</i> Long Range Scout .....	52
<i>Temaughi</i> Corvette .....	72
<i>Thespia</i> Destroyer .....	72
<i>Traskon</i> Assault Carrier .....	92
<i>Uramikaa</i> Corvette.....	73
<i>Viodak</i> Light Carrier.....	73
<i>Vuki</i> Intruder Scout.....	53
<i>Warhoud</i> Assault Carrier.....	73
<i>Wylbur</i> Ultra-Heavy Fighter.....	109
<i>Yelsyn</i> Frigate .....	74

## Two Thousand Worlds

<i>Gzong!xk</i> Dreadnought.....	80
<i>K!kreer</i> Light Cruiser .....	81
<i>Uxkoong</i> Frigate .....	61
<i>Xing!kir</i> Light Cruiser .....	83

## Vargr Extents

<i>Aekguthang</i> Assault Cutter.....	111
<i>Gvergh</i> Assault Cruiser .....	79
<i>Khorfooz</i> Raider .....	66

## Zhodani Consulate

<i>Bliaprlinz</i> Strike Destroyer.....	63
<i>Drianjdaqr</i> Destroyer.....	65
<i>Echpoz</i> Armed Gig .....	117
<i>Iechtekl</i> Intelligence Frigate .....	50
<i>Joqlsha'</i> Fighter .....	106
<i>Shebzhinj</i> Launch .....	118
<i>Shtiabr</i> Intelligence Frigate.....	51
<i>Shtiabrisht</i> Destroyer .....	67
<i>Tezhmacht</i> Fighter .....	107
<i>Tlach'dev</i> Destroyer .....	72

## Ziru Sirka

<i>Korkii</i> Destroyer.....	59
<i>Shibaash</i> Light Cruiser.....	83

## Ships

### Auxiliaries

<i>Aekguthang</i> Assault Cutter <i>Gvergh</i> Assault Cruiser .....	79
<i>Angbar</i> Heavy Fighter <i>Sveinhelm</i> Assault Carrier .....	61
Assault Cutter <i>Defiance</i> Light Cruiser .....	86
<i>Astra</i> Launch <i>Arduin</i> Light Cruiser .....	78
<i>Baboon</i> Scoopship <i>Flamboyant Monkey</i> Frontier Cruiser .....	87
<i>Barlax</i> Assault Lander <i>Polesta</i> Troopship.....	90
<i>Batoche</i> Regimental Lander <i>Birkenhead</i> Troopship .....	89
<i>Burtoine</i> Escort Fighter <i>Fermouche</i> Escort Frigate .....	58

<i>Velroi</i> Escort Destroyer.....	62
<i>Chiang</i> Launch <i>Bopamo</i> Light Carrier .....	54
<i>Guanxou</i> Light Cruiser .....	76
<i>Zhounang</i> Cruiser.....	77
<i>Citadel</i> Heavy Fighter <i>Flamboyant Monkey</i> Frontier Cruiser.....	87
<i>Osiron</i> Destroyer.....	71
<i>Solon</i> Battlecruiser .....	88
<i>Stromali</i> Escort Destroyer.....	71
<i>Dieppe</i> Assault Lander <i>Birkenhead</i> Troopship.....	89
<i>Miotos</i> Battleship .....	82
<i>Echpoz</i> Armed Gig <i>Bliaprlinz</i> Strike Destroyer .....	63
<i>Elding</i> Light Fighter <i>Arasfor</i> Destroyer.....	54
<i>Slakter</i> Assault Cruiser .....	76
<i>Estevan</i> Cutter <i>Alderbaran</i> Heavy Cruiser .....	84
<i>Curzon</i> Destroyer .....	64
<i>Victrix</i> Monitor.....	98
<i>Firefly</i> Light Fighter <i>Arduin</i> Light Cruiser .....	78
<i>Monarch</i> Battleship.....	82
<i>Orman</i> Destroyer .....	60
<i>Fortress</i> Assault Fighter <i>Flamboyant Monkey</i> Frontier Cruiser .....	87
Gig <i>Armageddon</i> Bombardment Cruiser.....	79
<i>Defiance</i> Light Cruiser.....	86
<i>Fermouche</i> Escort Frigate.....	58
<i>Iridescent</i> Poodle Combat Liner	12
<i>Kroydon</i> Droyne Cruiser.....	59
<i>Luusitar</i> Subsidized Liner.....	32
<i>M'gee</i> Maintenance Tender .....	90
<i>Malthus</i> Lab Ship.....	36
<i>Osiron</i> Destroyer.....	71
<i>Pekherni</i> Observatory .....	41
<i>Polo</i> Merchant Scout.....	38
<i>Titanic</i> Resettlement Vessel.....	46
<i>Ubervisch</i> Commerce Raider .....	61
<i>Vanderpelt</i> Luxury Liner .....	34
<i>Velroi</i> Escort Destroyer.....	62
<i>Viodak</i> Light Carrier .....	73
<i>Voidtrekker</i> Rift Scout .....	41
<i>Warhoud</i> Assault Carrier .....	73
<i>Wirlas</i> Exploratory Trader .....	39
<i>Helm</i> Fighter <i>Beowulf</i> Greater Dreadnought.....	75
<i>Grendel</i> Lesser Dreadnought .....	75
<i>Slakter</i> Assault Cruiser .....	76
<i>Huata</i> Fighter <i>Bopamo</i> Light Carrier .....	54
<i>Guanxou</i> Light Cruiser .....	76
<i>Hun</i> Light Fighter <i>Victrix</i> Monitor.....	98

<i>von Braun</i> Missile Boat .....	67	<i>Corannis</i> Dropship .....	89	<b>Cruisers</b>	
<i>Hyena</i> Medium Fighter		<i>Xianghou</i> Destroyer.....	62	<i>Alderbaran</i> Heavy Cruiser.....	84
<i>Arduin</i> Light Cruiser.....	78	<i>Shebzhinj</i> Launch		<i>Arduin</i> Light Cruiser.....	78
<i>Monarch</i> Battleship .....	82	<i>Shtiabr</i> Intelligence Frigate.....	51	<i>Armageddon</i> Bombardment Cruiser	
<i>Imp</i> Patrol Fighter		Ship's Boat		.....	79
<i>Dartmouth</i> Patrol Frigate.....	57	<i>Bralonné</i> Mobile University.....	48	<i>Basilos</i> Pocket Cruiser .....	84
<i>Iramda</i> Fighter		<i>Brildan</i> Heavy Destroyer.....	63	<i>Defiance</i> Light Cruiser.....	86
<i>Megalith</i> Battle Station .....	95	<i>Gurrah</i> Megafreighter .....	11	<i>Flamboyant Monkey</i> Frontier	
<i>Nova's Roar</i> System Defense Boat		<i>Skyskipper</i> Launch		Cruiser .....	87
.....	96	<i>Fornast</i> Subsidized Liner .....	10	<i>Guanxou</i> Light Cruiser .....	76
<i>Joqlsha'</i> Fighter		<i>Knossos</i> Liner.....	14	<i>Gvergh</i> Assault Cruiser.....	79
<i>Drianjdaqr</i> Destroyer .....	65	<i>Monarch</i> Battleship .....	82	<i>Haritti</i> Battlecruiser .....	87
<i>Jumo</i> Heavy Fighter		<i>Orman</i> Destroyer.....	60	<i>Intrepid</i> Cruiser.....	81
<i>Megalith</i> Battle Station .....	95	<i>Quorum</i> Assembly Hall.....	45	<i>K!kreer</i> Light Cruiser.....	81
<i>Melbourne</i> Close Escort .....	60	<i>Steadfast</i> Medium Fighter		<i>Pugnacious</i> Battle Cruiser .....	83
<i>Stunnenge</i> Stealth Monitor .....	97	<i>Intrepid</i> Cruiser .....	81	<i>Shibaash</i> Light Cruiser .....	83
<i>Langsdale</i> Attack Fighter		<i>Miotos</i> Battleship.....	82	<i>Slakter</i> Assault Cruiser .....	76
<i>Auldwich</i> Light Destroyer.....	56	<i>Xianghou</i> Destroyer.....	62	<i>Solon</i> Battlecruiser.....	88
Launch		<i>Tartar</i> Heavy Fighter		<i>Ssaybom</i> Exploration Cruiser.....	53
<i>Bilanos</i> Patrol Frigate .....	67	<i>Victrix</i> Monitor.....	98	<i>Valeria</i> Light Cruiser .....	85
<i>Bralonné</i> Mobile University .....	48	<i>Tezhmacht</i> Fighter		<i>Warhound</i> Light Cruiser .....	85
<i>Dragger</i> Bulk Freighter .....	23	<i>Shtiabrisht</i> Destroyer.....	67	<i>Xing!kir</i> Light Cruiser.....	83
<i>Galak</i> Megafreighter.....	10	<i>Tralsa</i> Gig		<i>Zhounang</i> Cruiser .....	77
<i>Hawk</i> Destroyer Escort.....	69	<i>Flamboyant Monkey</i> Frontier			
<i>Irushma</i> Patrol Frigate .....	70	Cruiser .....	87	<b>Destroyers</b>	
<i>Monnin</i> Freighter .....	14	<i>Tralsa</i> Gig		<i>Arasfor</i> Destroyer .....	54
<i>Otter</i> Survey Scout.....	37	<i>Selanai</i> Armed Liner .....	33	<i>Auldwich</i> Light Destroyer.....	56
<i>Ssaybom</i> Exploration Cruiser ....	53	<i>Vixen</i> Armed Gig		<i>Bliaprlinzh</i> Strike Destroyer .....	63
<i>Zeramine</i> Trade Pioneer.....	42	<i>Cadiz</i> Fast Destroyer .....	64	<i>Brildan</i> Heavy Destroyer.....	63
<i>Luzon</i> Aerospace Fighter		<i>Fenross</i> Destroyer .....	65	<i>Cadiz</i> Fast Destroyer.....	64
<i>Alderbaran</i> Heavy Cruiser.....	84	<i>Valeria</i> Light Cruiser.....	85	<i>Cholath</i> Destroyer.....	56
<i>Curzon</i> Destroyer.....	64	<i>Xenos</i> Fast Launch		<i>Curzon</i> Destroyer.....	64
<i>Marstrom</i> Launch		<i>Kagarin</i> Exploratory Trader.....	36	<i>Drakgki</i> Destroyer.....	57
<i>Selonian</i> Passenger Liner.....	26	<b>Battleships</b>		<i>Drianjdaqr</i> Destroyer .....	65
Modular Cutter		<i>Beowulf</i> Greater Dreadnought....	75	<i>Fenross</i> Destroyer.....	65
<i>Tête Jaune</i> Survey Ship .....	39	<i>Brighton</i> Battleship .....	86	<i>Hawk</i> Destroyer Escort .....	69
<i>Murka</i> Combat Shuttle		<i>Grendel</i> Lesser Dreadnought .....	75	<i>Holgrim</i> Fleet Destroyer .....	58
<i>Monfraki</i> Dropship.....	91	<i>Gzong!xk</i> Dreadnought.....	80	<i>Korkii</i> Destroyer .....	59
<i>Solon</i> Battlecruiser.....	88	<i>Hvort</i> Pocket Dreadnought.....	80	<i>Orman</i> Destroyer .....	60
<i>Traskon</i> Assault Carrier.....	92	<i>Miotos</i> Battleship.....	82	<i>Osiron</i> Destroyer.....	71
<i>Olmeka</i> Heavy Fighter		<i>Monarch</i> Battleship.....	82	<i>Shtiabrisht</i> Destroyer .....	67
<i>Kosigar</i> Pocket Carrier .....	59	<b>Carriers</b>		<i>Stromali</i> Escort Destroyer.....	71
<i>Miotos</i> Battleship .....	82	<i>Bopamo</i> Light Carrier.....	54	<i>Thespia</i> Destroyer.....	72
Pinnacle		<i>Kosigar</i> Pocket Carrier.....	59	<i>Tlach'dev</i> Destroyer.....	72
<i>Kriaplezh</i> Liner.....	25	<i>Sveinhelm</i> Assault Carrier .....	61	<i>Velroi</i> Escort Destroyer .....	62
<i>Prenai</i> Scoopship		<i>Traskon</i> Assault Carrier .....	92	<i>Xianghou</i> Destroyer .....	62
<i>Firal</i> Tanker.....	90	<i>Viodak</i> Light Carrier.....	73		
<i>Quero</i> Assault Lander		<i>Warhoud</i> Assault Carrier.....	73	<b>Escorts</b>	
<i>Gherain</i> Corvette .....	66	<b>Corvettes</b>		<i>Berghoff</i> Missile Boat .....	56
<i>Rampart</i> Fighter		<i>Gherain</i> Corvette.....	66	<i>Congreve</i> Missile Boat.....	57
<i>Brighton</i> Battleship.....	86	<i>Temaughi</i> Corvette .....	72	<i>Cytos</i> Corvette.....	68
<i>Defiance</i> Light Cruiser.....	86	<b>Couriers</b>		<i>Fermouche</i> Escort Frigate.....	58
<i>Flamboyant Monkey</i> Frontier		<i>Dezdinsh</i> Courier.....	40	<i>Frederik Magnus</i> Corvette.....	55
Cruiser.....	87	<i>Lorden</i> Armed Courier .....	51	<i>Fury</i> Fleet Escort .....	68
<i>Kuru</i> Patrol Frigate .....	71	<i>Marathon</i> Courier.....	50	<i>Garyan</i> Corvette .....	68
<i>Viodak</i> Light Carrier .....	73	<i>Morath</i> Fast Courier .....	40	<i>Hoplite</i> Close Escort .....	58, 60
<i>Warhoud</i> Assault Carrier .....	73	<i>Pheidippides</i> Imperial Courier ....	52	<i>Jupiter</i> Frigate.....	66
<i>Rorke</i> Cargo Lighter		<i>S'donath</i> Fast Courier.....	41	<i>Khorfooz</i> Raider .....	66
<i>Birkenhead</i> Troopship.....	89	<i>S'donath</i> Fast Courier.....	40	<i>Kroydon</i> Droyne Cruiser.....	59
<i>Sarta</i> Armoured Launch		<i>Xeer'rr</i> Courier.....	39	<i>Maikuku</i> Missile Boat .....	55
				<i>Maniakes</i> Close Escort.....	58, 60
				<i>Melbourne</i> Close Escort.....	60

<i>Puyan</i> Frigate.....	55	<i>Knorr</i> Freighter .....	13	<i>Anhk</i> Merchant.....	4
<i>Shtiabr</i> Intelligence Frigate .....	51	<i>Leviathan</i> Megafreighter .....	25	<i>Ankrak</i> Freighter .....	4
<i>Stromali</i> Escort Destroyer .....	71	<i>Monnin</i> Freighter.....	14	<i>Antillé</i> Trader .....	4
<i>Temaughi</i> Corvette .....	72	<i>Morag</i> Ore Transport .....	15	<i>Aramine</i> Liner .....	5
<i>Uramikaa</i> Corvette .....	73	<i>Murpak</i> Freighter .....	16	<i>Ariasa</i> Subsidized Packet.....	29
<i>Velroi</i> Escort Destroyer .....	62	<i>Murphy</i> Freighter .....	16	<i>Arisha</i> Subsidized Merchant.....	22
<i>Velroi</i> Escort Destroyer .....	58	<i>Permain</i> Freighter .....	33	<i>Astron</i> Express Trader .....	30
<i>von Braun</i> Missile Boat .....	67	<i>Rikiamid</i> Bulk Freighter.....	18	<i>Augustus Deo</i> Fast Liner.....	6
<b>Fighters</b>		<i>Toves</i> Bulk Freighter .....	34	<i>Baarnekki</i> Fast Trader.....	23
<i>Angbar</i> Heavy Fighter .....	102	<i>Traske</i> Freighter .....	2	<i>Bargam</i> Tramp Trader .....	7
<i>Banshee</i> Light Fighter .....	107	<i>Tsenjia</i> Freighter .....	28	<i>Barton</i> Freighter.....	7
<i>Bayonet</i> Assault Fighter.....	102	<i>Tslechdael</i> Freighter.....	20	<i>Belasmon</i> Liner .....	30
<i>Burtoine</i> Escort Fighter .....	102	<i>Wain</i> Freighter.....	21	<i>Bercovia</i> Express Liner.....	7
<i>Citadel</i> Heavy Fighter .....	108	<i>Wolfram</i> Freighter .....	21	<i>Bergen</i> Freighter .....	8
<i>Elding</i> Light Fighter .....	100	<i>Xeek'krir</i> Freighter .....	21	<i>Bharapar</i> Subsidized Merchant .....	8
<i>Fellbane</i> Orbital Defense Fighter .....	100	<b>Frigates</b>		<i>Borodin</i> Trader.....	9
<i>Firefly</i> Light Fighter .....	103	<i>Bilanos</i> Patrol Frigate.....	67	<i>Braydikor</i> Trader.....	9
<i>Fortress</i> Assault Fighter .....	108	<i>Dartmouth</i> Patrol Frigate ....	57, 104	<i>Brayngorm</i> Cluster Liner .....	9
<i>Fury</i> Fighter.....	100	<i>Fermouche</i> Escort Frigate .....	58	<i>Dragger</i> Bulk Freighter .....	23
<i>Gheilfa</i> Aerospace Fighter.....	108	<i>Iechtekl</i> Intelligence Frigate.....	50	<i>Einkhuissen</i> Express Liner.....	1
<i>Gnat</i> Light Fighter .....	103	<i>Irushma</i> Patrol Frigate.....	70	<i>Ekorn</i> Liner .....	1
<i>Hecate</i> Light Fighter.....	101	<i>Jupiter</i> Frigate .....	66	<i>Empress Nicole</i> Cruise Liner .....	31
<i>Helm</i> Fighter .....	101	<i>Kuru</i> Patrol Frigate.....	71	<i>Enzhyiench</i> Freighter .....	23
<i>Hobbes</i> Heavy Fighter .....	103	<i>Shtiabr</i> Intelligence Frigate.....	51	<i>Fedmist</i> Droyne Trader .....	10
<i>Huata</i> Fighter.....	101	<i>Uxkoong</i> Frigate .....	61	<i>Fornast</i> Subsidized Liner.....	10
<i>Hun</i> Light Fighter .....	106	<i>Yelsyn</i> Frigate .....	74	<i>Furgal</i> Blockade Runner .....	31
<i>Hyena</i> Medium Fighter.....	103	<b>Liners</b>		<i>Galak</i> Megafreighter.....	10
<i>Imp</i> Patrol Fighter.....	104	<i>Antillé</i> Trader .....	4	<i>Gelliam</i> Express Freighter .....	24
<i>Joqlsha'</i> Fighter .....	106	<i>Aramine</i> Liner .....	5	<i>Gnortz</i> Freighter.....	11
<i>Jumo</i> Heavy Fighter.....	104	<i>Augustus Deo</i> Fast Liner .....	6	<i>Gurrak</i> Megafreighter.....	11
<i>Langsdale</i> Attack Fighter .....	104	<i>Belasmon</i> Liner .....	30	<i>Hfiatlais</i> Freighter.....	12
<i>Luzon</i> Aerospace Fighter .....	106	<i>Bercovia</i> Express Liner .....	7	<i>Iridescent Poodle</i> Combat Liner..	12
<i>Midge</i> Light Fighter .....	104	<i>Cairngorm</i> Cluster Liner.....	9	<i>Jelnai</i> Armed Freighter.....	12
<i>Mjolnir</i> Heavy Fighter .....	102	<i>Einkhuissen</i> Express Liner .....	1	<i>Kagarin</i> Exploratory Trader .....	36
<i>Olmeka</i> Heavy Fighter.....	105	<i>Ekorn</i> Liner .....	1	<i>Kjerre</i> Freighter .....	1
<i>Steadfast</i> Medium Fighter .....	105	<i>Empress Nicole</i> Cruise Liner.....	31	<i>Kjerre II</i> Freighter.....	13
<i>Tartar</i> Heavy Fighter.....	106	<i>Fornast</i> Subsidized Liner .....	10	<i>Klastao</i> Far Trader .....	24
<i>Tezhmacht</i> Fighter .....	107	<i>Iridescent Poodle</i> Combat Liner .	12	<i>Klepsidar</i> Freighter .....	24
<i>Trikon</i> Aerospace Fighter .....	105	<i>Knossos</i> Liner.....	14	<i>Knorr</i> Freighter.....	13
<i>Uruq</i> Medium Fighter.....	109	<i>Kriaplezh</i> Liner .....	25	<i>Knossos</i> Liner .....	14
<i>Vampire</i> Strike Fighter .....	105	<i>Luusitar</i> Subsidized Liner .....	32	<i>Komar</i> Free Trader.....	31
<i>Vengeance</i> Heavy Fighter.....	107	<i>Luustani</i> Liner .....	32	<i>Kriaplezh</i> Liner .....	25
<i>Wylbur</i> Ultra-Heavy Fighter.....	109	<i>Muirhead</i> Economy Liner .....	15	<i>Leviathan</i> Megafreighter.....	25
<b>Freighters</b>		<i>Mullet</i> Merchant Liner .....	15	<i>Luusitar</i> Subsidized Liner.....	32
<i>Aablan</i> Freighter .....	2	<i>Pelagros</i> Luxury Liner .....	26	<i>Luustani</i> Liner .....	32
<i>Ampi</i> Express Freighter.....	29	<i>Porion</i> Passenger Liner .....	18	<i>Madiis</i> Trader.....	14
<i>Barton</i> Freighter .....	7	<i>Selanai</i> Armed Liner .....	33	<i>Mauripo</i> Subsidized Merchant.....	33
<i>Bergen</i> Freighter .....	8	<i>Selonian</i> Passenger Liner .....	26	<i>Meredith</i> Trader .....	25
<i>Dragger</i> Bulk Freighter .....	23	<i>Tedoaraq</i> Liner.....	19	<i>Monnin</i> Freighter .....	14
<i>Enzhyiench</i> Freighter .....	23	<i>Therania</i> Luxury Liner.....	27	<i>Morag</i> Ore Transport .....	15
<i>Galak</i> Megafreighter.....	10	<i>Trabatch</i> Express Liner.....	27	<i>Muirhead</i> Economy Liner.....	15
<i>Gelliam</i> Express Freighter .....	24	<i>Triku</i> Subsidized Aquatic Liner ..	19	<i>Mullet</i> Merchant Liner .....	15
<i>Gnortz</i> Freighter .....	11	<i>Umburko</i> Subsidized Liner.....	20	<i>Murpak</i> Freighter .....	16
<i>Gurrak</i> Megafreighter.....	11	<i>Vanderpelt</i> Luxury Liner.....	34	<i>Murphy</i> Freighter .....	16
<i>Hfiatlais</i> Freighter.....	12	<i>Zhdiechranj</i> Liner.....	28	<i>Nahiin</i> Trader .....	16
<i>Jelnai</i> Armed Freighter.....	12	<b>Merchants</b>		<i>Newcombe</i> Trader .....	17
<i>Kjerre</i> Freighter .....	1	<i>Aablan</i> Freighter.....	2	<i>Olythnos</i> Trader .....	17
<i>Kjerre II</i> Freighter .....	13	<i>Aakross</i> Merchant.....	22	<i>Oytrist</i> Merchant .....	17
<i>Klepsidar</i> Freighter.....	24	<i>Aardvark</i> Trader .....	3	<i>Pelagros</i> Luxury Liner.....	26
		<i>Ampi</i> Express Freighter .....	29	<i>Permain</i> Freighter .....	33

<i>Polo Merchant Scout</i> .....	38	<b>Scouts</b>	<i>Jumo Heavy Fighter</i> .....	104
<i>Porion Passenger Liner</i> .....	18	<i>Geist Deep Scout</i> .....	<i>Kraki Assault Cutter</i> .....	120
<i>Quotal Tramp Trader</i> .....	18	<i>Jheron Scoutship</i> .....	<i>Kyzan Armed Shuttle</i> .....	114
<i>Rikiamid Bulk Freighter</i> .....	18	<i>Kagarin Exploratory Trader</i> .....	<i>Langsdale Attack Fighter</i> .....	104
<i>Selanai Armed Liner</i> .....	33	<i>Nostrii Science Scout</i> .....	<i>Luzon Aerospace Fighter</i> .....	106
<i>Selonian Passenger Liner</i> .....	26	<i>Oskrip Droyne Scout</i> .....	<i>MacDonnell Assault Lander</i> .....	115
<i>Tedoaraq Liner</i> .....	19	<i>Otter Survey Scout</i> .....	<i>Marstrom Launch</i> .....	117
<i>Therania Luxury Liner</i> .....	27	<i>Polo Merchant Scout</i> .....	<i>Midge Light Fighter</i> .....	104
<i>Tolley Subsidized Merchant</i> .....	19	<i>Pugilist Combat Scout</i> .....	<i>Mjолnir Heavy Fighter</i> .....	102
<i>Toves Bulk Freighter</i> .....	34	<i>Ssaybom Exploration Cruiser</i> .....	<i>Murka Combat Shuttle</i> .....	120
<i>Trabatch Express Liner</i> .....	27	<i>S-XL Long Range Scout</i> .....	<i>Olmeka Heavy Fighter</i> .....	105
<i>Traske Freighter</i> .....	2	<i>Tête Jaune Survey Ship</i> .....	<i>Oskra Shuttle</i> .....	120
<i>Triku Subsidized Aquatic Liner</i> .....	19	<i>Voidtrekker Rift Scout</i> .....	<i>Prenei Scoopship</i> .....	115
<i>Tsenjia Freighter</i> .....	28	<i>Vuki Intruder Scout</i> .....	<i>Quero Assault Lander</i> .....	117
<i>Tslechdael Freighter</i> .....	20	<i>Zeramine Trade Pioneer</i> .....	<i>Rorke Cargo Lighter</i> .....	115
<i>Umburko Subsidized Liner</i> .....	20	<b>Small Craft</b>	<i>Sarta Armoured Launch</i> .....	115
<i>Vanderpelt Luxury Liner</i> .....	34	<i>Aekguthang Assault Cutter</i> .....	<i>Shebzhinj Launch</i> .....	118
<i>Vloshr Frontier Trader</i> .....	20	<i>Angbar Heavy Fighter</i> .....	<i>Shinzang Shuttle</i> .....	111
<i>Wain Freighter</i> .....	21	<i>Astra Launch</i> .....	<i>Skyskipper Launch</i> .....	116
<i>Wilberton Subsidized Merchant</i> .....	28	<i>Banshee Light Fighter</i> .....	<i>Steadfast Medium Fighter</i> .....	105
<i>Wirlas Exploratory Trader</i> .....	39	<i>Barlax Assault Lander</i> .....	<i>Tartar Heavy Fighter</i> .....	106
<i>Wolfram Freighter</i> .....	21	<i>Barlax II Assault Lander</i> .....	<i>Tezhmacht Fighter</i> .....	107
<i>Xeek'krir Freighter</i> .....	21	<i>Barlax III Assault Lander</i> .....	<i>Tralsa Gig</i> .....	120
<i>Yarmouth Frontier Trader</i> .....	22	<i>Batoche Regimental Lander</i> .....	<i>Trikon Aerospace Fighter</i> .....	105
<i>Zeramine Trade Pioneer</i> .....	42	<i>Bayonet Assault Fighter</i> .....	<i>Uruq Medium Fighter</i> .....	109
<i>Zhdiechranj Liner</i> .....	28	<i>Berry Extraction Cutter</i> .....	<i>Vampire Strike Fighter</i> .....	105
<b>Miscellaneous Ships</b>		<i>Bunter Gig</i> .....	<i>Vengeance Heavy Fighter</i> .....	107
<i>Baboon Scoopship</i> .....	118	<i>Burtoine Escort Fighter</i> .....	<i>Vixen Armed Gig</i> .....	118
<i>Bralonné Mobile University</i> .....	48	<i>Chiang Launch</i> .....	<i>Wylbur Ultra-Heavy Fighter</i> .....	109
<i>Brass Goat Filibuster</i> .....	43	<i>Chiitaa Fast Launch</i> .....	<i>Xenos Fast Launch</i> .....	116
<i>Chiral Lab Ship</i> .....	40	<i>Christoff Shuttle</i> .....	<i>Yarrow Scoopship</i> .....	121
<i>Corannis Dropship</i> .....	89	<i>Citadel Heavy Fighter</i> .....	<i>Zentak Runabout</i> .....	116
<i>Drachplitl Diplomatic Yacht</i> .....	46	<i>Clorthal Customs Cutter</i> .....	<b>Subsidized Merchants</b>	
<i>Drauna Relief Vessel</i> .....	91	<i>Comrade Hudson Friendship</i>	<i>Ariasa Subsidized Packet</i> .....	29
<i>Étienne Missionary Ship</i> .....	43	<i>Lander</i> .....	<i>Arisha Subsidized Merchant</i> .....	22
<i>Ewos Q-Ship</i> .....	65	<i>Dieppe Assault Lander</i> .....	<i>Bharapar Subsidized Merchant</i> .....	8
<i>Firal Tanker</i> .....	90	<i>Dsarpa Fast Shuttle</i> .....	<i>Luusitar Subsidized Liner</i> .....	32
<i>Flinton Scout</i> .....	35	<i>Dumont Assault Lander</i> .....	<i>Mauripo Subsidized Merchant</i> .....	33
<i>Furgal Blockade Runner</i> .....	31	<i>Echpozh Armed Gig</i> .....	<i>Tolley Subsidized Merchant</i> .....	19
<i>Ingham Missionary Ship</i> .....	44	<i>Elding Light Fighter</i> .....	<i>Triku Subsidized Aquatic Liner</i> .....	19
<i>Kagarin Exploratory Trader</i> .....	36	<i>Estevan Cutter</i> .....	<i>Umburko Subsidized Liner</i> .....	20
<i>M'gee Maintenance Tender</i> .....	90	<i>Falkon Cargo Lighter</i> .....	<i>Wilberton Subsidized Merchant</i> .....	28
<i>Malthus Lab Ship</i> .....	36	<i>Fellbane Orbital Defense Fighter</i>	<b>System Defense Boats</b>	
<i>Maynard Interstellar Scout</i> .....	35	<i>Firefly Light Fighter</i> .....	<i>Avoram System Defense Boat</i> .....	94
<i>Nostrii Science Scout</i> .....	36	<i>Fortress Assault Fighter</i> .....	<i>Bølgebryter System Defense</i>	
<i>Pekherni Observatory</i> .....	41	<i>Fromin Launch</i> .....	<i>Monitor</i> .....	94
<i>Polesta Troopship</i> .....	90	<i>Fury Fighter</i> .....	<i>Dervish System Defense Boat</i> .....	93
<i>Polo Merchant Scout</i> .....	38	<i>Gheilfa Aerospace Fighter</i> .....	<i>Gefros System Defense Boat</i> .....	98
<i>Quorum Assembly Hall</i> .....	45	<i>Gnat Light Fighter</i> .....	<i>Irbak System Defense Boat</i> .....	98
<i>Rori Asteroid Miner</i> .....	45	<i>Hecate Light Fighter</i> .....	<i>Irumskla Defense Platform</i> .....	95
<i>Titanic Resettlement Vessel</i> .....	46	<i>Helm Fighter</i> .....	<i>Joritz System Defense Boat</i> .....	95
<i>Wirimethar Treatment Vessel</i> .....	49	<i>Hobbes Heavy Fighter</i> .....	<i>Mayskyu System Defense Boat</i> .....	93
<i>Wirlas Exploratory Trader</i> .....	39	<i>Hudson Lander</i> .....	<i>Miiriimak Monitor</i> .....	96
<i>Zandrak Safari Ship</i> .....	46	<i>Hudson's Revenge Dropship</i> .....	<i>Nova's Roar System Defense Boat</i>	
<i>Zeramine Trade Pioneer</i> .....	42	<i>Hun Light Fighter</i> .....	<i>.....</i>	96
<b>Monitors</b>		<i>Hyena Medium Fighter</i> .....	<i>Rochelle Monitor</i> .....	99
<i>Victrix Monitor</i> .....	98	<i>Ibex Fast Shuttle</i> .....	<i>Stunnenge Stealth Monitor</i> .....	97
<b>Planetoid Ships</b>		<i>Imp Patrol Fighter</i> .....	<i>Verdamt System Defense Boat</i> .....	94
<i>Rochelle Monitor</i> .....	99	<i>Joqlsha' Fighter</i> .....	<b>Traders</b>	
<i>Stunnenge Stealth Monitor</i> .....	97		<i>Aardvark Trader</i> .....	3

<i>Ankrak</i> Freighter .....	4
<i>Astron</i> Express Trader .....	30
<i>Baarnekki</i> Fast Trader.....	23
<i>Bargam</i> Tramp Trader.....	7
<i>Borodin</i> Trader .....	9
<i>Braydikor</i> Trader .....	9
<i>Fedmist</i> Droyne Trader.....	10
<i>Kagarin</i> Exploratory Trader .....	36
<i>Klastao</i> Far Trader.....	24
<i>Komar</i> Free Trader .....	31
<i>Madiis</i> Trader .....	14
<i>Meredith</i> Trader .....	25
<i>Nahiin</i> Trader.....	16
<i>Newcombe</i> Trader.....	17
<i>Olythnos</i> Trader .....	17
<i>Quotal</i> Tramp Trader.....	18
<i>Vloshr</i> Frontier Trader.....	20
<i>Wirlas</i> Exploratory Trader.....	39
<i>Yarmouth</i> Frontier Trader.....	22
<b>Transports</b>	
<i>Ftenrik</i> Fleet Transport.....	91
<b>Warships</b>	
<i>Alderbaran</i> Heavy Cruiser.....	84
<i>Arasfor</i> Destroyer .....	54
<i>Arduin</i> Light Cruiser.....	78
<i>Armageddon</i> Bombardment Cruiser .....	79
<i>Auldwich</i> Light Destroyer.....	56
<i>Barlax</i> Assault Lander .....	112
<i>Barlax II</i> Assault Lander .....	116
<i>Barlax III</i> Assault Lander .....	118
<i>Basilos</i> Pocket Cruiser.....	84
<i>Batoche</i> Regimental Lander .....	112
<i>Beowulf</i> Greater Dreadnought .....	75
<i>Berghoff</i> Missile Boat.....	56
<i>Berry</i> Extraction Cutter .....	119
<i>Bilanos</i> Patrol Frigate .....	67
<i>Birkenhead</i> Troopship .....	89
<i>Bliaprlinzh</i> Strike Destroyer .....	63
<i>Bølgebryter</i> System Defense Monitor .....	94
<i>Bopamo</i> Light Carrier .....	54
<i>Brighton</i> Battleship.....	86
<i>Brildan</i> Heavy Destroyer.....	63
<i>Cadiz</i> Fast Destroyer.....	64
<i>Cholath</i> Destroyer.....	56
<i>Citadel</i> Heavy Fighter .....	108
<i>Congreve</i> Missile Boat .....	57
<i>Corannis</i> Dropship .....	89
<i>Curzon</i> Destroyer.....	64
<i>Cytos</i> Corvette .....	68
<i>Dartmouth</i> Patrol Frigate.....	104
<i>Dartmouth</i> Patrol Frigate .....	57
<i>Defiance</i> Light Cruiser .....	86
<i>Dieppe</i> Assault Lander .....	113
<i>Drakgki</i> Destroyer .....	57
<i>Drianjdaqr</i> Destroyer.....	65
<i>Dumont</i> Assault Lander.....	119
<i>Ewos</i> Q-Ship.....	65
<i>Fenross</i> Destroyer .....	65
<i>Fermouche</i> Escort Frigate .....	58
<i>Flamboyant Monkey</i> Frontier Cruiser .....	87
<i>Frederik Magnus</i> Corvette .....	55
<i>Fury</i> Fleet Escort.....	68
<i>Garyan</i> Corvette.....	68
<i>Gefros</i> System Defense Boat.....	98
<i>Geist</i> Deep Scout.....	51
<i>Gherain</i> Corvette.....	66
<i>Greidel</i> Lesser Dreadnought .....	75
<i>Guanxou</i> Light Cruiser.....	76
<i>Gvergh</i> Assault Cruiser .....	79
<i>Gzong!xk</i> Dreadnought.....	80
<i>Haritti</i> Battlecruiser.....	87
<i>Hawk</i> Destroyer Escort.....	69
<i>Holgrim</i> Fleet Destroyer .....	58
<i>Hoplite</i> Close Escort.....	60
<i>Hoplite</i> Close Escort.....	58
<i>Hvort</i> Pocket Dreadnought.....	80
<i>Iechtekl</i> Intelligence Frigate .....	50
<i>Intrepid</i> Cruiser .....	81
<i>Irbak</i> System Defense Boat.....	98
<i>Irumskla</i> Defense Platform.....	95
<i>Irushma</i> Patrol Frigate.....	70
<i>Joritz</i> System Defense Boat .....	95
<i>Jupiter</i> Frigate .....	66
<i>K!kreer</i> Light Cruiser .....	81
<i>Khorfooz</i> Raider .....	66
<i>Korkii</i> Destroyer.....	59
<i>Kosigar</i> Pocket Carrier.....	59
<i>Kraki</i> Assault Cutter.....	120
<i>Kroydon</i> Droyne Cruiser .....	59
<i>Kuru</i> Patrol Frigate.....	71
<i>MacDonnell</i> Assault Lander.....	115
<i>Maikuku</i> Missile Boat.....	55
<i>Maniakes</i> Close Escort.....	58
<i>Maniakes</i> Close Escort.....	60
<i>Marathon</i> Courier.....	50
<i>Megalith</i> Battle Station.....	95
<i>Melbourne</i> Close Escort.....	60
<i>Miirimak</i> Monitor.....	96
<i>Miotos</i> Battleship.....	82
<i>Monarch</i> Battleship .....	82
<i>Monfraki</i> Dropship .....	91
<i>Murka</i> Combat Shuttle.....	120
<i>Nova's Roar</i> System Defense Boat .....	96
<i>Orman</i> Destroyer .....	60
<i>Osiron</i> Destroyer.....	71
<i>Pheidippides</i> Imperial Courier.....	52
<i>Polestas</i> Troopship .....	90
<i>Pugilist</i> Combat Scout .....	52
<i>Pugnacious</i> Battle Cruiser .....	83
<i>Puyan</i> Frigate .....	55
<i>Rochelle</i> Monitor .....	99
<i>Shibaash</i> Light Cruiser .....	83
<i>Shtiabr</i> Intelligence Frigate .....	51
<i>Shtiabrisht</i> Destroyer .....	67
<i>Slakter</i> Assault Cruiser .....	76
<i>Solon</i> Battlecruiser .....	88
<i>Ssaybom</i> Exploration Cruiser.....	53
<i>Strogali</i> Escort Destroyer.....	71
<i>Stunnenge</i> Stealth Monitor.....	97
<i>Sveinhelm</i> Assault Carrier.....	61
<i>Temaughi</i> Corvette.....	72
<i>Thespia</i> Destroyer .....	72
<i>Tlach'dev</i> Destroyer.....	72
<i>Traskon</i> Assault Carrier .....	92
<i>Ubervisch</i> Commerce Raider.....	61
<i>Uramikaa</i> Corvette .....	73
<i>Uxkoong</i> Frigate.....	61
<i>Valeria</i> Light Cruiser .....	85
<i>Velroi</i> Escort Destroyer .....	62
<i>Velroi</i> Escort Destroyer .....	58
<i>Victrix</i> Monitor .....	98
<i>Viodak</i> Light Carrier .....	73
<i>von Braun</i> Missile Boat .....	67
<i>Vuki</i> Intruder Scout .....	53
<i>Warhoud</i> Assault Carrier .....	73
<i>Warhound</i> Light Cruiser .....	85
<i>Wylbur</i> Ultra-Heavy Fighter .....	109
<i>Xianghou</i> Destroyer .....	62
<i>Xing!kir</i> Light Cruiser.....	83
<i>Yelsyn</i> Frigate.....	74
<i>Zhouanang</i> Cruiser .....	77
<b>Yachts</b>	
<i>Brass Goat</i> Filibuster .....	43
<i>Cardos</i> Fast Yacht .....	48
<i>Drachplitl</i> Diplomatic Yacht .....	46
<i>Faunel</i> Yacht.....	44
<i>Gothick</i> Yacht .....	47
<i>Larilla</i> Yacht.....	47
<i>Mallory</i> Racing Yacht.....	48
<i>Moonii</i> Luxury Yacht.....	49
<i>Murbles</i> Luxury Yacht.....	44
<i>Tch'atl</i> Yacht .....	45